



Full wwPDB EM Validation Report ⓘ

Jan 12, 2026 – 03:43 PM EST

PDB ID : 9Q3A / pdb_00009q3a
EMDB ID : EMD-72189
Title : Structure of the Borna Disease Virus 1 L and co-factor P Protein in an apo state
Authors : Ogino, T.; Chakrapani, S.; Gibbs, E.; Ogino, M.
Deposited on : 2025-08-18
Resolution : 2.77 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev129
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	10695 (2.27 - 3.27)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1721	 79% 12% 8%
2	B	201	 30% 6% 64%
2	C	201	 20% 6% 74%
2	D	201	 16% 80%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	201	 A horizontal bar chart showing the quality of chain E. The bar is divided into three segments: a green segment representing 20%, a yellow segment representing 6%, and a grey segment representing 73%.

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14223 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-directed RNA polymerase L.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1579	Total	C	N	O	S	0	0
			12506	8023	2138	2270	75		

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	428	GLY	SER	conflict	UNP Q8JMN0
A	1116	ARG	LEU	conflict	UNP Q8JMN0
A	1398	ASP	ASN	conflict	UNP Q8JMN0
A	1620	LEU	VAL	conflict	UNP Q8JMN0
A	1712	GLY	-	expression tag	UNP Q8JMN0
A	1713	THR	-	expression tag	UNP Q8JMN0
A	1714	HIS	-	expression tag	UNP Q8JMN0
A	1715	HIS	-	expression tag	UNP Q8JMN0
A	1716	HIS	-	expression tag	UNP Q8JMN0
A	1717	HIS	-	expression tag	UNP Q8JMN0
A	1718	HIS	-	expression tag	UNP Q8JMN0
A	1719	HIS	-	expression tag	UNP Q8JMN0
A	1720	HIS	-	expression tag	UNP Q8JMN0
A	1721	HIS	-	expression tag	UNP Q8JMN0

- Molecule 2 is a protein called Isoform p24 of Phosphoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	41	Total	C	N	O	S	0	0
			320	201	52	61	6		
2	B	73	Total	C	N	O	S	0	0
			554	344	94	108	8		
2	C	53	Total	C	N	O	S	0	0
			420	258	72	83	7		
2	E	54	Total	C	N	O	S	0	0
			422	260	72	83	7		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
3	A	1	Total	Zn	0
			1	1	

[illegible]

Chain B:

Position	Residue	Category
135	GLI	Green
136	EI36	Yellow
140	I140	Yellow
150	E150	Yellow
151	T151	Green
152	M152	Yellow
174	M174	Yellow
179	P179	Yellow
182	P182	Green
183	ARG	Green
184	ILE	Green
185	TYR	Green
186	PRO	Green
187	GLN	Green
188	LEU	Green
189	PRO	Green
190	SER	Green
191	ALA	Green
192	PRO	Green
193	THR	Green
194	ALA	Green
195	ASP	Green
196	GLU	Green
197	TRP	Green
198	ASP	Green
199	ILE	Green
200	ILE	Green
201	PRO	Green
202	ASP	Green
203	GLN	Green
204	ASP	Green
205	ALA	Green
206	GLY	Green
207	THR	Green
208	LEU	Green
209	GLY	Green
210	ILE	Green
211	SER	Green
212	ALA	Green
213	ARG	Green
214	VAL	Green
215	GLU	Green
216	GLU	Green
217	VAL	Green
218	ARG	Green
219	GLY	Green
220	THR	Green
221	LEU	Green
222	GLY	Green
223	ALA	Green
224	ASP	Green
225	ILE	Green
226	GLU	Green
227	ALA	Green
228	PHE	Green
229	GLU	Green
230	S110	Green
231	L114	Yellow
232	E117	Yellow
233	D129	Yellow
234	S130	Yellow
235	T133	Yellow
236	ASP	Grey
237	PRO	Grey
238	ILE	Grey
239	MET	Grey
240	SER	Grey
241	ASN	Grey
242	LYS	Grey
243	ARG	Grey
244	LEU	Grey
245	ASP	Grey
246	GLN	Grey
247	PRO	Grey
248	VAL	Grey
249	ASP	Grey
250	GLN	Grey
251	THR	Grey
252	LEU	Grey
253	ALA	Grey
254	ASN	Grey
255	ARG	Grey
256	PRO	Grey
257	ILE	Grey
258	THR	Grey
259	GLN	Grey
260	ARG	Grey
261	GLU	Grey
262	ARG	Grey
263	LEU	Grey
264	ASP	Grey
265	GLY	Grey
266	SER	Grey
267	PRO	Grey
268	THR	Grey
269	GLN	Grey
270	THR	Grey
271	LEU	Grey
272	ASP	Grey
273	GLU	Grey
274	VAL	Grey
275	ASP	Grey
276	SER	Grey
277	LEU	Grey
278	GLN	Grey
279	LEU	Grey
280	GLY	Grey
281	PHE	Grey
282	GLU	Grey
283	ASP	Grey
284	LEU	Grey
285	ARG	Grey
286	LYS	Grey
287	ASN	Grey
288	PRO	Grey
289	THR	Grey
290	ALA	Grey
291	THR	Grey
292	THR	Grey
293	GLN	Grey
294	PRO	Grey
295	ASP	Grey
296	GLY	Grey
297	SER	Grey
298	ILE	Grey
299	SER	Grey
300	ARG	Grey
301	THR	Grey
302	GLU	Grey
303	ASP	Grey
304	GLY	Grey
305	SER	Grey
306	GLN	Grey
307	THR	Grey
308	LEU	Grey
309	ALA	Grey
310	ASN	Grey
311	ARG	Grey
312	PRO	Grey
313	GLU	Grey
314	ARG	Grey
315	GLU	Grey
316	ARG	Grey
317	LEU	Grey
318	ASP	Grey
319	GLY	Grey
320	SER	Grey
321	PRO	Grey
322	ASP	Grey
323	GLU	Grey
324	LEU	Grey
325	SER	Grey
326	ASP	Grey
327	VAL	Grey
328	LEU	Grey
329	GLN	Grey
330	THR	

Amino Acid	Count	Percentage
ASP	1	0.5%
GLN	1	0.5%
ARG	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLY	1	0.5%
ARG	1	0.5%
GLN	1	0.5%
GLU	1	0.5%
LEU	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
SER	1	0.5%
ASN	1	0.5%
GLU	1	0.5%
LEU	1	0.5%
ILE	1	0.5%
LYS	1	0.5%
LEU	1	0.5%
VAL	1	0.5%
THR	1	0.5%
GLN	1	0.5%
GLU	1	0.5%
LEU	1	0.5%
ARG	1	0.5%
ALA	1	0.5%
GLU	1	0.5%
ASN	1	0.5%
SER	1	0.5%
MET	1	0.5%
SER	1	0.5%
ILE	1	0.5%
GLY	1	0.5%
ALA	1	0.5%
THR	1	0.5%
LEU	1	0.5%
GLY	1	0.5%
ARG	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
LYS	1	0.5%
ARG	1	0.5%
LEU	1	0.5%
ASP	1	0.5%
GLY	1	0.5%
LEU	1	0.5%
ASN	1	0.5%
PRO	1	0.5%
SER	1	0.5%
MET	1	0.5%
ILE	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	0.5%
VAL	1	0.5%
ASP	1	0.5%
GLN	1	0.5%
LEU	1	0.5%
THR	1	0.5%
PRO	1	0.5%
GLN	1	

[illegible]

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	224617	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	8000	Depositor
Maximum defocus (nm)	16000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.031	Depositor
Minimum map value	-0.013	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.003	Depositor
Map size (Å)	251.99998, 251.99998, 251.99998	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84, 0.84, 0.84	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/12797	0.49	0/17382
2	B	0.38	0/561	0.50	0/757
2	C	0.11	0/421	0.36	0/561
2	D	0.36	0/320	0.59	0/424
2	E	0.96	0/423	1.31	0/564
All	All	0.37	0/14522	0.53	0/19688

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	12506	0	12614	139	0
2	B	554	0	574	8	0
2	C	420	0	436	9	0
2	D	320	0	345	9	0
2	E	422	0	440	15	0
3	A	1	0	0	0	0
All	All	14223	0	14409	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 6.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1510:LEU:HD11	1:A:1587:LYS:HB3	1.73	0.70
2:D:152:MET:HE3	2:E:155:MET:HE2	1.77	0.67
2:E:148:MET:HG3	2:E:152:MET:CE	2.24	0.67
1:A:1116:ARG:NH1	1:A:1234:GLU:OE2	2.29	0.64
1:A:1485:HIS:NE2	1:A:1511:CYS:SG	2.69	0.64
1:A:1462:ARG:HH21	1:A:1486:LEU:HB3	1.63	0.64
1:A:918:MET:HB2	1:A:919:PRO:HD3	1.80	0.63
1:A:1314:ARG:HE	1:A:1394:VAL:HG13	1.64	0.63
1:A:313:ARG:NH2	1:A:617:VAL:O	2.32	0.62
1:A:1372:ARG:NH2	1:A:1509:ASP:O	2.32	0.62
1:A:1116:ARG:HG2	1:A:1121:THR:HG22	1.81	0.62
2:E:148:MET:HG3	2:E:152:MET:HE3	1.81	0.62
1:A:1510:LEU:HG	1:A:1588:ALA:HB2	1.82	0.61
1:A:1093:LEU:HD13	1:A:1126:PRO:HD2	1.83	0.60
1:A:1399:SER:HA	1:A:1402:HIS:ND1	2.16	0.60
1:A:1138:PRO:HD2	1:A:1178:HIS:CE1	2.36	0.60
1:A:312:MET:HE2	1:A:619:THR:HG21	1.83	0.60
1:A:1446:SER:HA	1:A:1451:ARG:HH21	1.67	0.59
1:A:320:GLN:NE2	2:C:166:THR:O	2.36	0.58
1:A:1205:LEU:C	1:A:1205:LEU:HD12	2.28	0.58
1:A:1544:ARG:NH1	1:A:1546:ASP:OD2	2.36	0.58
2:E:154:LEU:O	2:E:157:GLU:HG3	2.04	0.58
1:A:1331:ARG:HG2	1:A:1620:LEU:HD13	1.86	0.58
1:A:1528:THR:OG1	1:A:1530:ARG:NH1	2.37	0.57
1:A:922:PRO:HG3	1:A:1010:LEU:HD23	1.88	0.56
1:A:1558:LEU:HD13	1:A:1561:LEU:HD13	1.88	0.56
1:A:923:ARG:HE	1:A:1013:VAL:HG23	1.68	0.56
1:A:1616:THR:O	1:A:1618:ARG:NH1	2.38	0.56
2:E:143:ARG:HH22	2:E:146:LYS:HD2	1.69	0.56
1:A:1143:SER:HB2	1:A:1183:PHE:CD2	2.41	0.56
1:A:359:LYS:NZ	1:A:363:ASN:OD1	2.39	0.55
1:A:619:THR:HG22	1:A:621:THR:H	1.72	0.55
1:A:1596:SER:OG	1:A:1599:SER:HB3	2.07	0.55
1:A:556:ASN:HA	1:A:621:THR:HG21	1.88	0.55
1:A:1090:THR:HG22	1:A:1128:ILE:HD13	1.88	0.55
2:D:155:MET:HE2	2:B:152:MET:HE1	1.89	0.55
1:A:919:PRO:O	1:A:921:ARG:HG3	2.05	0.55
1:A:1104:ASP:OD2	1:A:1224:LEU:N	2.39	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:143:ARG:NH2	2:E:146:LYS:HD2	2.23	0.54
1:A:1362:ARG:HH12	1:A:1396:ARG:HH21	1.56	0.54
1:A:922:PRO:HG2	1:A:1013:VAL:HB	1.90	0.53
1:A:549:LEU:HD11	1:A:682:LEU:HD13	1.90	0.53
1:A:1369:PHE:CD1	1:A:1592:PRO:HG3	2.43	0.53
1:A:778:GLU:HB3	1:A:970:LYS:HE3	1.90	0.53
2:D:150:GLU:HG2	2:B:179:PRO:HG3	1.90	0.52
1:A:1025:HIS:HB2	1:A:1205:LEU:HD11	1.90	0.52
1:A:1336:ALA:HA	1:A:1341:PHE:HE2	1.75	0.52
1:A:407:ILE:HD13	1:A:443:LEU:HD23	1.90	0.52
1:A:1471:ILE:HB	1:A:1493:LEU:HD23	1.91	0.51
1:A:1205:LEU:HD12	1:A:1205:LEU:O	2.10	0.51
1:A:795:LEU:HD12	1:A:831:LEU:HD22	1.92	0.51
1:A:1594:TYR:HD2	1:A:1596:SER:HB3	1.74	0.51
1:A:880:ARG:NH1	1:A:903:LEU:O	2.44	0.51
1:A:1142:ASP:HA	1:A:1145:GLN:OE1	2.12	0.50
1:A:1331:ARG:HE	1:A:1620:LEU:HB2	1.77	0.50
1:A:1397:ILE:HG23	1:A:1401:TYR:HD2	1.77	0.50
1:A:466:ALA:HA	2:B:174:MET:HG2	1.94	0.50
1:A:1428:GLU:N	1:A:1428:GLU:OE1	2.45	0.50
1:A:549:LEU:HD22	1:A:693:LEU:HD21	1.94	0.49
1:A:1166:HIS:HA	1:A:1170:LYS:HD3	1.94	0.49
1:A:919:PRO:HG2	1:A:1222:PHE:HA	1.94	0.49
1:A:1444:SER:OG	1:A:1455:GLN:NE2	2.42	0.49
2:C:162:LEU:HD21	2:E:162:LEU:HD23	1.94	0.49
1:A:1273:LEU:HB3	1:A:1277:ARG:HD3	1.94	0.49
1:A:1613:ASP:O	1:A:1616:THR:OG1	2.26	0.49
1:A:1033:GLU:HA	1:A:1036:LEU:HD23	1.95	0.49
2:D:156:MET:HE1	2:E:155:MET:HB2	1.95	0.49
1:A:854:PRO:HA	1:A:867:ASN:HD21	1.77	0.48
1:A:1301:GLN:HA	1:A:1353:LEU:HD12	1.94	0.48
1:A:1291:ASN:HB2	1:A:1294:ARG:HH21	1.78	0.48
1:A:931:LEU:HB3	1:A:1092:VAL:HG22	1.95	0.48
2:C:125:CYS:O	2:C:127:HIS:ND1	2.45	0.48
1:A:867:ASN:HB3	1:A:1005:THR:HB	1.94	0.48
1:A:1061:TYR:HE1	1:A:1286:GLN:HA	1.78	0.48
1:A:1048:ARG:HG2	1:A:1199:VAL:HG12	1.96	0.48
1:A:1596:SER:O	1:A:1597:LEU:C	2.56	0.48
2:B:133:ILE:HG13	2:B:134:LEU:HD12	1.96	0.48
1:A:879:ARG:NH2	1:A:942:ASP:OD1	2.47	0.47
2:D:152:MET:HE3	2:E:155:MET:CE	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:LEU:HD11	2:B:150:GLU:HG2	1.96	0.47
2:C:136:GLU:HA	2:C:139:LYS:HB3	1.97	0.47
1:A:484:LYS:HE2	1:A:484:LYS:HB3	1.68	0.47
1:A:1018:VAL:HG13	1:A:1182:VAL:HG12	1.96	0.47
1:A:1025:HIS:HB2	1:A:1205:LEU:CD1	2.45	0.47
2:C:144:SER:HA	2:C:147:THR:HB	1.97	0.46
1:A:862:ASP:HB3	1:A:865:SER:HB2	1.96	0.46
1:A:1159:ARG:HH12	1:A:1500:ALA:HB2	1.80	0.46
1:A:1555:HIS:NE2	1:A:1574:ILE:O	2.49	0.46
2:D:152:MET:HE1	2:E:152:MET:HA	1.96	0.46
1:A:1287:ARG:HH11	1:A:1291:ASN:HB3	1.80	0.46
1:A:69:PHE:HE2	1:A:174:MET:HE1	1.81	0.46
1:A:528:LEU:HD11	1:A:707:TYR:CE2	2.51	0.46
1:A:1433:PHE:HE2	1:A:1458:LYS:HE3	1.81	0.46
1:A:1129:GLN:HG2	1:A:1407:ALA:HB1	1.98	0.46
1:A:1276:ILE:HG21	1:A:1329:LEU:HA	1.97	0.46
1:A:1149:GLY:HA2	1:A:1152:ASN:OD1	2.17	0.45
1:A:859:LEU:HB2	1:A:1006:TRP:CH2	2.51	0.45
1:A:1060:LEU:HD11	1:A:1152:ASN:HB3	1.98	0.45
1:A:1439:HIS:ND1	1:A:1579:CYS:SG	2.89	0.45
1:A:77:GLU:OE1	1:A:122:ARG:NH2	2.50	0.45
1:A:1601:ARG:HA	1:A:1604:LEU:HD23	1.99	0.45
1:A:1120:TYR:CE1	1:A:1122:SER:HB3	2.52	0.45
1:A:255:ASP:N	1:A:255:ASP:OD1	2.50	0.45
1:A:1018:VAL:HG21	1:A:1181:HIS:HB3	1.99	0.44
2:D:147:THR:O	2:D:151:THR:OG1	2.25	0.44
1:A:1453:GLN:O	1:A:1457:LEU:HD23	2.17	0.44
1:A:1173:ASP:OD2	1:A:1216:LYS:NZ	2.41	0.44
2:D:152:MET:HE2	2:E:151:THR:HG22	2.00	0.44
2:B:129:ASP:OD1	2:B:130:SER:N	2.50	0.44
1:A:1472:TYR:HB2	1:A:1535:GLY:HA3	1.98	0.44
2:B:136:GLU:O	2:B:140:ILE:HG12	2.17	0.44
1:A:1061:TYR:HB2	1:A:1145:GLN:HE21	1.83	0.44
2:E:124:ARG:C	2:E:124:ARG:HD3	2.41	0.44
1:A:1252:VAL:HG12	1:A:1254:PHE:H	1.83	0.44
1:A:736:PHE:HB3	1:A:962:VAL:HG13	1.98	0.44
1:A:1428:GLU:OE1	1:A:1511:CYS:HB2	2.18	0.44
1:A:31:LEU:HD13	1:A:178:HIS:HD2	1.83	0.44
2:C:140:ILE:HG22	2:C:143:ARG:HH22	1.83	0.44
2:E:145:MET:HE3	2:E:145:MET:HB2	1.71	0.44
1:A:521:MET:HG3	1:A:527:ALA:HB1	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:VAL:HG11	1:A:696:GLU:HB3	1.99	0.43
2:D:129:ASP:O	2:D:132:ARG:HB3	2.18	0.43
2:E:148:MET:CG	2:E:152:MET:CE	2.96	0.43
1:A:1555:HIS:ND1	1:A:1556:PRO:O	2.45	0.43
1:A:1149:GLY:O	1:A:1150:TYR:C	2.61	0.43
1:A:1179:PHE:HA	1:A:1182:VAL:HG22	2.00	0.43
1:A:796:VAL:HG12	1:A:802:GLY:HA3	2.00	0.42
1:A:1436:ARG:HA	1:A:1578:CYS:HB2	2.02	0.42
1:A:1440:HIS:CD2	1:A:1579:CYS:HB3	2.54	0.42
1:A:555:CYS:SG	1:A:624:GLU:HG2	2.59	0.42
1:A:576:CYS:HB3	1:A:579:PHE:HB3	2.02	0.42
1:A:771:TYR:CE2	1:A:805:THR:HG22	2.55	0.42
1:A:1289:TRP:CE3	1:A:1290:ALA:HB2	2.55	0.42
1:A:1364:SER:HA	1:A:1369:PHE:HE1	1.84	0.42
1:A:1372:ARG:HE	1:A:1507:GLU:HA	1.85	0.42
1:A:1024:PRO:HA	1:A:1206:LEU:HD23	2.02	0.42
1:A:138:VAL:HG12	1:A:146:ILE:HG21	2.01	0.42
1:A:902:PRO:C	1:A:904:THR:H	2.28	0.42
1:A:1439:HIS:CE1	1:A:1441:GLY:HA2	2.55	0.42
1:A:1288:THR:O	1:A:1289:TRP:C	2.63	0.41
1:A:1551:VAL:HG22	1:A:1560:GLU:HB3	2.02	0.41
2:C:136:GLU:O	2:C:140:ILE:N	2.36	0.41
1:A:1458:LYS:HD2	1:A:1486:LEU:HD21	2.02	0.41
1:A:351:VAL:HG12	1:A:386:ILE:HA	2.02	0.41
1:A:1260:ALA:HB2	1:A:1412:TYR:HB3	2.01	0.41
1:A:1317:ILE:HD11	1:A:1383:PRO:HB3	2.03	0.41
1:A:1041:TYR:CZ	1:A:1186:GLY:HA3	2.56	0.41
1:A:1360:LEU:HD13	1:A:1379:LEU:HD21	2.03	0.41
1:A:1367:ILE:HD12	1:A:1367:ILE:HA	1.97	0.41
2:C:127:HIS:HB3	2:C:130:SER:OG	2.21	0.41
2:E:129:ASP:O	2:E:131:ILE:N	2.49	0.41
1:A:904:THR:O	1:A:904:THR:HG22	2.21	0.41
2:C:129:ASP:O	2:C:133:ILE:HG12	2.21	0.41
1:A:232:ILE:O	1:A:236:ILE:HG13	2.21	0.40
1:A:1120:TYR:HD1	1:A:1122:SER:H	1.68	0.40
1:A:1352:ALA:HA	1:A:1355:MET:HE2	2.03	0.40
1:A:1591:ARG:HD3	1:A:1591:ARG:HA	1.95	0.40
2:B:114:LEU:O	2:B:117:GLU:HG3	2.21	0.40
1:A:899:PHE:O	1:A:902:PRO:HD3	2.21	0.40
1:A:1446:SER:O	1:A:1451:ARG:NH2	2.55	0.40
1:A:409:SER:OG	1:A:413:ASP:OD2	2.33	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1323:GLN:NE2	1:A:1617:ILE:HA	2.37	0.40
1:A:100:LYS:HD3	1:A:1023:HIS:HD2	1.86	0.40
1:A:100:LYS:HD3	1:A:1023:HIS:CD2	2.57	0.40
1:A:430:ARG:HD3	1:A:430:ARG:HA	1.95	0.40
1:A:509:LYS:HE2	1:A:509:LYS:HB3	1.83	0.40
1:A:1060:LEU:HD23	1:A:1060:LEU:C	2.46	0.40
1:A:1120:TYR:OH	1:A:1126:PRO:HD3	2.22	0.40
1:A:1596:SER:OG	1:A:1599:SER:CB	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1569/1721 (91%)	1514 (96%)	55 (4%)	0	100	100
2	B	71/201 (35%)	69 (97%)	2 (3%)	0	100	100
2	C	51/201 (25%)	50 (98%)	1 (2%)	0	100	100
2	D	39/201 (19%)	37 (95%)	2 (5%)	0	100	100
2	E	52/201 (26%)	47 (90%)	5 (10%)	0	100	100
All	All	1782/2525 (71%)	1717 (96%)	65 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1388/1504 (92%)	1388 (100%)	0	100	100
2	B	65/180 (36%)	65 (100%)	0	100	100
2	C	49/180 (27%)	49 (100%)	0	100	100
2	D	37/180 (21%)	37 (100%)	0	100	100
2	E	49/180 (27%)	49 (100%)	0	100	100
All	All	1588/2224 (71%)	1588 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	157	GLN
1	A	278	GLN
1	A	519	HIS
1	A	575	ASN
1	A	658	ASN
1	A	867	ASN
1	A	901	GLN
1	A	987	GLN
1	A	1166	HIS
1	A	1178	HIS
1	A	1181	HIS
1	A	1281	HIS
1	A	1286	GLN
1	A	1440	HIS
1	A	1607	ASN
2	C	120	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-72189. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 146




Y Index: 160




Z Index: 113


6.3.2 Raw map



X Index: 146



Y Index: 160




Z Index: 124


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) ⓘ


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.003. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_72189_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 135 nm^3 ; this corresponds to an approximate mass of 122 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.361 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.361 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.77	-	-
Author-provided FSC curve	2.76	3.09	2.79
Unmasked-calculated*	3.14	3.64	3.19

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.14 differs from the reported value 2.77 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-72189 and PDB model 9Q3A. Per-residue inclusion information can be found in section [3](#) on page [6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.003 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.003).

9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 91% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.003) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9090	0.5060
A	0.9150	0.5160
B	0.9030	0.4720
C	0.8670	0.4200
D	0.8380	0.4350
E	0.8340	0.4080

