



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 17, 2026 – 04:42 PM EDT

PDB ID : 9Q5S / pdb_00009q5s
Title : Structure-activity-relationship studies of guanidine-based ALDH1B1 inhibitors
Authors : Fernandez, D.; Chen, J.K.; Tarhan, K.
Deposited on : 2025-08-21
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	493	 87% 11% •
1	B	493	 81% 17% •

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 8210 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aldehyde dehydrogenase X, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	493	Total	C	N	O	S	0	0	0
			3852	2449	667	719	17			
1	B	493	Total	C	N	O	S	0	0	0
			3852	2449	667	719	17			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	90	ARG	LEU	variant	UNP P30837
A	236	MET	VAL	variant	UNP P30837
B	90	ARG	LEU	variant	UNP P30837
B	236	MET	VAL	variant	UNP P30837

- Molecule 2 is (1M,4S)-3-([1,1'-biphenyl]-4-yl)-1-(2-methoxyphenyl)-1,7-dihydro-5H-spiro[imidazo[1,2-a]pyrimidine-6,4'-piperidine] (CCD ID: A1COU) (formula: C₂₉H₃₀N₄O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 34	C 29	N 4	O 1	0	0
2	B	1	Total 34	C 29	N 4	O 1	0	0

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Na 1 1	0	0
3	B	1	Total Na 1 1	0	0

- Molecule 4 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (CCD ID: NAI) (formula: $\text{C}_{21}\text{H}_{29}\text{N}_7\text{O}_{14}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
4	B	1	Total 44	C 21	N 7	O 14	P 2	0	0

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total Cl 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Cl	0	0
			1	1		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			7	4	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	184	Total	O	0	0
			184	184		
7	B	153	Total	O	0	0
			153	153		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aldehyde dehydrogenase X, mitochondrial



- Molecule 1: Aldehyde dehydrogenase X, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	101.20Å 101.20Å 184.94Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.64 – 2.10 30.64 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (30.64-2.10) 99.8 (30.64-2.10)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.180 , 0.237 0.181 , 0.237	Depositor DCC
R_{free} test set	3319 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	36.5	Xtriage
Anisotropy	0.409	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 29.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.025 for -h,-k,l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8210	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1COU, NA, PEG, CL, NAI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/3939	1.18	10/5333 (0.2%)
1	B	0.54	0/3939	1.25	15/5333 (0.3%)
All	All	0.56	0/7878	1.22	25/10666 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	130	ARG	CG-CD-NE	-9.71	90.64	112.00
1	B	417	VAL	N-CA-CB	8.45	121.39	110.57
1	B	128	VAL	N-CA-CB	7.68	120.40	110.57
1	A	287	VAL	N-CA-CB	7.32	119.12	110.55
1	B	323	VAL	N-CA-CB	6.53	119.42	110.54
1	B	64	LYS	N-CA-CB	6.46	119.72	110.16
1	A	107	THR	CA-CB-OG1	-6.44	99.94	109.60
1	A	473	ASN	CB-CA-C	-6.34	100.00	110.14
1	B	27	GLU	CB-CG-CD	5.82	122.50	112.60
1	A	432	PHE	CA-CB-CG	-5.75	108.05	113.80
1	A	434	ARG	N-CA-C	-5.72	106.34	113.38
1	A	227	THR	CA-CB-OG1	-5.65	101.12	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	499	ASN	CA-CB-CG	-5.60	107.00	112.60
1	A	130	ARG	CB-CA-C	-5.50	101.50	110.85
1	A	132	PHE	CA-CB-CG	-5.38	108.42	113.80
1	B	227	THR	CA-CB-OG1	-5.38	101.53	109.60
1	B	431	VAL	CB-CA-C	-5.34	102.66	110.62
1	B	109	ASP	CA-CB-CG	5.28	117.88	112.60
1	B	137	ASP	CA-CB-CG	5.28	117.88	112.60
1	B	431	VAL	N-CA-CB	5.28	120.57	111.39
1	B	55	ASP	CA-CB-CG	5.22	117.82	112.60
1	A	56	ARG	CB-CA-C	5.17	119.09	110.81
1	A	56	ARG	CA-CB-CG	5.09	124.28	114.10
1	B	151	PHE	N-CA-CB	-5.06	102.18	110.43
1	B	336	GLU	N-CA-CB	5.04	117.47	109.71

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	86	ARG	Sidechain
1	B	130	ARG	Sidechain
1	B	155	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3852	0	3804	46	0
1	B	3852	0	3804	45	0
2	A	34	0	0	0	0
2	B	34	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	44	0	27	9	0
4	B	44	0	27	4	0
5	A	3	0	0	0	0
5	B	1	0	0	0	0
6	A	7	0	10	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	184	0	0	1	0
7	B	153	0	0	4	1
All	All	8210	0	7672	85	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302:CYS:SG	4:A:603:NAI:H42N	1.80	1.21
1:B:302:CYS:SG	4:B:603:NAI:H42N	1.84	1.15
1:A:29:GLN:NE2	1:A:61:ARG:HH12	1.52	1.05
1:A:29:GLN:NE2	1:A:61:ARG:NH1	2.17	0.90
1:A:302:CYS:HG	4:A:603:NAI:H42N	1.31	0.88
1:A:302:CYS:SG	4:A:603:NAI:C4N	2.62	0.87
1:B:302:CYS:SG	4:B:603:NAI:C4N	2.63	0.86
1:A:29:GLN:HE22	1:A:61:ARG:NH1	1.82	0.76
1:A:298:MET:HG3	1:A:341:GLN:HG3	1.72	0.72
1:A:29:GLN:HE21	1:A:61:ARG:HH12	1.41	0.68
1:B:298:MET:HG3	1:B:341:GLN:HG3	1.75	0.68
1:B:294:LEU:HD23	1:B:306:SER:HA	1.75	0.67
1:A:115:GLN:HG3	1:A:116:GLU:H	1.62	0.64
1:A:302:CYS:SG	4:A:603:NAI:C3N	2.87	0.62
1:A:169:ASN:HD21	4:A:603:NAI:H5N	1.64	0.62
1:B:22:LEU:HD13	1:B:52:ALA:HB3	1.82	0.62
1:A:394:ARG:HD2	1:A:398:GLU:OE1	2.00	0.61
1:B:411:LYS:HG2	1:B:412:LYS:HD3	1.83	0.61
1:A:251:HIS:HD2	1:B:258:GLY:O	1.84	0.60
1:B:439:ALA:O	1:B:443:THR:HG23	2.02	0.60
1:B:294:LEU:C	1:B:294:LEU:HD13	2.28	0.59
1:A:259:ASP:OD1	1:B:255:LYS:HD3	2.03	0.58
1:A:324:GLU:O	1:A:328:GLN:HG3	2.03	0.58
1:B:43:THR:HG21	1:B:334:PRO:HD2	1.85	0.58
1:A:115:GLN:HG3	1:A:116:GLU:N	2.18	0.57
1:A:302:CYS:HB3	4:A:603:NAI:C2N	2.34	0.57
1:A:22:LEU:HD13	1:A:52:ALA:HB3	1.87	0.56
1:B:328:GLN:HG2	7:B:844:HOH:O	2.04	0.56
1:A:148:GLY:O	1:A:498:LYS:HE2	2.06	0.56
1:A:308:THR:HB	1:A:407:LEU:HD12	1.90	0.54
1:B:285:HIS:HD2	7:B:835:HOH:O	1.91	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:169:ASN:HD21	4:A:603:NAI:C5N	2.22	0.53
1:B:278:LEU:HD22	1:B:433:THR:HB	1.89	0.53
1:B:302:CYS:SG	4:B:603:NAI:C3N	2.96	0.52
1:A:150:HIS:HE1	7:B:765:HOH:O	1.91	0.52
1:A:146:MET:SD	1:A:152:CYS:HB2	2.50	0.52
1:A:434:ARG:NH2	7:A:703:HOH:O	2.43	0.52
1:B:349:GLN:O	1:B:353:VAL:HG23	2.09	0.52
1:A:440:MET:HA	1:A:440:MET:HE3	1.91	0.50
1:A:147:ASP:O	1:A:150:HIS:HD2	1.95	0.49
1:A:483:LYS:HD3	1:B:483:LYS:HD3	1.95	0.49
1:A:414:GLU:O	1:A:418:GLU:HG2	2.12	0.49
1:B:302:CYS:HB3	4:B:603:NAI:C2N	2.42	0.49
1:B:449:GLY:HA3	1:B:466:GLY:O	2.13	0.48
1:B:125:VAL:HG21	1:B:172:LEU:HB3	1.96	0.48
1:A:251:HIS:CD2	1:B:258:GLY:O	2.65	0.48
1:B:21:GLN:HB3	1:B:29:GLN:O	2.14	0.48
1:A:103:ALA:HB1	1:A:117:SER:HB3	1.95	0.47
1:A:294:LEU:HD23	1:A:306:SER:HA	1.97	0.47
1:B:24:ILE:HB	1:B:29:GLN:HE21	1.79	0.47
1:A:82:SER:OG	1:A:86:ARG:NH1	2.46	0.46
1:B:115:GLN:HG3	1:B:116:GLU:N	2.31	0.46
1:B:70:PHE:CZ	1:B:160:GLY:HA2	2.50	0.46
1:B:9:PRO:HG2	1:B:118:TYR:CZ	2.51	0.46
1:A:163:GLY:O	1:A:241:VAL:HA	2.15	0.46
1:B:14:ASN:HA	1:B:15:PRO:HD3	1.78	0.45
1:A:283:MET:HE1	1:A:314:ILE:HB	1.98	0.45
1:A:359:LEU:HD21	1:A:394:ARG:CZ	2.47	0.45
1:B:374:PHE:HB2	1:B:382:LYS:CG	2.47	0.45
1:A:458:ILE:HG22	1:B:146:MET:HE1	1.99	0.45
1:B:90:ARG:O	1:B:91:LEU:C	2.59	0.45
1:A:359:LEU:O	1:A:363:GLU:HG3	2.17	0.44
1:B:208:ILE:HD13	1:B:218:VAL:HG11	1.99	0.44
1:B:106:GLU:O	1:B:110:ASN:HB3	2.18	0.44
1:A:302:CYS:CB	4:A:603:NAI:C3N	2.95	0.44
1:A:112:LYS:HA	1:A:298:MET:HE1	2.00	0.43
1:B:432:PHE:HA	1:B:454:ASN:OD1	2.17	0.43
1:A:175:GLN:HG3	1:A:191:MET:SD	2.59	0.43
1:A:132:PHE:HB2	1:A:180:ALA:HB1	2.00	0.43
1:B:12:ILE:HG21	1:B:15:PRO:HB3	2.01	0.42
1:B:205:ALA:HA	1:B:208:ILE:HD12	2.00	0.42
1:A:146:MET:HE1	1:B:458:ILE:HG22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:LEU:HD21	1:B:203:TYR:HD2	1.84	0.42
1:B:374:PHE:HB2	1:B:382:LYS:HG3	2.02	0.42
1:A:22:LEU:HB2	1:A:29:GLN:O	2.20	0.42
1:A:302:CYS:HB3	4:A:603:NAI:C3N	2.49	0.42
1:A:164:GLN:CD	1:A:178:LYS:HB3	2.45	0.42
1:B:294:LEU:HG	1:B:405:GLN:HB2	2.02	0.42
6:A:607:PEG:H32	7:B:706:HOH:O	2.20	0.41
1:B:214:PRO:HA	1:B:215:PRO:HD3	1.95	0.41
1:B:283:MET:HE1	1:B:314:ILE:HB	2.03	0.41
1:A:458:ILE:HG21	1:B:150:HIS:CE1	2.56	0.40
1:B:245:GLY:O	1:B:269:LEU:HA	2.21	0.40
1:B:359:LEU:O	1:B:363:GLU:HG3	2.21	0.40
1:B:164:GLN:O	1:B:191:MET:HA	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:822:HOH:O	7:B:822:HOH:O[5_555]	1.91	0.29

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/493 (100%)	475 (97%)	15 (3%)	1 (0%)	43	44
1	B	491/493 (100%)	474 (96%)	16 (3%)	1 (0%)	43	44
All	All	982/986 (100%)	949 (97%)	31 (3%)	2 (0%)	43	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	15	PRO
1	A	426	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	405/405 (100%)	392 (97%)	13 (3%)	34	38
1	B	405/405 (100%)	383 (95%)	22 (5%)	20	18
All	All	810/810 (100%)	775 (96%)	35 (4%)	26	27

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LEU
1	A	72	LEU
1	A	115	GLN
1	A	117	SER
1	A	124	GLU
1	A	167	PRO
1	A	278	LEU
1	A	324	GLU
1	A	325	LYS
1	A	337	LEU
1	A	407	LEU
1	A	409	LYS
1	A	473	ASN
1	B	13	LEU
1	B	14	ASN
1	B	22	LEU
1	B	32	VAL
1	B	43	THR
1	B	51	VAL
1	B	71	ARG
1	B	112	LYS
1	B	192	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	221	ILE
1	B	278	LEU
1	B	302	CYS
1	B	323	VAL
1	B	324	GLU
1	B	325	LYS
1	B	337	LEU
1	B	348	GLU
1	B	359	LEU
1	B	366	LYS
1	B	412	LYS
1	B	413	ILE
1	B	431	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	29	GLN
1	A	150	HIS
1	A	251	HIS
1	A	254	GLN
1	A	285	HIS
1	A	289	GLN
1	A	328	GLN
1	A	497	GLN
1	B	149	GLN
1	B	150	HIS
1	B	164	GLN
1	B	285	HIS
1	B	289	GLN
1	B	300	GLN
1	B	328	GLN
1	B	358	GLN
1	B	497	GLN
1	B	499	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 6 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	A1COU	A	601	-	37,39,39	0.64	1 (2%)	48,56,56	1.27	3 (6%)
2	A1COU	B	601	-	37,39,39	0.68	1 (2%)	48,56,56	1.14	3 (6%)
4	NAI	B	603	-	47,48,48	1.49	7 (14%)	64,73,73	1.95	15 (23%)
4	NAI	A	603	-	47,48,48	1.43	6 (12%)	64,73,73	2.10	18 (28%)
6	PEG	A	607	-	6,6,6	0.60	0	5,5,5	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1COU	A	601	-	-	0/14/35/35	1/6/6/6
2	A1COU	B	601	-	-	0/14/35/35	0/6/6/6
4	NAI	B	603	-	-	4/29/72/72	0/5/5/5
4	NAI	A	603	-	-	7/29/72/72	0/5/5/5
6	PEG	A	607	-	-	4/4/4/4	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	603	NAI	C4N-C3N	-4.86	1.40	1.50
4	B	603	NAI	C5A-C4A	4.41	1.47	1.39
4	A	603	NAI	C5A-C4A	4.34	1.46	1.39
4	A	603	NAI	C4N-C3N	-4.25	1.42	1.50
4	B	603	NAI	C4N-C5N	-3.21	1.40	1.49
4	A	603	NAI	C4N-C5N	-3.19	1.40	1.49
4	B	603	NAI	PA-O3	-2.94	1.56	1.59
2	A	601	A1COU	C29-N4	2.93	1.33	1.29
4	A	603	NAI	C2N-C3N	2.65	1.42	1.35
4	A	603	NAI	C6N-C5N	2.64	1.41	1.33
4	B	603	NAI	C2N-C3N	2.63	1.42	1.35
4	A	603	NAI	C4A-N3A	2.59	1.39	1.34
4	B	603	NAI	C6N-C5N	2.50	1.40	1.33
4	B	603	NAI	C8A-N7A	2.23	1.36	1.31
2	B	601	A1COU	C29-N4	2.00	1.32	1.29

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	603	NAI	C5A-C4A-N3A	-6.22	118.15	126.72
2	A	601	A1COU	C22-C23-C28	5.06	109.23	105.54
4	A	603	NAI	C5A-C4A-N3A	-5.02	119.81	126.72
4	B	603	NAI	N3A-C4A-N9A	4.91	135.51	127.17
2	A	601	A1COU	C9-N2-C29	4.83	109.49	105.38
4	A	603	NAI	C4A-N9A-C8A	4.77	110.75	105.74
4	A	603	NAI	O3-PN-O2N	-4.75	96.41	110.70
4	A	603	NAI	N3A-C2A-N1A	-4.66	121.53	128.58
4	A	603	NAI	N3A-C4A-N9A	4.48	134.79	127.17
4	B	603	NAI	C4A-C5A-N7A	-4.19	105.79	110.58
4	B	603	NAI	N3A-C2A-N1A	-4.19	122.24	128.58
2	B	601	A1COU	C22-C23-C28	4.18	108.59	105.54
4	A	603	NAI	O4D-C1D-C2D	-4.09	97.85	106.62
4	A	603	NAI	O4D-C1D-N1N	3.91	115.54	108.08
2	B	601	A1COU	C9-N2-C29	3.81	108.62	105.38
4	A	603	NAI	C4A-C5A-N7A	-3.74	106.31	110.58
4	B	603	NAI	C2A-N3A-C4A	3.72	120.92	111.83
4	B	603	NAI	C5A-N7A-C8A	3.66	109.21	103.45
4	A	603	NAI	N9A-C8A-N7A	-3.63	108.79	113.94
4	A	603	NAI	C2A-N3A-C4A	3.58	120.58	111.83
4	A	603	NAI	C5A-N7A-C8A	3.38	108.77	103.45
4	B	603	NAI	C4A-N9A-C8A	3.36	109.27	105.74
4	B	603	NAI	N9A-C8A-N7A	-3.19	109.41	113.94
4	B	603	NAI	O4D-C1D-C2D	-3.14	99.89	106.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	603	NAI	O1N-PN-O3	-2.96	99.26	107.27
4	B	603	NAI	O4D-C1D-N1N	2.94	113.70	108.08
4	A	603	NAI	O2A-PA-O3	-2.94	99.32	107.27
4	A	603	NAI	C6A-C5A-N7A	2.92	137.71	132.09
4	A	603	NAI	C4A-N9A-C1B	-2.89	119.87	126.63
4	A	603	NAI	O1N-PN-O3	2.58	114.25	107.27
4	A	603	NAI	C5D-C4D-C3D	-2.56	106.01	115.21
2	B	601	A1COU	C27-C23-C28	-2.54	106.09	109.78
4	B	603	NAI	C5D-C4D-C3D	-2.40	106.59	115.21
4	A	603	NAI	O3B-C3B-C4B	-2.36	104.31	111.08
4	B	603	NAI	O3B-C3B-C4B	-2.31	104.45	111.08
4	A	603	NAI	O5D-PN-O2N	2.15	117.46	108.94
2	A	601	A1COU	C7-N1-C8	-2.14	123.17	126.09
4	B	603	NAI	C3N-C2N-N1N	-2.12	120.09	123.20
4	B	603	NAI	O5D-PN-O2N	2.12	117.33	108.94

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	603	NAI	O4D-C1D-N1N-C2N
4	B	603	NAI	O4D-C1D-N1N-C2N
6	A	607	PEG	O2-C3-C4-O4
4	A	603	NAI	PN-O3-PA-O5B
6	A	607	PEG	O1-C1-C2-O2
6	A	607	PEG	C1-C2-O2-C3
4	A	603	NAI	C2B-C1B-N9A-C8A
4	B	603	NAI	C2B-C1B-N9A-C8A
6	A	607	PEG	C4-C3-O2-C2
4	B	603	NAI	C4D-C5D-O5D-PN
4	A	603	NAI	C4D-C5D-O5D-PN
4	A	603	NAI	PA-O3-PN-O1N
4	A	603	NAI	O4B-C1B-N9A-C8A
4	B	603	NAI	O4B-C1B-N9A-C8A
4	A	603	NAI	C2B-C1B-N9A-C4A


All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	A1COU	C23-C24-C25-C26-C27-N3


3 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	603	NAI	4	0
4	A	603	NAI	9	0
6	A	607	PEG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand A1COU B 601




Bond lengths



Bond angles





Torsions



Rings

Ligand NAI B 603





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	493/493 (100%)	-0.46	1 (0%) 91 92	23, 37, 58, 73	0
1	B	493/493 (100%)	-0.06	3 (0%) 85 87	26, 45, 71, 99	0
All	All	986/986 (100%)	-0.26	4 (0%) 88 90	23, 40, 65, 99	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	8	LEU	5.0
1	A	8	LEU	3.1
1	B	337	LEU	3.1
1	B	13	LEU	2.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	PEG	A	607	7/7	0.82	0.16	38,49,57,64	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	A1COU	B	601	34/34	0.87	0.14	66,75,84,86	0
5	CL	A	606	1/1	0.88	0.15	73,73,73,73	0
5	CL	A	604	1/1	0.91	0.17	79,79,79,79	0
2	A1COU	A	601	34/34	0.91	0.10	47,54,66,67	0
3	NA	B	602	1/1	0.91	0.08	52,52,52,52	0
5	CL	B	604	1/1	0.94	0.10	61,61,61,61	0
5	CL	A	605	1/1	0.94	0.13	67,67,67,67	0
4	NAI	A	603	44/44	0.95	0.08	32,44,63,67	0
4	NAI	B	603	44/44	0.96	0.06	35,42,54,58	0
3	NA	A	602	1/1	0.97	0.05	38,38,38,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1COU B 601:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around A1COU A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAI A 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.