



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 7, 2026 – 01:11 am BST

PDB ID : 9QQY / pdb_00009qqy
Title : Dye-decolourising peroxidase DtpB XRPP experiment (1000 kGy)-PUMP
Authors : Lucic, M.; Worrall, J.A.R.; Hough, M.A.; Maly, M.; Owen, R.L.
Deposited on : 2025-04-02
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	313	 3% 88% 10% .
1	B	313	 4% 86% 11% ..
1	C	313	 3% 89% 8% ..
1	D	313	 2% 88% 9% .
1	E	313	 3% 89% 9% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	313	 <p>A horizontal bar chart representing the quality of the chain. The bar is divided into three segments: a small red segment at the beginning labeled '2%', a large green segment in the middle labeled '85%', and a small yellow segment at the end labeled '11%'. There are two small black dots at the far right end of the bar.</p>

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	F	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		

- Molecule 4 is OXYGEN ATOM (CCD ID: O) (formula: O) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			1	1		
4	B	1	Total	O	0	0
			1	1		
4	C	1	Total	O	0	0
			1	1		
4	D	1	Total	O	0	0
			1	1		
4	E	1	Total	O	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	122	Total	O	0	0
			122	122		
5	B	90	Total	O	0	0
			90	90		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	100	Total 100	O 100	0	0
5	D	122	Total 122	O 122	0	0
5	E	111	Total 111	O 111	0	0
5	F	103	Total 103	O 103	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup




- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup




- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup





- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup







- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup



- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.05Å 122.58Å 200.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.05 – 1.90 41.05 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (41.05-1.90) 100.0 (41.05-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 1.89Å)	Xtrriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.215 , 0.261 0.219 , 0.262	Depositor DCC
R_{free} test set	8458 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	27.7	Xtrriage
Anisotropy	0.023	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.00 , 9.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14940	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, O, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.89	0/2390	1.35	15/3246 (0.5%)
1	B	0.81	0/2387	1.29	10/3245 (0.3%)
1	C	0.84	0/2389	1.32	9/3248 (0.3%)
1	D	0.87	1/2400 (0.0%)	1.33	11/3259 (0.3%)
1	E	0.86	0/2379	1.28	6/3231 (0.2%)
1	F	0.86	1/2391 (0.0%)	1.33	14/3247 (0.4%)
All	All	0.86	2/14336 (0.0%)	1.32	65/19476 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	5
1	C	0	7
1	D	0	3
1	E	0	3
1	F	0	6
All	All	0	29

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	224	SER	CA-CB	-6.33	1.42	1.53
1	D	106	HIS	CE1-NE2	-5.44	1.27	1.32

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	29	ASP	CA-CB-CG	9.32	121.92	112.60
1	B	307	ASP	CA-CB-CG	8.59	121.19	112.60
1	B	152	ASP	CA-CB-CG	7.77	120.37	112.60
1	D	90	ASP	CA-CB-CG	7.14	119.74	112.60
1	C	134	ASP	CA-CB-CG	7.14	119.74	112.60
1	B	212	ASP	CA-CB-CG	7.04	119.64	112.60
1	F	140	LYS	CB-CA-C	6.98	121.44	109.51
1	C	9	GLU	CB-CG-CD	6.90	124.33	112.60
1	A	29	ASP	CA-CB-CG	6.89	119.49	112.60
1	D	143	ASP	CA-CB-CG	6.85	119.45	112.60
1	D	255	GLU	CB-CA-C	6.79	121.86	110.79
1	A	111	ARG	CB-CA-C	-6.71	97.88	110.16
1	D	152	ASP	CA-CB-CG	6.61	119.21	112.60
1	C	37	ARG	N-CA-CB	6.60	119.78	109.94
1	A	232	THR	CA-CB-OG1	-6.47	99.89	109.60
1	F	39	LEU	N-CA-CB	6.38	119.26	110.01
1	A	38	ASP	CA-CB-CG	6.36	118.96	112.60
1	C	9	GLU	N-CA-CB	6.33	118.21	110.17
1	E	57	ASP	CA-CB-CG	6.25	118.85	112.60
1	A	52	PHE	N-CA-CB	6.24	119.29	110.12
1	D	172	ASP	CA-CB-CG	6.09	118.69	112.60
1	E	143	ASP	CA-CB-CG	6.06	118.66	112.60
1	F	34	ASP	CA-CB-CG	6.04	118.64	112.60
1	A	281	THR	CA-CB-OG1	-5.87	100.80	109.60
1	D	189	ASP	CA-CB-CG	5.85	118.45	112.60
1	C	37	ARG	CB-CA-C	-5.78	101.56	110.81
1	D	57	ASP	CA-CB-CG	5.76	118.36	112.60
1	F	29	ASP	CA-CB-CG	5.76	118.36	112.60
1	F	259	TYR	CB-CA-C	5.75	120.30	110.81
1	C	175	PHE	N-CA-CB	-5.72	101.76	111.20
1	B	29	ASP	CA-CB-CG	5.68	118.28	112.60
1	F	172	ASP	CB-CA-C	5.65	118.16	111.15
1	B	217	ASP	CA-CB-CG	5.61	118.21	112.60
1	E	194	GLU	CB-CG-CD	5.54	122.01	112.60
1	F	183	VAL	N-CA-CB	5.52	119.58	111.52
1	A	24	LEU	N-CA-CB	-5.49	102.09	110.65
1	C	251	VAL	N-CA-CB	5.43	118.73	110.58
1	A	311	ASP	CA-CB-CG	5.34	117.94	112.60
1	F	85	PRO	N-CA-CB	5.29	108.02	103.31
1	F	35	THR	CA-CB-OG1	-5.29	101.67	109.60
1	B	34	ASP	CA-CB-CG	5.28	117.88	112.60
1	F	102	ASP	CA-CB-CG	5.27	117.87	112.60
1	F	111	ARG	CB-CA-C	-5.26	100.84	110.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	9	GLU	N-CA-CB	-5.26	99.40	109.44
1	E	270	THR	CA-CB-OG1	-5.25	101.73	109.60
1	D	29	ASP	CA-CB-CG	5.24	117.83	112.60
1	B	211	THR	CA-CB-OG1	-5.23	101.75	109.60
1	B	39	LEU	N-CA-CB	5.23	117.80	110.12
1	B	72	ASP	CA-CB-CG	5.23	117.83	112.60
1	D	52	PHE	N-CA-CB	5.22	117.57	110.01
1	A	102	ASP	CA-CB-CG	5.21	117.81	112.60
1	C	217	ASP	CA-CB-CG	5.20	117.80	112.60
1	F	189	ASP	CA-CB-CG	5.16	117.76	112.60
1	A	48	ARG	N-CA-CB	5.15	117.78	110.16
1	A	57	ASP	CA-CB-CG	5.12	117.72	112.60
1	E	52	PHE	N-CA-CB	5.11	117.42	110.01
1	C	199	GLU	CB-CG-CD	5.10	121.28	112.60
1	F	212	ASP	CA-CB-CG	5.08	117.67	112.60
1	B	232	THR	CA-CB-OG1	-5.07	102.00	109.60
1	A	152	ASP	CB-CA-C	5.06	118.41	111.23
1	A	251	VAL	CA-C-N	5.05	125.58	119.98
1	A	251	VAL	C-N-CA	5.05	125.58	119.98
1	F	307	ASP	CA-CB-CG	5.04	117.64	112.60
1	D	232	THR	CA-CB-OG1	-5.04	102.04	109.60
1	D	134	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

All (29) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	125	ARG	Sidechain
1	A	127	ARG	Sidechain
1	A	265	ARG	Sidechain
1	A	37	ARG	Sidechain
1	A	79	ARG	Sidechain
1	B	163	ARG	Sidechain
1	B	276	ARG	Sidechain
1	B	37	ARG	Sidechain
1	B	53	ARG	Sidechain
1	B	59	ARG	Sidechain
1	C	125	ARG	Sidechain
1	C	145	ARG	Sidechain
1	C	164	ARG	Sidechain
1	C	203	ARG	Sidechain
1	C	207	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	C	37	ARG	Sidechain
1	C	59	ARG	Sidechain
1	D	125[A]	ARG	Sidechain
1	D	164	ARG	Sidechain
1	D	207	ARG	Sidechain
1	E	127	ARG	Sidechain
1	E	207	ARG	Sidechain
1	E	95	ARG	Sidechain
1	F	125	ARG	Sidechain
1	F	127	ARG	Sidechain
1	F	207	ARG	Sidechain
1	F	288	ARG	Sidechain
1	F	37	ARG	Sidechain
1	F	59	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2340	0	2265	7	0
1	B	2334	0	2245	15	0
1	C	2339	0	2253	12	0
1	D	2347	0	2261	9	0
1	E	2329	0	2254	10	0
1	F	2338	0	2263	14	0
2	A	43	0	30	0	0
2	B	43	0	30	2	0
2	C	43	0	30	0	0
2	D	43	0	30	0	0
2	E	43	0	30	1	0
2	F	43	0	30	1	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	1	0
4	D	1	0	0	0	0
4	E	1	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	122	0	0	2	0
5	B	90	0	0	0	0
5	C	100	0	0	0	0
5	D	122	0	0	1	0
5	E	111	0	0	2	0
5	F	103	0	0	2	0
All	All	14940	0	13721	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:PHE:HE1	1:B:312:LEU:HD11	1.40	0.86
1:D:144:GLU:OE2	5:D:501:HOH:O	1.99	0.79
1:E:214:GLU:OE2	1:E:220:LYS:NZ	2.19	0.73
1:E:211:THR:HG23	5:E:522:HOH:O	1.88	0.73
1:F:140:LYS:HD3	5:F:579:HOH:O	1.88	0.72
1:B:75:PHE:CE1	1:B:312:LEU:HD11	2.29	0.67
1:B:39:LEU:HD21	1:B:122:ILE:HG23	1.79	0.64
1:C:145:ARG:HD3	1:E:210:MET:HE1	1.86	0.58
1:C:79:ARG:NH2	1:C:83:LEU:O	2.36	0.58
1:C:39:LEU:HD22	1:C:126:LEU:HG	1.87	0.57
1:B:214:GLU:OE2	1:B:220:LYS:NZ	2.29	0.56
1:D:231:VAL:HG23	1:D:239:LEU:HB2	1.90	0.54
2:E:401:HEM:HBC2	2:E:401:HEM:HMC2	1.91	0.53
1:B:7:GLU:OE2	1:B:7:GLU:HA	2.10	0.51
1:E:243:ARG:HD2	4:E:402:O:O	2.11	0.51
1:A:147:MET:HG2	1:A:256:PHE:HB3	1.93	0.51
1:D:300:LEU:HD23	1:D:300:LEU:C	2.36	0.51
1:A:214:GLU:OE2	1:A:220:LYS:NZ	2.27	0.50
1:C:39:LEU:HD22	1:C:126:LEU:CG	2.42	0.49
1:F:140:LYS:HZ3	1:F:141:TYR:H	1.60	0.49
1:A:240:GLU:OE1	5:A:501:HOH:O	2.20	0.49
1:F:70:ALA:HB2	1:F:102:ASP:HB3	1.94	0.49
1:F:140:LYS:HZ3	1:F:141:TYR:N	2.09	0.48
1:C:166[B]:VAL:HG13	1:C:167:LEU:HG	1.96	0.48
2:B:401:HEM:HBC2	2:B:401:HEM:HMC2	1.96	0.48
1:F:140:LYS:HG2	5:F:557:HOH:O	2.13	0.48
1:E:248:PHE:CE1	1:E:257:GLY:HA3	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:186:TYR:CG	2:B:401:HEM:HBB1	2.49	0.48
1:F:79:ARG:NH2	1:F:83:LEU:O	2.47	0.48
1:C:300:LEU:HD23	1:C:301:PHE:N	2.29	0.47
1:D:214:GLU:OE2	1:D:220:LYS:NZ	2.35	0.47
1:A:300:LEU:HD23	1:A:301:PHE:N	2.29	0.47
1:D:113[B]:ASP:OD1	1:D:114:LEU:HG	2.15	0.47
1:D:300:LEU:HD23	1:D:301:PHE:N	2.30	0.46
1:B:308:PHE:O	1:B:312:LEU:HD23	2.16	0.46
1:B:111:ARG:HB3	1:B:113:ASP:OD1	2.15	0.46
1:B:39:LEU:HD22	1:B:126:LEU:HG	1.97	0.45
1:C:243:ARG:HD2	4:C:402:O:O	2.16	0.45
1:D:251:VAL:HG12	1:F:123:MET:HG3	1.99	0.45
1:F:57:ASP:O	1:F:110:SER:OG	2.33	0.45
1:E:300:LEU:HD23	1:E:301:PHE:N	2.33	0.44
1:E:79:ARG:NH2	1:E:83:LEU:O	2.51	0.44
1:C:39:LEU:CD2	1:C:126:LEU:HD11	2.49	0.43
1:A:300:LEU:HD23	1:A:300:LEU:C	2.43	0.43
1:C:231:VAL:HG23	1:C:239:LEU:HB2	2.00	0.42
1:F:186:TYR:CG	2:F:401:HEM:HBB1	2.53	0.42
1:C:300:LEU:HD23	1:C:300:LEU:C	2.44	0.42
1:E:271:GLU:O	1:E:275:GLU:HG3	2.19	0.42
1:F:147:MET:HG2	1:F:256:PHE:HB3	2.01	0.42
5:A:595:HOH:O	1:C:140:LYS:CB	2.67	0.42
1:F:214:GLU:OE2	1:F:220:LYS:NZ	2.31	0.42
1:B:209:LYS:HE2	1:F:210[B]:MET:SD	2.60	0.41
1:F:90:ASP:OD1	1:F:95:ARG:HD3	2.20	0.41
1:B:79:ARG:NH2	1:B:83:LEU:O	2.54	0.41
1:B:228:LEU:HD12	1:B:287:ASP:HA	2.01	0.41
1:D:12:MET:HE3	1:D:12:MET:HB3	1.91	0.41
1:A:141:TYR:CD1	1:C:113:ASP:HB2	2.56	0.41
1:B:39:LEU:CD2	1:B:122:ILE:HG23	2.50	0.41
1:D:113[B]:ASP:CG	1:D:114:LEU:N	2.77	0.41
1:B:241:ILE:HG22	1:B:264:ALA:HB2	2.03	0.40
1:E:211:THR:CG2	5:E:522:HOH:O	2.60	0.40
1:B:210:MET:HB2	1:F:210[A]:MET:HE1	2.03	0.40
1:E:12:MET:HE2	1:E:12:MET:HB2	1.81	0.40
1:A:220:LYS:HA	1:A:221:PRO:HD3	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	305/313 (97%)	298 (98%)	7 (2%)	0	100	100
1	B	306/313 (98%)	302 (99%)	4 (1%)	0	100	100
1	C	306/313 (98%)	303 (99%)	3 (1%)	0	100	100
1	D	307/313 (98%)	302 (98%)	5 (2%)	0	100	100
1	E	305/313 (97%)	301 (99%)	4 (1%)	0	100	100
1	F	306/313 (98%)	299 (98%)	7 (2%)	0	100	100
All	All	1835/1878 (98%)	1805 (98%)	30 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/250 (98%)	242 (98%)	4 (2%)	58	56
1	B	243/250 (97%)	239 (98%)	4 (2%)	58	56
1	C	245/250 (98%)	242 (99%)	3 (1%)	67	68
1	D	247/250 (99%)	242 (98%)	5 (2%)	50	47
1	E	241/250 (96%)	237 (98%)	4 (2%)	56	54
1	F	246/250 (98%)	239 (97%)	7 (3%)	38	33
All	All	1468/1500 (98%)	1441 (98%)	27 (2%)	54	52

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	SER
1	A	166	VAL
1	A	250	SER
1	A	307	ASP
1	B	24	LEU
1	B	69	GLU
1	B	266	THR
1	B	307	ASP
1	C	9	GLU
1	C	265	ARG
1	C	307	ASP
1	D	24	LEU
1	D	113[A]	ASP
1	D	113[B]	ASP
1	D	266	THR
1	D	307	ASP
1	E	140	LYS
1	E	265	ARG
1	E	266	THR
1	E	307	ASP
1	F	9	GLU
1	F	111	ARG
1	F	127	ARG
1	F	140	LYS
1	F	231	VAL
1	F	265	ARG
1	F	307	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	GLN
1	A	184	GLN
1	B	55	GLN
1	B	133	GLN
1	D	55	GLN
1	E	184	GLN
1	F	133	GLN
1	F	286	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 7 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	C	401	4,1	41,50,50	1.58	9 (21%)	45,82,82	1.53	8 (17%)
2	HEM	D	401	4,1	41,50,50	1.35	6 (14%)	45,82,82	1.50	4 (8%)
2	HEM	F	401	1	41,50,50	1.68	8 (19%)	45,82,82	3.02	15 (33%)
2	HEM	A	401	1	41,50,50	1.37	6 (14%)	45,82,82	2.22	16 (35%)
2	HEM	E	401	4,1	41,50,50	1.45	8 (19%)	45,82,82	1.86	12 (26%)
2	HEM	B	401	4,1	41,50,50	1.41	5 (12%)	45,82,82	1.83	12 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	C	401	4,1	-	5/12/54/54	-
2	HEM	D	401	4,1	-	5/12/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	F	401	1	-	5/12/54/54	-
2	HEM	A	401	1	-	6/12/54/54	-
2	HEM	E	401	4,1	-	5/12/54/54	-
2	HEM	B	401	4,1	-	4/12/54/54	-

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	401	HEM	C1D-C2D	-5.23	1.34	1.44
2	F	401	HEM	C4D-C3D	-4.58	1.37	1.45
2	F	401	HEM	C4D-ND	-4.17	1.33	1.40
2	E	401	HEM	C1D-C2D	-4.08	1.36	1.44
2	C	401	HEM	CHA-C4D	3.67	1.44	1.35
2	B	401	HEM	CHB-C1B	3.58	1.44	1.35
2	B	401	HEM	CHA-C4D	3.51	1.44	1.35
2	C	401	HEM	C3B-C4B	-3.49	1.37	1.44
2	D	401	HEM	C1D-C2D	-3.47	1.37	1.44
2	A	401	HEM	C3B-C4B	-3.40	1.38	1.44
2	E	401	HEM	O2D-CGD	-3.32	1.19	1.30
2	A	401	HEM	C4D-ND	-3.31	1.34	1.40
2	A	401	HEM	C1B-NB	-3.02	1.35	1.40
2	C	401	HEM	C1A-CHA	-3.01	1.32	1.41
2	D	401	HEM	C1A-NA	-2.99	1.30	1.36
2	E	401	HEM	CHB-C1B	2.96	1.42	1.35
2	B	401	HEM	C1D-C2D	-2.95	1.38	1.44
2	A	401	HEM	C4D-C3D	-2.92	1.40	1.45
2	C	401	HEM	C4D-C3D	-2.86	1.40	1.45
2	D	401	HEM	C4D-C3D	-2.84	1.40	1.45
2	C	401	HEM	C4D-ND	-2.84	1.35	1.40
2	E	401	HEM	C2C-C1C	-2.81	1.36	1.42
2	F	401	HEM	FE-NB	2.74	2.10	1.96
2	E	401	HEM	C1B-C2B	-2.69	1.39	1.44
2	D	401	HEM	CHB-C1B	2.66	1.41	1.35
2	C	401	HEM	C3C-C2C	-2.52	1.36	1.40
2	D	401	HEM	O2D-CGD	-2.51	1.22	1.30
2	E	401	HEM	C3B-C4B	-2.46	1.39	1.44
2	C	401	HEM	C1D-C2D	-2.44	1.39	1.44
2	C	401	HEM	C1B-C2B	-2.38	1.40	1.44
2	E	401	HEM	C4D-C3D	-2.36	1.41	1.45
2	D	401	HEM	C3B-C4B	-2.27	1.40	1.44
2	B	401	HEM	C3B-C4B	-2.26	1.40	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	HEM	C4D-C3D	-2.20	1.41	1.45
2	A	401	HEM	C1B-C2B	-2.20	1.40	1.44
2	F	401	HEM	FE-ND	2.16	2.07	1.96
2	F	401	HEM	C1B-C2B	-2.09	1.40	1.44
2	C	401	HEM	C3B-C2B	2.08	1.41	1.37
2	F	401	HEM	C1B-NB	-2.07	1.36	1.40
2	E	401	HEM	CHA-C4D	2.07	1.40	1.35
2	A	401	HEM	CHB-C1B	2.07	1.40	1.35
2	F	401	HEM	O2D-CGD	-2.05	1.23	1.30

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	401	HEM	C4B-CHC-C1C	9.44	135.01	122.56
2	F	401	HEM	C4C-CHD-C1D	8.72	134.07	122.56
2	F	401	HEM	CHC-C4B-C3B	7.21	135.61	124.57
2	F	401	HEM	CHC-C4B-NB	-7.13	116.68	124.43
2	A	401	HEM	C4B-CHC-C1C	6.46	131.09	122.56
2	F	401	HEM	CBA-CAA-C2A	6.24	123.27	112.62
2	A	401	HEM	C4C-CHD-C1D	6.11	130.63	122.56
2	B	401	HEM	C4C-CHD-C1D	5.76	130.16	122.56
2	E	401	HEM	C4C-CHD-C1D	5.73	130.11	122.56
2	D	401	HEM	CBA-CAA-C2A	4.68	120.60	112.62
2	D	401	HEM	C4B-CHC-C1C	4.57	128.59	122.56
2	F	401	HEM	C4D-ND-C1D	4.47	109.69	105.07
2	A	401	HEM	C2C-C3C-C4C	-4.38	103.84	106.90
2	E	401	HEM	CBA-CAA-C2A	4.30	119.96	112.62
2	A	401	HEM	O2D-CGD-CBD	3.69	125.90	114.03
2	D	401	HEM	CMA-C3A-C4A	-3.61	122.92	128.46
2	E	401	HEM	CHA-C4D-ND	-3.58	119.96	124.38
2	A	401	HEM	CMB-C2B-C1B	3.53	130.42	125.04
2	E	401	HEM	CAB-C3B-C2B	-3.49	117.12	128.60
2	F	401	HEM	CAB-C3B-C2B	-3.45	117.23	128.60
2	E	401	HEM	C4B-CHC-C1C	3.41	127.05	122.56
2	B	401	HEM	C2C-C3C-C4C	-3.39	104.53	106.90
2	D	401	HEM	CMA-C3A-C2A	3.38	131.31	124.94
2	C	401	HEM	C4B-CHC-C1C	3.35	126.98	122.56
2	C	401	HEM	C4C-CHD-C1D	3.32	126.94	122.56
2	A	401	HEM	O1D-CGD-CBD	-3.27	112.56	123.08
2	B	401	HEM	CMD-C2D-C1D	3.27	130.01	125.04
2	B	401	HEM	CBA-CAA-C2A	3.08	117.87	112.62
2	C	401	HEM	CMC-C2C-C3C	3.03	130.35	124.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	HEM	CHD-C1D-ND	-3.02	121.15	124.43
2	F	401	HEM	CHD-C1D-ND	2.98	127.67	124.43
2	B	401	HEM	CHC-C4B-NB	2.95	127.64	124.43
2	A	401	HEM	C1B-NB-C4B	2.89	108.06	105.07
2	B	401	HEM	O1A-CGA-CBA	-2.85	113.91	123.08
2	A	401	HEM	CAB-C3B-C2B	-2.84	119.25	128.60
2	F	401	HEM	C2D-C1D-ND	-2.83	106.49	109.88
2	B	401	HEM	O2A-CGA-CBA	2.82	123.09	114.03
2	C	401	HEM	O1D-CGD-CBD	-2.81	114.06	123.08
2	A	401	HEM	CMA-C3A-C4A	-2.70	124.31	128.46
2	A	401	HEM	CMA-C3A-C2A	2.70	130.03	124.94
2	C	401	HEM	C1B-NB-C4B	2.67	107.84	105.07
2	E	401	HEM	O1A-CGA-CBA	-2.66	114.55	123.08
2	B	401	HEM	C3D-C4D-ND	-2.50	107.38	110.17
2	E	401	HEM	C4B-C3B-C2B	2.45	109.06	107.11
2	F	401	HEM	CMC-C2C-C3C	2.36	129.10	124.68
2	A	401	HEM	O1A-CGA-CBA	-2.35	115.54	123.08
2	B	401	HEM	CAD-C3D-C2D	-2.33	123.54	127.88
2	C	401	HEM	CHC-C4B-C3B	2.30	128.09	124.57
2	F	401	HEM	C1B-NB-C4B	2.23	107.38	105.07
2	C	401	HEM	CHA-C4D-ND	-2.23	121.63	124.38
2	F	401	HEM	CHA-C4D-C3D	2.22	129.50	125.33
2	F	401	HEM	C1D-C2D-C3D	2.20	109.27	106.96
2	A	401	HEM	CHB-C1B-NB	-2.20	121.66	124.38
2	F	401	HEM	CAB-C3B-C4B	2.14	134.43	124.47
2	E	401	HEM	C1D-C2D-C3D	2.11	109.18	106.96
2	C	401	HEM	O1A-CGA-CBA	-2.11	116.32	123.08
2	E	401	HEM	CAD-C3D-C4D	2.10	128.34	124.66
2	E	401	HEM	O2A-CGA-CBA	2.09	120.74	114.03
2	B	401	HEM	CAB-C3B-C2B	2.07	135.44	128.60
2	F	401	HEM	O2A-CGA-CBA	2.07	120.67	114.03
2	A	401	HEM	C4B-C3B-C2B	2.06	108.75	107.11
2	A	401	HEM	C4A-C3A-C2A	-2.06	105.56	107.00
2	B	401	HEM	CHD-C1D-C2D	2.06	128.19	124.98
2	A	401	HEM	CBB-CAB-C3B	-2.03	117.53	127.62
2	E	401	HEM	CHA-C4D-C3D	2.02	129.11	125.33
2	A	401	HEM	CHC-C4B-C3B	2.01	127.64	124.57
2	E	401	HEM	CAB-C3B-C4B	2.01	133.82	124.47

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	HEM	C4B-C3B-CAB-CBB
2	A	401	HEM	C2B-C3B-CAB-CBB
2	E	401	HEM	C2A-CAA-CBA-CGA
2	F	401	HEM	C2A-CAA-CBA-CGA
2	D	401	HEM	C4B-C3B-CAB-CBB
2	C	401	HEM	CAA-CBA-CGA-O2A
2	C	401	HEM	C2A-CAA-CBA-CGA
2	D	401	HEM	CAD-CBD-CGD-O2D
2	F	401	HEM	CAD-CBD-CGD-O2D
2	B	401	HEM	CAA-CBA-CGA-O2A
2	E	401	HEM	CAD-CBD-CGD-O1D
2	C	401	HEM	CAD-CBD-CGD-O1D
2	F	401	HEM	CAA-CBA-CGA-O1A
2	F	401	HEM	CAA-CBA-CGA-O2A
2	D	401	HEM	CAA-CBA-CGA-O2A
2	D	401	HEM	CAD-CBD-CGD-O1D
2	F	401	HEM	CAD-CBD-CGD-O1D
2	E	401	HEM	CAA-CBA-CGA-O1A
2	A	401	HEM	CAA-CBA-CGA-O1A
2	B	401	HEM	CAA-CBA-CGA-O1A
2	E	401	HEM	CAD-CBD-CGD-O2D
2	A	401	HEM	CAD-CBD-CGD-O1D
2	B	401	HEM	CAD-CBD-CGD-O1D
2	E	401	HEM	CAA-CBA-CGA-O2A
2	B	401	HEM	CAD-CBD-CGD-O2D
2	C	401	HEM	CAA-CBA-CGA-O1A
2	C	401	HEM	CAD-CBD-CGD-O2D
2	A	401	HEM	CAA-CBA-CGA-O2A
2	D	401	HEM	CAA-CBA-CGA-O1A
2	A	401	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.


3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	401	HEM	1	0
2	E	401	HEM	1	0
2	B	401	HEM	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is


within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	306/313 (97%)	0.00	10 (3%) 49 51	14, 24, 51, 72	1 (0%)
1	B	306/313 (97%)	0.39	13 (4%) 41 43	16, 29, 55, 82	2 (0%)
1	C	306/313 (97%)	0.11	9 (2%) 54 56	13, 27, 50, 102	2 (0%)
1	D	304/313 (97%)	0.17	6 (1%) 64 67	9, 26, 49, 71	5 (1%)
1	E	305/313 (97%)	0.20	9 (2%) 52 55	14, 27, 54, 84	2 (0%)
1	F	306/313 (97%)	0.28	7 (2%) 61 63	14, 27, 51, 79	2 (0%)
All	All	1833/1878 (97%)	0.19	54 (2%) 54 56	9, 27, 52, 102	14 (0%)

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	142	PHE	5.2
1	C	142	PHE	5.0
1	A	14	LEU	3.9
1	A	164	ARG	3.7
1	C	215	LEU	3.6
1	F	307	ASP	3.5
1	A	161	ALA	3.4
1	C	211	THR	3.2
1	A	141	TYR	3.2
1	B	57	ASP	3.1
1	B	234	PRO	3.1
1	E	122	ILE	3.1
1	E	142	PHE	3.0
1	A	160	ALA	3.0
1	E	210	MET	2.9
1	C	141	TYR	2.9
1	E	234	PRO	2.9
1	F	222	ALA	2.8
1	B	53	ARG	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	205	ILE	2.8
1	C	210	MET	2.7
1	D	110	SER	2.6
1	F	70	ALA	2.6
1	E	252	GLY	2.6
1	D	112	LEU	2.6
1	C	231	VAL	2.6
1	B	296	VAL	2.6
1	E	143	ASP	2.6
1	F	49	ALA	2.5
1	A	163	ARG	2.5
1	B	162	ALA	2.5
1	A	198	VAL	2.5
1	E	134	ASP	2.4
1	D	139	PHE	2.4
1	C	219	VAL	2.4
1	B	273	MET	2.3
1	B	312	LEU	2.3
1	F	8	PRO	2.3
1	C	137	HIS	2.3
1	F	9	GLU	2.3
1	D	17	LEU	2.3
1	B	161	ALA	2.2
1	B	231	VAL	2.2
1	F	22	ILE	2.2
1	B	110	SER	2.2
1	A	210[A]	MET	2.1
1	B	186	TYR	2.1
1	E	203	ARG	2.1
1	B	238	ASP	2.0
1	E	38	ASP	2.0
1	D	57	ASP	2.0
1	D	8	PRO	2.0
1	B	14	LEU	2.0
1	A	265	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	O	E	402	1/1	0.95	0.26	14,14,14,14	1
2	HEM	F	401	43/43	0.96	0.07	18,21,26,30	0
3	MG	C	403	1/1	0.96	0.07	40,40,40,40	0
2	HEM	A	401	43/43	0.96	0.07	14,17,22,25	0
2	HEM	B	401	43/43	0.97	0.06	15,20,26,32	0
2	HEM	C	401	43/43	0.97	0.07	17,21,26,33	0
4	O	D	402	1/1	0.97	0.14	21,21,21,21	0
2	HEM	E	401	43/43	0.97	0.08	16,19,27,33	0
2	HEM	D	401	43/43	0.98	0.06	12,16,23,25	0
4	O	B	402	1/1	0.98	0.11	14,14,14,14	1
4	O	C	402	1/1	0.99	0.04	18,18,18,18	1
4	O	A	403	1/1	0.99	0.10	19,19,19,19	0
3	MG	A	402	1/1	0.99	0.01	15,15,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around HEM F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around O D 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM E 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around HEM D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









6.5 Other polymers ⓘ

There are no such residues in this entry.