



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 26, 2026 – 03:52 pm GMT

PDB ID : 9RG2 / pdb_00009rg2
Title : Unspecific peroxygenase from *Psathyrella aberdarensis*, Grogu variant, in complex with alpha-damascone
Authors : Fernandez-Garcia, A.; Sanz-Aparicio, J.
Deposited on : 2025-06-05
Resolution : 1.80 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7108 (1.80-1.80)
Clashscore	180529	8162 (1.80-1.80)
Ramachandran outliers	177936	8077 (1.80-1.80)
Sidechain outliers	177891	8076 (1.80-1.80)
RSRZ outliers	164620	7108 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	
1	B	334	
2	C	2	
2	D	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	PEG	B	413	-	-	X	-
4	GOL	B	410	-	-	X	-
6	NAG	B	401	-	-	X	-
6	NAG	B	408	-	-	X	-

2 Entry composition [i](#)

There are 14 unique types of molecules in this entry. The entry contains 6476 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Heme-thiolate peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	334	Total	C	N	O	S	0	7	0
			2620	1675	440	498	7			
1	B	334	Total	C	N	O	S	0	5	0
			2607	1667	436	497	7			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	61	ALA	SER	engineered mutation	UNP A0A4Q2DF39
A	79	ILE	LEU	engineered mutation	UNP A0A4Q2DF39
A	252	LEU	ALA	engineered mutation	UNP A0A4Q2DF39
B	61	ALA	SER	engineered mutation	UNP A0A4Q2DF39
B	79	ILE	LEU	engineered mutation	UNP A0A4Q2DF39
B	252	LEU	ALA	engineered mutation	UNP A0A4Q2DF39

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	D	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	S			
3	A	1	Total	12	6	1	4	1	0	0
3	B	1	Total	12	6	1	4	1	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	O			
4	A	1	Total	6	3	3	0	0
4	B	1	Total	6	3	3	0	0

Continued on next page...




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is alpha-damascone (CCD ID: A1IUA) (formula: C₁₃H₂₀O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			14	13	1		
7	B	1	Total	C	O	0	0
			14	13	1		

- Molecule 8 is 2-acetamido-2-deoxy- α -D-glucopyranose (CCD ID: NDG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 9 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	10	Total Zn 10 10	0	0
9	B	5	Total Zn 5 5	0	0

- Molecule 10 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	1	Total Mg 1 1	0	0
10	B	1	Total Mg 1 1	0	0

- Molecule 11 is ETHANOL (CCD ID: EOH) (formula: C₂H₆O).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	1	Total C O 3 2 1	0	0
11	B	1	Total C O 3 2 1	0	0

- Molecule 12 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	O	P	0	0
			5	4	1		
12	B	1	Total	O	P	0	0
			5	4	1		
12	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 13 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	B	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	413	Total	O	0	0
			413	413		
14	B	440	Total	O	0	0
			440	440		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Heme-thiolate peroxidase



- Molecule 1: Heme-thiolate peroxidase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics i

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	76.33Å 76.33Å 272.23Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.46 – 1.80 47.46 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.46-1.80) 99.9 (47.46-1.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.92 (at 1.79Å)	Xtrriage
Refinement program	REFMAC 5.8.0419	Depositor
R, R_{free}	0.155 , 0.185 0.164 , 0.194	Depositor DCC
R_{free} test set	4074 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	21.7	Xtrriage
Anisotropy	0.216	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.053 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6476	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NDG, PO4, MES, A1IUA, EOH, PEG, NAG, MG, GOL, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/2717	0.91	1/3705 (0.0%)
1	B	0.55	0/2698	0.90	2/3680 (0.1%)
All	All	0.56	0/5415	0.90	3/7385 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	219	ASP	CA-CB-CG	5.68	118.28	112.60
1	B	219	ASP	CA-CB-CG	5.61	118.21	112.60
1	B	165	ASN	CB-CG-ND2	-5.09	108.77	116.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	263	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2620	0	2496	34	0
1	B	2607	0	2477	62	0
2	C	28	0	25	0	0
2	D	28	0	25	0	0
3	A	12	0	13	0	0
3	B	12	0	13	0	0
4	A	6	0	8	1	0
4	B	18	0	24	7	0
5	A	43	0	30	1	0
5	B	43	0	30	2	0
6	A	28	0	26	9	0
6	B	84	0	76	26	0
7	A	14	0	0	0	0
7	B	14	0	0	1	0
8	A	14	0	12	6	0
9	A	10	0	0	0	0
9	B	5	0	0	1	0
10	A	1	0	0	0	0
10	B	1	0	0	0	0
11	A	3	0	6	0	0
11	B	3	0	6	0	0
12	A	5	0	0	0	0
12	B	10	0	0	0	0
13	B	14	0	20	8	0
14	A	413	0	0	16	0
14	B	440	0	0	25	0
All	All	6476	0	5287	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:ASN:ND2	6:B:405:NAG:C1	1.69	1.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:291:ASN:HD21	6:A:406:NAG:C1	0.90	1.50
1:B:16:ASN:ND2	6:B:403:NAG:C1	1.68	1.49
1:A:16:ASN:ND2	6:A:404:NAG:C1	1.75	1.49
1:A:291:ASN:ND2	6:A:406:NAG:C1	1.72	1.46
1:B:165:ASN:HD21	6:B:401:NAG:C1	1.31	1.42
1:B:165:ASN:ND2	6:B:401:NAG:C1	1.93	1.30
1:A:75:HIS:HD2	14:A:690:HOH:O	1.13	1.25
1:B:75:HIS:HD2	14:B:764:HOH:O	1.15	1.25
1:B:69:GLU:HG2	14:B:834:HOH:O	1.44	1.17
1:B:23:ASP:OD1	14:B:501:HOH:O	1.66	1.10
1:A:178:GLN:HG3	14:A:506:HOH:O	1.52	1.09
1:A:16:ASN:HD21	6:A:404:NAG:C1	1.52	1.08
1:A:16:ASN:ND2	6:A:404:NAG:O5	1.89	1.06
1:B:165:ASN:CG	6:B:401:NAG:C1	2.29	1.04
1:B:165:ASN:ND2	6:B:401:NAG:O5	1.87	1.03
1:B:291:ASN:ND2	6:B:408:NAG:C1	2.26	0.98
1:B:291:ASN:CG	6:B:408:NAG:C1	2.41	0.93
1:B:291:ASN:ND2	6:B:408:NAG:O5	2.01	0.92
1:B:165:ASN:OD1	6:B:401:NAG:C1	2.17	0.91
1:A:219:ASP:OD2	14:A:501:HOH:O	1.89	0.89
1:A:16:ASN:CG	6:A:404:NAG:C1	2.47	0.87
1:B:291:ASN:OD1	6:B:408:NAG:C1	2.26	0.83
1:B:291:ASN:HD21	6:B:408:NAG:C1	1.87	0.82
1:B:178:GLN:HG3	14:B:503:HOH:O	1.79	0.82
1:B:249:ASP:H	4:B:410:GOL:H11	1.45	0.81
1:B:291:ASN:ND2	6:B:408:NAG:H2	1.96	0.80
1:A:261:GLU:OE2	14:A:502:HOH:O	1.99	0.80
1:B:219:ASP:OD2	14:B:502:HOH:O	1.98	0.80
1:B:178:GLN:OE1	14:B:503:HOH:O	2.00	0.79
1:A:65:GLU:OE1	4:A:402:GOL:H2	1.83	0.79
6:B:401:NAG:H62	14:B:603:HOH:O	1.85	0.77
1:B:165:ASN:HD21	6:B:401:NAG:C2	1.97	0.77
1:B:73[A]:MET:HE2	1:B:77:THR:HG22	1.68	0.76
1:B:291:ASN:ND2	6:B:408:NAG:C2	2.50	0.74
1:B:247:GLY:H	4:B:410:GOL:H2	1.52	0.74
1:A:73[A]:MET:HE2	1:A:77:THR:HG22	1.70	0.73
8:A:407:NDG:H8C2	14:A:570:HOH:O	1.88	0.73
6:B:401:NAG:C6	14:B:603:HOH:O	2.37	0.73
1:B:145:ASN:CG	6:B:405:NAG:C1	2.61	0.73
6:B:406:NAG:H2	14:B:755:HOH:O	1.92	0.70
1:B:249:ASP:HB2	4:B:410:GOL:C1	2.21	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:171:GLU:OE2	9:B:420:ZN:ZN	1.39	0.69
1:A:75:HIS:CD2	14:A:690:HOH:O	2.03	0.69
1:B:65:GLU:OE1	14:B:504:HOH:O	2.11	0.69
1:B:247:GLY:H	4:B:410:GOL:C2	2.07	0.67
1:B:145:ASN:ND2	6:B:405:NAG:O5	2.28	0.67
1:B:287[A]:THR:HG21	14:B:692:HOH:O	1.96	0.66
1:A:73[A]:MET:HE2	1:A:77:THR:CG2	2.27	0.64
1:A:178:GLN:CG	14:A:506:HOH:O	2.27	0.64
1:B:73[A]:MET:HE2	1:B:77:THR:CG2	2.27	0.64
1:A:287[A]:THR:HG21	14:A:732:HOH:O	1.99	0.63
1:B:69:GLU:HG2	14:B:691:HOH:O	1.98	0.62
1:A:287[B]:THR:HG23	1:A:328:LEU:HD11	1.82	0.61
1:B:178:GLN:CG	14:B:503:HOH:O	2.39	0.61
1:B:247:GLY:N	4:B:410:GOL:H2	2.17	0.59
13:B:413:PEG:H12	14:B:652:HOH:O	2.03	0.59
1:B:228:ARG:HH22	13:B:413:PEG:C4	2.16	0.59
1:B:69:GLU:CG	14:B:691:HOH:O	2.52	0.58
13:B:413:PEG:H42	14:B:860:HOH:O	2.04	0.57
1:A:283:CYS:O	1:A:287[A]:THR:HG23	2.04	0.57
1:A:157[A]:ASN:OD1	14:A:503:HOH:O	2.17	0.56
1:A:178:GLN:OE1	14:A:504:HOH:O	2.18	0.55
1:B:268:ASN:OD1	14:B:506:HOH:O	2.18	0.55
1:B:283:CYS:O	1:B:287[A]:THR:HG23	2.07	0.54
1:B:75:HIS:CD2	14:B:764:HOH:O	2.06	0.53
1:B:74:GLU:HG2	14:B:742:HOH:O	2.09	0.53
1:B:228:ARG:HH22	13:B:413:PEG:H41	1.73	0.53
1:B:73[B]:MET:HE3	5:B:404:HEM:HMC1	1.91	0.52
1:B:165:ASN:HB2	14:B:539:HOH:O	2.08	0.52
1:A:178:GLN:NE2	14:A:506:HOH:O	2.24	0.51
1:B:53:PRO:N	13:B:411:PEG:H32	2.26	0.51
1:A:74:GLU:OE1	8:A:407:NDG:C1	2.59	0.50
6:B:405:NAG:H81	14:B:797:HOH:O	2.11	0.50
1:A:287[A]:THR:HG22	14:A:527:HOH:O	2.12	0.49
1:B:160:GLY:C	6:B:401:NAG:H61	2.38	0.49
1:A:76:ALA:CB	8:A:407:NDG:H4	2.43	0.49
1:A:50:GLY:HA2	14:A:564:HOH:O	2.14	0.48
1:B:246:GLU:OE1	4:B:414:GOL:O3	2.30	0.48
1:B:80:PHE:HD2	7:B:409:A1IUA:C12	2.27	0.48
1:A:291:ASN:CG	6:A:406:NAG:C1	2.72	0.47
6:A:404:NAG:H81	14:A:592:HOH:O	2.15	0.47
1:B:22:HIS:NE2	14:B:511:HOH:O	2.35	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287[A]:THR:HG22	14:B:574:HOH:O	2.14	0.47
13:B:413:PEG:C1	14:B:652:HOH:O	2.63	0.46
1:B:64:ILE:HD11	1:B:83:TYR:CE2	2.51	0.46
1:B:50:GLY:HA2	14:B:534:HOH:O	2.15	0.46
1:B:228:ARG:NH2	13:B:413:PEG:H41	2.31	0.45
6:A:404:NAG:C8	14:A:592:HOH:O	2.64	0.45
1:B:50:GLY:O	13:B:411:PEG:H22	2.17	0.45
1:A:76:ALA:HB3	8:A:407:NDG:H4	2.00	0.44
1:B:132:THR:HG21	1:B:227:ILE:HG21	1.99	0.43
1:B:73[B]:MET:HE3	5:B:404:HEM:CMC	2.48	0.43
1:A:1:LEU:HD23	1:A:1:LEU:HA	1.93	0.43
1:B:166:TYR:HB2	6:B:401:NAG:H82	2.00	0.43
1:A:1:LEU:HB3	1:A:2:ASN:H	1.65	0.43
1:A:10:PRO:O	1:A:75:HIS:HE1	2.02	0.43
1:B:10:PRO:O	1:B:75:HIS:HE1	2.01	0.43
8:A:407:NDG:H8C3	14:A:813:HOH:O	2.18	0.42
1:B:181:ILE:HD13	4:B:415:GOL:H31	2.02	0.42
1:B:287[B]:THR:CG2	6:B:408:NAG:H81	2.50	0.42
1:A:73[B]:MET:HE3	5:A:403:HEM:HMC1	2.01	0.42
1:B:165:ASN:CG	6:B:401:NAG:O5	2.50	0.41
1:A:132:THR:HG21	1:A:227:ILE:HG21	2.03	0.41
1:B:16:ASN:ND2	6:B:403:NAG:C2	2.69	0.41
1:A:76:ALA:HB2	8:A:407:NDG:H6C2	2.03	0.40
1:A:187:PHE:CZ	1:A:189:PHE:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	339/334 (102%)	325 (96%)	12 (4%)	2 (1%)	22 11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	337/334 (101%)	323 (96%)	12 (4%)	2 (1%)	22	11
All	All	676/668 (101%)	648 (96%)	24 (4%)	4 (1%)	37	11

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	244[A]	SER
1	A	244[B]	SER
1	B	244[A]	SER
1	B	244[B]	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	281/274 (103%)	280 (100%)	1 (0%)	89	88
1	B	279/274 (102%)	278 (100%)	1 (0%)	89	88
All	All	560/548 (102%)	558 (100%)	2 (0%)	89	88

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	ARG
1	B	173	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	143	ASN
1	A	234	GLN
1	A	241	GLN
1	A	291	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	165	ASN
1	B	234	GLN
1	B	241	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2	14,14,15	0.44	0	17,19,21	1.14	1 (5%)
2	NAG	C	2	2	14,14,15	0.31	0	17,19,21	1.06	1 (5%)
2	NAG	D	1	2	14,14,15	0.46	0	17,19,21	1.40	2 (11%)
2	NAG	D	2	2	14,14,15	0.41	0	17,19,21	0.75	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	0/6/23/26	0/1/1/1
2	NAG	D	1	2	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	2	2	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	NAG	O5-C1-C2	-3.90	105.12	111.29
2	C	1	NAG	O5-C1-C2	3.22	116.38	111.29
2	C	2	NAG	C1-C2-N2	3.14	115.86	110.49
2	D	1	NAG	C1-O5-C5	-2.81	108.39	112.19
2	D	2	NAG	C2-N2-C7	2.28	126.15	122.90

There are no chirality outliers.


All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	1	NAG	C8-C7-N2-C2
2	D	1	NAG	O7-C7-N2-C2
2	D	2	NAG	C8-C7-N2-C2
2	D	2	NAG	O7-C7-N2-C2
2	D	2	NAG	O5-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

Of 43 ligands modelled in this entry, 17 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	404	-	14,14,15	0.43	0	17,19,21	1.06	1 (5%)
7	A1IUA	B	409	-	13,14,14	0.67	0	13,20,20	0.99	1 (7%)
6	NAG	B	408	-	14,14,15	0.42	0	17,19,21	1.12	1 (5%)
6	NAG	B	407	6	14,14,15	0.40	0	17,19,21	1.36	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	B	410	-	5,5,5	0.28	0	5,5,5	0.51	0
8	NDG	A	407	-	14,14,15	0.41	0	17,19,21	1.22	1 (5%)
13	PEG	B	411	-	6,6,6	0.36	0	5,5,5	0.09	0
13	PEG	B	413	-	6,6,6	0.41	0	5,5,5	0.24	0
3	MES	B	402	-	12,12,12	0.91	0	14,16,16	0.74	0
12	PO4	B	422	-	4,4,4	1.77	1 (25%)	6,6,6	0.73	0
11	EOH	A	419	-	2,2,2	0.32	0	1,1,1	0.02	0
4	GOL	B	414	-	5,5,5	0.17	0	5,5,5	0.45	0
6	NAG	B	403	-	14,14,15	0.40	0	17,19,21	2.38	3 (17%)
4	GOL	B	415	-	5,5,5	0.15	0	5,5,5	0.44	0
5	HEM	B	404	14,10,1	41,50,50	1.32	3 (7%)	45,82,82	1.85	10 (22%)
3	MES	A	401	-	12,12,12	0.90	0	14,16,16	0.98	1 (7%)
6	NAG	B	405	6	14,14,15	0.40	0	17,19,21	1.29	3 (17%)
11	EOH	B	412	-	2,2,2	0.43	0	1,1,1	0.06	0
6	NAG	A	406	-	14,14,15	0.39	0	17,19,21	1.31	2 (11%)
12	PO4	B	423	-	4,4,4	1.87	1 (25%)	6,6,6	0.68	0
4	GOL	A	402	-	5,5,5	0.39	0	5,5,5	0.47	0
6	NAG	B	401	6	14,14,15	0.84	0	17,19,21	1.58	3 (17%)
12	PO4	A	420	-	4,4,4	2.05	1 (25%)	6,6,6	0.48	0
6	NAG	B	406	6	14,14,15	0.44	0	17,19,21	1.26	2 (11%)
5	HEM	A	403	14,10,1	41,50,50	1.41	6 (14%)	45,82,82	1.74	13 (28%)
7	A1IUA	A	405	-	13,14,14	0.66	0	13,20,20	0.85	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	404	-	-	1/6/23/26	0/1/1/1
7	A1IUA	B	409	-	-	0/6/24/24	0/1/1/1
6	NAG	B	408	-	-	1/6/23/26	0/1/1/1
6	NAG	B	407	6	-	2/6/23/26	0/1/1/1
4	GOL	B	410	-	-	2/4/4/4	-
8	NDG	A	407	-	-	3/6/23/26	0/1/1/1
13	PEG	B	411	-	-	1/4/4/4	-
13	PEG	B	413	-	-	2/4/4/4	-
3	MES	B	402	-	-	2/6/14/14	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	414	-	-	2/4/4/4	-
6	NAG	B	403	-	-	2/6/23/26	0/1/1/1
4	GOL	B	415	-	-	4/4/4/4	-
5	HEM	B	404	14,10,1	-	3/12/54/54	-
3	MES	A	401	-	-	1/6/14/14	0/1/1/1
6	NAG	B	405	6	-	4/6/23/26	0/1/1/1
6	NAG	A	406	-	-	1/6/23/26	0/1/1/1
4	GOL	A	402	-	-	4/4/4/4	-
6	NAG	B	401	6	-	1/6/23/26	0/1/1/1
6	NAG	B	406	6	-	5/6/23/26	0/1/1/1
5	HEM	A	403	14,10,1	-	2/12/54/54	-
7	A1IUA	A	405	-	-	0/6/24/24	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	404	HEM	C1B-NB	-5.18	1.31	1.40
5	A	403	HEM	C1B-NB	-4.81	1.32	1.40
12	A	420	PO4	P-O1	3.79	1.59	1.50
12	B	423	PO4	P-O1	3.44	1.58	1.50
12	B	422	PO4	P-O1	3.39	1.58	1.50
5	A	403	HEM	C4D-ND	-2.76	1.35	1.40
5	A	403	HEM	C4A-CHB	-2.67	1.33	1.41
5	A	403	HEM	FE-NB	2.18	2.07	1.96
5	A	403	HEM	CHB-C1B	2.15	1.40	1.35
5	B	404	HEM	C4D-C3D	2.13	1.48	1.45
5	B	404	HEM	C4D-ND	-2.13	1.36	1.40
5	A	403	HEM	C4D-C3D	2.03	1.48	1.45

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	403	NAG	O5-C1-C2	8.82	125.21	111.29
5	A	403	HEM	C1B-NB-C4B	4.59	109.82	105.07
5	B	404	HEM	C1B-NB-C4B	4.32	109.53	105.07
8	A	407	NDG	O5-C1-C2	-3.93	105.09	111.29
5	B	404	HEM	CHC-C4B-NB	3.89	128.66	124.43
5	A	403	HEM	CHC-C4B-NB	3.71	128.47	124.43
5	B	404	HEM	CHA-C4D-ND	3.62	128.86	124.38
6	B	401	NAG	O5-C1-C2	-3.58	105.63	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	404	HEM	CMB-C2B-C1B	3.51	130.38	125.04
6	B	408	NAG	C1-C2-N2	3.38	116.27	110.49
6	A	406	NAG	C1-C2-N2	3.38	116.27	110.49
6	B	407	NAG	O5-C1-C2	-3.28	106.10	111.29
5	B	404	HEM	CHA-C4D-C3D	-3.06	119.59	125.33
6	A	406	NAG	O5-C1-C2	2.96	115.96	111.29
6	A	404	NAG	C1-C2-N2	-2.86	105.60	110.49
6	B	401	NAG	C2-N2-C7	-2.83	118.87	122.90
5	A	403	HEM	CHD-C1D-ND	2.80	127.48	124.43
5	B	404	HEM	C4B-CHC-C1C	2.70	126.12	122.56
5	A	403	HEM	C4B-CHC-C1C	2.69	126.11	122.56
5	A	403	HEM	CHA-C4D-ND	2.68	127.69	124.38
5	A	403	HEM	C2C-C3C-C4C	2.64	108.74	106.90
5	B	404	HEM	O2A-CGA-CBA	2.57	122.30	114.03
5	A	403	HEM	CMB-C2B-C1B	2.55	128.93	125.04
5	A	403	HEM	CHA-C4D-C3D	-2.52	120.60	125.33
6	B	403	NAG	C1-O5-C5	2.45	115.52	112.19
6	B	405	NAG	O5-C5-C4	-2.44	104.88	110.83
6	B	407	NAG	O5-C5-C4	-2.37	105.05	110.83
6	B	401	NAG	C1-C2-N2	-2.37	106.45	110.49
7	B	409	A1IUA	C14-C7-C6	2.36	117.92	116.14
6	B	405	NAG	C1-C2-N2	-2.35	106.48	110.49
6	B	406	NAG	C1-O5-C5	2.33	115.34	112.19
6	B	406	NAG	C1-C2-N2	2.29	114.40	110.49
5	B	404	HEM	CMB-C2B-C3B	-2.20	122.91	128.30
5	A	403	HEM	CAD-CBD-CGD	-2.20	108.88	113.60
5	B	404	HEM	O2D-CGD-CBD	2.19	121.08	114.03
5	A	403	HEM	CHB-C1B-NB	2.17	127.06	124.38
6	B	407	NAG	C1-C2-N2	2.16	114.17	110.49
7	A	405	A1IUA	O5-C4-C3	-2.13	114.20	122.43
5	A	403	HEM	CHD-C1D-C2D	-2.13	121.66	124.98
6	B	405	NAG	C1-O5-C5	-2.11	109.33	112.19
5	A	403	HEM	O2D-CGD-O1D	-2.08	118.12	123.30
6	B	403	NAG	O3-C3-C2	-2.06	105.21	109.47
3	A	401	MES	O1S-S-C8	-2.06	104.44	106.92
5	A	403	HEM	C3C-C4C-NC	-2.03	107.11	110.94
5	B	404	HEM	O2D-CGD-O1D	-2.02	118.26	123.30

There are no chirality outliers.

All (43) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	401	MES	C8-C7-N4-C5
3	B	402	MES	C8-C7-N4-C5
4	A	402	GOL	O1-C1-C2-C3
4	A	402	GOL	C1-C2-C3-O3
4	B	415	GOL	C1-C2-C3-O3
6	B	406	NAG	C3-C2-N2-C7
6	B	406	NAG	C8-C7-N2-C2
6	B	406	NAG	O7-C7-N2-C2
6	B	405	NAG	C4-C5-C6-O6
6	B	406	NAG	O5-C5-C6-O6
8	A	407	NDG	O5-C5-C6-O6
8	A	407	NDG	C4-C5-C6-O6
6	B	403	NAG	C8-C7-N2-C2
6	B	403	NAG	O7-C7-N2-C2
6	B	405	NAG	C8-C7-N2-C2
6	B	405	NAG	O7-C7-N2-C2
6	B	407	NAG	C8-C7-N2-C2
6	B	406	NAG	C4-C5-C6-O6
6	B	401	NAG	O5-C5-C6-O6
13	B	413	PEG	O2-C3-C4-O4
6	B	405	NAG	O5-C5-C6-O6
4	B	414	GOL	O1-C1-C2-C3
4	B	415	GOL	O1-C1-C2-C3
13	B	413	PEG	O1-C1-C2-O2
4	A	402	GOL	O1-C1-C2-O2
4	A	402	GOL	O2-C2-C3-O3
4	B	414	GOL	O1-C1-C2-O2
4	B	415	GOL	O1-C1-C2-O2
4	B	415	GOL	O2-C2-C3-O3
13	B	411	PEG	O1-C1-C2-O2
6	B	407	NAG	O7-C7-N2-C2
6	A	406	NAG	O5-C5-C6-O6
3	B	402	MES	C7-C8-S-O3S
4	B	410	GOL	O1-C1-C2-O2
5	B	404	HEM	CAA-CBA-CGA-O2A
5	A	403	HEM	CAA-CBA-CGA-O1A
5	B	404	HEM	CAA-CBA-CGA-O1A
5	A	403	HEM	CAA-CBA-CGA-O2A
6	B	408	NAG	C8-C7-N2-C2
5	B	404	HEM	C2A-CAA-CBA-CGA
8	A	407	NDG	C3-C2-N2-C7
6	A	404	NAG	O5-C5-C6-O6
4	B	410	GOL	O1-C1-C2-C3


There are no ring outliers.


17 monomers are involved in 61 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	404	NAG	6	0
7	B	409	A1IUA	1	0
6	B	408	NAG	8	0
4	B	410	GOL	5	0
8	A	407	NDG	6	0
13	B	411	PEG	2	0
13	B	413	PEG	6	0
4	B	414	GOL	1	0
6	B	403	NAG	2	0
4	B	415	GOL	1	0
5	B	404	HEM	2	0
6	B	405	NAG	4	0
6	A	406	NAG	3	0
4	A	402	GOL	1	0
6	B	401	NAG	11	0
6	B	406	NAG	1	0
5	A	403	HEM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	334/334 (100%)	-0.38	5 (1%) 71 71	12, 22, 35, 88	7 (2%)
1	B	334/334 (100%)	-0.28	4 (1%) 76 76	12, 24, 38, 81	5 (1%)
All	All	668/668 (100%)	-0.33	9 (1%) 74 74	12, 23, 36, 88	12 (1%)

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	LEU	5.6
1	B	1	LEU	5.5
1	B	214	THR	4.2
1	A	2	ASN	2.9
1	B	2	ASN	2.5
1	B	334	LEU	2.4
1	A	300	ASN	2.4
1	A	334	LEU	2.4
1	A	214	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	C	2	14/15	0.69	0.16	41,48,53,56	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	D	2	14/15	0.71	0.14	39,45,49,50	0
2	NAG	D	1	14/15	0.81	0.13	33,37,41,42	0
2	NAG	C	1	14/15	0.92	0.09	28,32,34,38	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	B	408	14/15	0.33	0.21	50,55,59,60	0
6	NAG	A	404	14/15	0.51	0.20	51,54,61,62	0
8	NDG	A	407	14/15	0.53	0.18	38,41,44,45	0
6	NAG	B	407	14/15	0.57	0.19	45,53,58,62	0
6	NAG	B	406	14/15	0.58	0.19	47,51,57,60	0
6	NAG	A	406	14/15	0.58	0.17	45,49,53,56	0
12	PO4	B	423	5/5	0.64	0.15	45,45,49,50	0
12	PO4	A	420	5/5	0.65	0.16	41,44,49,50	0
6	NAG	B	405	14/15	0.68	0.17	34,41,46,48	0
7	A1IUA	B	409	14/14	0.69	0.25	35,39,42,49	0
4	GOL	A	402	6/6	0.70	0.21	26,31,33,34	0
11	EOH	A	419	3/3	0.71	0.21	34,34,36,37	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	GOL	B	410	6/6	0.72	0.16	34,37,37,40	0
13	PEG	B	413	7/7	0.73	0.16	33,36,37,38	0
4	GOL	B	415	6/6	0.75	0.15	35,36,39,39	0
12	PO4	B	422	5/5	0.78	0.16	41,45,47,51	0
11	EOH	B	412	3/3	0.78	0.20	36,36,37,37	0
13	PEG	B	411	7/7	0.78	0.15	35,36,38,40	0
7	A1IUA	A	405	14/14	0.78	0.19	32,34,37,38	0
4	GOL	B	414	6/6	0.84	0.12	36,38,39,40	0
9	ZN	B	417	1/1	0.85	0.10	44,44,44,44	0
6	NAG	B	403	14/15	0.85	0.11	35,38,43,43	0
6	NAG	B	401	14/15	0.86	0.13	33,38,43,44	0
9	ZN	A	409	1/1	0.90	0.08	41,41,41,41	0
9	ZN	A	417	1/1	0.93	0.29	51,51,51,51	0
9	ZN	A	414	1/1	0.94	0.07	38,38,38,38	0
9	ZN	B	420	1/1	0.94	0.08	43,43,43,43	0
9	ZN	A	412	1/1	0.94	0.07	33,33,33,33	0
9	ZN	B	416	1/1	0.95	0.22	49,49,49,49	0
3	MES	B	402	12/12	0.95	0.12	22,30,37,39	0
9	ZN	A	415	1/1	0.96	0.06	36,36,36,36	0
3	MES	A	401	12/12	0.96	0.12	21,32,37,38	0
9	ZN	A	416	1/1	0.97	0.05	29,29,29,29	0
9	ZN	A	408	1/1	0.97	0.05	35,35,35,35	0
9	ZN	B	418	1/1	0.97	0.20	43,43,43,43	0
9	ZN	B	419	1/1	0.97	0.05	31,31,31,31	0
9	ZN	A	411	1/1	0.98	0.03	30,30,30,30	0
5	HEM	B	404	43/43	0.98	0.05	17,18,21,26	0
5	HEM	A	403	43/43	0.98	0.06	16,18,19,24	0
9	ZN	A	410	1/1	0.99	0.08	38,38,38,38	0
9	ZN	A	413	1/1	0.99	0.03	27,27,27,27	0
10	MG	B	421	1/1	1.00	0.22	5,5,5,5	0
10	MG	A	418	1/1	1.00	0.24	5,5,5,5	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1IUUA B 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1IUUA A 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 417:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 417:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 414:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 420:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 412:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 416:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 415:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 416:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 418:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN B 419:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 411:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM B 404:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around ZN A 410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZN A 413:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG B 421:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.