



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 23, 2026 – 02:22 pm GMT

PDB ID : 9RJT / pdb\_00009rjt  
Title : W-formate dehydrogenase from Nitratidesulfovibrio vulgaris (Desulfovibrio vulgaris) - Dithionite reduced - anaerobic soaked with 58 bar CO<sub>2</sub> for 1 min  
Authors : Vilela-Alves, G.; Manuel, R.R.; Carpentier, P.; Pereira, I.C.; Romao, M.J.; Mota, C.  
Deposited on : 2025-06-12  
Resolution : 1.83 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.48.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1150 (1.84-1.84)
Clashscore	180529	1248 (1.84-1.84)
Ramachandran outliers	177936	1240 (1.84-1.84)
Sidechain outliers	177891	1240 (1.84-1.84)
RSRZ outliers	164620	1149 (1.84-1.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1013	
2	B	215	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	CO2	A	1128	-	-	X	-
9	EDO	A	1122	-	-	X	-

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 9772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Formate dehydrogenase, alpha subunit, selenocysteine-containing.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	964	7551	4815	1315	1379	41	1	0	1	0


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1006	TRP	-	expression tag	UNP Q72EJ1
A	1007	SER	-	expression tag	UNP Q72EJ1
A	1008	HIS	-	expression tag	UNP Q72EJ1
A	1009	PRO	-	expression tag	UNP Q72EJ1
A	1010	GLN	-	expression tag	UNP Q72EJ1
A	1011	PHE	-	expression tag	UNP Q72EJ1
A	1012	GLU	-	expression tag	UNP Q72EJ1
A	1013	LYS	-	expression tag	UNP Q72EJ1

- Molecule 2 is a protein called Formate dehydrogenase, beta subunit, putative.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	214	1671	1045	292	318	16	0	1	0

- Molecule 3 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (CCD ID: MGD) (formula: C<sub>20</sub>H<sub>26</sub>N<sub>10</sub>O<sub>13</sub>P<sub>2</sub>S<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
3	A	1	47	20	10	13	2	2	0	0
3	A	1	47	20	10	13	2	2	0	0

- Molecule 4 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Fe S		
4	A	1	8	4 4	0	0

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	Fe	S	0	0
			8	4	4		
4	B	1	Total	Fe	S	0	0
			8	4	4		
4	B	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 5 is TUNGSTEN ION (CCD ID: W) (formula: W) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	W	0	0
			1	1		

- Molecule 6 is HYDROSULFURIC ACID (CCD ID: H2S) (formula: H<sub>2</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	S	0	0
			1	1		

- Molecule 7 is CARBON DIOXIDE (CCD ID: CO2) (formula: CO<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0
7	A	1	Total C O 3 1 2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			3	1	2		
7	A	1	Total	C	O	0	0
			3	1	2		
7	A	1	Total	C	O	0	0
			3	1	2		
7	A	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	256	Total	O	0	0
			256	256		
10	B	67	Total	O	0	0
			67	67		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Formate dehydrogenase, alpha subunit, selenocysteine-containing



- Molecule 2: Formate dehydrogenase, beta subunit, putative



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.99Å 124.84Å 150.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	64.44 – 1.83 64.44 – 1.83	Depositor EDS
% Data completeness (in resolution range)	67.6 (64.44-1.83) 67.4 (64.44-1.83)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.46 (at 1.83Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.190 , 0.240 0.199 , 0.246	Depositor DCC
$R_{free}$ test set	3726 reflections (3.43%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.5	Xtrriage
Anisotropy	0.129	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 33.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	9772	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MGD, CO2, GOL, W, EDO, SEC, H2S, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.97	0/7756	1.32	0/10523
2	B	0.97	0/1709	1.31	0/2314
All	All	0.97	0/9465	1.32	0/12837

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7551	0	7385	67	0
2	B	1671	0	1641	14	0
3	A	94	0	44	4	0
4	A	8	0	0	1	0
4	B	24	0	0	1	0
5	A	1	0	0	0	0
6	A	1	0	0	0	0
7	A	54	0	0	2	0
7	B	15	0	0	1	0
8	A	12	0	16	0	0
8	B	6	0	8	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	A	12	0	18	7	0
10	A	256	0	0	0	0
10	B	67	0	0	0	0
All	All	9772	0	9112	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:496:PRO:HD3	9:A:1121:EDO:H22	1.64	0.79
1:A:405:MET:HE1	1:A:884:ARG:NH1	2.02	0.75
1:A:407:TRP:CH2	1:A:420:MET:SD	2.82	0.73
1:A:407:TRP:HH2	1:A:420:MET:SD	2.14	0.70
1:A:405:MET:HE1	1:A:884:ARG:HH12	1.57	0.67
1:A:407:TRP:CH2	1:A:420:MET:CE	2.77	0.67
1:A:206:ARG:HH21	9:A:1122:EDO:H12	1.60	0.66
1:A:405:MET:HE2	3:A:1102:MGD:S13	2.35	0.66
1:A:408:THR:OG1	7:A:1128:CO2:C	2.44	0.66
1:A:533:TRP:CZ3	1:A:553:MET:HE1	2.34	0.62
1:A:191:ILE:HG21	3:A:1102:MGD:H14	1.83	0.61
2:B:139:ASP:HB3	8:B:304:GOL:H32	1.82	0.61
1:A:36:GLU:N	2:B:147:ASN:HD21	1.99	0.60
1:A:128:GLU:OE1	1:A:132:ARG:NH2	2.35	0.59
1:A:132:ARG:NH1	1:A:602:GLU:OE2	2.37	0.57
2:B:201:LEU:C	2:B:201:LEU:HD23	2.29	0.57
2:B:146[A]:GLN:HA	2:B:146[A]:GLN:OE1	2.04	0.57
1:A:480:THR:HB	9:A:1121:EDO:H21	1.88	0.56
1:A:408:THR:HG1	7:A:1128:CO2:C	2.18	0.56
1:A:896:ARG:HD2	1:A:970:VAL:O	2.06	0.55
1:A:407:TRP:CH2	1:A:420:MET:HE3	2.42	0.54
1:A:206:ARG:HH21	9:A:1122:EDO:C1	2.22	0.53
1:A:533:TRP:HZ3	1:A:553:MET:HE1	1.73	0.52
1:A:480:THR:CB	9:A:1121:EDO:H21	2.39	0.52
1:A:405:MET:O	1:A:406:GLY:C	2.52	0.51
1:A:884:ARG:HH22	3:A:1102:MGD:H15	1.58	0.51
1:A:408:THR:HG22	1:A:413:GLY:HA2	1.91	0.51
1:A:894:MET:SD	3:A:1102:MGD:H2'	2.52	0.50
1:A:467:ASN:HA	1:A:522:ILE:O	2.12	0.50
1:A:625:MET:HE3	1:A:730:HIS:CE1	2.47	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:712:PRO:HG2	1:A:716:PHE:CD2	2.47	0.50
1:A:111:ALA:O	1:A:114:SER:HB3	2.12	0.49
1:A:162:SER:HB2	1:A:551:TRP:O	2.12	0.49
2:B:81:PRO:HD2	4:B:302:SF4:S3	2.52	0.49
1:A:157:ILE:HG22	1:A:182:LEU:HD21	1.95	0.49
1:A:577:ASN:OD1	1:A:586:SER:HB3	2.12	0.49
1:A:195:PRO:HG3	1:A:992:ILE:HD11	1.94	0.48
1:A:491:TRP:CD1	9:A:1122:EDO:H21	2.48	0.48
1:A:937:LEU:C	1:A:937:LEU:HD12	2.38	0.48
1:A:351:HIS:ND1	1:A:352:PRO:HD2	2.28	0.48
2:B:137:LYS:O	8:B:304:GOL:H11	2.15	0.47
1:A:900:TRP:CH2	2:B:24:GLN:HA	2.50	0.46
1:A:132:ARG:NH1	1:A:602:GLU:CD	2.74	0.46
1:A:340:ASN:O	1:A:484:LYS:HG3	2.15	0.46
1:A:533:TRP:CH2	1:A:553:MET:HE1	2.51	0.46
1:A:39:LYS:HE3	2:B:27:ASN:HD21	1.81	0.46
1:A:882:THR:HA	1:A:962:LEU:O	2.16	0.46
1:A:355:VAL:HG13	1:A:827:TYR:HB2	1.98	0.46
1:A:342:VAL:CG2	1:A:484:LYS:HB2	2.46	0.45
2:B:41:ASN:HA	2:B:42:PRO:C	2.41	0.45
1:A:448:GLY:O	1:A:452:GLN:HG2	2.16	0.45
2:B:139:ASP:HB3	8:B:304:GOL:C3	2.47	0.45
1:A:623:ARG:O	1:A:764:CYS:HA	2.16	0.45
1:A:256:ARG:HG2	1:A:959:MET:HE1	1.98	0.45
2:B:5:PHE:CD1	2:B:198:VAL:HG22	2.51	0.45
1:A:407:TRP:CD1	1:A:408:THR:HG23	2.52	0.44
1:A:405:MET:HE1	1:A:884:ARG:CZ	2.47	0.43
1:A:110:ARG:NH1	1:A:601:THR:O	2.48	0.43
2:B:209:PHE:O	7:B:306:CO2:C	2.66	0.43
1:A:405:MET:HE3	1:A:405:MET:HB3	1.84	0.43
1:A:910:CYS:SG	1:A:960:VAL:HG13	2.58	0.43
1:A:88:CYS:HB2	1:A:89:PRO:HD2	2.00	0.43
1:A:132:ARG:HH11	1:A:602:GLU:CD	2.26	0.42
1:A:431:GLY:O	1:A:777:SER:HB3	2.18	0.42
1:A:161:GLY:HA3	1:A:551:TRP:O	2.19	0.42
1:A:523:ASP:HB2	1:A:526:ARG:HD3	2.00	0.42
1:A:690:MET:HE2	1:A:730:HIS:CE1	2.55	0.42
2:B:4:MET:HE3	2:B:167:GLU:HB2	2.01	0.42
1:A:653:ARG:NH1	1:A:670:LEU:O	2.54	0.41
1:A:407:TRP:CZ3	1:A:420:MET:HE3	2.56	0.41
1:A:151:VAL:O	1:A:520:PRO:HA	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:SER:O	1:A:198:PRO:HD2	2.21	0.41
1:A:234:PRO:HD2	4:A:1103:SF4:S3	2.61	0.41
1:A:459:TRP:HB3	1:A:460:PRO:HD2	2.03	0.40
2:B:93:ALA:HA	2:B:108:LEU:HB2	2.03	0.40
1:A:300:TYR:CD1	1:A:815:PRO:HG3	2.56	0.40
1:A:699:GLU:HA	1:A:703:LYS:O	2.22	0.40
1:A:491:TRP:CD1	9:A:1122:EDO:C2	3.05	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	960/1013 (95%)	925 (96%)	33 (3%)	2 (0%)	44 33
2	B	213/215 (99%)	203 (95%)	9 (4%)	1 (0%)	25 12
All	All	1173/1228 (96%)	1128 (96%)	42 (4%)	3 (0%)	37 25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	406	GLY
2	B	131	VAL
1	A	663	TYR

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	784/819 (96%)	777 (99%)	7 (1%)	75	67
2	B	186/186 (100%)	184 (99%)	2 (1%)	70	60
All	All	970/1005 (96%)	961 (99%)	9 (1%)	75	67

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	132	ARG
1	A	405	MET
1	A	411	SER
1	A	412	VAL
1	A	527	LYS
1	A	653	ARG
1	A	798	LYS
2	B	56	THR
2	B	61	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	383	GLN
1	A	482	GLN
1	A	679	ASN
2	B	27	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

Of 37 ligands modelled in this entry, 1 is monoatomic and 1 is modelled with single atom - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
7	CO2	A	1123	-	2,2,2	0.19	0	1,1,1	0.81	0
8	GOL	B	304	-	5,5,5	0.28	0	5,5,5	0.80	0
7	CO2	B	309	-	2,2,2	0.23	0	1,1,1	0.76	0
7	CO2	A	1117	-	2,2,2	0.36	0	1,1,1	0.68	0
7	CO2	B	308	-	2,2,2	0.13	0	1,1,1	0.85	0
7	CO2	A	1128	-	2,2,2	0.25	0	1,1,1	0.81	0
9	EDO	A	1119	-	3,3,3	0.24	0	2,2,2	0.35	0
7	CO2	A	1126	-	2,2,2	0.28	0	1,1,1	0.79	0
4	SF4	B	301	2	0,12,12	-	-	-	-	-
7	CO2	A	1125	-	2,2,2	0.21	0	1,1,1	0.80	0
7	CO2	A	1109	-	2,2,2	0.27	0	1,1,1	0.72	0
7	CO2	B	305	-	2,2,2	0.12	0	1,1,1	0.81	0
4	SF4	B	302	2	0,12,12	-	-	-	-	-
7	CO2	B	307	-	2,2,2	0.45	0	1,1,1	0.72	0
9	EDO	A	1121	-	3,3,3	0.07	0	2,2,2	0.42	0
7	CO2	A	1113	-	2,2,2	0.28	0	1,1,1	0.73	0
7	CO2	A	1114	-	2,2,2	0.31	0	1,1,1	0.82	0
4	SF4	A	1103	1	0,12,12	-	-	-	-	-
8	GOL	A	1108	-	5,5,5	0.12	0	5,5,5	0.37	0
4	SF4	B	303	2	0,12,12	-	-	-	-	-
7	CO2	B	306	-	2,2,2	0.22	0	1,1,1	0.70	0
7	CO2	A	1116	-	2,2,2	0.23	0	1,1,1	0.81	0
7	CO2	A	1106	-	2,2,2	0.19	0	1,1,1	0.91	0
3	MGD	A	1102	5	41,52,52	0.81	2 (4%)	40,81,81	1.05	3 (7%)
7	CO2	A	1112	-	2,2,2	0.21	0	1,1,1	0.85	0
7	CO2	A	1120	-	2,2,2	0.20	0	1,1,1	0.76	0
7	CO2	A	1110	-	2,2,2	0.21	0	1,1,1	0.79	0
7	CO2	A	1118	-	2,2,2	0.18	0	1,1,1	0.74	0
7	CO2	A	1124	-	2,2,2	0.17	0	1,1,1	0.77	0
3	MGD	A	1101	5	41,52,52	0.83	1 (2%)	40,81,81	1.11	3 (7%)
9	EDO	A	1122	-	3,3,3	0.24	0	2,2,2	0.61	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	CO2	A	1111	-	2,2,2	0.43	0	1,1,1	0.74	0
8	GOL	A	1107	-	5,5,5	0.10	0	5,5,5	0.37	0
7	CO2	A	1127	-	2,2,2	0.19	0	1,1,1	0.82	0
7	CO2	A	1115	-	2,2,2	0.37	0	1,1,1	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	B	304	-	-	3/4/4/4	-
9	EDO	A	1121	-	-	1/1/1/1	-
4	SF4	B	301	2	-	-	0/6/5/5
3	MGD	A	1101	5	-	3/18/66/66	0/6/6/6
8	GOL	A	1108	-	-	1/4/4/4	-
4	SF4	A	1103	1	-	-	0/6/5/5
9	EDO	A	1119	-	-	1/1/1/1	-
4	SF4	B	302	2	-	-	0/6/5/5
4	SF4	B	303	2	-	-	0/6/5/5
9	EDO	A	1122	-	-	1/1/1/1	-
8	GOL	A	1107	-	-	1/4/4/4	-
3	MGD	A	1102	5	-	5/18/66/66	0/6/6/6

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1102	MGD	C5-C6	-2.65	1.42	1.47
3	A	1101	MGD	C5-C6	-2.47	1.42	1.47
3	A	1102	MGD	C8-N7	-2.03	1.31	1.35

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1102	MGD	C19-N20-C21	2.89	118.64	113.43
3	A	1101	MGD	C19-N20-C21	2.80	118.48	113.43
3	A	1101	MGD	O4'-C1'-C2'	-2.42	103.39	106.93
3	A	1101	MGD	O6-C6-C5	2.26	128.79	124.37
3	A	1102	MGD	O6-C6-C5	2.07	128.41	124.37
3	A	1102	MGD	O4'-C1'-C2'	-2.02	103.97	106.93

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1101	MGD	PA-O3B-PB-O5'
3	A	1102	MGD	C5'-O5'-PB-O2B
3	A	1102	MGD	C4'-C5'-O5'-PB
8	B	304	GOL	C1-C2-C3-O3
3	A	1102	MGD	O4'-C4'-C5'-O5'
8	B	304	GOL	O2-C2-C3-O3
8	A	1107	GOL	O1-C1-C2-C3
8	B	304	GOL	O1-C1-C2-C3
9	A	1119	EDO	O1-C1-C2-O2
9	A	1122	EDO	O1-C1-C2-O2
3	A	1102	MGD	C5'-O5'-PB-O3B
3	A	1102	MGD	C5'-O5'-PB-O1B
3	A	1101	MGD	PA-O3B-PB-O1B
8	A	1108	GOL	O1-C1-C2-C3
3	A	1101	MGD	C5'-O5'-PB-O1B
9	A	1121	EDO	O1-C1-C2-O2


There are no ring outliers.



8 monomers are involved in 19 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	304	GOL	3	0
7	A	1128	CO2	2	0
4	B	302	SF4	1	0
9	A	1121	EDO	3	0
4	A	1103	SF4	1	0
7	B	306	CO2	1	0
3	A	1102	MGD	4	0
9	A	1122	EDO	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.










































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	963/1013 (95%)	0.40	65 (6%) 25 27	8, 22, 49, 95	1 (0%)
2	B	214/215 (99%)	0.25	9 (4%) 41 44	10, 22, 42, 52	1 (0%)
All	All	1177/1228 (95%)	0.38	74 (6%) 27 29	8, 22, 47, 95	2 (0%)

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	407	TRP	6.5
1	A	412	VAL	6.5
1	A	406	GLY	6.1
1	A	409	GLN	5.0
1	A	993	PRO	4.6
1	A	988	PRO	4.4
1	A	861	ALA	4.4
2	B	88	VAL	4.2
1	A	989	ASN	4.2
1	A	1006	TRP	4.0
1	A	411	SER	3.9
1	A	985	ALA	3.9
1	A	525	GLY	3.7
1	A	408	THR	3.6
1	A	339	ALA	3.6
1	A	990	THR	3.6
1	A	954	GLY	3.6
1	A	869	LYS	3.5
1	A	597	ALA	3.5
1	A	534	LEU	3.4
2	B	58	LYS	3.4
1	A	658	LYS	3.3
1	A	992	ILE	3.2
1	A	678	HIS	3.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	986	GLY	3.1
1	A	410	HIS	3.1
1	A	116	THR	3.1
1	A	533	TRP	3.0
1	A	991	GLY	2.9
1	A	146	ALA	2.8
1	A	150	LEU	2.7
1	A	527	LYS	2.7
1	A	139	ALA	2.7
1	A	524	ALA	2.7
1	A	484	LYS	2.7
1	A	987	ASP	2.6
1	A	994	GLU	2.6
2	B	61	LYS	2.6
1	A	111	ALA	2.6
1	A	702	GLY	2.5
1	A	796	ASP	2.5
1	A	955	VAL	2.5
2	B	98	GLU	2.5
1	A	148	GLY	2.5
2	B	84	GLY	2.4
1	A	364	GLU	2.4
1	A	114	SER	2.4
1	A	314	LYS	2.4
2	B	169	GLU	2.4
1	A	405	MET	2.3
1	A	651	LYS	2.3
1	A	599	ILE	2.3
1	A	113	PHE	2.3
1	A	519	LEU	2.3
1	A	528	LEU	2.3
2	B	215	ALA	2.2
1	A	595	ASN	2.2
1	A	844	GLU	2.2
1	A	705	PHE	2.2
1	A	843	LEU	2.2
1	A	656	TYR	2.2
1	A	870	ALA	2.2
1	A	598	GLU	2.2
2	B	99	THR	2.1
1	A	341	GLY	2.1
1	A	704	GLN	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	542	LYS	2.1
2	B	92	GLY	2.1
1	A	845	CYS	2.1
1	A	470	ALA	2.1
1	A	326	LYS	2.1
1	A	700	VAL	2.0
1	A	572	LEU	2.0
1	A	951	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
9	EDO	A	1119	4/4	0.75	0.16	28,30,36,37	0
7	CO2	A	1128	3/3	0.77	0.23	47,47,56,62	0
7	CO2	A	1118	3/3	0.77	0.16	43,43,45,48	0
9	EDO	A	1121	4/4	0.80	0.23	41,41,43,49	0
7	CO2	A	1111	3/3	0.81	0.32	37,37,48,50	0
7	CO2	A	1124	3/3	0.81	0.13	40,40,43,43	0
7	CO2	A	1125	3/3	0.81	0.17	46,46,53,54	0
9	EDO	A	1122	4/4	0.81	0.25	33,36,42,43	0
7	CO2	A	1110	3/3	0.83	0.12	37,37,39,42	0
7	CO2	A	1127	3/3	0.83	0.11	43,43,44,47	0
7	CO2	A	1117	3/3	0.84	0.16	42,42,42,44	0
7	CO2	B	307	3/3	0.85	0.18	31,31,35,40	0
7	CO2	A	1115	3/3	0.87	0.15	27,27,42,43	0
7	CO2	A	1116	3/3	0.87	0.12	41,41,42,43	0
7	CO2	A	1123	3/3	0.88	0.13	38,38,39,40	0

*Continued on next page...*

*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	CO2	B	305	3/3	0.88	0.11	31,31,33,35	0
7	CO2	A	1113	3/3	0.88	0.18	31,31,37,39	0
7	CO2	B	308	3/3	0.89	0.10	28,28,31,41	0
8	GOL	A	1108	6/6	0.89	0.12	33,36,39,40	0
7	CO2	A	1106	3/3	0.89	0.24	28,28,31,45	0
7	CO2	A	1120	3/3	0.89	0.11	46,46,46,47	0
7	CO2	A	1109	3/3	0.89	0.09	39,39,40,43	0
7	CO2	A	1126	3/3	0.90	0.11	38,38,40,46	0
7	CO2	A	1112	3/3	0.91	0.17	31,31,37,39	0
7	CO2	B	309	3/3	0.91	0.14	33,33,41,48	0
8	GOL	B	304	6/6	0.92	0.11	9,18,21,22	0
7	CO2	A	1114	3/3	0.92	0.19	29,29,33,37	0
8	GOL	A	1107	6/6	0.94	0.07	19,22,23,24	0
6	H2S	A	1105	1/1	0.96	0.08	15,15,15,15	0
3	MGD	A	1102	47/47	0.97	0.06	14,18,22,26	0
3	MGD	A	1101	47/47	0.97	0.05	9,15,22,24	0
7	CO2	B	306	3/3	0.98	0.06	14,14,16,16	0
4	SF4	B	302	8/8	0.98	0.04	18,22,23,23	0
4	SF4	B	301	8/8	0.99	0.02	11,12,13,14	0
4	SF4	A	1103	8/8	0.99	0.02	9,10,11,11	0
4	SF4	B	303	8/8	0.99	0.03	14,15,16,17	0
5	W	A	1104	1/1	1.00	0.01	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around CO2 A 1111:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around CO2 A 1124:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CO2 A 1125:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around CO2 A 1117:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around CO2 B 307:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around CO2 A 1115:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around CO2 B 305:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around CO2 A 1113:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CO2 B 308:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CO2 A 1106:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around CO2 A 1126:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around CO2 A 1112:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around CO2 B 309:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around CO2 A 1114:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MGD A 1102:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around MGD A 1101:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CO2 B 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 B 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SF4 A 1103:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SF4 B 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers ⓘ

There are no such residues in this entry.