



Full wwPDB EM Validation Report ⓘ

Jul 13, 2026 – 04:44 pm BST

PDB ID : 9RVM / pdb_00009rvm
EMDB ID : EMD-54288
Title : Penicillium chrysogenum Virus full virions
Authors : Gil-Cantero, D.; Novoa Benavides, G.; Luque, D.; Ruiz Caston, J.
Deposited on : 2025-07-08
Resolution : 2.14 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	2493 (1.66 - 2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	541	 82% 17% .
2	B	555	 79% 18% ..

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 12650 atoms, of which 4100 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	541	Total	C	N	O	S	0	0
			4230	2659	751	789	31		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	155	THR	ALA	conflict	UNP Q8JVC1
A	479	ILE	THR	conflict	UNP Q8JVC1
A	539	GLY	ARG	conflict	UNP Q8JVC1

- Molecule 2 is a protein called Protein 4 Penicillium chrysogenum Virus.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	555	Total	C	H	N	O	S	0	0
			8420	2712	4100	741	820	47		


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	540	LYS	ARG	conflict	UNP Q8JVB9


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Capsid protein



• Molecule 2: Protein 4 Penicillium chrysogenum Virus



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1269168	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.0	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	83000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.279	Depositor
Minimum map value	-1.552	Depositor
Average map value	0.036	Depositor
Map value standard deviation	0.182	Depositor
Recommended contour level	0.4	Depositor
Map size (Å)	481.23996, 481.23996, 481.23996	wwPDB
Map dimensions	454, 454, 454	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	1/4312 (0.0%)	0.72	10/5836 (0.2%)
2	B	0.38	0/4406	0.74	19/5960 (0.3%)
All	All	0.35	1/8718 (0.0%)	0.73	29/11796 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
2	B	0	1
All	All	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	300	PRO	CG-CD	-5.89	1.30	1.50

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	ASP	CB-CA-C	-9.87	92.25	110.01
1	A	300	PRO	N-CD-CG	-9.58	88.84	103.20
2	B	489	THR	CB-CA-C	-8.91	94.51	109.48
2	B	508	GLY	N-CA-C	-8.42	103.07	112.33
1	A	300	PRO	CA-N-CD	-7.89	100.95	112.00
2	B	502	ASP	N-CA-C	-7.21	104.22	113.16
2	B	501	THR	CB-CA-C	7.19	124.72	110.42
2	B	502	ASP	CA-CB-CG	7.09	119.69	112.60
1	A	201	LYS	CA-C-N	6.77	134.48	121.54
1	A	201	LYS	C-N-CA	6.77	134.48	121.54
2	B	507	VAL	N-CA-C	-6.24	104.43	110.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	534	ALA	N-CA-C	6.18	118.56	111.02
1	A	329	GLN	CA-C-N	6.00	133.01	121.54
1	A	329	GLN	C-N-CA	6.00	133.01	121.54
2	B	502	ASP	N-CA-CB	5.79	119.31	110.44
2	B	491	ASP	N-CA-C	-5.47	105.68	112.47
2	B	526	GLY	CA-C-O	-5.44	118.22	122.52
2	B	422	LEU	N-CA-C	-5.27	105.54	111.28
2	B	528	LYS	CA-C-O	-5.26	114.69	120.69
2	B	151	TYR	N-CA-CB	5.22	119.31	110.49
1	A	392	MET	CB-CG-SD	5.17	128.20	112.70
1	A	156	ALA	CA-C-O	-5.12	115.68	121.72
2	B	585	ALA	N-CA-C	-5.09	99.96	110.80
2	B	150	THR	CA-C-O	-5.07	115.48	121.16
2	B	584	CYS	N-CA-CB	5.04	119.01	110.49
1	A	359	MET	CA-C-N	5.02	124.35	120.33
1	A	359	MET	C-N-CA	5.02	124.35	120.33
2	B	489	THR	N-CA-CB	5.01	118.78	110.52
2	B	499	GLU	N-CA-C	-5.01	100.13	110.80

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	545	ARG	Sidechain
1	A	549	ARG	Sidechain
2	B	497	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4230	0	4228	106	0
2	B	4320	4100	4280	128	0
All	All	8550	4100	8508	161	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:556:CYS:SG	2:B:584:CYS:HA	1.58	1.42
1:A:530:VAL:HG22	2:B:413:HIS:CE1	1.71	1.24
1:A:370:LEU:HD13	2:B:123:THR:HG22	1.21	1.09
1:A:556:CYS:SG	2:B:584:CYS:CA	2.43	1.06
1:A:370:LEU:CD1	2:B:123:THR:HG22	1.84	1.06
1:A:556:CYS:CB	2:B:584:CYS:SG	2.44	1.05
1:A:556:CYS:HB2	2:B:584:CYS:SG	1.96	1.04
1:A:530:VAL:CG2	2:B:413:HIS:NE2	2.25	0.99
1:A:530:VAL:HG22	2:B:413:HIS:NE2	1.77	0.98
1:A:120:THR:OG1	2:B:408:ASP:OD1	1.85	0.94
1:A:370:LEU:HD13	2:B:123:THR:CG2	2.01	0.90
1:A:530:VAL:HG13	2:B:413:HIS:CG	2.07	0.90
1:A:556:CYS:CB	2:B:584:CYS:HG	1.81	0.89
1:A:530:VAL:CG1	2:B:413:HIS:CD2	2.58	0.86
1:A:373:ALA:HB2	2:B:117:TYR:CE1	2.11	0.84
1:A:373:ALA:HB2	2:B:117:TYR:CZ	2.15	0.81
1:A:545:ARG:HD2	2:B:248:GLU:OE2	1.81	0.80
1:A:556:CYS:HG	2:B:584:CYS:CB	1.94	0.80
1:A:556:CYS:SG	2:B:584:CYS:CB	2.70	0.79
1:A:530:VAL:HG13	2:B:413:HIS:CD2	2.17	0.78
1:A:530:VAL:HG11	2:B:413:HIS:CD2	2.20	0.75
1:A:543:ARG:NH2	2:B:195:ASP:C	2.46	0.73
1:A:530:VAL:HG21	2:B:413:HIS:NE2	2.04	0.70
2:B:179:TYR:OH	2:B:278:TRP:O	2.08	0.70
1:A:530:VAL:HG21	2:B:413:HIS:HE2	1.56	0.70
1:A:254:LYS:HD2	2:B:149:GLY:HA2	1.72	0.70
1:A:530:VAL:CG2	2:B:413:HIS:CE1	2.60	0.69
1:A:370:LEU:CD1	2:B:123:THR:CG2	2.66	0.67
1:A:530:VAL:CG2	2:B:413:HIS:HE2	2.03	0.67
1:A:437:ILE:HG22	1:A:439:LEU:H	1.60	0.66
1:A:379:LEU:HD23	2:B:114:ARG:O	1.96	0.66
1:A:88:HIS:NE2	2:B:433:THR:O	2.29	0.66
1:A:75:ARG:HG2	2:B:117:TYR:CE1	2.32	0.65
1:A:206:VAL:HG13	1:A:335:ALA:HB2	1.78	0.63
1:A:335:ALA:HA	1:A:338:LEU:HB2	1.82	0.62
1:A:543:ARG:HH21	2:B:195:ASP:CB	2.13	0.62
2:B:492:MET:HB3	2:B:497:ARG:HB3	1.83	0.61
1:A:369:ALA:HA	2:B:121:GLU:O	2.00	0.60
1:A:78:ALA:HB2	2:B:117:TYR:CE2	2.37	0.60
1:A:509:THR:HA	1:A:514:ARG:HH22	1.67	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:383:VAL:HG13	1:A:439:LEU:HD21	1.84	0.59
2:B:142:MET:HE1	2:B:210:LEU:HD11	1.85	0.59
1:A:93:ASP:OD1	2:B:113:ALA:N	2.34	0.59
1:A:36:ARG:HD2	1:A:114:PRO:HG3	1.84	0.59
1:A:207:LYS:HG2	1:A:271:TYR:HB2	1.85	0.58
1:A:39:ALA:HB1	2:B:408:ASP:C	2.29	0.57
1:A:152:LEU:HA	1:A:155:THR:OG1	2.05	0.57
1:A:35:LEU:O	2:B:409:TYR:CE2	2.58	0.57
1:A:370:LEU:CB	2:B:123:THR:HG22	2.35	0.56
1:A:57:PRO:HG3	1:A:479:ILE:HD11	1.88	0.55
1:A:379:LEU:HD22	2:B:114:ARG:C	2.32	0.55
1:A:379:LEU:HD21	2:B:115:ALA:HB2	1.89	0.54
1:A:543:ARG:HH21	2:B:195:ASP:HB2	1.72	0.54
1:A:543:ARG:HH21	2:B:195:ASP:C	2.15	0.54
2:B:84:LEU:HD11	2:B:549:ILE:HD13	1.89	0.54
2:B:152:MET:HE3	2:B:152:MET:HA	1.89	0.54
2:B:411:LEU:HD23	2:B:419:ASN:OD1	2.08	0.54
2:B:414:THR:O	2:B:415:ASN:ND2	2.40	0.54
1:A:552:MET:HA	2:B:589:ASN:HB2	1.89	0.54
1:A:556:CYS:CB	2:B:584:CYS:HA	2.37	0.53
2:B:490:LEU:C	2:B:492:MET:N	2.66	0.53
2:B:84:LEU:CD1	2:B:549:ILE:HD13	2.39	0.53
1:A:90:PRO:HG3	2:B:436:ASP:OD2	2.10	0.52
1:A:210:LEU:HG	1:A:335:ALA:HB1	1.91	0.52
1:A:149:ARG:NH1	1:A:361:PRO:O	2.41	0.52
1:A:254:LYS:HG2	2:B:150:THR:N	2.25	0.52
1:A:488:VAL:HA	1:A:526:THR:HG23	1.91	0.52
1:A:370:LEU:HB2	2:B:123:THR:HG22	1.90	0.52
2:B:158:ARG:NH2	2:B:216:HIS:O	2.42	0.52
1:A:40:GLN:HG2	2:B:409:TYR:O	2.10	0.52
2:B:492:MET:HG3	2:B:497:ARG:NE	2.25	0.51
2:B:423:ARG:HG2	2:B:427:MET:HE2	1.91	0.51
1:A:379:LEU:CD2	2:B:114:ARG:C	2.83	0.51
2:B:492:MET:HG3	2:B:497:ARG:CD	2.40	0.51
1:A:543:ARG:NH1	2:B:242:SER:OG	2.43	0.51
2:B:220:ILE:HD12	2:B:262:LEU:HD11	1.93	0.51
1:A:357:ASP:HA	1:A:360:VAL:HG23	1.92	0.50
2:B:583:LYS:N	2:B:583:LYS:HD3	2.24	0.50
1:A:379:LEU:CD2	2:B:114:ARG:O	2.60	0.49
2:B:491:ASP:O	2:B:492:MET:HE2	2.12	0.49
2:B:584:CYS:O	2:B:585:ALA:HB2	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:PRO:CG	1:A:479:ILE:HD11	2.42	0.49
1:A:556:CYS:HG	2:B:584:CYS:HG	1.17	0.49
2:B:204:LEU:HD23	2:B:265:VAL:HB	1.95	0.49
2:B:489:THR:O	2:B:489:THR:HG23	2.11	0.49
1:A:547:ALA:HB2	2:B:191:HIS:CE1	2.48	0.49
1:A:40:GLN:HG3	2:B:418:ASP:O	2.13	0.49
1:A:540:LEU:HD23	2:B:256:ASN:HB3	1.94	0.49
2:B:494:LYS:O	2:B:498:LYS:O	2.30	0.49
1:A:374:ARG:NH2	2:B:161:THR:OG1	2.32	0.49
1:A:552:MET:HE1	2:B:182:ALA:HB3	1.94	0.48
2:B:369:TYR:O	2:B:372:THR:OG1	2.21	0.48
1:A:49:ARG:NH2	1:A:111:ASP:OD1	2.43	0.48
1:A:346:ARG:NH2	1:A:456:ASP:OD2	2.43	0.48
2:B:490:LEU:HD22	2:B:490:LEU:H	1.78	0.48
2:B:493:ASP:O	2:B:498:LYS:HB3	2.14	0.48
2:B:496:GLN:O	2:B:496:GLN:CD	2.57	0.47
1:A:156:ALA:C	1:A:158:GLU:H	2.22	0.47
2:B:504:LEU:HD23	2:B:532:VAL:HG11	1.96	0.47
1:A:225:VAL:HG22	1:A:262:ALA:HB2	1.96	0.47
2:B:338:SER:HB2	2:B:344:ILE:HD12	1.97	0.47
2:B:495:LYS:HE3	2:B:527:LYS:HB3	1.97	0.46
1:A:210:LEU:HB3	1:A:271:TYR:CE1	2.49	0.46
2:B:489:THR:O	2:B:490:LEU:C	2.59	0.46
1:A:319:ALA:O	1:A:324:CYS:N	2.49	0.46
1:A:379:LEU:HB2	2:B:113:ALA:HA	1.96	0.46
2:B:183:VAL:HG21	2:B:281:PRO:HD3	1.97	0.46
1:A:334:ILE:HG21	1:A:349:LEU:HD21	1.98	0.45
2:B:500:SER:O	2:B:502:ASP:N	2.50	0.45
2:B:500:SER:C	2:B:502:ASP:H	2.24	0.45
1:A:52:MET:HA	1:A:476:SER:HA	1.99	0.45
1:A:80:LEU:HG	1:A:92:LEU:HD11	1.99	0.45
2:B:310:GLY:N	2:B:366:ASP:OD1	2.46	0.45
1:A:272:PRO:HA	1:A:273:PRO:HD3	1.87	0.45
1:A:341:ASN:OD1	1:A:388:GLN:NE2	2.48	0.45
1:A:310:LEU:HD23	2:B:151:TYR:CE1	2.51	0.45
2:B:180:THR:O	2:B:184:VAL:HG23	2.16	0.45
2:B:492:MET:HG3	2:B:497:ARG:CG	2.47	0.45
1:A:38:GLU:HB2	2:B:409:TYR:OH	2.17	0.44
1:A:88:HIS:O	2:B:436:ASP:HB3	2.17	0.44
1:A:147:MET:HE3	1:A:147:MET:HB3	1.90	0.44
1:A:325:THR:HG23	1:A:327:LEU:HG	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:83:SER:C	2:B:84:LEU:HD22	2.43	0.44
1:A:67:ARG:HD3	1:A:67:ARG:HA	1.74	0.44
2:B:428:VAL:HG23	2:B:429:THR:HG23	2.00	0.44
2:B:464:LEU:HA	2:B:467:ILE:HD12	2.00	0.43
2:B:490:LEU:O	2:B:492:MET:HG2	2.18	0.43
2:B:489:THR:O	2:B:489:THR:CG2	2.66	0.43
2:B:495:LYS:HE3	2:B:527:LYS:HD2	2.01	0.43
1:A:370:LEU:CG	2:B:123:THR:HG22	2.48	0.42
2:B:505:CYS:O	2:B:508:GLY:O	2.37	0.42
1:A:379:LEU:HD13	2:B:113:ALA:HB1	2.01	0.42
2:B:171:LYS:O	2:B:172:MET:HB3	2.19	0.42
2:B:578:GLU:HG3	2:B:579:PHE:CD2	2.54	0.42
1:A:40:GLN:CG	2:B:418:ASP:O	2.68	0.42
1:A:101:LEU:HB2	1:A:533:LYS:HB2	2.01	0.42
2:B:496:GLN:O	2:B:497:ARG:HB2	2.18	0.42
1:A:530:VAL:HG13	2:B:413:HIS:ND1	2.35	0.42
2:B:61:LEU:HD23	2:B:361:ILE:CG1	2.50	0.42
2:B:150:THR:O	2:B:151:TYR:HB2	2.19	0.42
1:A:374:ARG:NH2	2:B:158:ARG:HA	2.35	0.42
1:A:549:ARG:HH11	2:B:188:ASN:HD21	1.66	0.42
1:A:352:VAL:HG12	1:A:354:SER:HB2	2.02	0.41
2:B:390:ILE:HD12	2:B:522:ARG:O	2.20	0.41
2:B:496:GLN:CD	2:B:496:GLN:C	2.88	0.41
2:B:562:GLY:O	2:B:585:ALA:HB3	2.20	0.41
1:A:103:LYS:HB2	1:A:103:LYS:HE3	1.91	0.41
1:A:374:ARG:HB2	2:B:116:LEU:HB2	2.03	0.41
1:A:92:LEU:O	2:B:113:ALA:HB2	2.21	0.41
1:A:150:ALA:HA	1:A:153:VAL:HG12	2.03	0.40
2:B:129:GLU:OE2	2:B:133:ARG:NE	2.54	0.40
1:A:77:ILE:HB	2:B:117:TYR:OH	2.21	0.40
2:B:421:MET:HE1	2:B:445:ALA:HB2	2.02	0.40
1:A:93:ASP:OD2	2:B:112:SER:N	2.51	0.40
1:A:543:ARG:HH22	2:B:196:ILE:HA	1.87	0.40
2:B:165:LEU:HD22	2:B:168:LEU:HD23	2.04	0.40
2:B:201:ARG:HB3	2:B:204:LEU:HD22	2.02	0.40
2:B:424:ASN:HA	2:B:427:MET:HE3	2.04	0.40
2:B:569:GLU:HG3	2:B:586:MET:HE1	2.03	0.40
1:A:530:VAL:CG1	2:B:413:HIS:NE2	2.83	0.40
1:A:72:ARG:HG3	1:A:73:PHE:H	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	539/541 (100%)	492 (91%)	40 (7%)	7 (1%)	9	4
2	B	553/555 (100%)	513 (93%)	30 (5%)	10 (2%)	6	2
All	All	1092/1096 (100%)	1005 (92%)	70 (6%)	17 (2%)	10	2

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	202	LEU
2	B	463	ILE
2	B	490	LEU
2	B	499	GLU
2	B	584	CYS
2	B	585	ALA
1	A	157	ARG
1	A	330	GLU
1	A	480	ASP
1	A	539	GLY
2	B	151	TYR
2	B	497	ARG
2	B	501	THR
2	B	203	HIS
2	B	531	MET
1	A	344	PHE
1	A	353	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	459/459 (100%)	450 (98%)	9 (2%)	48	53
2	B	474/474 (100%)	460 (97%)	14 (3%)	36	37
All	All	933/933 (100%)	910 (98%)	23 (2%)	42	44

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	ARG
1	A	70	VAL
1	A	155	THR
1	A	408	THR
1	A	432	SER
1	A	437	ILE
1	A	479	ILE
1	A	541	THR
1	A	549	ARG
2	B	118	SER
2	B	152	MET
2	B	271	THR
2	B	393	SER
2	B	415	ASN
2	B	423	ARG
2	B	484	TYR
2	B	490	LEU
2	B	497	ARG
2	B	528	LYS
2	B	537	ARG
2	B	547	CYS
2	B	583	LYS
2	B	584	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	105	GLN
1	A	230	HIS
1	A	299	GLN
1	A	307	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	332	GLN
1	A	367	ASN
1	A	445	GLN
1	A	473	GLN
1	A	481	ASN
1	A	548	HIS
2	B	70	ASN
2	B	191	HIS
2	B	348	GLN
2	B	413	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-54288. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 227




Y Index: 227




Z Index: 227


6.2.2 Raw map



X Index: 227



Y Index: 227




Z Index: 227


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 260




Y Index: 194




Z Index: 194


6.3.2 Raw map



X Index: 356



Y Index: 356




Z Index: 98


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3002 nm³; this corresponds to an approximate mass of 2712 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.467 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.467 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.14	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.32	2.53	2.34


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-54288 and PDB model 9RVM. Per-residue inclusion information can be found in section [3](#) on page [4](#).

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)



9.1.2 Map-model assembly overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9320	0.7060
A	0.9240	0.6990
B	0.9480	0.7120

