



Full wwPDB EM Validation Report ⓘ

Feb 21, 2026 – 06:21 am GMT

PDB ID : 9S1F / pdb_00009s1f
EMDB ID : EMD-54448
Title : Cryo-EM structure of activated retron Eco2 (Ec67)
Authors : Skorupskaite, A.; Jasnauskaite, M.; Grigaitis, R.; Malinauskaite, L.; Pausch, P.
Deposited on : 2025-07-18
Resolution : 2.90 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	13054 (2.40 - 3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	132	
1	E	132	
1	F	132	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	A	596	 <p>85% 10%</p>
2	B	596	 <p>18% 85% 11%</p>
2	C	596	 <p>22% 84% 12%</p>
3	G	67	 <p>28% 69%</p>
3	H	67	 <p>28% 69%</p>
3	I	67	 <p>24% 6% 70%</p>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 34918 atoms, of which 16504 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (132-MER).

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
1	D	52	1674	498	557	202	365	52	0	0
1	E	51	1640	488	546	197	358	51	0	0
1	F	52	1674	498	557	202	365	52	0	0

- Molecule 2 is a protein called Retron Ec67 protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
2	B	570	9328	2957	4712	791	848	20	0	0
2	A	570	9328	2957	4712	791	848	20	0	0
2	C	570	9328	2957	4712	791	848	20	0	0

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	587	GLY	-	expression tag	UNP P21325
B	588	SER	-	expression tag	UNP P21325
B	589	TRP	-	expression tag	UNP P21325
B	590	SER	-	expression tag	UNP P21325
B	591	HIS	-	expression tag	UNP P21325
B	592	PRO	-	expression tag	UNP P21325
B	593	GLN	-	expression tag	UNP P21325
B	594	PHE	-	expression tag	UNP P21325
B	595	GLU	-	expression tag	UNP P21325
B	596	LYS	-	expression tag	UNP P21325
A	587	GLY	-	expression tag	UNP P21325
A	588	SER	-	expression tag	UNP P21325
A	589	TRP	-	expression tag	UNP P21325

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	590	SER	-	expression tag	UNP P21325
A	591	HIS	-	expression tag	UNP P21325
A	592	PRO	-	expression tag	UNP P21325
A	593	GLN	-	expression tag	UNP P21325
A	594	PHE	-	expression tag	UNP P21325
A	595	GLU	-	expression tag	UNP P21325
A	596	LYS	-	expression tag	UNP P21325
C	587	GLY	-	expression tag	UNP P21325
C	588	SER	-	expression tag	UNP P21325
C	589	TRP	-	expression tag	UNP P21325
C	590	SER	-	expression tag	UNP P21325
C	591	HIS	-	expression tag	UNP P21325
C	592	PRO	-	expression tag	UNP P21325
C	593	GLN	-	expression tag	UNP P21325
C	594	PHE	-	expression tag	UNP P21325
C	595	GLU	-	expression tag	UNP P21325
C	596	LYS	-	expression tag	UNP P21325

- Molecule 3 is a DNA chain called msDNA (67-MER).

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
3	G	21	657	201	240	63	132	21	0	0
3	I	20	625	191	228	61	125	20	0	0
3	H	21	657	201	240	63	132	21	0	0


- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
4	D	1	Total	Mg	0
			1	1	
4	F	1	Total	Mg	0
			1	1	
4	B	2	Total	Mg	0
			2	2	
4	I	1	Total	Mg	0
			1	1	
4	A	1	Total	Mg	0
			1	1	



Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
4	C	1	1	1	0




• Molecule 2: Retron Ec67 protein




• Molecule 2: Retron Ec67 protein





• Molecule 3: msDNA (67-MER)



• Molecule 3: msDNA (67-MER)



• Molecule 3: msDNA (67-MER)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	617364	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	29	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	92000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.902	Depositor
Minimum map value	-0.469	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.018	Depositor
Recommended contour level	0.08	Depositor
Map size (\AA)	281.6, 281.6, 281.6	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.1, 1.1, 1.1	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	D	0.12	0/1250	0.21	0/1948
1	E	0.11	0/1224	0.22	0/1907
1	F	0.14	0/1250	0.26	0/1948
2	A	0.14	0/4700	0.32	0/6318
2	B	0.13	0/4700	0.31	0/6318
2	C	0.13	0/4700	0.33	0/6318
3	G	0.17	0/460	0.44	0/700
3	H	0.17	0/460	0.43	0/700
3	I	0.16	0/438	0.46	0/666
All	All	0.13	0/19182	0.31	0/26823

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1117	557	558	2	0
1	E	1094	546	547	3	0
1	F	1117	557	558	1	0
2	A	4616	4712	4723	51	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	4616	4712	4723	46	0
2	C	4616	4712	4723	47	0
3	G	417	240	242	1	0
3	H	417	240	242	1	0
3	I	397	228	230	2	0
4	A	1	0	0	0	0
4	B	2	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	F	1	0	0	0	0
4	I	1	0	0	0	0
All	All	18414	16504	16546	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:408:ILE:HG22	2:C:410:LEU:H	1.54	0.73
2:B:436:VAL:HG11	2:B:468:LEU:HD11	1.71	0.71
2:C:489:MET:HE3	2:C:490:LYS:H	1.54	0.70
2:C:472:LEU:HD22	2:C:486:MET:SD	2.33	0.69
2:C:432:LEU:O	2:C:436:VAL:HG23	1.94	0.67
2:A:457:MET:HG2	2:A:459:LEU:HD13	1.76	0.67
2:B:432:LEU:O	2:B:436:VAL:HG13	1.95	0.66
2:C:138:LEU:HD21	2:C:147:PRO:HA	1.78	0.65
2:C:234:ILE:HG21	2:C:241:ILE:HD11	1.78	0.65
2:A:408:ILE:HG22	2:A:410:LEU:H	1.62	0.64
2:A:371:ILE:HD11	2:A:410:LEU:HD23	1.81	0.63
2:B:138:LEU:HD21	2:B:147:PRO:HA	1.79	0.62
2:C:295:ASN:OD1	2:C:297:VAL:HG12	1.99	0.62
2:C:71:ARG:O	2:C:75:LEU:HD23	1.99	0.61
2:A:580:TYR:O	2:A:584:LEU:HD23	2.01	0.61
2:B:436:VAL:HG11	2:B:468:LEU:CD1	2.30	0.60
2:B:71:ARG:O	2:B:75:LEU:HD23	2.01	0.60
2:A:472:LEU:HD22	2:A:486:MET:HE3	1.84	0.59
2:C:470:ASN:O	2:C:473:ARG:HG2	2.03	0.59
2:C:545:GLY:O	2:C:546:LYS:HG2	2.02	0.59
2:A:138:LEU:HD21	2:A:147:PRO:HA	1.84	0.59
2:B:116:ILE:HD12	2:B:255:GLN:HB3	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:226:LEU:HD22	2:B:230:LEU:HD23	1.86	0.58
2:B:408:ILE:HG22	2:B:410:LEU:H	1.69	0.58
2:C:455:VAL:HG13	2:C:455:VAL:O	2.03	0.58
2:B:80:ARG:HD3	2:B:172:ILE:HD11	1.85	0.58
2:B:472:LEU:HD12	2:B:494:VAL:HG22	1.86	0.57
2:A:472:LEU:O	2:A:472:LEU:HD23	2.06	0.56
2:C:10:LEU:HD23	2:C:10:LEU:O	2.05	0.56
2:A:268:ILE:HD12	2:A:312:PHE:CE2	2.41	0.56
2:A:558:LYS:O	2:A:558:LYS:HD3	2.05	0.56
2:C:580:TYR:O	2:C:584:LEU:HD23	2.05	0.55
2:A:260:LEU:HD22	2:A:268:ILE:HD13	1.88	0.55
2:A:22:ILE:HG12	2:A:75:LEU:HD11	1.88	0.55
2:B:472:LEU:CD1	2:B:494:VAL:HG22	2.38	0.54
2:A:371:ILE:CD1	2:A:410:LEU:HD23	2.37	0.54
2:C:473:ARG:HH21	2:C:483:VAL:HG21	1.74	0.53
2:A:268:ILE:HD12	2:A:312:PHE:CZ	2.44	0.53
2:B:119:ILE:HD11	2:B:226:LEU:HD21	1.91	0.53
2:A:472:LEU:CD2	2:A:486:MET:HE3	2.39	0.53
2:C:574:LYS:O	2:C:578:GLU:OE1	2.26	0.52
2:B:455:VAL:O	2:B:455:VAL:HG13	2.08	0.52
2:A:458:VAL:HG22	2:A:501:VAL:HB	1.91	0.52
2:C:371:ILE:O	2:C:371:ILE:HG13	2.10	0.52
2:B:371:ILE:HD11	2:B:410:LEU:HD12	1.91	0.51
2:A:424:ASP:O	2:A:425:LEU:HD12	2.11	0.51
2:B:443:TYR:CD2	2:B:496:TYR:HE2	2.30	0.50
2:C:472:LEU:HD11	2:C:494:VAL:HG22	1.92	0.50
2:C:473:ARG:NH2	2:C:483:VAL:HG21	2.27	0.50
2:B:582:LEU:HD12	2:B:583:MET:N	2.27	0.50
2:A:306:LEU:HD23	2:A:357:PHE:CE1	2.47	0.50
2:A:372:ILE:HD11	2:A:425:LEU:HD23	1.95	0.49
2:C:119:ILE:CD1	2:C:246:THR:HG23	2.43	0.49
2:C:456:ILE:HG23	2:C:501:VAL:HG23	1.95	0.49
2:C:580:TYR:CZ	2:C:584:LEU:HD21	2.47	0.49
2:A:472:LEU:HD11	2:A:494:VAL:HG22	1.95	0.48
2:B:273:TYR:HE1	2:B:313:ILE:HG23	1.78	0.48
2:A:260:LEU:CD2	2:A:268:ILE:HD13	2.42	0.48
2:B:424:ASP:C	2:B:425:LEU:HD12	2.38	0.48
2:B:443:TYR:CG	2:B:496:TYR:HE2	2.31	0.48
2:C:69:GLN:HA	2:C:72:ILE:HG12	1.96	0.48
2:C:582:LEU:HD12	2:C:583:MET:N	2.29	0.48
2:B:553:VAL:O	2:B:553:VAL:HG12	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:335:LEU:HD23	2:A:335:LEU:H	1.79	0.48
2:A:372:ILE:HG23	2:A:457:MET:HG3	1.95	0.48
2:C:101:LYS:HA	2:C:105:LEU:HD12	1.96	0.48
2:A:29:PHE:CE2	2:A:68:ILE:HD11	2.49	0.47
2:A:83:ILE:HD13	2:A:86:ILE:HD11	1.97	0.47
2:A:336:THR:O	2:A:336:THR:HG23	2.14	0.47
2:A:226:LEU:HD22	2:A:230:LEU:HD23	1.96	0.47
2:C:336:THR:HG23	2:C:336:THR:O	2.15	0.47
2:B:336:THR:HG23	2:B:336:THR:O	2.15	0.47
2:A:506:SER:OG	2:A:507:PRO:HD2	2.15	0.47
2:C:472:LEU:HD23	2:C:472:LEU:O	2.13	0.47
2:B:472:LEU:HD11	2:B:492:ILE:HG21	1.95	0.47
2:C:553:VAL:HG12	2:C:553:VAL:O	2.14	0.46
2:A:117:LEU:HD11	2:A:119:ILE:HD11	1.98	0.46
2:A:68:ILE:HD12	2:A:68:ILE:H	1.81	0.46
2:C:372:ILE:HG23	2:C:457:MET:HG3	1.96	0.46
2:A:283:LEU:HD21	2:A:303:LEU:HD21	1.97	0.46
2:B:379:ARG:CZ	2:B:414:LYS:HD2	2.46	0.46
2:A:340:LEU:HD11	2:A:437:GLU:HB2	1.98	0.46
2:A:433:LYS:O	2:A:437:GLU:OE1	2.34	0.46
2:C:87:ARG:O	2:C:88:LYS:HG3	2.16	0.46
2:C:306:LEU:HD23	2:C:357:PHE:CE1	2.51	0.46
2:C:473:ARG:HG3	2:C:474:ASN:N	2.31	0.46
2:A:380:ILE:HD12	2:A:380:ILE:H	1.82	0.45
2:C:483:VAL:HG13	2:C:484:THR:N	2.31	0.45
2:A:273:TYR:HE1	2:A:313:ILE:HG23	1.82	0.45
2:B:306:LEU:HD23	2:B:357:PHE:CE1	2.51	0.45
2:B:424:ASP:O	2:B:425:LEU:HD12	2.16	0.45
2:C:184:ARG:HB3	2:C:233:GLU:OE2	2.17	0.45
2:C:189:ALA:HB1	2:C:194:CYS:O	2.17	0.45
2:A:443:TYR:CD2	2:A:496:TYR:HE2	2.34	0.44
2:A:544:TYR:CE1	2:A:549:PHE:HB2	2.53	0.44
2:B:335:LEU:H	2:B:335:LEU:HD23	1.81	0.44
2:C:335:LEU:H	2:C:335:LEU:HD23	1.83	0.44
2:B:371:ILE:HG23	2:B:458:VAL:HG23	2.00	0.44
2:A:268:ILE:HB	2:A:273:TYR:CE1	2.52	0.44
2:C:443:TYR:CD2	2:C:496:TYR:HE2	2.35	0.44
2:C:68:ILE:H	2:C:68:ILE:HD12	1.83	0.44
2:A:580:TYR:CE2	2:A:584:LEU:HD21	2.52	0.44
2:A:119:ILE:HD11	2:A:226:LEU:HD21	1.99	0.44
2:B:97:PHE:CE2	2:B:200:ALA:HB2	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:371:ILE:CD1	2:B:410:LEU:HD12	2.48	0.43
1:D:46:C:H2'	1:D:47:U:O4'	2.18	0.43
2:A:225:VAL:HG23	2:A:225:VAL:O	2.18	0.43
2:B:188:LEU:C	2:B:188:LEU:HD23	2.44	0.43
2:B:68:ILE:HD12	2:B:68:ILE:H	1.84	0.43
2:C:225:VAL:O	2:C:225:VAL:HG23	2.19	0.43
2:C:580:TYR:CE1	2:C:584:LEU:HD21	2.54	0.43
2:A:7:LEU:HD21	2:A:83:ILE:HD11	2.01	0.42
2:C:522:ILE:HD13	2:C:561:ILE:HG12	2.01	0.42
2:B:43:TYR:HB2	2:B:159:TYR:CE1	2.54	0.42
2:B:414:LYS:O	2:B:419:THR:HG21	2.19	0.42
2:C:76:LEU:HD12	2:C:169:CYS:SG	2.59	0.42
2:A:497:ASN:H	2:A:580:TYR:HE1	1.68	0.42
2:B:450:VAL:O	2:B:450:VAL:HG13	2.20	0.42
2:C:88:LYS:O	2:C:88:LYS:HD2	2.20	0.42
2:C:219:VAL:O	2:C:219:VAL:HG13	2.19	0.42
1:E:52:G:H2'	1:E:53:G:H8	1.84	0.42
1:E:53:G:H2'	1:E:54:C:C6	2.54	0.42
2:A:425:LEU:HD11	2:A:435:PHE:HB2	2.02	0.41
2:B:305:LYS:HG2	2:B:309:MET:HE3	2.01	0.41
2:B:517:LEU:CD2	2:B:565:ALA:HB3	2.49	0.41
3:H:65:DG:H2'	3:H:66:DC:C6	2.55	0.41
2:C:493:HIS:O	2:C:494:VAL:C	2.63	0.41
2:B:69:GLN:HA	2:B:72:ILE:HG12	2.03	0.41
3:I:64:DT:C2	3:I:65:DG:C8	3.08	0.41
2:A:450:VAL:O	2:A:450:VAL:HG13	2.20	0.41
2:C:215:GLU:O	2:C:229:VAL:HG22	2.20	0.41
2:B:121:LEU:CD1	2:B:181:MET:HE1	2.50	0.41
1:E:25:U:H3	1:E:37:A:H61	1.69	0.41
2:B:119:ILE:CD1	2:B:226:LEU:HD21	2.50	0.41
2:A:189:ALA:HB1	2:A:194:CYS:O	2.21	0.41
1:F:58:A:H2'	1:F:59:G:H5'	2.02	0.41
2:B:489:MET:HG3	2:B:490:LYS:N	2.36	0.41
2:A:17:GLU:HA	2:A:27:LEU:HD12	2.02	0.41
2:A:334:VAL:HG23	2:C:334:VAL:HG22	2.03	0.41
2:C:148:VAL:HG13	2:C:149:VAL:N	2.35	0.41
2:B:180:ILE:HG13	2:B:181:MET:N	2.35	0.41
3:I:59:DC:C2	3:I:60:DC:C5	3.09	0.41
2:A:273:TYR:CE1	2:A:350:ARG:HD3	2.56	0.41
1:D:20:G:H22	1:D:42:U:H3	1.68	0.40
2:B:104:ILE:HD12	2:B:104:ILE:H	1.86	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:64:DT:C2	3:G:65:DG:C8	3.09	0.40
2:B:225:VAL:O	2:B:225:VAL:HG23	2.21	0.40
2:A:119:ILE:CD1	2:A:226:LEU:HD21	2.51	0.40
2:B:366:ASN:HB3	2:B:368:CYS:O	2.20	0.40
2:B:456:ILE:CD1	2:B:576:ILE:HG21	2.51	0.40
2:B:189:ALA:HB1	2:B:194:CYS:O	2.21	0.40
2:A:6:LYS:HE2	2:A:75:LEU:HD13	2.03	0.40
2:A:443:TYR:CG	2:A:496:TYR:HE2	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	562/596 (94%)	558 (99%)	2 (0%)	2 (0%)	30	60
2	B	562/596 (94%)	559 (100%)	2 (0%)	1 (0%)	44	73
2	C	562/596 (94%)	558 (99%)	4 (1%)	0	100	100
All	All	1686/1788 (94%)	1675 (99%)	8 (0%)	3 (0%)	45	73

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	463	THR
2	B	497	ASN
2	A	497	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	514/536 (96%)	514 (100%)	0	100	100
2	B	514/536 (96%)	514 (100%)	0	100	100
2	C	514/536 (96%)	514 (100%)	0	100	100
All	All	1542/1608 (96%)	1542 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	45	GLN
2	B	281	HIS
2	B	327	ASN
2	B	442	ASN
2	A	106	ASN
2	A	146	ASN
2	C	45	GLN
2	C	341	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	D	51/132 (38%)	8 (15%)	0
1	E	50/132 (37%)	15 (30%)	1 (2%)
1	F	51/132 (38%)	15 (29%)	0
All	All	152/396 (38%)	38 (25%)	1 (0%)

All (38) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	D	14	A
1	D	15	G
1	D	20	G
1	D	30	A
1	D	31	A
1	D	33	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	49	A
1	D	51	U
1	E	14	A
1	E	17	U
1	E	20	G
1	E	30	A
1	E	31	A
1	E	33	C
1	E	47	U
1	E	48	U
1	E	49	A
1	E	50	A
1	E	51	U
1	E	53	G
1	E	56	G
1	E	60	G
1	E	61	A
1	F	13	C
1	F	14	A
1	F	16	A
1	F	18	U
1	F	30	A
1	F	31	A
1	F	33	C
1	F	38	C
1	F	48	U
1	F	51	U
1	F	52	G
1	F	59	G
1	F	60	G
1	F	62	A
1	F	63	U

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	E	48	U

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 7 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-54448. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 139




Y Index: 139




Z Index: 117


6.3.2 Raw map



X Index: 139



Y Index: 139




Z Index: 118


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 134 nm^3 ; this corresponds to an approximate mass of 121 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.345 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.345\AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	2.90	3.25	2.92
Unmasked-calculated*	3.46	4.02	3.52

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.46 differs from the reported value 2.9 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-54448 and PDB model 9S1F. Per-residue inclusion information can be found in section 3 on page 7.


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).

9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7530	 0.4250
A	 0.8200	 0.4650
B	 0.6810	 0.4040
C	 0.6350	 0.3780
D	 0.9000	 0.4700
E	 0.8710	 0.4380
F	 0.9300	 0.4790
G	 0.8150	 0.4380
H	 0.7550	 0.4000
I	 0.7910	 0.4440

