



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2026 – 01:36 pm BST

PDB ID : 9SXE / pdb_00009sxe
Title : c-KIT kinase domain in complex with AZD7762
Authors : Teuber, A.; Kleinboelting, S.B.; Mueller, M.P.; Rauh, D.
Deposited on : 2025-10-09
Resolution : 2.33 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.2
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.2
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.51


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.33 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3031 (2.36-2.32)
Clashscore	190562	3127 (2.36-2.32)
Ramachandran outliers	187476	3095 (2.36-2.32)
Sidechain outliers	187428	3095 (2.36-2.32)
RSRZ outliers	180081	3033 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	327	5% 80% 7% 13%
1	C	327	6% 78% 7% 14%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4245 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mast/stem cell growth factor receptor Kit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	286	Total	C	N	O	S	0	0	0
			2130	1374	351	389	16			
1	C	281	Total	C	N	O	S	0	0	0
			2010	1291	337	367	15			

There are 182 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	548	GLY	-	expression tag	UNP P10721
A	549	SER	-	expression tag	UNP P10721
A	550	MET	-	expression tag	UNP P10721
A	563	SER	ILE	engineered mutation	UNP P10721
A	569	SER	VAL	engineered mutation	UNP P10721
A	609	GLN	TYR	engineered mutation	UNP P10721
A	631	SER	LEU	engineered mutation	UNP P10721
A	651	GLU	MET	engineered mutation	UNP P10721
A	662	HIS	ILE	engineered mutation	UNP P10721
A	688	GLU	SER	engineered mutation	UNP P10721
A	690	VAL	ILE	engineered mutation	UNP P10721
A	691	PRO	CYS	engineered mutation	UNP P10721
A	752	TYR	SER	engineered mutation	UNP P10721
A	?	-	GLN	deletion	UNP P10721
A	?	-	GLU	deletion	UNP P10721
A	?	-	ASP	deletion	UNP P10721
A	?	-	HIS	deletion	UNP P10721
A	?	-	ALA	deletion	UNP P10721
A	?	-	GLU	deletion	UNP P10721
A	?	-	ALA	deletion	UNP P10721
A	?	-	ALA	deletion	UNP P10721
A	?	-	LEU	deletion	UNP P10721
A	?	-	TYR	deletion	UNP P10721
A	?	-	LYS	deletion	UNP P10721
A	?	-	ASN	deletion	UNP P10721

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LEU	deletion	UNP P10721
A	?	-	LEU	deletion	UNP P10721
A	?	-	HIS	deletion	UNP P10721
A	?	-	SER	deletion	UNP P10721
A	?	-	LYS	deletion	UNP P10721
A	?	-	GLU	deletion	UNP P10721
A	?	-	SER	deletion	UNP P10721
A	?	-	SER	deletion	UNP P10721
A	?	-	CYS	deletion	UNP P10721
A	?	-	SER	deletion	UNP P10721
A	?	-	ASP	deletion	UNP P10721
A	?	-	SER	deletion	UNP P10721
A	?	-	THR	deletion	UNP P10721
A	?	-	ASN	deletion	UNP P10721
A	?	-	GLU	deletion	UNP P10721
A	?	-	TYR	deletion	UNP P10721
A	?	-	MET	deletion	UNP P10721
A	?	-	ASP	deletion	UNP P10721
A	?	-	MET	deletion	UNP P10721
A	?	-	LYS	deletion	UNP P10721
A	?	-	PRO	deletion	UNP P10721
A	?	-	GLY	deletion	UNP P10721
A	?	-	VAL	deletion	UNP P10721
A	?	-	SER	deletion	UNP P10721
A	?	-	TYR	deletion	UNP P10721
A	?	-	VAL	deletion	UNP P10721
A	?	-	VAL	deletion	UNP P10721
A	?	-	PRO	deletion	UNP P10721
A	?	-	THR	deletion	UNP P10721
A	?	-	LYS	deletion	UNP P10721
A	?	-	ALA	deletion	UNP P10721
A	?	-	ASP	deletion	UNP P10721
A	?	-	LYS	deletion	UNP P10721
A	?	-	ARG	deletion	UNP P10721
A	?	-	ARG	deletion	UNP P10721
A	?	-	SER	deletion	UNP P10721
A	?	-	VAL	deletion	UNP P10721
A	?	-	ARG	deletion	UNP P10721
A	?	-	ILE	deletion	UNP P10721
A	?	-	GLY	deletion	UNP P10721
A	?	-	SER	deletion	UNP P10721
A	?	-	TYR	deletion	UNP P10721

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ILE	deletion	UNP P10721
A	?	-	GLU	deletion	UNP P10721
A	?	-	ARG	deletion	UNP P10721
A	?	-	ASP	deletion	UNP P10721
A	?	-	VAL	deletion	UNP P10721
A	?	-	THR	deletion	UNP P10721
A	?	-	PRO	deletion	UNP P10721
A	754	VAL	ALA	engineered mutation	UNP P10721
A	755	ALA	ILE	engineered mutation	UNP P10721
A	756	PRO	MET	engineered mutation	UNP P10721
A	759	LEU	-	insertion	UNP P10721
A	760	TYR	ASP	engineered mutation	UNP P10721
A	761	LYS	GLU	engineered mutation	UNP P10721
A	762	ASP	LEU	engineered mutation	UNP P10721
A	763	PHE	ALA	engineered mutation	UNP P10721
A	765	THR	ASP	engineered mutation	UNP P10721
A	768	HIS	ASP	engineered mutation	UNP P10721
A	804	ASN	ARG	engineered mutation	UNP P10721
A	825	ASP	VAL	engineered mutation	UNP P10721
A	844	SER	CYS	engineered mutation	UNP P10721
A	890	SER	LEU	engineered mutation	UNP P10721
A	894	TYR	HIS	engineered mutation	UNP P10721
A	912	ASP	LEU	engineered mutation	UNP P10721
A	923	ASP	LEU	engineered mutation	UNP P10721
C	548	GLY	-	expression tag	UNP P10721
C	549	SER	-	expression tag	UNP P10721
C	550	MET	-	expression tag	UNP P10721
C	563	SER	ILE	engineered mutation	UNP P10721
C	569	SER	VAL	engineered mutation	UNP P10721
C	609	GLN	TYR	expression tag	UNP P10721
C	631	SER	LEU	engineered mutation	UNP P10721
C	651	GLU	MET	engineered mutation	UNP P10721
C	662	HIS	ILE	engineered mutation	UNP P10721
C	688	GLU	SER	engineered mutation	UNP P10721
C	690	VAL	ILE	engineered mutation	UNP P10721
C	691	PRO	CYS	engineered mutation	UNP P10721
C	752	TYR	SER	engineered mutation	UNP P10721
C	?	-	GLN	engineered mutation	UNP P10721
C	?	-	GLU	deletion	UNP P10721
C	?	-	ASP	deletion	UNP P10721
C	?	-	HIS	deletion	UNP P10721
C	?	-	ALA	deletion	UNP P10721

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	GLU	deletion	UNP P10721
C	?	-	ALA	deletion	UNP P10721
C	?	-	ALA	deletion	UNP P10721
C	?	-	LEU	deletion	UNP P10721
C	?	-	TYR	deletion	UNP P10721
C	?	-	LYS	deletion	UNP P10721
C	?	-	ASN	deletion	UNP P10721
C	?	-	LEU	deletion	UNP P10721
C	?	-	LEU	deletion	UNP P10721
C	?	-	HIS	deletion	UNP P10721
C	?	-	SER	deletion	UNP P10721
C	?	-	LYS	deletion	UNP P10721
C	?	-	GLU	deletion	UNP P10721
C	?	-	SER	deletion	UNP P10721
C	?	-	SER	deletion	UNP P10721
C	?	-	CYS	deletion	UNP P10721
C	?	-	SER	deletion	UNP P10721
C	?	-	ASP	deletion	UNP P10721
C	?	-	SER	deletion	UNP P10721
C	?	-	THR	deletion	UNP P10721
C	?	-	ASN	deletion	UNP P10721
C	?	-	GLU	deletion	UNP P10721
C	?	-	TYR	deletion	UNP P10721
C	?	-	MET	deletion	UNP P10721
C	?	-	ASP	deletion	UNP P10721
C	?	-	MET	deletion	UNP P10721
C	?	-	LYS	deletion	UNP P10721
C	?	-	PRO	deletion	UNP P10721
C	?	-	GLY	deletion	UNP P10721
C	?	-	VAL	deletion	UNP P10721
C	?	-	SER	deletion	UNP P10721
C	?	-	TYR	deletion	UNP P10721
C	?	-	VAL	deletion	UNP P10721
C	?	-	VAL	deletion	UNP P10721
C	?	-	PRO	deletion	UNP P10721
C	?	-	THR	deletion	UNP P10721
C	?	-	LYS	deletion	UNP P10721
C	?	-	ALA	deletion	UNP P10721
C	?	-	ASP	deletion	UNP P10721
C	?	-	LYS	deletion	UNP P10721
C	?	-	ARG	deletion	UNP P10721
C	?	-	ARG	deletion	UNP P10721

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	SER	deletion	UNP P10721
C	?	-	VAL	deletion	UNP P10721
C	?	-	ARG	deletion	UNP P10721
C	?	-	ILE	deletion	UNP P10721
C	?	-	GLY	deletion	UNP P10721
C	?	-	SER	deletion	UNP P10721
C	?	-	TYR	deletion	UNP P10721
C	?	-	ILE	deletion	UNP P10721
C	?	-	GLU	deletion	UNP P10721
C	?	-	ARG	deletion	UNP P10721
C	?	-	ASP	deletion	UNP P10721
C	?	-	VAL	deletion	UNP P10721
C	?	-	THR	deletion	UNP P10721
C	?	-	PRO	deletion	UNP P10721
C	754	VAL	ALA	engineered mutation	UNP P10721
C	755	ALA	ILE	engineered mutation	UNP P10721
C	756	PRO	MET	engineered mutation	UNP P10721
C	759	LEU	-	insertion	UNP P10721
C	760	TYR	ASP	engineered mutation	UNP P10721
C	761	LYS	GLU	engineered mutation	UNP P10721
C	762	ASP	LEU	engineered mutation	UNP P10721
C	763	PHE	ALA	engineered mutation	UNP P10721
C	765	THR	ASP	engineered mutation	UNP P10721
C	768	HIS	ASP	engineered mutation	UNP P10721
C	804	ASN	ARG	engineered mutation	UNP P10721
C	825	ASP	VAL	engineered mutation	UNP P10721
C	844	SER	CYS	engineered mutation	UNP P10721
C	890	SER	LEU	engineered mutation	UNP P10721
C	894	TYR	HIS	engineered mutation	UNP P10721
C	912	ASP	LEU	engineered mutation	UNP P10721
C	923	ASP	LEU	engineered mutation	UNP P10721

- Molecule 2 is 5-(3-fluorophenyl)-N-[(3S)-3-piperidyl]-3-ureido-thiophene-2-carboxamide (CCD ID: YDJ) (formula: C₁₇H₁₉FN₄O₂S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			25	17	1	4	2	1		
2	C	1	Total	C	F	N	O	S	0	0
			25	17	1	4	2	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	29	Total	O	0	0
			29	29		
3	C	26	Total	O	0	0
			26	26		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Mast/stem cell growth factor receptor Kit



- Molecule 1: Mast/stem cell growth factor receptor Kit



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	56.61Å 58.43Å 190.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.38 – 2.33 37.38 – 2.33	Depositor EDS
% Data completeness (in resolution range)	72.5 (37.38-2.33) 72.7 (37.38-2.33)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 2.32Å)	Xtriage
Refinement program	PHENIX 1.20_4459	Depositor
R, R_{free}	0.222 , 0.261 0.223 , 0.259	Depositor DCC
R_{free} test set	1006 reflections (2.60%)	wwPDB-VP
Wilson B-factor (Å ²)	56.9	Xtriage
Anisotropy	0.032	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 64.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.023 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4245	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YDJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/2184	0.34	0/2977
1	C	0.13	0/2059	0.31	0/2815
All	All	0.14	0/4243	0.33	0/5792

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2130	0	1966	13	0
1	C	2010	0	1776	14	0
2	A	25	0	19	3	0
2	C	25	0	19	1	0
3	A	29	0	0	0	0
3	C	26	0	0	0	0
All	All	4245	0	3780	27	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (27) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:686:ARG:HA	1:C:865:LEU:HD23	1.84	0.58
1:A:682:LEU:HD11	1:A:862:LEU:HD12	1.87	0.57
1:A:810:ASP:OD2	2:A:1001:YDJ:N2	2.39	0.56
1:C:654:VAL:HG21	1:C:799:LEU:HD12	1.91	0.52
1:C:674:CYS:O	2:C:1001:YDJ:H1	2.09	0.52
1:A:682:LEU:HD23	1:A:764:LEU:HD21	1.92	0.52
1:A:578:TYR:HB2	1:A:638:MET:HE1	1.93	0.51
1:C:586:ARG:NH2	1:C:665:PRO:O	2.41	0.51
1:C:678:LEU:O	1:C:682:LEU:HG	2.11	0.51
1:A:690:VAL:O	1:A:765:THR:HA	2.12	0.50
1:A:585:PRO:HG2	1:A:588:ARG:HG3	1.95	0.49
1:C:650:HIS:HB3	1:C:653:ILE:HG13	1.95	0.48
1:A:597:ALA:O	2:A:1001:YDJ:H141	2.13	0.48
1:C:653:ILE:O	1:C:655:ASN:ND2	2.47	0.47
1:C:860:TRP:CD1	1:C:892:PRO:HG3	2.51	0.46
1:A:650:HIS:HB3	1:A:653:ILE:HG12	1.98	0.46
1:C:787:ASN:HA	1:C:848:PHE:HZ	1.80	0.45
1:C:677:ASP:OD1	1:C:680:ASN:ND2	2.48	0.45
1:C:766:LEU:O	1:C:770:LEU:HD12	2.18	0.44
1:C:610:GLY:N	1:C:616:ALA:O	2.42	0.43
1:C:623:LYS:NZ	1:C:640:GLU:OE2	2.52	0.43
1:A:674:CYS:O	2:A:1001:YDJ:H1	2.19	0.42
1:A:905:THR:HB	1:A:915:PRO:HD3	2.01	0.42
1:A:652:ASN:ND2	1:A:775:GLN:HB3	2.34	0.41
1:A:610:GLY:HA2	1:A:613:LYS:O	2.21	0.40
1:C:675:TYR:HB2	1:C:800:LEU:HB3	2.03	0.40
1:A:832:PRO:O	1:A:836:MET:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	280/327 (86%)	271 (97%)	9 (3%)	0	100	100
1	C	273/327 (84%)	268 (98%)	5 (2%)	0	100	100
All	All	553/654 (85%)	539 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/285 (72%)	205 (100%)	1 (0%)	81	88
1	C	181/285 (64%)	179 (99%)	2 (1%)	65	77
All	All	387/570 (68%)	384 (99%)	3 (1%)	73	82

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	593	LYS
1	C	586	ARG
1	C	653	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	YDJ	A	1001	-	26,27,27	3.15	11 (42%)	29,37,37	2.47	8 (27%)
2	YDJ	C	1001	-	26,27,27	3.16	11 (42%)	29,37,37	2.48	7 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	YDJ	A	1001	-	-	0/16/24/24	0/3/3/3
2	YDJ	C	1001	-	-	0/16/24/24	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	YDJ	C7-S1	-6.58	1.62	1.73
2	C	1001	YDJ	C7-S1	-6.56	1.62	1.73
2	A	1001	YDJ	C10-S1	-5.99	1.62	1.74
2	C	1001	YDJ	C10-S1	-5.78	1.62	1.74
2	A	1001	YDJ	C17-N4	5.47	1.45	1.33
2	A	1001	YDJ	C11-N1	5.44	1.45	1.34
2	C	1001	YDJ	C17-N4	5.44	1.45	1.33
2	C	1001	YDJ	C11-N1	5.42	1.45	1.34
2	C	1001	YDJ	C8-C9	5.35	1.53	1.42
2	A	1001	YDJ	C8-C9	5.34	1.53	1.42
2	C	1001	YDJ	C9-C10	4.64	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	YDJ	C9-C10	4.46	1.43	1.38
2	C	1001	YDJ	C17-N3	4.16	1.45	1.40
2	C	1001	YDJ	C8-C7	4.15	1.43	1.36
2	A	1001	YDJ	C17-N3	4.14	1.45	1.40
2	A	1001	YDJ	C8-C7	3.93	1.43	1.36
2	C	1001	YDJ	O2-C17	-3.21	1.19	1.24
2	A	1001	YDJ	O2-C17	-3.11	1.19	1.24
2	C	1001	YDJ	C3-C7	2.83	1.52	1.47
2	A	1001	YDJ	C3-C7	2.77	1.52	1.47
2	A	1001	YDJ	O1-C11	-2.47	1.18	1.23
2	C	1001	YDJ	O1-C11	-2.46	1.18	1.23

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	YDJ	C7-S1-C10	10.51	100.57	91.74
2	C	1001	YDJ	C7-S1-C10	10.15	100.27	91.74
2	C	1001	YDJ	C3-C7-S1	3.39	126.20	120.70
2	C	1001	YDJ	C3-C7-C8	-3.25	123.85	128.47
2	A	1001	YDJ	C12-N1-C11	-3.09	117.97	123.08
2	A	1001	YDJ	C3-C7-S1	2.91	125.43	120.70
2	C	1001	YDJ	C13-C12-C16	2.67	113.10	109.81
2	A	1001	YDJ	C3-C7-C8	-2.60	124.77	128.47
2	A	1001	YDJ	C13-C12-C16	2.60	113.01	109.81
2	C	1001	YDJ	O2-C17-N4	-2.49	118.94	123.22
2	C	1001	YDJ	C6-C5-C4	-2.43	120.14	123.29
2	A	1001	YDJ	C6-C5-C4	-2.39	120.18	123.29
2	A	1001	YDJ	C11-C10-S1	2.13	125.05	115.58
2	C	1001	YDJ	C12-N1-C11	-2.05	119.69	123.08
2	A	1001	YDJ	O2-C17-N4	-2.04	119.72	123.22

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.


2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	YDJ	3	0
2	C	1001	YDJ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	286/327 (87%)	0.27	16 (5%) 30 35	33, 54, 90, 113	0
1	C	281/327 (85%)	0.62	21 (7%) 20 24	40, 66, 102, 141	0
All	All	567/654 (86%)	0.44	37 (6%) 25 29	33, 60, 96, 141	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	929	SER	5.0
1	C	762	ASP	4.3
1	A	813	LEU	3.9
1	A	817	ILE	3.2
1	C	564	ASN	3.1
1	C	923	ASP	3.0
1	A	565	GLY	3.0
1	A	598	GLY	2.9
1	C	611	LEU	2.9
1	A	597	ALA	2.9
1	C	788	CYS	2.8
1	A	762	ASP	2.8
1	A	812	GLY	2.8
1	C	600	PHE	2.8
1	A	599	ALA	2.8
1	A	630	HIS	2.7
1	C	599	ALA	2.6
1	C	845	VAL	2.6
1	C	848	PHE	2.4
1	C	601	GLY	2.4
1	C	627	PRO	2.4
1	C	615	ASP	2.3
1	A	627	PRO	2.3
1	C	920	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	872	GLY	2.3
1	C	808	ILE	2.2
1	A	788	CYS	2.2
1	A	814	ALA	2.2
1	C	816	ASP	2.2
1	C	766	LEU	2.2
1	C	616	ALA	2.2
1	A	566	ASN	2.1
1	A	631	SER	2.1
1	C	763	PHE	2.1
1	C	574	THR	2.0
1	C	905	THR	2.0
1	A	928	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	YDJ	C	1001	25/25	0.94	0.08	36,46,56,63	0
2	YDJ	A	1001	25/25	0.95	0.08	39,45,57,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around YDJ C 1001:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around YDJ A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.