



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 5, 2026 – 10:09 am BST

PDB ID : 9T00 / pdb_00009t00
Title : Crystal structure of prethrombin-2 with a peptide corresponding to the C-terminus of the heavy chain of factor Va
Authors : Huntington, J.A.; Ustok, F.I.
Deposited on : 2025-10-16
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	
1	C	314	
2	B	24	
2	D	24	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5125 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	301	Total	C	N	O	S	0	0	0
			2408	1538	421	434	15			
1	C	297	Total	C	N	O	S	0	0	0
			2380	1517	416	432	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	266	MET	-	initiating methionine	UNP P00734
A	525	ALA	SER	engineered mutation	UNP P00734
C	266	MET	-	initiating methionine	UNP P00734
C	525	ALA	SER	engineered mutation	UNP P00734

- Molecule 2 is a protein called Coagulation factor V heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	21	Total	C	N	O	P	0	0	0
			176	100	29	45	2			
2	D	18	Total	C	N	O	P	0	0	0
			150	86	26	36	2			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	4	Total	O	0	0
			4	4		
3	C	7	Total	O	0	0
			7	7		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Prothrombin




• Molecule 1: Prothrombin



• Molecule 2: Coagulation factor V heavy chain



• Molecule 2: Coagulation factor V heavy chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	51.42Å 51.57Å 65.99Å 82.90° 85.33° 65.90°	Depositor
Resolution (Å)	38.76 – 2.80 38.76 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.1 (38.76-2.80) 99.1 (38.76-2.80)	Depositor EDS
R_{merge}	0.24	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0431	Depositor
R, R_{free}	0.259 , 0.304 0.264 , 0.306	Depositor DCC
R_{free} test set	719 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å ²)	44.1	Xtriage
Anisotropy	0.137	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 54.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.009 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	5125	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PTR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/2470	0.81	0/3342
1	C	0.44	0/2442	0.81	0/3303
2	B	0.44	0/141	0.87	0/184
2	D	0.45	0/115	0.92	0/149
All	All	0.44	0/5168	0.81	0/6978

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2408	0	2338	69	0
1	C	2380	0	2304	71	0
2	B	176	0	143	13	0
2	D	150	0	127	9	0
3	A	4	0	0	0	0
3	C	7	0	0	0	0
All	All	5125	0	4912	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:298:LEU:HD11	1:C:433:ASP:HB3	1.54	0.87
1:C:532:LYS:HE2	1:C:537:ASN:OD1	1.77	0.84
1:A:298:LEU:HD11	1:A:433:ASP:HB3	1.58	0.83
2:B:709:ARG:HB2	2:D:709:ARG:HB2	1.59	0.82
1:C:520:ALA:C	1:C:522:GLU:H	1.95	0.75
1:A:511:LYS:N	1:A:512:PRO:HD2	2.02	0.75
1:A:340:ARG:HD2	1:A:343:PRO:CD	2.20	0.71
1:A:520:ALA:C	1:A:522:GLU:H	1.98	0.70
1:A:327:ALA:HB2	1:A:482:VAL:HG13	1.77	0.67
1:A:343:PRO:O	1:A:344:GLN:C	2.37	0.67
1:C:343:PRO:O	1:C:344:GLN:C	2.38	0.66
1:A:511:LYS:H	1:A:512:PRO:HD2	1.60	0.66
1:C:298:LEU:CD1	1:C:433:ASP:HB3	2.26	0.66
1:C:520:ALA:C	1:C:522:GLU:N	2.52	0.65
1:A:275:SER:CB	1:A:536:ASN:O	2.43	0.65
1:A:518:GLY:O	1:A:521:CYS:SG	2.55	0.64
1:C:518:GLY:HA2	1:C:551:CYS:O	1.97	0.64
1:A:489:GLU:HG2	1:A:491:PRO:HD2	1.79	0.63
1:A:416:LEU:HD13	1:A:547:TRP:CD2	2.34	0.62
1:A:548:GLY:O	1:A:551:CYS:HB3	1.99	0.62
1:C:548:GLY:O	1:C:551:CYS:HB3	2.00	0.62
1:C:416:LEU:CD1	1:C:547:TRP:CD2	2.83	0.61
1:A:298:LEU:CD1	1:A:433:ASP:HB3	2.30	0.61
1:C:485:LEU:HD11	1:C:520:ALA:HB3	1.83	0.61
1:A:520:ALA:C	1:A:522:GLU:N	2.56	0.60
1:C:485:LEU:HD11	1:C:520:ALA:CB	2.32	0.60
1:A:449:LEU:HD21	1:A:534:PRO:HD3	1.82	0.60
1:C:327:ALA:HB2	1:C:482:VAL:HG13	1.83	0.60
1:A:416:LEU:CD1	1:A:547:TRP:CD2	2.84	0.59
1:A:393:ARG:O	1:A:394:ASN:HB2	2.03	0.59
1:A:471:ASN:HD22	1:A:471:ASN:H	1.51	0.59
1:C:393:ARG:NH1	2:D:700:ASN:OD1	2.34	0.59
1:A:459:THR:HG22	1:A:482:VAL:HG12	1.84	0.58
1:C:544:ILE:HB	1:C:561:THR:HB	1.85	0.58
1:C:409:ARG:HB2	1:C:418:ARG:HD3	1.86	0.58
1:C:416:LEU:HD13	1:C:547:TRP:CD2	2.40	0.57
1:C:414:GLU:OE2	1:C:500:ARG:HD3	2.04	0.57
1:A:340:ARG:O	1:A:344:GLN:HA	2.05	0.56
1:A:512:PRO:O	1:A:514:GLU:N	2.38	0.56
2:B:695:ASP:O	2:B:696:PTR:C	2.53	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:550:GLY:HA2	1:C:553:ARG:HG2	1.88	0.56
2:B:707:GLY:C	2:D:709:ARG:HB3	2.31	0.56
1:A:569:TRP:O	1:A:573:VAL:HG12	2.06	0.56
1:A:340:ARG:HD2	1:A:343:PRO:HD3	1.87	0.55
1:C:569:TRP:O	1:C:573:VAL:HG12	2.07	0.55
1:C:449:LEU:C	1:C:451:GLN:H	2.13	0.55
1:C:488:VAL:HG21	1:C:557:TYR:CD1	2.41	0.55
2:D:695:ASP:O	2:D:696:PTR:C	2.54	0.55
1:A:485:LEU:HD11	1:A:520:ALA:HB3	1.88	0.54
1:C:511:LYS:HB3	1:C:512:PRO:HD2	1.88	0.54
1:A:409:ARG:HB2	1:A:418:ARG:HD3	1.90	0.54
2:B:707:GLY:HA2	2:D:709:ARG:CG	2.38	0.54
1:A:400:MET:HE2	2:B:702:LEU:HD11	1.89	0.54
1:A:544:ILE:HB	1:A:561:THR:HB	1.89	0.53
1:C:498:ARG:NE	1:C:498:ARG:H	2.06	0.53
1:C:342:SER:CB	1:C:343:PRO:HD3	2.38	0.53
1:A:465:LYS:HB2	1:A:521:CYS:O	2.09	0.53
1:C:400:MET:HE2	2:D:702:LEU:HD11	1.91	0.53
1:A:511:LYS:N	1:A:512:PRO:CD	2.72	0.52
2:B:696:PTR:HE1	2:B:696:PTR:O3P	2.09	0.52
2:B:693:ASP:HA	2:B:696:PTR:HB2	1.92	0.52
1:C:342:SER:HB3	1:C:343:PRO:HD3	1.92	0.52
1:C:459:THR:HG22	1:C:482:VAL:HG12	1.90	0.52
1:C:414:GLU:OE2	1:C:500:ARG:NH1	2.42	0.52
1:C:535:PHE:N	1:C:535:PHE:CD1	2.78	0.52
1:A:388:ARG:HB2	1:A:461:TRP:CD1	2.45	0.51
1:C:388:ARG:HB2	1:C:461:TRP:CD1	2.45	0.51
1:C:511:LYS:C	1:C:513:ASP:H	2.19	0.51
1:C:485:LEU:CD1	1:C:520:ALA:HB3	2.41	0.51
1:A:394:ASN:OD1	2:B:696:PTR:HE2	2.10	0.51
1:C:449:LEU:O	1:C:451:GLN:N	2.43	0.51
1:C:535:PHE:N	1:C:535:PHE:HD1	2.08	0.51
1:A:357:TRP:CZ2	1:A:424:LYS:HD2	2.46	0.50
1:C:363:HIS:ND1	1:C:419:ASP:OD2	2.35	0.50
1:C:445:THR:HG22	1:C:542:MET:HE1	1.93	0.50
1:A:312:LEU:HD21	1:A:484:ASN:HD22	1.76	0.50
1:C:348:CYS:CB	1:C:364:CYS:SG	2.99	0.50
1:A:488:VAL:HG21	1:A:557:TYR:CD1	2.46	0.49
1:A:472:VAL:HG11	1:C:468:TRP:CZ3	2.47	0.49
1:C:450:LEU:HD21	1:C:542:MET:HB3	1.95	0.49
1:A:342:SER:CB	1:A:343:PRO:HD3	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:707:GLY:HA2	2:D:709:ARG:HG2	1.94	0.49
1:C:367:TYR:C	1:C:369:PRO:HD2	2.38	0.49
1:C:337:MET:HE2	1:C:346:LEU:HD13	1.94	0.49
1:A:341:LYS:HE2	1:A:377:ASN:O	2.13	0.48
1:A:416:LEU:HD13	1:A:547:TRP:CG	2.47	0.48
1:C:313:LEU:O	1:C:314:GLU:C	2.57	0.48
1:C:446:ALA:O	1:C:450:LEU:HB2	2.13	0.48
1:C:368:PRO:N	1:C:369:PRO:CD	2.76	0.48
1:A:308:THR:HG23	1:A:457:ARG:HH12	1.79	0.48
1:C:406:ILE:HG22	1:C:407:HIS:O	2.14	0.48
1:A:341:LYS:HG2	1:A:380:LEU:HD23	1.96	0.48
1:A:368:PRO:N	1:A:369:PRO:CD	2.77	0.47
1:C:334:TRP:CD2	1:C:438:VAL:HB	2.49	0.47
1:A:334:TRP:CD2	1:A:438:VAL:HB	2.50	0.47
1:A:363:HIS:ND1	1:A:419:ASP:OD2	2.33	0.47
1:A:367:TYR:C	1:A:369:PRO:HD2	2.40	0.47
1:C:393:ARG:O	1:C:394:ASN:HB2	2.14	0.47
1:A:507:CYS:HA	1:A:558:GLY:O	2.15	0.46
1:C:356:ARG:HA	1:C:425:LEU:HD12	1.97	0.46
1:A:449:LEU:O	1:A:451:GLN:N	2.43	0.46
2:B:699:GLN:HE21	2:B:699:GLN:HA	1.80	0.46
1:A:308:THR:HG23	1:A:457:ARG:NH1	2.30	0.46
1:A:393:ARG:NH1	2:B:700:ASN:OD1	2.49	0.46
1:C:459:THR:HA	1:C:481:GLN:O	2.15	0.46
1:A:337:MET:HE2	1:A:346:LEU:HD13	1.98	0.46
1:A:455:LYS:HA	1:A:486:PRO:HA	1.98	0.46
1:C:455:LYS:HA	1:C:486:PRO:HA	1.97	0.46
2:D:695:ASP:O	2:D:698:PTR:N	2.49	0.45
1:C:334:TRP:CG	1:C:438:VAL:HB	2.52	0.45
1:A:406:ILE:HG22	1:A:407:HIS:O	2.16	0.45
1:C:507:CYS:HA	1:C:558:GLY:O	2.17	0.45
1:A:334:TRP:CG	1:A:438:VAL:HB	2.52	0.45
1:C:416:LEU:HD13	1:C:547:TRP:CG	2.52	0.45
1:A:471:ASN:H	1:A:471:ASN:ND2	2.14	0.45
1:A:490:ARG:N	1:A:491:PRO:CD	2.80	0.45
1:C:392:GLU:O	1:C:396:GLU:HG2	2.17	0.45
1:C:380:LEU:C	1:C:380:LEU:HD12	2.43	0.44
1:A:392:GLU:O	1:A:396:GLU:HG2	2.16	0.44
1:A:459:THR:HA	1:A:481:GLN:O	2.16	0.44
2:D:693:ASP:HA	2:D:696:PTR:HB3	1.99	0.44
1:A:498:ARG:H	1:A:498:ARG:NE	2.16	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:490:ARG:N	1:C:491:PRO:CD	2.81	0.43
1:C:550:GLY:CA	1:C:553:ARG:HG2	2.48	0.43
1:C:547:TRP:HA	1:C:547:TRP:CE3	2.53	0.43
2:B:695:ASP:O	2:B:698:PTR:N	2.51	0.43
1:C:341:LYS:HG2	1:C:380:LEU:HD23	1.99	0.43
1:C:356:ARG:HG3	1:C:424:LYS:HD2	2.01	0.43
1:A:472:VAL:HG11	1:C:468:TRP:CE3	2.54	0.43
1:C:340:ARG:HB3	1:C:343:PRO:HD2	2.00	0.43
1:C:485:LEU:CD1	1:C:520:ALA:CB	2.97	0.42
1:A:307:LYS:HG3	1:A:328:GLU:OE2	2.18	0.42
1:A:380:LEU:HD12	1:A:380:LEU:C	2.44	0.42
1:A:472:VAL:HG12	1:C:370:TRP:CZ2	2.54	0.42
1:C:498:ARG:H	1:C:498:ARG:HE	1.66	0.42
2:B:692:SER:C	2:B:694:ALA:N	2.78	0.42
1:A:337:MET:SD	1:A:385:LYS:HD3	2.60	0.42
1:A:379:LEU:HB2	1:A:401:LEU:HD12	2.01	0.42
1:A:497:THR:HG21	1:A:501:ILE:HD11	2.01	0.42
1:C:416:LEU:CD1	1:C:547:TRP:CG	3.03	0.42
1:C:316:TYR:HE2	1:C:453:GLY:HA3	1.84	0.42
1:A:416:LEU:CD1	1:A:547:TRP:CG	3.03	0.41
1:A:485:LEU:HD11	1:A:520:ALA:CB	2.50	0.41
1:C:422:LEU:HD12	1:C:573:VAL:CG1	2.50	0.41
1:A:449:LEU:HD21	1:A:534:PRO:CD	2.49	0.41
1:C:367:TYR:CD1	1:C:369:PRO:HD2	2.56	0.40
1:A:312:LEU:HD21	1:A:484:ASN:ND2	2.35	0.40
1:C:307:LYS:HG3	1:C:328:GLU:OE2	2.21	0.40
1:C:415:ASN:HB3	1:C:499:ILE:HG22	2.02	0.40
1:A:516:LYS:NZ	1:A:519:ASP:O	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/314 (95%)	270 (91%)	23 (8%)	4 (1%)	9	31
1	C	293/314 (93%)	265 (90%)	23 (8%)	5 (2%)	7	25
2	B	17/24 (71%)	14 (82%)	3 (18%)	0	100	100
2	D	14/24 (58%)	13 (93%)	1 (7%)	0	100	100
All	All	621/676 (92%)	562 (90%)	50 (8%)	9 (1%)	9	30

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	344	GLN
1	A	513	ASP
1	C	344	GLN
1	C	450	LEU
1	A	521	CYS
1	C	521	CYS
1	A	519	ASP
1	C	343	PRO
1	C	519	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/271 (93%)	244 (96%)	9 (4%)	31	66
1	C	252/271 (93%)	237 (94%)	15 (6%)	17	47
2	B	14/17 (82%)	14 (100%)	0	100	100
2	D	11/17 (65%)	11 (100%)	0	100	100
All	All	530/576 (92%)	506 (96%)	24 (4%)	24	58

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	308	THR
1	A	395	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	471	ASN
1	A	472	VAL
1	A	498	ARG
1	A	501	ILE
1	A	505	MET
1	A	551	CYS
1	A	573	VAL
1	C	308	THR
1	C	312	LEU
1	C	341	LYS
1	C	342	SER
1	C	356	ARG
1	C	395	ILE
1	C	424	LYS
1	C	498	ARG
1	C	499	ILE
1	C	501	ILE
1	C	505	MET
1	C	511	LYS
1	C	521	CYS
1	C	535	PHE
1	C	573	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	451	GLN
1	A	471	ASN
1	A	562	HIS
1	C	451	GLN
1	C	463	ASN
1	C	471	ASN
1	C	571	GLN
1	C	576	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PTR	D	696	2	15,16,17	0.53	0	19,22,24	0.69	0
2	PTR	B	698	2	15,16,17	0.50	0	19,22,24	0.70	0
2	PTR	D	698	2	15,16,17	0.52	0	19,22,24	0.72	0
2	PTR	B	696	2	15,16,17	0.53	0	19,22,24	0.96	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PTR	D	696	2	-	2/10/11/13	0/1/1/1
2	PTR	B	698	2	-	0/10/11/13	0/1/1/1
2	PTR	D	698	2	-	2/10/11/13	0/1/1/1
2	PTR	B	696	2	-	1/10/11/13	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	696	PTR	CZ-OH-P-O1P
2	D	698	PTR	CA-CB-CG-CD1
2	D	698	PTR	CA-CB-CG-CD2
2	D	696	PTR	CE2-CZ-OH-P
2	D	696	PTR	CE1-CZ-OH-P

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	696	PTR	2	0
2	B	698	PTR	1	0
2	D	698	PTR	1	0
2	B	696	PTR	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	301/314 (95%)	0.57	18 (5%)	27 21	24, 46, 74, 113	0
1	C	297/314 (94%)	0.50	14 (4%)	36 29	22, 46, 77, 96	0
2	B	19/24 (79%)	1.02	3 (15%)	5 4	44, 53, 100, 111	0
2	D	16/24 (66%)	1.20	2 (12%)	8 6	50, 63, 74, 76	0
All	All	633/676 (93%)	0.57	37 (5%)	29 22	22, 47, 79, 113	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	522	GLU	5.0
1	C	520	ALA	4.8
1	C	514	GLU	4.2
1	C	521	CYS	4.1
1	C	308	THR	3.9
2	B	693	ASP	3.8
1	A	512	PRO	3.6
1	A	520	ALA	3.4
1	A	322	VAL	3.3
1	A	522	GLU	3.2
1	A	315	SER	3.1
1	A	516	LYS	3.1
1	A	472	VAL	2.9
1	A	321	ILE	2.9
1	A	518	GLY	2.7
1	C	343	PRO	2.7
1	C	316	TYR	2.6
1	A	471	ASN	2.6
1	A	342	SER	2.5
2	D	704	ALA	2.4
1	A	523	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	694	ALA	2.3
1	A	513	ASP	2.3
1	C	275	SER	2.2
2	B	692	SER	2.2
1	C	523	GLY	2.2
1	A	344	GLN	2.2
1	A	473	GLY	2.2
1	C	277	TYR	2.1
1	A	517	ARG	2.1
1	C	519	ASP	2.1
1	A	313	LEU	2.1
2	D	694	ALA	2.1
1	A	307	LYS	2.0
1	C	468	TRP	2.0
1	C	280	PHE	2.0
1	C	279	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PTR	D	698	16/17	0.77	0.15	55,70,82,86	0
2	PTR	B	698	16/17	0.80	0.15	50,55,59,60	0
2	PTR	B	696	16/17	0.88	0.13	40,47,53,56	0
2	PTR	D	696	16/17	0.92	0.10	44,48,52,55	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.