



## Full wwPDB EM Validation Report ⓘ

Mar 7, 2026 – 09:38 pm GMT

PDB ID : 9T1C / pdb\_00009t1c  
EMDB ID : EMD-55430  
Title : E. coli 70S ribosome from delta-RlmE strain, PTC class 3  
Authors : Larsson, D.S.D.; Selmer, M.  
Deposited on : 2025-10-21  
Resolution : 3.07 Å (reported)  
Based on initial model : 9SYH

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.48.1

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	13977 ( 2.57 - 3.57 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	Z	77	
2	a	2904	
3	b	120	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	c	273	 10% 90%
5	d	209	 8% 16% 79%
6	e	201	 8% 89%
7	i	142	 5% 94%
8	k	144	 18% 82%
9	l	136	 17% 31% 65%
10	q	103	 6% 93%
11	r	110	 5% 94%
12	v	85	 5% 9% 91%
13	z	57	 9% 5% 86%

## 2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 14819 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called tRNA(fMet).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	Z	18	384	171	72	123	18	0	0

- Molecule 2 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	a	596	12772	5710	2332	4134	596	0	0

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	b	4	80	36	10	30	4	0	0

- Molecule 4 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	c	26	191	116	41	33	1	0	0

- Molecule 5 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	d	43	333	206	68	58	1	0	0

- Molecule 6 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	e	23	182	115	39	28	0	0

- Molecule 7 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	i	8	55	34	12	9	0	0

- Molecule 8 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	k	26	182	106	42	33	1	0	0

- Molecule 9 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	l	48	386	242	81	60	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
l	82	MS6	MET	conflict	UNP A7ZSK2

- Molecule 10 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	q	7	75	48	19	8	0	0

- Molecule 11 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	r	7	53	30	14	9	0	0

- Molecule 12 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	v	8	64	34	15	15	0	0


- Molecule 13 is a protein called Large ribosomal subunit protein bL32.


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
13	z	8	61	37	12	12	0	0

- Molecule 14 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
14	d	1	1	1	0









LYS  
VAL  
VAL  
MET  
THR  
THR  
ALA  
ASP  
ALA  
VAL  
LYS  
GLN  
VAL  
GLU  
GLU  
MET  
LEU  
ALA

• Molecule 7: Large ribosomal subunit protein uL13



MET  
LYS  
THR  
PHE  
THR  
THR  
ALA  
LYS  
PRO  
GLU  
THR  
LYS  
VAL  
LYS  
ARG  
ASP  
TRP  
TYR  
HIS  
VAL  
VAL  
VAL  
ASP  
ALA  
THR  
GLY  
LYS  
ARG  
LEU  
GLY  
ARG  
LEU  
ALA  
THR  
PHE  
GLU  
GLU  
ALA  
MET  
ARG  
LEU  
ARG  
GLY  
LYS  
HIS  
LYS  
VAL  
GLU  
TYR  
THR  
THR  
PRO  
HIS  
VAL  
ASP  
THR  
GLY  
LEU  
TYR  
ILE  
VAL  
LEU  
ASN  
GLY  
MET  
PHE  
ASP  
ARG

LYS  
VAL  
ALA  
VAL  
THR  
GLY  
ASN  
LYS  
ARG  
THR  
LYS  
VAL  
LYS  
VAL  
TYR  
HIS  
H77  
T78  
G79  
H80  
I81  
G82  
G83  
I84  
LYS  
GLN  
ALA  
THR  
PHE  
GLU  
GLU  
MET  
ILE  
ALA  
ARG  
ARG  
GLY  
PRO  
GLU  
ARG  
VAL  
ILE  
GLU  
ILE  
ILE  
VAL  
ILE  
VAL  
VAL  
VAL  
LYS  
GLY  
MET  
LEU  
PRO  
LYS  
GLY  
PRO  
ILE  
LEU  
GLY  
ASN  
PHE  
ARG

LYS  
LEU  
LYS  
VAL  
TYR  
ALA  
GLY  
ASN  
GLU  
HIS  
ASN  
HIS  
ALA  
ALA  
GLN  
PRO  
GLN  
VAL  
LEU  
ASP  
ILE

• Molecule 8: Large ribosomal subunit protein uL15



MET  
ARG  
LEU  
ASN  
THR  
LEU  
SER  
PRO  
ALA  
GLY  
VAL  
GLU  
SER  
LYS  
LYS  
ALA  
LYS  
ARG  
GLY  
LEU  
GLY  
ILE  
ILE  
SER  
GLY  
G28  
H95  
K39  
R47  
ARG  
F50  
M55  
PRO  
TYR  
ARG  
THR  
VAL  
THR  
VAL  
VAL  
PRO  
ARG  
LYS  
PHE  
PHE  
THR  
SER  
ARG  
VAL  
ALA  
ALA  
ILE  
THR  
GLU

ILE  
ARG  
LEU  
SER  
ASP  
LEU  
ALA  
LYS  
VAL  
VAL  
ASP  
LEU  
ASN  
THR  
LYS  
ALA  
ALA  
ILE  
ILE  
GLY  
ILE  
GLN  
ILE  
PHE  
ALA  
LYS  
VAL  
ILE  
LEU  
ALA  
GLY  
VAL  
THR  
PRO  
VAL  
THR  
VAL  
VAL  
ARG  
GLY  
LEU  
ARG  
VAL  
THR  
LYS  
GLY  
ALA  
ALA  
ILE  
ALA  
GLU

ALA  
ALA  
GLY  
LYS  
ILE  
GLU  
GLU

• Molecule 9: Large ribosomal subunit protein uL16



MET  
LEU  
PRO  
ARG  
THR  
LYS  
F9  
R10  
R16  
M17  
R18  
G19  
L20  
A21  
GLN  
THR  
ASP  
VAL  
PHE  
SER  
GLY  
SER  
PHE  
GLY  
LYS  
LYS  
VAL  
GLY  
R38  
G39  
A43  
R44  
G45  
ILE  
ALA  
ALA  
ARG  
ARG  
ALA  
MET  
THR  
ALA  
ALA  
VAL  
LYS  
ARG  
GLN  
LYS  
LYS  
TRP  
ILE  
ARG

VAL  
PHE  
D70  
K71  
T74  
E75  
K76  
P77  
L78  
A79  
H80  
4D481  
NS682  
G83  
K84  
N88  
W89  
E90  
L95  
ILE  
GLN  
PRO  
GLY  
VAL  
LEU  
TYR  
MET  
ASP  
GLY  
VAL  
PRO  
GLU  
GLU  
GLU  
ALA  
ARG  
GLU  
ALA  
PHE  
LYS  
LEU  
ALA  
ALA  
LYS  
LEU  
ILE  
THR  
THR  
PHE  
VAL  
THR

LYS  
THR  
VAL  
MET


• Molecule 10: Large ribosomal subunit protein bL21




MET  
TYR  
ALA  
VAL  
PHE  
GLN  
SER  
GLY  
GLY  
GLN  
HIS  
ARG  
VAL  
SER  
GLU  
GLY  
GLN  
THR  
ARG  
ARG  
GLU  
LYS  
LYS  
ASP  
ILE  
ALA  
THR  
GLY  
GLY  
THR  
THR  
VAL  
GLU  
PHE  
VAL  
ALA  
VAL  
MET  
ILE  
ALA  
ASN  
GLY  
GLU  
VAL  
VAL  
ILE  
GLY  
VAL  
PRO  
PHE  
VAL  
ASP  
GLY  
VAL  
ILE

ALA  
GLU  
VAL  
VAL  
ALA  
HIS  
GLY  
ARG  
GLY  
GLU  
LYS  
VAL  
ILE  
VAL  
LYS  
F77  
N78  
R79  
R80  
Y83  
ARG  
LYS  
GLN  
GLY  
HIS  
ARG  
GLN  
TRP  
PHE  
THR  
ASP  
VAL  
LYS  
ILE  
THR  
ILE  
SER  
ALA


• Molecule 11: Large ribosomal subunit protein uL22



• Molecule 12: Large ribosomal subunit protein bL27



• Molecule 13: Large ribosomal subunit protein bL32



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	15832	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	42.1	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.263	Depositor
Minimum map value	-0.069	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.015	Depositor
Recommended contour level	0.09	Depositor
Map size (Å)	421.2736, 421.2736, 421.2736	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8228, 0.8228, 0.8228	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: G7M, TKW, MEQ, H2U, 5MC, 2MG, 5MU, 1MG, MS6, MG, PSU, OMG, 2MA, OMC, 4D4, 6MZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	Z	0.62	0/427	0.86	0/661
2	a	0.60	11/13812 (0.1%)	1.06	59/21450 (0.3%)
3	b	0.57	0/87	1.02	0/132
4	c	0.63	0/197	0.96	0/265
5	d	0.59	0/329	1.09	1/438 (0.2%)
6	e	0.62	0/187	0.86	0/248
7	i	0.64	0/56	1.10	0/74
8	k	0.61	0/182	1.18	0/232
9	l	0.70	0/370	1.00	0/487
10	q	0.60	0/77	1.17	0/99
11	r	0.61	0/52	0.96	0/66
12	v	0.69	0/63	1.08	0/82
13	z	0.58	0/61	0.97	0/82
All	All	0.60	11/15900 (0.1%)	1.05	60/24316 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	e	0	2
9	l	0	1
All	All	0	3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	a	2423	U	P-O5'	14.23	1.81	1.59
2	a	1902	C	P-O5'	8.99	1.73	1.59
2	a	910	A	P-O5'	7.73	1.71	1.59

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	a	2423	U	P-OP1	6.86	1.62	1.49
2	a	2423	U	P-OP2	6.55	1.62	1.49
2	a	2423	U	O5'-C5'	6.16	1.52	1.42
2	a	910	A	O5'-C5'	6.04	1.51	1.42
2	a	1902	C	O5'-C5'	6.00	1.51	1.42
2	a	2069	G7M	O3'-P	5.27	1.61	1.56
2	a	191	A	P-O5'	5.04	1.67	1.59
2	a	1980	G	P-O5'	5.04	1.67	1.59

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	a	1132	U	O3'-P-O5'	-25.37	65.94	104.00
2	a	2052	A	OP1-P-O3'	-20.42	46.75	108.00
2	a	980	A	O3'-P-O5'	-12.00	86.00	104.00
2	a	2241	A	P-O3'-C3'	-11.20	103.41	120.20
2	a	1971	U	O3'-P-O5'	-10.90	87.65	104.00
2	a	1948	G	OP1-P-O3'	-10.42	76.73	108.00
2	a	948	C	OP1-P-O3'	-10.29	77.13	108.00
2	a	1948	G	P-O3'-C3'	-9.13	106.50	120.20
2	a	2013	A	O3'-P-O5'	9.07	117.60	104.00
2	a	1945	G	O3'-P-O5'	-9.03	90.46	104.00
2	a	2052	A	OP2-P-O3'	8.98	134.95	108.00
2	a	1957	C	O3'-P-O5'	-8.69	90.96	104.00
2	a	980	A	C4'-C3'-O3'	8.39	125.59	113.00
2	a	781	A	O3'-P-O5'	-8.32	91.52	104.00
2	a	1974	C	O3'-P-O5'	-7.89	92.16	104.00
2	a	2013	A	OP2-P-O3'	-7.79	84.61	108.00
2	a	972	A	O3'-P-O5'	-7.68	92.47	104.00
2	a	2051	A	O3'-P-O5'	-7.67	92.50	104.00
2	a	2278	A	O3'-P-O5'	-7.53	92.70	104.00
2	a	1957	C	C4'-C3'-O3'	-7.45	101.82	113.00
2	a	1785	A	O3'-P-O5'	-7.42	92.87	104.00
2	a	2052	A	P-O3'-C3'	-7.41	109.09	120.20
2	a	2432	A	C2'-C3'-O3'	-7.35	102.67	113.70
2	a	2018	G	O3'-P-O5'	-7.19	93.21	104.00
2	a	1939	5MU	OP1-P-O3'	-6.87	87.40	108.00
2	a	1948	G	OP2-P-O3'	6.64	127.92	108.00
2	a	1966	A	O3'-P-O5'	-6.51	94.24	104.00
2	a	982	C	C2'-C3'-O3'	-6.31	104.24	113.70
2	a	784	G	O3'-P-O5'	-6.18	94.74	104.00
5	d	129	THR	CA-CB-OG1	-6.12	100.43	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	a	948	C	P-O3'-C3'	-6.10	111.06	120.20
2	a	2279	G	O3'-P-O5'	-5.97	95.05	104.00
2	a	2019	A	O3'-P-O5'	-5.94	95.09	104.00
2	a	1902	C	O3'-P-O5'	-5.82	95.26	104.00
2	a	803	U	P-O3'-C3'	-5.81	111.49	120.20
2	a	1948	G	O3'-P-O5'	-5.79	95.32	104.00
2	a	2050	C	C4'-C3'-O3'	-5.76	104.36	113.00
2	a	948	C	O3'-P-O5'	5.75	112.62	104.00
2	a	2053	G	OP1-P-OP2	-5.66	102.61	119.60
2	a	748	G	C1'-O4'-C4'	-5.63	104.27	109.90
2	a	784	G	C2'-C3'-O3'	-5.60	105.30	113.70
2	a	786	C	C3'-C2'-O2'	5.53	118.99	110.70
2	a	783	A	O3'-P-O5'	-5.44	95.84	104.00
2	a	674	G	O3'-P-O5'	-5.44	95.84	104.00
2	a	2022	U	O3'-P-O5'	-5.43	95.85	104.00
2	a	2428	G	O3'-P-O5'	-5.42	95.87	104.00
2	a	809	G	C4'-C3'-O3'	-5.35	104.98	113.00
2	a	2432	A	O3'-P-O5'	5.30	111.95	104.00
2	a	1135	C	C4'-C3'-O3'	-5.29	105.06	113.00
2	a	2050	C	O3'-P-O5'	-5.26	96.12	104.00
2	a	757	G	C4'-C3'-C2'	-5.19	97.41	102.60
2	a	2432	A	P-O3'-C3'	-5.17	112.44	120.20
2	a	1971	U	C2'-C3'-O3'	-5.17	105.94	113.70
2	a	1936	A	O4'-C1'-C2'	-5.13	100.67	105.80
2	a	1936	A	C1'-O4'-C4'	-5.10	104.60	109.70
2	a	193	U	O3'-P-O5'	-5.08	96.38	104.00
2	a	2025	C	C2'-C3'-O3'	-5.07	106.10	113.70
2	a	2432	A	C3'-C2'-O2'	-5.04	103.14	110.70
2	a	1992	G	O3'-P-O5'	-5.04	96.44	104.00
2	a	2240	U	O3'-P-O5'	5.04	111.55	104.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	e	61	ARG	Sidechain
6	e	69	ARG	Sidechain
9	l	44	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Z	384	0	200	4	0
2	a	12772	0	6485	48	0
3	b	80	0	43	1	0
4	c	191	0	177	0	0
5	d	333	0	336	6	0
6	e	182	0	193	3	0
7	i	55	0	51	1	0
8	k	182	0	179	0	0
9	l	386	0	399	3	0
10	q	75	0	76	1	0
11	r	53	0	55	1	0
12	v	64	0	56	0	0
13	z	61	0	62	4	0
14	d	1	0	0	0	0
All	All	14819	0	8312	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:a:568:U:H1'	2:a:2030:6MZ:H9C1	1.53	0.91
2:a:2547:A:H2'	2:a:2548:U:C6	2.32	0.64
2:a:747:5MU:O2	2:a:2014:A:H1'	2.00	0.62
2:a:2584:U:H2'	2:a:2585:U:H2'	1.83	0.60
2:a:1957:C:H2'	2:a:1958:C:C6	2.36	0.60
2:a:1028:A:H2'	2:a:1029:A:C8	2.37	0.59
2:a:2060:A:OP2	6:e:66:GLY:HA2	2.05	0.57
2:a:1778:U:H2'	2:a:1784:A:N6	2.20	0.56
2:a:2273:A:H2'	2:a:2274:A:C8	2.41	0.56
5:d:156:PHE:CE1	7:i:81:ILE:HD13	2.41	0.56
6:e:58:LYS:HG3	6:e:71:GLY:HA2	1.87	0.56
2:a:2243:U:H2'	2:a:2244:U:C6	2.43	0.54
2:a:1942:C:H3'	2:a:1943:U:H2'	1.91	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:a:196:A:H2'	2:a:2068:U:H5	1.75	0.52
9:l:74:THR:HA	9:l:88:ASN:O	2.11	0.50
9:l:17:ASN:O	9:l:38:ARG:HD3	2.11	0.50
2:a:2567:G:H2'	2:a:2568:U:C6	2.47	0.49
2:a:2053:G:OP1	5:d:149:ASN:HA	2.13	0.48
2:a:1027:A:C2	2:a:2488:G:H5'	2.48	0.48
2:a:956:G:N2	2:a:959:A:H3'	2.28	0.48
2:a:2443:C:OP1	6:e:63:LYS:HD3	2.13	0.48
5:d:121:THR:HB	5:d:127:PHE:CD2	2.49	0.48
2:a:2554:U:H2'	2:a:2555:U:C6	2.49	0.48
2:a:832:U:H2'	2:a:833:A:C8	2.50	0.47
1:Z:1:C:H2'	1:Z:2:G:C8	2.50	0.47
2:a:2591:C:H2'	2:a:2592:G:C8	2.50	0.47
1:Z:74:C:H2'	1:Z:75:C:C6	2.50	0.47
1:Z:1:C:H2'	1:Z:2:G:H8	1.80	0.47
1:Z:76:A:N1	2:a:2450:A:O2'	2.44	0.46
2:a:1028:A:N6	2:a:1125:G:H2'	2.30	0.46
2:a:2014:A:H5'	11:r:94:ASP:CG	2.40	0.46
2:a:1945:G:C6	2:a:1946:U:C4	3.04	0.46
2:a:2062:A:N7	2:a:2503:2MA:N6	2.64	0.45
2:a:910:A:C6	2:a:911:A:C6	3.06	0.44
2:a:2016:U:H2'	2:a:2017:U:C6	2.53	0.43
2:a:1263:U:O2'	13:z:8:PRO:HD2	2.18	0.43
2:a:1264:A:H5'	13:z:8:PRO:HG3	2.00	0.43
3:b:90:C:H5''	9:l:17:ASN:O	2.19	0.42
2:a:1939:5MU:OP1	2:a:2604:PSU:O2'	2.37	0.42
5:d:152:PRO:HG3	5:d:156:PHE:CZ	2.54	0.42
2:a:2557:G:H2'	2:a:2558:C:C6	2.54	0.42
2:a:2615:U:C2	13:z:4:GLN:HA	2.55	0.42
2:a:1963:U:O2	2:a:1963:U:H2'	2.20	0.42
2:a:2074:U:H2'	2:a:2075:U:C6	2.54	0.42
2:a:2071:A:H2'	2:a:2072:C:C6	2.54	0.42
2:a:2537:U:H2'	2:a:2538:C:C6	2.54	0.42
2:a:2597:G:H2'	2:a:2598:A:C8	2.55	0.41
2:a:1980:G:O2'	2:a:1982:U:OP2	2.34	0.41
2:a:2590:A:H2'	2:a:2591:C:C6	2.56	0.41
2:a:2503:2MA:H2'	2:a:2503:2MA:N3	2.35	0.41
2:a:566:U:O4	10:q:80:ARG:HD2	2.20	0.41
2:a:579:G:O2'	2:a:2019:A:OP1	2.39	0.41
5:d:149:ASN:OD1	5:d:150:MEQ:N	2.53	0.41
2:a:959:A:N1	2:a:2495:G:H1'	2.34	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:a:2020:A:H5'	13:z:9:THR:CG2	2.51	0.41
2:a:2070:A:H2'	2:a:2071:A:O4'	2.22	0.40
2:a:2489:U:H2'	2:a:2490:G:O4'	2.21	0.40
5:d:158:GLY:O	5:d:159:LYS:C	2.64	0.40
2:a:984:A:H2'	2:a:984:A:N3	2.36	0.40
2:a:1957:C:H2'	2:a:1958:C:H6	1.84	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	c	24/273 (9%)	23 (96%)	1 (4%)	0	100	100
5	d	40/209 (19%)	36 (90%)	4 (10%)	0	100	100
6	e	21/201 (10%)	19 (90%)	2 (10%)	0	100	100
7	i	6/142 (4%)	6 (100%)	0	0	100	100
8	k	22/144 (15%)	19 (86%)	3 (14%)	0	100	100
9	l	40/136 (29%)	40 (100%)	0	0	100	100
10	q	5/103 (5%)	5 (100%)	0	0	100	100
11	r	5/110 (4%)	5 (100%)	0	0	100	100
12	v	6/85 (7%)	5 (83%)	1 (17%)	0	100	100
13	z	6/57 (10%)	6 (100%)	0	0	100	100
All	All	175/1460 (12%)	164 (94%)	11 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	c	19/218 (9%)	19 (100%)	0	100	100
5	d	34/163 (21%)	34 (100%)	0	100	100
6	e	18/165 (11%)	17 (94%)	1 (6%)	17	44
7	i	5/116 (4%)	5 (100%)	0	100	100
8	k	16/103 (16%)	16 (100%)	0	100	100
9	l	36/107 (34%)	36 (100%)	0	100	100
10	q	7/84 (8%)	7 (100%)	0	100	100
11	r	4/93 (4%)	4 (100%)	0	100	100
12	v	7/63 (11%)	7 (100%)	0	100	100
13	z	7/48 (15%)	7 (100%)	0	100	100
All	All	153/1160 (13%)	152 (99%)	1 (1%)	80	89

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	e	57	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
8	k	54	GLN
12	v	12	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	Z	16/77 (20%)	6 (37%)	0
2	a	559/2904 (19%)	85 (15%)	0
3	b	3/120 (2%)	3 (100%)	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
All	All	578/3101 (18%)	94 (16%)	0

All (94) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	Z	4	G
1	Z	6	G
1	Z	7	G
1	Z	71	C
1	Z	74	C
1	Z	76	A
2	a	196	A
2	a	199	A
2	a	532	A
2	a	563	A
2	a	573	U
2	a	575	A
2	a	586	A
2	a	747	5MU
2	a	776	G
2	a	782	A
2	a	784	G
2	a	785	G
2	a	805	G
2	a	827	U
2	a	828	U
2	a	946	C
2	a	958	U
2	a	961	C
2	a	974	G
2	a	981	A
2	a	983	A
2	a	984	A
2	a	985	C
2	a	1026	G
2	a	1130	U
2	a	1132	U
2	a	1133	A
2	a	1134	A
2	a	1135	C
2	a	1253	A
2	a	1256	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	a	1674	G
2	a	1773	A
2	a	1782	U
2	a	1929	G
2	a	1930	G
2	a	1937	A
2	a	1938	A
2	a	1943	U
2	a	1955	U
2	a	1965	C
2	a	1967	C
2	a	1970	A
2	a	1971	U
2	a	1972	G
2	a	1993	U
2	a	2023	C
2	a	2031	A
2	a	2033	A
2	a	2055	C
2	a	2056	G
2	a	2059	A
2	a	2060	A
2	a	2061	G
2	a	2062	A
2	a	2063	C
2	a	2069	G7M
2	a	2077	A
2	a	2239	G
2	a	2425	A
2	a	2429	G
2	a	2430	A
2	a	2435	A
2	a	2441	U
2	a	2448	A
2	a	2459	A
2	a	2484	G
2	a	2491	U
2	a	2503	2MA
2	a	2505	G
2	a	2506	U
2	a	2507	C
2	a	2518	A

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
2	a	2547	A
2	a	2554	U
2	a	2566	A
2	a	2567	G
2	a	2573	C
2	a	2581	G
2	a	2582	G
2	a	2585	U
2	a	2602	A
2	a	2603	G
2	a	2609	U
2	a	2613	U
3	b	88	C
3	b	89	U
3	b	90	C

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

21 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	4D4	l	81	9	9,11,12	0.85	0	8,13,15	1.02	1 (12%)
2	5MU	a	747	2	19,22,23	0.27	0	28,32,35	0.40	0
2	2MA	a	2503	2	19,25,26	1.04	2 (10%)	21,37,40	2.89	4 (19%)
2	6MZ	a	2030	2	18,25,26	0.76	0	16,36,39	0.84	1 (6%)
2	PSU	a	2457	2	18,21,22	0.22	0	22,30,33	0.38	0
2	PSU	a	2605	2	18,21,22	0.26	0	22,30,33	0.38	0
2	PSU	a	2504	2	18,21,22	0.20	0	22,30,33	0.38	0
2	PSU	a	2580	2	18,21,22	0.20	0	22,30,33	0.44	0
2	G7M	a	2069	2	20,26,27	0.58	0	17,39,42	0.31	0
2	5MC	a	1962	2	18,22,23	0.24	0	26,32,35	0.33	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PSU	a	955	2	18,21,22	0.19	0	22,30,33	0.29	0
5	MEQ	d	150	5	8,9,10	0.69	0	5,10,12	1.15	0
2	1MG	a	745	2	18,26,27	1.07	2 (11%)	19,39,42	0.54	0
2	OMG	a	2251	2,1	18,26,27	1.06	2 (11%)	19,38,41	0.51	0
9	MS6	l	82	9	5,7,8	0.21	0	2,7,9	0.09	0
2	H2U	a	2449	2	18,21,22	0.35	0	21,30,33	0.38	0
2	2MG	a	2445	2	18,26,27	1.06	3 (16%)	16,38,41	0.60	0
2	PSU	a	2604	2	18,21,22	0.20	0	22,30,33	0.39	0
2	5MU	a	1939	2	19,22,23	0.55	0	28,32,35	0.69	1 (3%)
2	OMC	a	2498	2	19,22,23	0.16	0	26,31,34	0.27	0
2	PSU	a	746	2	18,21,22	0.26	0	22,30,33	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	4D4	l	81	9	-	1/11/12/14	-
2	5MU	a	747	2	-	0/7/25/26	0/2/2/2
2	2MA	a	2503	2	-	2/3/25/26	0/3/3/3
2	6MZ	a	2030	2	-	2/5/27/28	0/3/3/3
2	PSU	a	2457	2	-	0/7/25/26	0/2/2/2
2	PSU	a	2605	2	-	0/7/25/26	0/2/2/2
2	PSU	a	2504	2	-	1/7/25/26	0/2/2/2
2	PSU	a	2580	2	-	0/7/25/26	0/2/2/2
2	G7M	a	2069	2	-	2/3/25/26	0/3/3/3
2	5MC	a	1962	2	-	0/7/25/26	0/2/2/2
2	PSU	a	955	2	-	0/7/25/26	0/2/2/2
5	MEQ	d	150	5	-	3/8/9/11	-
2	1MG	a	745	2	-	0/3/25/26	0/3/3/3
2	OMG	a	2251	2,1	-	3/5/27/28	0/3/3/3
9	MS6	l	82	9	-	1/4/6/8	-
2	H2U	a	2449	2	-	0/7/38/39	0/2/2/2
2	2MG	a	2445	2	-	0/5/27/28	0/3/3/3
2	PSU	a	2604	2	-	0/7/25/26	0/2/2/2
2	5MU	a	1939	2	-	0/7/25/26	0/2/2/2
2	OMC	a	2498	2	-	0/9/27/28	0/2/2/2
2	PSU	a	746	2	-	1/7/25/26	0/2/2/2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	a	2251	OMG	C5-C6	-3.19	1.40	1.47
2	a	2445	2MG	C5-C6	-2.77	1.41	1.47
2	a	745	1MG	C8-N7	-2.74	1.30	1.35
2	a	745	1MG	C5-C4	-2.59	1.36	1.43
2	a	2503	2MA	C6-N6	-2.48	1.24	1.34
2	a	2445	2MG	C5-C4	-2.36	1.37	1.43
2	a	2445	2MG	C8-N7	-2.20	1.31	1.35
2	a	2251	OMG	C8-N7	-2.17	1.31	1.35
2	a	2503	2MA	C6-N1	2.12	1.37	1.33

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	a	2503	2MA	C5-C6-N1	-11.73	113.31	121.01
2	a	2503	2MA	C2-N3-C4	-3.62	112.58	115.52
2	a	2503	2MA	C2-N1-C6	3.51	123.55	118.08
2	a	1939	5MU	O3'-C3'-C2'	-2.42	103.99	111.82
2	a	2030	6MZ	C2-N1-C6	2.40	118.65	116.59
9	l	81	4D4	O-C-CA	-2.34	118.65	124.78
2	a	2503	2MA	N6-C6-N1	2.33	123.40	117.07

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	d	150	MEQ	C-CA-CB-CG
2	a	2251	OMG	C1'-C2'-O2'-CM2
2	a	2030	6MZ	O4'-C4'-C5'-O5'
2	a	2030	6MZ	C3'-C4'-C5'-O5'
5	d	150	MEQ	NE2-CD-CG-CB
5	d	150	MEQ	OE1-CD-CG-CB
2	a	2251	OMG	O4'-C4'-C5'-O5'
2	a	2251	OMG	C3'-C4'-C5'-O5'
9	l	82	MS6	CB-CG-SD-CE
2	a	2069	G7M	C4'-C5'-O5'-P
2	a	2503	2MA	C4'-C5'-O5'-P
2	a	2504	PSU	O4'-C4'-C5'-O5'
2	a	746	PSU	O4'-C1'-C5-C6
2	a	2069	G7M	O4'-C4'-C5'-O5'
2	a	2503	2MA	O4'-C4'-C5'-O5'
9	l	81	4D4	O-C-CA-CB

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	a	747	5MU	1	0
2	a	2503	2MA	2	0
2	a	2030	6MZ	1	0
5	d	150	MEQ	1	0
2	a	2604	PSU	1	0
2	a	1939	5MU	1	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55430. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)

#### 6.1.1 Primary map




#### 6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


### 6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 259




Y Index: 224




Z Index: 268


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map




### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.09. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 394 nm<sup>3</sup>; this corresponds to an approximate mass of 356 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.326 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.326 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.07	-	-
Author-provided FSC curve	3.07	4.37	3.11
Unmasked-calculated*	6.84	11.67	7.73

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.84 differs from the reported value 3.07 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-55430 and PDB model 9T1C. Per-residue inclusion information can be found in section 3 on page 7.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.09 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.09).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.09) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7110	 0.4810
Z	 0.0230	 0.2760
a	 0.7580	 0.4880
b	 0.3620	 0.3450
c	 0.7860	 0.4900
d	 0.4370	 0.4660
e	 0.4710	 0.5100
i	 0.4000	 0.4300
k	 0.6480	 0.5150
l	 0.4050	 0.4740
q	 0.5880	 0.5370
r	 0.4900	 0.4200
v	 0.4330	 0.4440
z	 0.6070	 0.4520

