Full wwPDB EM Validation Report

Nov 10, 2026 – 06:35 pm GMT

PDB ID	:	9T7A / pdb_00009t7a
EMDB ID	:	EMD-55631
Title	:	cryo-EM structure of LARP1 TOS peptide bound to human mTOR complex 1, focused on RAPTOR
Authors	:	Craigie, L.M.; Maier, T.
Deposited on	:	2025-11-10
Resolution	:	3.26 Å(reported)
Based on initial model	:	9F44

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


EMDB validation analysis	:	0.0.1.dev133
MolProbity	:	4-5-2 with Phenix2.2
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14557 (2.76 - 3.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	16	6% 38% 6% 56%
2	E	1363	64% 13% 23%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 16873 atoms, of which 8424 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called La-related protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	G	7	Total	C	H	N	O	0	0
			113	42	49	7	15		

- Molecule 2 is a protein called Regulatory-associated protein of mTOR.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	E	1052	Total	C	H	N	O	S	0	0
			16760	5361	8375	1450	1518	56		

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-27	HIS	-	expression tag	UNP Q8N122
E	-26	HIS	-	expression tag	UNP Q8N122
E	-25	HIS	-	expression tag	UNP Q8N122
E	-24	HIS	-	expression tag	UNP Q8N122
E	-23	HIS	-	expression tag	UNP Q8N122
E	-22	HIS	-	expression tag	UNP Q8N122
E	-21	HIS	-	expression tag	UNP Q8N122
E	-20	HIS	-	expression tag	UNP Q8N122
E	-19	HIS	-	expression tag	UNP Q8N122
E	-18	HIS	-	expression tag	UNP Q8N122
E	-17	GLU	-	expression tag	UNP Q8N122
E	-16	GLN	-	expression tag	UNP Q8N122
E	-15	LYS	-	expression tag	UNP Q8N122
E	-14	LEU	-	expression tag	UNP Q8N122
E	-13	ILE	-	expression tag	UNP Q8N122
E	-12	SER	-	expression tag	UNP Q8N122
E	-11	GLU	-	expression tag	UNP Q8N122
E	-10	GLU	-	expression tag	UNP Q8N122
E	-9	ASP	-	expression tag	UNP Q8N122
E	-8	LEU	-	expression tag	UNP Q8N122
E	-7	ASP	-	expression tag	UNP Q8N122

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-6	TYR	-	expression tag	UNP Q8N122
E	-5	LYS	-	expression tag	UNP Q8N122
E	-4	ASP	-	expression tag	UNP Q8N122
E	-3	ASP	-	expression tag	UNP Q8N122
E	-2	ASP	-	expression tag	UNP Q8N122
E	-1	ASP	-	expression tag	UNP Q8N122
E	0	LYS	-	expression tag	UNP Q8N122

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: La-related protein 1


Chain G:



• Molecule 2: Regulatory-associated protein of mTOR

Chain E:




ALA ASP ASP ALA ALA GLY HIS LYS SER F950 I951 S952 A953 R965 E977 H978 R985 E989 R997 Q1001 I1010 L1013 N1022 P1023 G1024 V1025 F1031 D1044 D1050 W1051 G1054 M1073 L1084 L1085 T1086 A1087 T1088 D1089 D1090 R1094 D1101 L1102
M1108 S1116 ASP MET LEU PRO THR THR ARG GLY A1125 D1130 W1131 L1138 V1144 R1145 I1149 W1150 D1151 E1155 Q1159 T1163 S1167 T1170 D1175 R1178 L1185 G1186 D1187 G1188 Y1193 R1196 M1197 Y1207 R1208 E1209 A1212 W1213 V1230 S1231 V1232
V1236 R1237 I1238 M1243 P1244 E1245 N1248 V1249 L1250 D1260 I1261 N1288 N1289 Y1292 TYR ASP GLY PHE MET GLY GLN ARG VAL GLY A1303 A1317 S1320 V1330 E1331 LYS ARG VAL ARG

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	437625	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	40	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	0.700	Depositor
Minimum map value	-0.463	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	467.2, 467.2, 467.2	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.97333336, 0.97333336, 0.97333336	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	G	0.14	0/65	0.29	0/86
2	E	0.12	0/8585	0.25	0/11680
All	All	0.12	0/8650	0.25	0/11766

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	64	49	48	1	0
2	E	8385	8375	8375	115	0
All	All	8449	8424	8423	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:1260:ASP:OD1	2:E:1261:ILE:N	2.14	0.80
2:E:254:MET:HA	2:E:254:MET:HE2	1.63	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:676:SER:O	2:E:680:THR:HG23	1.87	0.73
2:E:1088:THR:OG1	2:E:1090:ASP:OD1	2.06	0.73
2:E:985:ARG:NH1	2:E:989:GLU:OE2	2.23	0.71
2:E:143:GLU:N	2:E:143:GLU:OE1	2.27	0.66
2:E:184:THR:OG1	2:E:213:ARG:NH2	2.29	0.65
2:E:443:GLN:OE1	2:E:443:GLN:N	2.28	0.64
2:E:1094:ARG:HB3	2:E:1108:MET:HE2	1.80	0.63
2:E:40:GLU:O	2:E:965:ARG:NH1	2.31	0.63
2:E:660:ARG:NH1	2:E:821:ASP:OD2	2.32	0.62
2:E:1073:MET:CE	2:E:1084:LEU:HD11	2.29	0.62
2:E:1212:ALA:HB1	2:E:1232:VAL:HG12	1.82	0.62
2:E:60:VAL:HG13	2:E:147:LEU:HD12	1.83	0.61
2:E:82:ALA:HB3	2:E:254:MET:HE1	1.82	0.61
2:E:821:ASP:OD1	2:E:823:TYR:N	2.34	0.59
2:E:675:GLU:N	2:E:675:GLU:OE1	2.36	0.59
2:E:1130:ASP:OD1	2:E:1131:TRP:N	2.36	0.58
2:E:1170:THR:HG1	2:E:1213:TRP:CD1	2.22	0.58
2:E:325:TRP:HZ2	2:E:466:LEU:HD21	1.69	0.57
2:E:1013:LEU:O	2:E:1288:ASN:ND2	2.38	0.57
2:E:1236:VAL:N	2:E:1250:LEU:O	2.38	0.56
2:E:512:ASP:O	2:E:512:ASP:OD1	2.24	0.55
2:E:1022:ASN:OD1	2:E:1024:GLY:N	2.36	0.55
2:E:126:THR:HG22	2:E:129:GLU:OE2	2.08	0.54
2:E:293:ASP:OD1	2:E:294:LEU:N	2.41	0.54
2:E:637:SER:O	2:E:641:ASP:OD1	2.27	0.53
2:E:112:ASN:C	2:E:112:ASN:HD22	2.10	0.53
2:E:1167:SER:OG	2:E:1185:LEU:HD23	2.09	0.52
2:E:1230:VAL:HG22	2:E:1236:VAL:HG22	1.91	0.52
2:E:997:ARG:O	2:E:1001:GLN:HG3	2.09	0.52
2:E:1175:ASP:OD2	2:E:1178:ARG:NH2	2.41	0.52
2:E:1151:ASP:O	2:E:1155:GLU:N	2.41	0.51
2:E:1197:MET:SD	2:E:1197:MET:N	2.83	0.51
2:E:315:ILE:HG22	2:E:319:ILE:HD12	1.92	0.51
2:E:1288:ASN:OD1	2:E:1289:ASN:N	2.43	0.51
2:E:1044:ASP:OD1	2:E:1044:ASP:C	2.54	0.51
2:E:216:GLU:C	2:E:216:GLU:OE1	2.54	0.50
2:E:401:THR:HG22	2:E:402:ALA:H	1.76	0.50
2:E:512:ASP:O	2:E:513:ASN:HB2	2.12	0.50
2:E:638:THR:HG22	2:E:642:HIS:CE1	2.47	0.50
2:E:81:CYS:SG	2:E:82:ALA:N	2.84	0.50
2:E:267:LEU:O	2:E:349:ASN:ND2	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:977:GLU:OE1	2:E:978:HIS:ND1	2.45	0.49
2:E:441:LEU:HD21	2:E:475:TYR:CE2	2.47	0.49
2:E:1149:ILE:HD13	2:E:1159:GLN:HB2	1.95	0.49
2:E:247:GLU:OE1	2:E:248:ALA:N	2.36	0.49
2:E:433:LEU:CD1	2:E:466:LEU:HD22	2.43	0.49
2:E:592:ARG:NH1	2:E:626:PHE:O	2.45	0.48
2:E:1031:PHE:CZ	2:E:1317:ALA:HB2	2.49	0.48
2:E:806:SER:O	2:E:809:THR:OG1	2.24	0.48
2:E:1050:ASP:O	2:E:1054:GLY:N	2.42	0.48
2:E:1073:MET:HE3	2:E:1084:LEU:HD11	1.95	0.48
2:E:401:THR:HG22	2:E:402:ALA:N	2.29	0.48
2:E:1243:MET:SD	2:E:1245:GLU:N	2.86	0.47
2:E:646:MET:SD	2:E:647:MET:N	2.88	0.47
2:E:1163:THR:O	2:E:1193:TYR:OH	2.32	0.47
2:E:834:LEU:O	2:E:837:ILE:HG22	2.15	0.47
2:E:1187:ASP:OD1	2:E:1188:GLY:N	2.47	0.47
2:E:1138:LEU:C	2:E:1138:LEU:HD23	2.40	0.46
2:E:543:VAL:O	2:E:543:VAL:HG12	2.15	0.46
2:E:1073:MET:HE2	2:E:1084:LEU:HD11	1.95	0.46
2:E:319:ILE:HD13	2:E:382:TRP:HB2	1.98	0.46
2:E:1238:ILE:O	2:E:1238:ILE:HG23	2.16	0.46
2:E:57:THR:HG21	2:E:342:LEU:HD23	1.98	0.45
2:E:166:VAL:O	2:E:175:ILE:N	2.50	0.45
2:E:582:GLY:O	2:E:625:THR:HG21	2.16	0.45
2:E:61:ALA:HB2	2:E:137:LEU:HD12	2.00	0.44
2:E:147:LEU:HD23	2:E:191:ILE:HG23	1.99	0.44
2:E:390:LEU:CD2	2:E:393:LEU:HD22	2.48	0.44
2:E:673:GLN:OE1	2:E:673:GLN:HA	2.16	0.44
2:E:464:VAL:CG1	2:E:501:VAL:HG11	2.47	0.44
2:E:509:LEU:HD13	2:E:542:ILE:HD11	1.98	0.44
2:E:1044:ASP:OD1	2:E:1044:ASP:O	2.36	0.44
2:E:291:THR:HG22	2:E:292:LEU:N	2.33	0.44
2:E:828:ASP:OD1	2:E:828:ASP:C	2.60	0.44
2:E:79:THR:OG1	2:E:80:PRO:HD3	2.18	0.44
2:E:812:TRP:CD1	2:E:816:LEU:HD11	2.52	0.43
2:E:1101:ASP:OD1	2:E:1102:LEU:N	2.51	0.43
2:E:1303:ALA:O	2:E:1320:SER:OG	2.21	0.43
2:E:530:GLU:O	2:E:533:THR:HG22	2.18	0.43
2:E:1013:LEU:H	2:E:1013:LEU:HD23	1.83	0.43
2:E:1248:ASN:OD1	2:E:1250:LEU:HD21	2.18	0.43
2:E:1144:VAL:HG22	2:E:1145:ARG:N	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:1330:VAL:O	2:E:1330:VAL:HG13	2.18	0.43
2:E:1230:VAL:CG2	2:E:1236:VAL:HG22	2.49	0.43
2:E:1196:ARG:NH1	2:E:1197:MET:SD	2.91	0.43
2:E:678:PHE:HA	2:E:681:VAL:HG22	2.00	0.42
2:E:648:LEU:HB3	2:E:663:LEU:HD11	2.01	0.42
2:E:654:ASP:OD1	2:E:655:GLY:N	2.52	0.42
2:E:638:THR:HG22	2:E:642:HIS:NE2	2.34	0.42
2:E:1031:PHE:CE1	2:E:1317:ALA:HB2	2.53	0.42
1:G:400:ASP:N	2:E:341:LEU:HD11	2.34	0.42
2:E:250:GLU:OE1	2:E:363:THR:N	2.47	0.42
2:E:446:ARG:HG3	2:E:447:LEU:HD22	2.02	0.42
2:E:630:SER:O	2:E:633:ARG:HG2	2.20	0.42
2:E:1025:VAL:HG13	2:E:1025:VAL:O	2.20	0.42
2:E:305:ARG:HH22	2:E:441:LEU:HD13	1.84	0.42
2:E:107:GLN:OE1	2:E:121:GLN:NE2	2.50	0.41
2:E:373:THR:O	2:E:379:TRP:NE1	2.52	0.41
2:E:1209:GLU:N	2:E:1209:GLU:OE1	2.52	0.41
2:E:488:ARG:O	2:E:492:VAL:HG13	2.20	0.41
2:E:641:ASP:HA	2:E:644:VAL:HG22	2.01	0.41
2:E:70:VAL:HG12	2:E:71:ASP:N	2.36	0.41
2:E:1051:TRP:CD1	2:E:1051:TRP:H	2.38	0.41
2:E:641:ASP:OD1	2:E:641:ASP:N	2.54	0.41
2:E:81:CYS:HA	2:E:254:MET:SD	2.61	0.41
2:E:63:VAL:C	2:E:64:LEU:HD12	2.46	0.41
2:E:627:VAL:CG2	2:E:644:VAL:HG21	2.51	0.41
2:E:36:CYS:SG	2:E:37:GLU:N	2.93	0.41
2:E:325:TRP:CZ2	2:E:466:LEU:HD21	2.54	0.41
2:E:254:MET:O	2:E:254:MET:CG	2.69	0.40
2:E:138:ARG:NH2	2:E:144:GLU:O	2.54	0.40
2:E:158:PRO:HG3	2:E:202:ILE:HD11	2.04	0.40
2:E:1010:ILE:O	2:E:1010:ILE:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	5/16 (31%)	4 (80%)	1 (20%)	0	100	100
2	E	1040/1363 (76%)	1012 (97%)	28 (3%)	0	100	100
All	All	1045/1379 (76%)	1016 (97%)	29 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	7/16 (44%)	7 (100%)	0	100	100
2	E	928/1191 (78%)	925 (100%)	3 (0%)	86	86
All	All	935/1207 (78%)	932 (100%)	3 (0%)	84	86

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	E	21	LEU
2	E	1086	THR
2	E	1207	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	E	445	HIS
2	E	643	ASN
2	E	956	GLN
2	E	1264	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation

This section contains visualisations of the EMDB entry EMD-55631. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)


6.3.1 Primary map



X Index: 275




Y Index: 282




Z Index: 250


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate



The volume at the recommended contour level is 349 nm^3; this corresponds to an approximate mass of 315 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)




*Reported resolution corresponds to spatial frequency of 0.307 Å^{-1}

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.307 Å^{-1}

8.2 Resolution estimates (i)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.26	-	-
Author-provided FSC curve	3.26	3.66	3.29
Unmasked-calculated*	4.26	7.36	4.35

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.26 differs from the reported value 3.26 by more than 10 %


9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-55631 and PDB model 9T7A. Per-residue inclusion information can be found in section 3 on page 5.


9.1 Map-model overlay



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

9.4 Atom inclusion (i)



At the recommended contour level, 95% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.



Chain	Atom inclusion	Q-score
All	0.9430	0.4660
E	0.9460	0.4660
G	0.6560	0.3960