



Full wwPDB EM Validation Report ⓘ

Oct 17, 2026 – 01:16 pm BST

PDB ID : 9TE1 / pdb_00009te1
EMDB ID : EMD-55815
Title : Structure of C5-CVFBb (Composite)
Authors : Joergensen, M.H.; Andersen, G.R.; Almeida, A.V.d.
Deposited on : 2025-11-25
Resolution : 2.97 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.2
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.51

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY




The reported resolution of this entry is 2.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13205 (2.47 - 3.47)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	659	
2	C	999	
3	B	627	
4	D	252	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	379	17% 87% 10% ..
6	J	739	23% 6% 71%
7	F	2	50% 100%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 24575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Complement C5 beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	658	Total	C	N	O	S	0	0
			5206	3336	842	1015	13		

- Molecule 2 is a protein called Complement C5 alpha chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	998	Total	C	N	O	S	0	0
			7907	5051	1323	1492	41		

- Molecule 3 is a protein called Cobra venom factor alpha chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	625	Total	C	N	O	S	0	0
			4888	3122	823	927	16		

- Molecule 4 is a protein called Cobra venom factor gamma chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	234	Total	C	N	O	S	0	0
			1865	1199	312	349	5		

- Molecule 5 is a protein called Cobra venom factor beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	370	Total	C	N	O	S	0	0
			2980	1879	501	580	20		

- Molecule 6 is a protein called Complement factor B.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	J	211	Total	C	N	O	S	0	0
			1670	1063	279	320	8		

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
J	279	GLY	ASP	engineered mutation	UNP P00751
J	699	ALA	SER	engineered mutation	UNP P00751

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	F	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	E	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 9 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
9	J	1	Total 1	Mg 1	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		AltConf
10	E	1	Total 1	O 1	0
10	J	1	Total 1	O 1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Complement C5 beta chain




- Molecule 2: Complement C5 alpha chain






• Molecule 3: Cobra venom factor alpha chain

Chain B: 94% 6%




• Molecule 4: Cobra venom factor gamma chain

Chain D: 12% 87% 6% 7%




• Molecule 5: Cobra venom factor beta chain


Chain E: 17% 87% 10% 2%



• Molecule 6: Complement factor B

Chain J: 23% 6% 71%





● Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	561647	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	59.9	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	77.345	Depositor
Minimum map value	-34.740	Depositor
Average map value	0.002	Depositor
Map value standard deviation	1.044	Depositor
Recommended contour level	10	Depositor
Map size (Å)	470.0, 470.0, 470.0	wwPDB
Map dimensions	470, 470, 470	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0, 1.0, 1.0	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.26	0/5327	0.61	4/7244 (0.1%)
2	C	0.28	0/8071	0.67	7/10930 (0.1%)
3	B	0.24	0/4999	0.58	6/6802 (0.1%)
4	D	0.24	0/1903	0.54	2/2582 (0.1%)
5	E	0.26	0/3033	0.67	3/4103 (0.1%)
6	J	0.36	0/1705	0.99	16/2312 (0.7%)
All	All	0.27	0/25038	0.66	38/33973 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	2

There are no bond length outliers.

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1550	GLN	CA-CB-CG	8.45	131.00	114.10
6	J	403	ASP	CA-C-N	-7.37	109.05	122.38
6	J	403	ASP	C-N-CA	-7.37	109.05	122.38
6	J	404	GLU	CA-CB-CG	7.28	128.67	114.10
1	A	276	LYS	CB-CG-CD	6.61	126.49	111.30
2	C	1550	GLN	N-CA-CB	6.59	121.14	110.40
2	C	754	MET	CB-CG-SD	6.15	131.15	112.70
6	J	379	ARG	CA-CB-CG	6.03	126.16	114.10
6	J	467	GLN	N-CA-CB	6.01	120.16	110.42
2	C	725	ILE	CA-CB-CG1	5.95	120.52	110.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	J	445	LYS	CB-CG-CD	5.89	124.84	111.30
6	J	402	ILE	CA-CB-CG1	5.88	120.40	110.40
6	J	404	GLU	N-CA-CB	5.81	119.32	110.44
6	J	467	GLN	CA-CB-CG	5.67	125.45	114.10
3	B	157	MET	CB-CG-SD	5.63	129.60	112.70
6	J	450	GLN	CA-CB-CG	5.63	125.36	114.10
5	E	1374	GLU	CB-CG-CD	5.58	122.09	112.60
5	E	1346	ASN	CB-CA-C	5.55	118.69	110.14
5	E	1437	CYS	CA-CB-SG	5.46	126.95	114.40
6	J	436	GLN	CA-CB-CG	5.44	124.98	114.10
1	A	664	GLU	CA-C-N	5.36	131.77	121.54
1	A	664	GLU	C-N-CA	5.36	131.77	121.54
3	B	270	ASP	CA-C-N	5.25	129.86	122.46
3	B	270	ASP	C-N-CA	5.25	129.86	122.46
3	B	65	GLN	CA-CB-CG	5.23	124.55	114.10
6	J	366	MET	CB-CG-SD	5.19	128.27	112.70
6	J	366	MET	CA-CB-CG	5.18	124.46	114.10
2	C	1308	ARG	CB-CG-CD	5.18	123.20	111.30
2	C	1535	MET	CB-CG-SD	5.17	128.20	112.70
6	J	466	TYR	CA-C-N	-5.17	111.61	121.94
6	J	466	TYR	C-N-CA	-5.17	111.61	121.94
3	B	269	ILE	CA-C-N	5.16	131.39	121.54
3	B	269	ILE	C-N-CA	5.16	131.39	121.54
6	J	375	GLU	CA-CB-CG	5.09	124.28	114.10
1	A	664	GLU	CA-CB-CG	5.07	124.24	114.10
4	D	826	LYS	CA-C-N	5.04	129.57	122.46
4	D	826	LYS	C-N-CA	5.04	129.57	122.46
2	C	1554	LYS	CB-CG-CD	5.04	122.88	111.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	1553	CYS	Peptide
2	C	910	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5206	0	5127	27	0
2	C	7907	0	7927	49	0
3	B	4888	0	4890	17	0
4	D	1865	0	1906	12	0
5	E	2980	0	2933	21	0
6	J	1670	0	1659	19	0
7	F	28	0	25	0	0
8	B	14	0	13	0	0
8	E	14	0	13	0	0
9	J	1	0	0	0	0
10	E	1	0	0	0	0
10	J	1	0	0	0	0
All	All	24575	0	24493	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1668:ALA:O	2:C:1672:PHE:HB2	1.89	0.71
5:E:1640:CYS:H	6:J:394:MET:HE1	1.58	0.68
5:E:1368:CYS:HA	5:E:1437:CYS:HB2	1.80	0.64
1:A:667:GLU:HG3	1:A:670:LYS:H	1.65	0.61
6:J:293:LEU:HD21	6:J:387:MET:HG2	1.83	0.61
1:A:373:VAL:HG11	1:A:435:VAL:HG11	1.83	0.61
2:C:1313:ILE:HB	2:C:1326:TYR:HB2	1.83	0.61
3:B:559:PRO:HB3	4:D:782:ASP:HA	1.83	0.60
6:J:385:ILE:HG13	6:J:387:MET:HE3	1.83	0.59
1:A:374:GLN:HE22	1:A:677:ARG:HB3	1.68	0.59
1:A:395:ILE:HG12	1:A:401:THR:HG22	1.86	0.58
3:B:345:ILE:HG22	3:B:366:VAL:HG22	1.85	0.58
1:A:619:PRO:HA	1:A:622:ARG:HH12	1.69	0.58
2:C:744:HIS:HA	2:C:747:MET:HE2	1.86	0.58
2:C:1228:TRP:H	2:C:1251:THR:HG22	1.68	0.58
1:A:503:ILE:HB	1:A:511:HIS:HB2	1.85	0.58
2:C:780:VAL:HG13	2:C:784:LYS:HB3	1.85	0.58
1:A:569:ASN:HB2	1:A:595:GLY:HA3	1.85	0.57
5:E:1528:LEU:HG	5:E:1575:LEU:HD21	1.87	0.57
6:J:388:THR:HG23	6:J:390:GLY:H	1.69	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:J:297:ILE:HA	6:J:300:VAL:HG12	1.86	0.56
5:E:1354:LEU:HD23	5:E:1357:MET:HE3	1.88	0.56
2:C:1405:CYS:HA	2:C:1473:LEU:O	2.04	0.56
6:J:311:LEU:HD11	6:J:342:ILE:HD11	1.88	0.56
5:E:1583:ILE:HD12	5:E:1607:ILE:HG13	1.87	0.56
3:B:564:LYS:HA	4:D:776:MET:O	2.06	0.56
1:A:128:ILE:HG22	1:A:145:VAL:HG22	1.89	0.55
2:C:1671:ILE:HD12	2:C:1675:GLY:HA2	1.88	0.55
5:E:1539:ILE:HD13	5:E:1564:ILE:HG12	1.88	0.55
2:C:1602:LYS:HB2	2:C:1639:LEU:HD23	1.89	0.54
2:C:1031:TRP:HB3	2:C:1038:PRO:HB3	1.90	0.54
2:C:944:LEU:HB2	2:C:1357:ALA:HB3	1.90	0.53
2:C:1013:MET:HE1	2:C:1291:ILE:HB	1.91	0.53
1:A:465:LEU:HD11	1:A:486:VAL:HG13	1.91	0.53
5:E:1528:LEU:HD12	5:E:1577:VAL:HA	1.91	0.53
5:E:1528:LEU:HA	5:E:1542:MET:HG2	1.91	0.52
6:J:293:LEU:HA	6:J:296:LEU:HB2	1.91	0.52
6:J:398:PRO:HB2	6:J:442:LEU:HD21	1.90	0.52
2:C:1617:TYR:HD2	2:C:1645:ILE:HD11	1.74	0.52
3:B:448:ALA:HB3	3:B:463:ASN:HB2	1.92	0.52
5:E:1527:LYS:HB2	5:E:1545:LEU:HD21	1.91	0.51
3:B:276:ILE:HG12	3:B:302:ARG:HG2	1.93	0.51
2:C:1315:VAL:HG12	2:C:1348:VAL:HG22	1.92	0.50
2:C:755:LYS:HA	2:C:758:LEU:HD23	1.93	0.50
5:E:1563:TYR:HB3	5:E:1601:ILE:HD11	1.92	0.50
1:A:354:LEU:HA	1:A:374:GLN:O	2.11	0.50
1:A:467:ILE:HG22	1:A:486:VAL:HG22	1.93	0.50
1:A:395:ILE:HB	1:A:430:VAL:HB	1.93	0.50
1:A:31:PHE:HB2	1:A:119:ILE:HG22	1.93	0.49
2:C:847:ASN:O	2:C:891:SER:HA	2.12	0.49
2:C:1625:LEU:HB2	2:C:1636:ILE:HG23	1.94	0.49
4:D:740:ILE:HD13	4:D:906:SER:HB3	1.94	0.49
2:C:1575:VAL:O	2:C:1601:ILE:HA	2.12	0.49
6:J:468:MET:HG3	6:J:469:ILE:HG13	1.95	0.49
2:C:845:VAL:O	2:C:893:SER:HA	2.13	0.49
2:C:1421:HIS:HA	2:C:1464:LEU:O	2.13	0.48
2:C:1554:LYS:HB2	2:C:1557:ILE:HG12	1.95	0.48
4:D:748:ARG:HB3	4:D:782:ASP:HB3	1.95	0.48
6:J:312:VAL:HG22	6:J:320:ILE:HG12	1.96	0.48
4:D:927:ILE:HG12	5:E:1324:THR:HG23	1.94	0.48
5:E:1511:GLN:HA	5:E:1514:LYS:HG2	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:307:VAL:HG21	1:A:318:LEU:HD11	1.96	0.48
1:A:54:ILE:HG23	1:A:106:VAL:HG22	1.96	0.47
1:A:600:VAL:O	2:C:777:VAL:HA	2.14	0.47
1:A:267:ILE:HB	1:A:288:GLN:O	2.15	0.47
2:C:686:ILE:HG12	2:C:757:LEU:HD11	1.96	0.47
2:C:1598:ILE:HD11	2:C:1635:TYR:HB2	1.97	0.47
2:C:1084:ARG:HB2	2:C:1151:GLY:HA2	1.96	0.47
5:E:1344:HIS:O	5:E:1369:THR:HA	2.15	0.47
1:A:599:TRP:CE2	2:C:779:LEU:HD23	2.50	0.47
6:J:273:LEU:O	6:J:311:LEU:HA	2.15	0.46
5:E:1484:ILE:HG12	5:E:1493:ALA:HB2	1.96	0.46
6:J:323:LYS:HA	6:J:365:MET:HE1	1.97	0.46
1:A:622:ARG:HB3	1:A:625:GLN:HE21	1.80	0.46
2:C:1176:LEU:HD22	2:C:1204:GLN:HB3	1.97	0.46
2:C:722:PRO:HA	2:C:725:ILE:HG13	1.98	0.46
2:C:1570:VAL:HG22	2:C:1575:VAL:HG22	1.97	0.46
3:B:583:ALA:O	3:B:587:LEU:HB2	2.16	0.46
3:B:231:SER:HB3	3:B:244:HIS:HB2	1.98	0.46
2:C:979:VAL:HA	2:C:1358:THR:O	2.17	0.45
3:B:54:LEU:HB2	3:B:73:VAL:HG23	1.97	0.45
4:D:961:THR:HB	5:E:1305:THR:HG23	1.99	0.45
3:B:52:LYS:HE3	3:B:111:PRO:HG2	1.99	0.45
2:C:1142:LEU:HD21	2:C:1179:THR:HA	1.99	0.45
4:D:857:CYS:HB2	5:E:1492:CYS:HB2	1.44	0.45
6:J:398:PRO:HA	6:J:401:VAL:HG12	1.98	0.45
5:E:1526:THR:HG22	5:E:1544:VAL:HG22	1.99	0.45
1:A:373:VAL:HG21	1:A:388:VAL:HG11	1.98	0.45
6:J:427:VAL:HG11	6:J:439:ILE:HG12	1.99	0.45
5:E:1280:GLU:HB2	5:E:1312:THR:HB	1.99	0.45
2:C:1012:LEU:HD21	2:C:1056:ILE:HG12	1.99	0.44
2:C:739:ARG:HA	2:C:742:ILE:HG12	1.99	0.44
4:D:963:ILE:O	5:E:1302:THR:HA	2.17	0.44
2:C:1066:TYR:HB3	2:C:1078:LEU:HD12	2.00	0.44
1:A:469:TRP:HB2	1:A:482:LEU:HD11	2.00	0.44
6:J:356:LYS:HD2	6:J:396:GLY:H	1.83	0.44
2:C:888:VAL:HG23	2:C:894:HIS:HB2	1.99	0.43
3:B:203:TYR:HD2	3:B:208:GLU:HG3	1.83	0.43
2:C:1205:PHE:HE2	2:C:1261:LEU:HD21	1.83	0.43
3:B:253:TYR:HB2	4:D:811:MET:HG2	2.00	0.43
6:J:314:TYR:HA	6:J:318:PRO:HA	2.00	0.43
2:C:1083:LEU:HD21	2:C:1103:SER:HB2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:718:ILE:HG23	2:C:1446:VAL:HG22	2.01	0.42
1:A:198:MET:HE3	1:A:198:MET:HB2	1.96	0.42
2:C:837:GLU:HG2	2:C:1488:LEU:HA	2.02	0.42
2:C:718:ILE:HG22	2:C:720:LEU:H	1.85	0.42
1:A:267:ILE:HD13	1:A:327:VAL:HG22	2.02	0.42
1:A:618:LYS:HB2	1:A:621:GLU:HG2	2.02	0.42
2:C:985:GLY:HA2	2:C:988:LEU:HD13	2.01	0.42
3:B:364:VAL:HG11	3:B:413:VAL:HG11	2.02	0.41
2:C:689:LYS:HD2	2:C:757:LEU:HD13	2.02	0.41
4:D:929:LYS:HD2	5:E:1320:LYS:HD3	2.01	0.41
3:B:164:GLU:HB3	3:B:172:LEU:HD21	2.02	0.41
3:B:464:PHE:HE1	3:B:506:MET:HG2	1.85	0.41
5:E:1364:MET:HE3	5:E:1439:HIS:HB2	2.01	0.41
6:J:270:ASN:HD22	6:J:308:ARG:HH21	1.67	0.41
2:C:1317:TYR:CZ	2:C:1342:LEU:HB2	2.56	0.41
2:C:1562:LYS:HG3	2:C:1618:LEU:HB2	2.03	0.41
4:D:889:GLN:HA	4:D:915:VAL:HB	2.02	0.41
3:B:321:MET:HE3	3:B:321:MET:HB3	1.87	0.41
6:J:373:PRO:HA	6:J:374:PRO:HD3	1.91	0.41
2:C:934:VAL:HG23	2:C:1367:LYS:HB2	2.03	0.41
2:C:1187:THR:HA	2:C:1190:ILE:HG22	2.03	0.41
2:C:1539:LEU:HD23	2:C:1539:LEU:HA	1.92	0.41
2:C:1616:GLN:HB2	2:C:1650:ARG:CZ	2.51	0.41
3:B:199:ILE:O	3:B:211:THR:HA	2.21	0.41
6:J:273:LEU:HA	6:J:387:MET:HE1	2.02	0.41
4:D:738:GLY:HA3	4:D:902:GLU:HG3	2.03	0.40
1:A:265:VAL:HG22	1:A:329:VAL:HG22	2.03	0.40
1:A:268:THR:HB	1:A:326:ALA:HB3	2.03	0.40
2:C:999:ILE:HD12	2:C:1290:THR:HG21	2.03	0.40
1:A:535:VAL:HA	1:A:536:PRO:HA	1.93	0.40
2:C:799:ILE:HB	2:C:815:VAL:HB	2.04	0.40
3:B:411:ILE:O	3:B:429:SER:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	656/659 (100%)	629 (96%)	27 (4%)	0	100	100
2	C	996/999 (100%)	957 (96%)	39 (4%)	0	100	100
3	B	623/627 (99%)	601 (96%)	22 (4%)	0	100	100
4	D	232/252 (92%)	227 (98%)	5 (2%)	0	100	100
5	E	368/379 (97%)	355 (96%)	13 (4%)	0	100	100
6	J	209/739 (28%)	202 (97%)	7 (3%)	0	100	100
All	All	3084/3655 (84%)	2971 (96%)	113 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	583/584 (100%)	578 (99%)	5 (1%)	70	85
2	C	885/886 (100%)	877 (99%)	8 (1%)	70	85
3	B	547/548 (100%)	544 (100%)	3 (0%)	81	89
4	D	211/227 (93%)	210 (100%)	1 (0%)	81	89
5	E	336/345 (97%)	332 (99%)	4 (1%)	63	82
6	J	186/642 (29%)	182 (98%)	4 (2%)	45	73
All	All	2748/3232 (85%)	2723 (99%)	25 (1%)	68	85

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	224	LEU
1	A	349	LEU
1	A	379	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	487	THR
1	A	492	TYR
2	C	738	LEU
2	C	924	VAL
2	C	971	THR
2	C	999	ILE
2	C	1180	LEU
2	C	1399	TYR
2	C	1633	PHE
2	C	1650	ARG
3	B	220	VAL
3	B	252	LEU
3	B	555	LEU
4	D	776	MET
5	E	1299	LEU
5	E	1352	ILE
5	E	1481	LEU
5	E	1542	MET
6	J	311	LEU
6	J	382	HIS
6	J	385	ILE
6	J	386	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (45) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	88	GLN
1	A	179	HIS
1	A	284	GLN
1	A	288	GLN
1	A	320	ASN
1	A	374	GLN
1	A	381	GLN
1	A	473	HIS
1	A	550	GLN
1	A	570	GLN
1	A	613	GLN
1	A	625	GLN
1	A	642	ASN
1	A	658	ASN
2	C	753	HIS
2	C	787	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	800	GLN
2	C	876	GLN
2	C	886	GLN
2	C	894	HIS
2	C	909	ASN
2	C	1204	GLN
2	C	1572	ASN
3	B	187	ASN
3	B	305	ASN
3	B	368	ASN
3	B	385	HIS
3	B	459	ASN
3	B	615	GLN
4	D	769	GLN
4	D	869	GLN
4	D	892	HIS
4	D	921	GLN
5	E	1463	ASN
5	E	1502	HIS
5	E	1534	GLN
5	E	1561	HIS
5	E	1570	GLN
5	E	1574	ASN
5	E	1604	ASN
6	J	295	ASN
6	J	392	HIS
6	J	417	ASN
6	J	438	ASN
6	J	460	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	NAG	F	1	2,7	14,14,15	0.82	0	17,19,21	1.73	5 (29%)
7	NAG	F	2	7	14,14,15	0.70	0	17,19,21	1.35	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	F	1	2,7	-	2/6/23/26	0/1/1/1
7	NAG	F	2	7	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	F	2	NAG	C1-O5-C5	3.30	116.66	112.19
7	F	1	NAG	C1-C2-N2	3.27	116.08	110.49
7	F	2	NAG	O5-C1-C2	-3.18	106.27	111.29
7	F	1	NAG	O3-C3-C2	-3.04	103.18	109.47
7	F	1	NAG	C2-N2-C7	2.85	126.96	122.90
7	F	1	NAG	O3-C3-C4	2.83	116.89	110.35
7	F	1	NAG	O5-C1-C2	-2.56	107.25	111.29

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	F	1	NAG	C8-C7-N2-C2
7	F	1	NAG	O7-C7-N2-C2
7	F	2	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	B	1701	3	14,14,15	0.84	1 (7%)	17,19,21	2.19	2 (11%)
8	NAG	E	1701	5	14,14,15	0.74	0	17,19,21	2.74	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	B	1701	3	-	0/6/23/26	0/1/1/1
8	NAG	E	1701	5	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	1701	NAG	C1-C2	2.44	1.56	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	E	1701	NAG	C1-O5-C5	8.11	123.19	112.19
8	B	1701	NAG	C1-O5-C5	8.01	123.04	112.19
8	E	1701	NAG	C2-N2-C7	4.76	129.69	122.90
8	E	1701	NAG	C4-C3-C2	3.84	116.65	111.02
8	B	1701	NAG	C1-C2-N2	2.86	115.37	110.49
8	E	1701	NAG	O7-C7-N2	2.07	125.76	121.95
8	E	1701	NAG	C8-C7-N2	-2.06	112.62	116.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55815. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 235



Y Index: 235




Z Index: 235


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 232



Y Index: 221




Z Index: 241


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 10.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 179 nm^3 ; this corresponds to an approximate mass of 162 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.337 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-55815 and PDB model 9TE1. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 10.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (10).

9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (10) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7560	0.4130
A	0.7890	0.4520
B	0.8450	0.4870
C	0.7280	0.3900
D	0.7510	0.4620
E	0.6700	0.3650
F	0.4640	0.4090
J	0.6940	0.2130

1.0

0.0

<0.0