



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 29, 2026 – 04:12 pm BST

PDB ID : 9TUW / pdb_00009tuw
Title : PfrIPR EGF6 and 7 bound to monoclonal antibody RP.012
Authors : Farrell, B.; Higgins, M.K.
Deposited on : 2026-01-10
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	343	 4% 13% 83%
1	D	343	 2% 13% 5% 80%
2	B	241	 12% 72% 13% 14%
2	E	241	 10% 72% 13% 14%
3	C	234	 17% 80% 9% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	234	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a red segment on the left labeled '16%', a large green segment labeled '79%', a yellow segment labeled '10%', and a grey segment on the far right labeled '10%'.</p>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7553 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Immunoglobulin gamma-1 heavy chain,Rh5-interacting protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	60	482	288	84	99	11	0	0	0
1	D	63	507	304	89	103	11	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	523	MET	-	initiating methionine	UNP P0DOX5
A	524	GLY	-	expression tag	UNP P0DOX5
A	525	TRP	-	expression tag	UNP P0DOX5
A	526	SER	-	expression tag	UNP P0DOX5
A	527	CYS	-	expression tag	UNP P0DOX5
A	528	ILE	-	expression tag	UNP P0DOX5
A	529	ILE	-	expression tag	UNP P0DOX5
A	530	LEU	-	expression tag	UNP P0DOX5
A	531	PHE	-	expression tag	UNP P0DOX5
A	532	LEU	-	expression tag	UNP P0DOX5
A	533	VAL	-	expression tag	UNP P0DOX5
A	534	ALA	-	expression tag	UNP P0DOX5
A	535	THR	-	expression tag	UNP P0DOX5
A	536	ALA	-	expression tag	UNP P0DOX5
A	537	THR	-	expression tag	UNP P0DOX5
A	538	GLY	-	expression tag	UNP P0DOX5
A	539	VAL	-	expression tag	UNP P0DOX5
A	540	HIS	-	expression tag	UNP P0DOX5
A	541	SER	-	expression tag	UNP P0DOX5
A	670	ASN	SER	conflict	UNP P0DOX5
A	713	ASN	TYR	conflict	UNP P0DOX5
A	754	GLY	-	linker	UNP P0DOX5
A	755	GLY	-	linker	UNP P0DOX5
A	756	GLY	-	linker	UNP P0DOX5
A	757	GLY	-	linker	UNP P0DOX5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	758	SER	-	linker	UNP P0DOX5
A	759	GLY	-	linker	UNP P0DOX5
A	760	GLY	-	linker	UNP P0DOX5
A	761	GLY	-	linker	UNP P0DOX5
A	762	SER	-	linker	UNP P0DOX5
A	763	GLU	-	linker	UNP P0DOX5
A	764	ASN	-	linker	UNP P0DOX5
A	765	LEU	-	linker	UNP P0DOX5
A	766	TYR	-	linker	UNP P0DOX5
A	767	PHE	-	linker	UNP P0DOX5
A	768	GLN	-	linker	UNP P0DOX5
A	769	GLY	-	linker	UNP P0DOX5
A	770	SER	-	linker	UNP P0DOX5
A	856	GLY	-	expression tag	UNP O97302
A	857	GLY	-	expression tag	UNP O97302
A	858	THR	-	expression tag	UNP O97302
A	859	GLY	-	expression tag	UNP O97302
A	860	GLY	-	expression tag	UNP O97302
A	861	SER	-	expression tag	UNP O97302
A	862	GLU	-	expression tag	UNP O97302
A	863	PRO	-	expression tag	UNP O97302
A	864	GLU	-	expression tag	UNP O97302
A	865	ALA	-	expression tag	UNP O97302
D	523	MET	-	initiating methionine	UNP P0DOX5
D	524	GLY	-	expression tag	UNP P0DOX5
D	525	TRP	-	expression tag	UNP P0DOX5
D	526	SER	-	expression tag	UNP P0DOX5
D	527	CYS	-	expression tag	UNP P0DOX5
D	528	ILE	-	expression tag	UNP P0DOX5
D	529	ILE	-	expression tag	UNP P0DOX5
D	530	LEU	-	expression tag	UNP P0DOX5
D	531	PHE	-	expression tag	UNP P0DOX5
D	532	LEU	-	expression tag	UNP P0DOX5
D	533	VAL	-	expression tag	UNP P0DOX5
D	534	ALA	-	expression tag	UNP P0DOX5
D	535	THR	-	expression tag	UNP P0DOX5
D	536	ALA	-	expression tag	UNP P0DOX5
D	537	THR	-	expression tag	UNP P0DOX5
D	538	GLY	-	expression tag	UNP P0DOX5
D	539	VAL	-	expression tag	UNP P0DOX5
D	540	HIS	-	expression tag	UNP P0DOX5
D	541	SER	-	expression tag	UNP P0DOX5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	670	ASN	SER	conflict	UNP P0DOX5
D	713	ASN	TYR	conflict	UNP P0DOX5
D	754	GLY	-	linker	UNP P0DOX5
D	755	GLY	-	linker	UNP P0DOX5
D	756	GLY	-	linker	UNP P0DOX5
D	757	GLY	-	linker	UNP P0DOX5
D	758	SER	-	linker	UNP P0DOX5
D	759	GLY	-	linker	UNP P0DOX5
D	760	GLY	-	linker	UNP P0DOX5
D	761	GLY	-	linker	UNP P0DOX5
D	762	SER	-	linker	UNP P0DOX5
D	763	GLU	-	linker	UNP P0DOX5
D	764	ASN	-	linker	UNP P0DOX5
D	765	LEU	-	linker	UNP P0DOX5
D	766	TYR	-	linker	UNP P0DOX5
D	767	PHE	-	linker	UNP P0DOX5
D	768	GLN	-	linker	UNP P0DOX5
D	769	GLY	-	linker	UNP P0DOX5
D	770	SER	-	linker	UNP P0DOX5
D	856	GLY	-	expression tag	UNP O97302
D	857	GLY	-	expression tag	UNP O97302
D	858	THR	-	expression tag	UNP O97302
D	859	GLY	-	expression tag	UNP O97302
D	860	GLY	-	expression tag	UNP O97302
D	861	SER	-	expression tag	UNP O97302
D	862	GLU	-	expression tag	UNP O97302
D	863	PRO	-	expression tag	UNP O97302
D	864	GLU	-	expression tag	UNP O97302
D	865	ALA	-	expression tag	UNP O97302

- Molecule 2 is a protein called RP.012 heavy chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	208	1575	998	262	309	6	0	1	0
2	E	207	1555	988	257	304	6	0	0	0

- Molecule 3 is a protein called RP.012 light chain.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	210	Total 1633	C 1018	N 273	O 334	S 8	0	0	0
3	F	211	Total 1644	C 1024	N 277	O 335	S 8	0	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	12	Total 12	O 12	0	0
4	B	43	Total 43	O 43	0	0
4	C	23	Total 23	O 23	0	0
4	D	16	Total 16	O 16	0	0
4	E	35	Total 35	O 35	0	0
4	F	28	Total 28	O 28	0	0





- Molecule 2: RP.012 heavy chain




- Molecule 2: RP.012 heavy chain




- Molecule 3: RP.012 light chain



- Molecule 3: RP.012 light chain





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	50.16Å 50.98Å 109.78Å 76.82° 83.26° 76.50°	Depositor
Resolution (Å)	48.66 – 2.20 48.66 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.2 (48.66-2.20) 98.2 (48.66-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.31 (at 2.20Å)	Xtrriage
Refinement program	BUSTER 2.10.4 (10-JUL-2024)	Depositor
R, R_{free}	0.241 , 0.256 0.238 , 0.255	Depositor DCC
R_{free} test set	2699 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å ²)	48.1	Xtrriage
Anisotropy	0.343	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 57.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7553	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/486	0.94	0/644
1	D	0.72	0/512	0.98	0/680
2	B	0.70	0/1615	0.92	0/2206
2	E	0.67	0/1595	0.93	0/2179
3	C	0.64	0/1669	0.94	0/2264
3	F	0.64	0/1680	0.94	0/2278
All	All	0.67	0/7557	0.93	0/10251

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	482	0	439	10	0
1	D	507	0	470	12	0
2	B	1575	0	1561	19	0
2	E	1555	0	1544	21	0
3	C	1633	0	1560	11	0
3	F	1644	0	1573	10	0
4	A	12	0	0	0	0
4	B	43	0	0	0	0
4	C	23	0	0	0	0
4	D	16	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	35	0	0	0	0
4	F	28	0	0	0	0
All	All	7553	0	7147	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:167:LYS:HD2	3:C:169:LYS:HZ1	1.18	1.03
3:C:167:LYS:HD2	3:C:169:LYS:NZ	1.78	0.98
3:F:216:ALA:HB3	3:F:225:ILE:HB	1.62	0.82
2:B:103:LEU:HB3	2:B:106:LEU:HD21	1.80	0.64
2:E:103:LEU:HB3	2:E:106:LEU:HD21	1.80	0.63
3:C:167:LYS:CD	3:C:169:LYS:HZ1	2.06	0.60
1:D:787:MET:HB3	1:D:802:LYS:NZ	2.17	0.59
1:D:827:ASN:HB3	1:D:845:LEU:HD13	1.85	0.58
1:D:835:PHE:HD1	2:E:121:PRO:HD2	1.67	0.57
1:A:787:MET:HB3	1:A:802:LYS:NZ	2.20	0.57
3:C:183:TRP:CE2	3:C:195:MET:HG3	2.40	0.55
1:D:786:GLU:OE1	1:D:807:ARG:NH2	2.36	0.55
1:D:835:PHE:CD1	2:E:121:PRO:HD2	2.42	0.55
2:B:145:PRO:HD3	2:B:230:LYS:HD2	1.89	0.54
3:F:183:TRP:CE2	3:F:195:MET:HG3	2.42	0.54
2:E:193:GLN:HG2	3:F:180:LEU:HD13	1.88	0.54
2:E:145:PRO:HD3	2:E:230:LYS:HD2	1.89	0.53
2:E:141:PRO:HB3	2:E:167:TYR:HB3	1.90	0.53
2:E:122:LEU:N	2:E:122:LEU:HD23	2.24	0.53
1:A:834:ASN:HB2	1:A:836:LYS:NZ	2.24	0.53
3:F:57:GLN:HB2	3:F:67:LEU:HD11	1.91	0.53
2:B:60[A]:ARG:HB2	2:B:63:ARG:HB2	1.91	0.52
2:B:141:PRO:HB3	2:B:167:TYR:HB3	1.91	0.52
1:A:808:SER:HB3	1:A:814:ILE:HD13	1.92	0.52
2:E:218:ASN:ND2	2:E:229:ASP:OD2	2.41	0.52
3:C:113:ARG:HH21	3:C:113:ARG:HG3	1.74	0.51
2:E:71:ILE:HD13	2:E:92:VAL:HG13	1.92	0.51
3:C:57:GLN:HB2	3:C:67:LEU:HD11	1.92	0.51
2:B:169:PRO:HD2	2:B:223:ALA:CB	2.41	0.51
2:E:55:HIS:CD2	2:E:122:LEU:HD22	2.46	0.51
2:B:71:ILE:HD13	2:B:92:VAL:HG13	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:32:VAL:HG11	2:E:106:LEU:HD12	1.93	0.51
2:E:169:PRO:HD2	2:E:223:ALA:CB	2.41	0.51
2:E:117:ALA:HB3	2:E:122:LEU:HD13	1.93	0.50
1:D:808:SER:HB3	1:D:814:ILE:HD13	1.94	0.49
2:B:32:VAL:HG11	2:B:106:LEU:HD12	1.94	0.49
2:B:210:TRP:CD1	2:B:211:PRO:HA	2.48	0.49
1:A:835:PHE:CD1	2:B:121:PRO:HD2	2.48	0.48
3:F:113:ARG:HH21	3:F:113:ARG:HG3	1.77	0.48
2:E:210:TRP:CD1	2:E:211:PRO:HA	2.49	0.48
2:B:70:ARG:HD2	2:B:70:ARG:C	2.39	0.47
1:D:833:VAL:O	1:D:836:LYS:HB2	2.14	0.47
1:D:842:LYS:HB2	1:D:845:LEU:HD12	1.97	0.47
2:E:70:ARG:HD2	2:E:70:ARG:C	2.40	0.47
2:E:117:ALA:HB1	2:E:122:LEU:HB3	1.95	0.47
2:B:218:ASN:ND2	2:B:229:ASP:OD2	2.42	0.47
1:A:787:MET:HB3	1:A:802:LYS:HZ3	1.80	0.47
3:C:140:PRO:HD3	3:C:152:VAL:HG22	1.97	0.47
2:B:60[B]:ARG:HB2	2:B:63:ARG:HB2	1.97	0.46
3:F:165:ASN:HB3	3:F:217:THR:HB	1.98	0.45
1:D:836:LYS:HD3	2:E:52:TYR:CZ	2.52	0.45
3:F:140:PRO:HD3	3:F:152:VAL:HG22	1.98	0.45
2:B:22:VAL:HG13	2:B:47:TYR:CD1	2.52	0.44
1:A:847:LYS:HE3	1:A:847:LYS:HB3	1.81	0.43
1:A:835:PHE:HD1	2:B:121:PRO:HD2	1.82	0.43
2:E:24:LEU:HB2	2:E:126:GLY:HA2	2.00	0.43
2:B:210:TRP:CG	2:B:211:PRO:HA	2.53	0.43
3:F:81:ARG:HB2	3:F:96:SER:O	2.19	0.42
3:F:156:LEU:HD13	3:F:195:MET:HE3	2.01	0.42
3:C:81:ARG:HB2	3:C:96:SER:O	2.20	0.42
1:D:836:LYS:HB2	1:D:836:LYS:HE2	1.61	0.42
2:E:210:TRP:CG	2:E:211:PRO:HA	2.54	0.42
2:B:24:LEU:HB2	2:B:126:GLY:HA2	2.02	0.41
3:C:32:SER:HB3	3:C:127:LYS:HE3	2.02	0.41
2:E:50:THR:HA	2:E:73:PRO:HB2	2.02	0.41
1:A:786:GLU:OE2	1:A:807:ARG:NH2	2.48	0.41
3:F:34:THR:HG22	3:F:127:LYS:HB2	2.02	0.41
1:A:815:LEU:HD22	1:A:819:CYS:CB	2.51	0.41
1:D:815:LEU:HD22	1:D:819:CYS:CB	2.51	0.41
3:C:111:TYR:HA	3:C:116:PHE:CD1	2.56	0.41
2:E:22:VAL:HG13	2:E:47:TYR:CD1	2.56	0.41
2:B:55:HIS:CG	2:B:122:LEU:HD11	2.57	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:88:ALA:HA	2:B:102:GLN:O	2.20	0.40
2:B:50:THR:HA	2:B:73:PRO:HB2	2.03	0.40
1:D:834:ASN:HB3	1:D:836:LYS:NZ	2.36	0.40
3:C:59:LYS:HE2	3:C:101:GLU:O	2.21	0.40
1:A:836:LYS:HE2	1:A:836:LYS:HB2	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	54/343 (16%)	53 (98%)	1 (2%)	0	100	100
1	D	59/343 (17%)	57 (97%)	2 (3%)	0	100	100
2	B	205/241 (85%)	202 (98%)	3 (2%)	0	100	100
2	E	203/241 (84%)	201 (99%)	2 (1%)	0	100	100
3	C	208/234 (89%)	203 (98%)	5 (2%)	0	100	100
3	F	209/234 (89%)	203 (97%)	6 (3%)	0	100	100
All	All	938/1636 (57%)	919 (98%)	19 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	58/307 (19%)	53 (91%)	5 (9%)	10	10
1	D	61/307 (20%)	56 (92%)	5 (8%)	10	12
2	B	180/208 (86%)	173 (96%)	7 (4%)	28	39
2	E	178/208 (86%)	169 (95%)	9 (5%)	21	27
3	C	187/209 (90%)	180 (96%)	7 (4%)	30	41
3	F	188/209 (90%)	179 (95%)	9 (5%)	23	30
All	All	852/1448 (59%)	810 (95%)	42 (5%)	22	29

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	798	LYS
1	A	807	ARG
1	A	812	GLU
1	A	834	ASN
1	A	847	LYS
2	B	43	LYS
2	B	86	SER
2	B	102	GLN
2	B	118	ARG
2	B	182	SER
2	B	230	LYS
2	B	231	LYS
3	C	39	VAL
3	C	83	THR
3	C	103	LEU
3	C	124	LEU
3	C	195	MET
3	C	208	ARG
3	C	223	SER
1	D	807	ARG
1	D	812	GLU
1	D	836	LYS
1	D	838	GLU
1	D	848	ASN
2	E	43	LYS
2	E	102	GLN
2	E	109	GLU
2	E	118	ARG
2	E	122	LEU
2	E	137	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	182	SER
2	E	193	GLN
2	E	230	LYS
3	F	32	SER
3	F	39	VAL
3	F	80	ASP
3	F	83	THR
3	F	103	LEU
3	F	124	LEU
3	F	125	GLU
3	F	195	MET
3	F	203	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	21	GLN
2	B	23	GLN
2	B	59	GLN
3	C	58	GLN
1	D	783	ASN
2	E	59	GLN
3	F	58	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	60/343 (17%)	1.30	13 (21%) 2 1	45, 60, 127, 130	0
1	D	63/343 (18%)	1.04	7 (11%) 10 8	45, 58, 103, 108	0
2	B	208/241 (86%)	1.06	28 (13%) 7 5	28, 58, 98, 107	1 (0%)
2	E	207/241 (85%)	1.16	25 (12%) 8 6	44, 61, 79, 88	0
3	C	210/234 (89%)	1.29	39 (18%) 3 2	38, 65, 103, 112	0
3	F	211/234 (90%)	1.35	38 (18%) 3 2	46, 70, 92, 108	0
All	All	959/1636 (58%)	1.21	150 (15%) 5 4	28, 63, 98, 130	1 (0%)

All (150) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	F	215	GLU	5.1
3	C	183	TRP	4.9
3	F	172	GLY	4.4
3	F	216	ALA	4.4
2	E	116	CYS	4.2
3	C	225	ILE	4.2
3	F	180	LEU	4.2
2	B	62	GLY	4.0
3	C	166	VAL	4.0
3	C	119	GLY	3.9
3	F	210	ASN	3.8
2	E	149	VAL	3.6
2	E	23	GLN	3.6
2	B	61	PRO	3.5
2	B	88	ALA	3.5
3	F	163	ASP	3.5
3	C	210	ASN	3.5
1	A	853	CYS	3.4
3	F	103	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	F	78	VAL	3.4
2	B	192	LEU	3.4
3	F	176	GLN	3.3
3	C	229	PHE	3.3
2	B	115	TYR	3.3
1	A	798	LYS	3.2
2	B	160	LEU	3.2
2	E	115	TYR	3.2
2	B	217	CYS	3.1
3	C	163	ASP	3.1
2	E	214	SER	3.1
1	A	834	ASN	3.0
2	B	181	LEU	3.0
3	C	170	ILE	3.0
2	E	226	THR	3.0
3	C	227	LYS	3.0
3	C	209	HIS	3.0
3	F	107	PHE	3.0
3	F	179	VAL	2.9
2	E	62	GLY	2.9
3	C	63	SER	2.9
1	A	782	THR	2.8
1	A	787	MET	2.8
2	B	197	TYR	2.8
3	C	206	TYR	2.8
2	E	88	ALA	2.8
2	B	154	THR	2.8
3	C	168	TRP	2.8
3	C	224	PRO	2.8
1	D	834	ASN	2.8
3	C	146	THR	2.8
2	E	228	VAL	2.8
3	C	228	SER	2.7
1	A	842	LYS	2.7
2	E	136	ALA	2.7
3	C	176	GLN	2.7
1	A	847	LYS	2.7
3	F	76	THR	2.7
3	F	166	VAL	2.7
3	F	178	GLY	2.7
1	A	851	GLY	2.6
3	C	92	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	228	VAL	2.6
1	A	850	LYS	2.6
2	B	116	CYS	2.6
2	E	209	THR	2.6
2	B	215	ILE	2.5
3	F	225	ILE	2.5
1	D	848	ASN	2.5
3	C	230	ASN	2.5
3	F	74	ARG	2.5
2	E	196	LEU	2.5
2	E	133	VAL	2.5
3	C	226	VAL	2.5
1	A	784	PRO	2.5
3	F	140	PRO	2.5
2	E	227	LYS	2.5
2	B	155	GLY	2.5
2	B	210	TRP	2.5
2	E	22	VAL	2.4
3	C	139	PRO	2.4
3	C	124	LEU	2.4
3	F	126	ILE	2.4
2	B	147	ALA	2.4
3	C	145	LEU	2.4
3	F	156	LEU	2.4
3	C	155	PHE	2.4
3	F	95	ILE	2.4
1	D	781	CYS	2.4
2	B	209	THR	2.4
2	E	232	ILE	2.4
3	C	120	SER	2.4
3	F	223	SER	2.4
2	E	155	GLY	2.3
3	F	149	GLY	2.3
3	C	179	VAL	2.3
3	F	183	TRP	2.3
3	C	212	TYR	2.3
1	A	848	ASN	2.3
1	A	781	CYS	2.3
3	C	214	CYS	2.3
3	C	204	ASP	2.3
2	E	105	SER	2.3
3	C	137	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	F	226	VAL	2.3
3	C	172	GLY	2.3
1	D	852	GLU	2.2
2	E	178	SER	2.2
2	B	158	VAL	2.2
3	F	162	LYS	2.2
3	F	227	LYS	2.2
3	C	208	ARG	2.2
3	F	181	ASN	2.2
3	F	202	THR	2.2
3	F	53	VAL	2.2
3	C	21	ASP	2.2
2	E	160	LEU	2.2
3	C	29	LYS	2.2
2	E	222	PRO	2.2
2	B	211	PRO	2.1
3	F	204	ASP	2.2
2	B	233	GLU	2.1
1	D	851	GLY	2.1
2	B	21	GLN	2.1
3	F	77	GLY	2.1
2	B	183	SER	2.1
3	F	222	THR	2.1
3	F	164	ILE	2.1
3	C	175	ARG	2.1
2	E	63	ARG	2.1
3	F	208	ARG	2.1
3	F	155	PHE	2.1
2	B	203	VAL	2.1
3	C	162	LYS	2.1
3	F	228	SER	2.1
3	F	214	CYS	2.1
2	B	60[A]	ARG	2.1
2	B	148	PRO	2.1
3	C	140	PRO	2.1
2	B	232	ILE	2.1
3	C	103	LEU	2.0
2	B	206	THR	2.0
2	E	223	ALA	2.0
3	F	177	ASN	2.0
2	E	193	GLN	2.0
3	C	185	ASP	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	799	CYS	2.0
2	E	217	CYS	2.0
2	B	186	HIS	2.0
1	D	802	LYS	2.0
1	D	847	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.