Full wwPDB X-ray Structure Validation Report ⓘ

Nov 19, 2026 – 03:11 pm GMT

PDB ID	:	9TWD / pdb_00009twd
Title	:	YosL crystal structure
Authors	:	Gallego del Sol, F.; Marina, A.
Deposited on	:	2026-01-14
Resolution	:	2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	117	90% 10%
1	B	117	90% 9% •
1	C	117	2% 87% 13%
1	D	117	% 85% 10% • •
1	E	117	3% 86% 6% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	117	
1	G	117	
1	H	117	
2	I	117	
2	J	117	
2	K	117	
2	L	117	

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 10647 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Endoribonuclease EndoA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	117	Total	C	N	O	S	0	0	0
			915	579	158	175	3			
1	B	117	Total	C	N	O	S	0	0	0
			915	579	158	175	3			
1	C	117	Total	C	N	O	S	0	0	0
			915	579	158	175	3			
1	D	113	Total	C	N	O	S	0	0	0
			893	567	153	170	3			
1	E	108	Total	C	N	O	S	0	0	0
			860	547	148	162	3			
1	F	112	Total	C	N	O	S	0	0	0
			882	561	152	166	3			
1	G	114	Total	C	N	O	S	0	0	0
			890	563	155	169	3			
1	H	105	Total	C	N	O	S	0	0	0
			828	525	145	156	2			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ALA	-	expression tag	UNP P96622
A	48	ALA	THR	engineered mutation	UNP P96622
B	0	ALA	-	expression tag	UNP P96622
B	48	ALA	THR	engineered mutation	UNP P96622
C	0	ALA	-	expression tag	UNP P96622
C	48	ALA	THR	engineered mutation	UNP P96622
D	0	ALA	-	expression tag	UNP P96622
D	48	ALA	THR	engineered mutation	UNP P96622
E	0	ALA	-	expression tag	UNP P96622
E	48	ALA	THR	engineered mutation	UNP P96622
F	0	ALA	-	expression tag	UNP P96622
F	48	ALA	THR	engineered mutation	UNP P96622
G	0	ALA	-	expression tag	UNP P96622

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	48	ALA	THR	engineered mutation	UNP P96622
H	0	ALA	-	expression tag	UNP P96622
H	48	ALA	THR	engineered mutation	UNP P96622

- Molecule 2 is a protein called SPbeta prophage-derived uncharacterized protein YosL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	108	Total	C	N	O	S	0	0	0
			856	538	140	175	3			
2	J	110	Total	C	N	O	S	7	0	0
			872	547	145	177	3			
2	K	102	Total	C	N	O	S	0	0	0
			806	509	128	166	3			
2	L	107	Total	C	N	O	S	0	0	0
			852	536	139	174	3			

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	31	Total	O	0	0
			31	31		
3	B	32	Total	O	0	0
			32	32		
3	C	20	Total	O	0	0
			20	20		
3	D	13	Total	O	0	0
			13	13		
3	E	9	Total	O	0	0
			9	9		
3	F	12	Total	O	0	0
			12	12		
3	G	8	Total	O	0	0
			8	8		
3	H	7	Total	O	0	0
			7	7		
3	I	4	Total	O	0	0
			4	4		
3	J	16	Total	O	0	0
			16	16		
3	K	8	Total	O	0	0
			8	8		
3	L	3	Total	O	0	0
			3	3		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Endoribonuclease EndoA

Chain A:




• Molecule 1: Endoribonuclease EndoA

Chain B:




• Molecule 1: Endoribonuclease EndoA

Chain C:




• Molecule 1: Endoribonuclease EndoA

Chain D:




• Molecule 1: Endoribonuclease EndoA


Chain E:



• Molecule 1: Endoribonuclease EndoA

Chain F:






• Molecule 1: Endoribonuclease EndoA

Chain G:






• Molecule 1: Endoribonuclease EndoA

Chain H:






• Molecule 2: SPbeta prophage-derived uncharacterized protein YosL

Chain I:






• Molecule 2: SPbeta prophage-derived uncharacterized protein YosL

Chain J:






• Molecule 2: SPbeta prophage-derived uncharacterized protein YosL

Chain K:






• Molecule 2: SPbeta prophage-derived uncharacterized protein YosL

Chain L:





ASN
ASP

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	108.50Å 110.42Å 148.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	88.55 – 2.70 88.55 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (88.55-2.70) 100.0 (88.55-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.49 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.8.0431	Depositor
R, R_{free}	0.209 , 0.243 0.210 , 0.245	Depositor DCC
R_{free} test set	2365 reflections (4.77%)	wwPDB-VP
Wilson B-factor (Å^2)	58.6	Xtriage
Anisotropy	0.255	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 42.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	10647	wwPDB-VP
Average B, all atoms (Å^2)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.83% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.63	0/926	1.07	1/1250 (0.1%)
1	B	0.64	0/926	1.06	0/1250
1	C	0.59	0/926	0.99	0/1250
1	D	0.60	0/903	1.02	0/1218
1	E	0.59	0/870	1.01	0/1173
1	F	0.63	0/892	1.05	0/1203
1	G	0.58	0/900	1.03	0/1216
1	H	0.61	0/837	1.07	0/1130
2	I	0.54	0/870	1.09	0/1177
2	J	0.61	0/886	1.17	2/1198 (0.2%)
2	K	0.55	0/818	1.15	0/1106
2	L	0.57	0/866	1.16	0/1172
All	All	0.60	0/10620	1.07	3/14343 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
1	D	0	2
2	I	0	1
2	J	0	1
All	All	0	6

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	J	52	GLN	N-CA-C	-5.71	106.31	113.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	78	GLU	N-CA-C	-5.17	106.65	113.17
2	J	50	ASP	CA-CB-CG	5.06	117.66	112.60

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	81	ARG	Sidechain
1	C	66	ARG	Sidechain
1	D	81	ARG	Sidechain
1	D	87	ARG	Sidechain
2	I	6	ARG	Sidechain
2	J	6	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	915	0	944	10	0
1	B	915	0	944	10	0
1	C	915	0	944	17	0
1	D	893	0	924	10	0
1	E	860	0	892	7	0
1	F	882	0	916	6	0
1	G	890	0	926	16	0
1	H	828	0	859	23	0
2	I	856	0	834	19	0
2	J	872	0	852	14	0
2	K	806	0	784	34	0
2	L	852	0	831	25	0
3	A	31	0	0	0	0
3	B	32	0	0	0	0
3	C	20	0	0	0	0
3	D	13	0	0	0	0
3	E	9	0	0	0	0
3	F	12	0	0	0	0
3	G	8	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	7	0	0	0	0
3	I	4	0	0	0	0
3	J	16	0	0	0	0
3	K	8	0	0	0	0
3	L	3	0	0	0	0
All	All	10647	0	10650	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:38:PHE:CZ	1:H:109:ILE:HD11	1.72	1.23
2:K:76:GLU:HG3	2:L:68:PRO:HG3	1.37	1.03
1:C:38:PHE:CZ	1:H:109:ILE:CD1	2.49	0.95
1:A:14:SER:HB3	1:A:22:GLY:H	1.33	0.92
1:C:38:PHE:CE2	1:H:109:ILE:HD11	2.07	0.91
1:C:38:PHE:HZ	1:H:109:ILE:HD11	1.30	0.89
1:C:57:PRO:HG3	2:L:78:MET:HE2	1.56	0.87
1:G:16:VAL:HG13	1:G:21:GLN:HB3	1.58	0.84
1:C:38:PHE:CE2	1:H:109:ILE:CD1	2.61	0.83
1:H:51:ILE:HG13	1:H:74:VAL:HG11	1.61	0.82
1:H:51:ILE:CG1	1:H:74:VAL:HG11	2.15	0.77
1:H:51:ILE:CD1	1:H:74:VAL:HG11	2.16	0.75
2:K:76:GLU:HG3	2:L:68:PRO:CG	2.16	0.73
1:C:14:SER:HB3	1:C:21:GLN:HB2	1.71	0.73
1:C:79:GLN:OE1	1:C:81:ARG:NH2	2.22	0.73
1:D:79:GLN:OE1	1:D:81:ARG:NH1	2.22	0.72
1:B:14:SER:O	1:B:87:ARG:NH1	2.23	0.71
1:G:16:VAL:HG11	1:G:21:GLN:O	1.93	0.69
2:K:17:LYS:HA	2:K:50:ASP:OD2	1.94	0.68
1:B:81:ARG:HD2	2:J:96:PHE:CD1	2.29	0.68
1:H:51:ILE:HG13	1:H:74:VAL:CG1	2.24	0.67
1:H:51:ILE:HD11	1:H:74:VAL:HG11	1.75	0.66
1:C:116:PHE:CD1	2:L:78:MET:HE1	2.31	0.66
1:C:13:LEU:HD11	1:C:25:ARG:HD2	1.78	0.66
1:G:14:SER:O	1:G:87:ARG:NH1	2.30	0.64
1:A:66:ARG:O	1:D:91:LYS:HD3	1.98	0.64
1:H:61:GLU:O	1:H:99:MET:HE1	1.98	0.64
2:K:19:ILE:HA	2:L:14:VAL:HG22	1.80	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:SER:HB3	1:A:22:GLY:N	2.10	0.63
1:G:22:GLY:O	1:G:25:ARG:NH1	2.31	0.63
1:C:38:PHE:CE2	1:H:109:ILE:HD13	2.34	0.62
1:D:81:ARG:HD2	2:I:96:PHE:CD1	2.35	0.62
2:L:33:LEU:HD11	2:L:39:PHE:HB2	1.81	0.62
2:K:41:VAL:HG22	2:K:57:VAL:CG2	2.30	0.61
2:L:74:LEU:HG	2:L:78:MET:HE3	1.82	0.61
2:I:6:ARG:HH21	2:I:6:ARG:HG3	1.65	0.60
2:K:19:ILE:HB	2:K:51:GLN:HG2	1.83	0.60
2:K:76:GLU:CG	2:L:68:PRO:HG3	2.24	0.60
1:G:67:TYR:CZ	1:G:99:MET:HG3	2.37	0.59
2:K:14:VAL:HG12	2:L:18:ASN:O	2.04	0.58
2:K:108:THR:HA	2:K:111:ILE:HG12	1.86	0.58
1:A:91:LYS:HD3	1:D:66:ARG:O	2.03	0.58
1:G:16:VAL:CG1	1:G:21:GLN:HB3	2.34	0.57
2:I:80:GLN:O	2:I:84:GLU:HG3	2.05	0.57
1:F:62:ILE:HG12	1:F:99:MET:HE3	1.86	0.57
2:L:49:THR:HG23	2:L:55:GLN:HG2	1.87	0.56
2:I:108:THR:HA	2:I:111:ILE:HG12	1.86	0.56
2:I:15:LYS:HD3	2:I:17:LYS:HE3	1.88	0.56
2:K:50:ASP:HB2	2:K:54:ASN:O	2.06	0.55
1:E:51:ILE:HD13	2:J:111:ILE:HG23	1.88	0.55
1:A:77:LEU:HD12	1:A:107:LEU:HD13	1.88	0.55
1:G:108:GLN:HB3	1:G:114:ILE:HG13	1.89	0.55
2:K:15:LYS:HG2	2:K:17:LYS:H	1.71	0.55
2:I:25:ALA:O	2:I:43:LYS:O	2.25	0.55
1:C:13:LEU:CD1	1:C:25:ARG:HD2	2.37	0.54
1:B:10:PHE:HB3	1:B:24:VAL:CG1	2.37	0.54
1:F:38:PHE:HZ	2:K:8:ASP:HB2	1.73	0.53
2:K:14:VAL:HG23	2:K:19:ILE:CG1	2.38	0.53
2:L:33:LEU:CD1	2:L:39:PHE:HB2	2.38	0.53
2:K:16:LYS:HD2	2:K:52:GLN:HE21	1.74	0.53
1:B:81:ARG:NH2	2:J:100:GLU:OE2	2.38	0.52
1:C:81:ARG:NH1	2:L:100:GLU:OE2	2.42	0.52
1:D:10:PHE:HB3	1:D:24:VAL:CG1	2.40	0.52
1:H:81:ARG:HH21	2:I:104:GLU:CD	2.18	0.52
2:L:51:GLN:CD	2:L:51:GLN:H	2.18	0.52
1:H:37:ARG:HD2	1:H:38:PHE:CE2	2.45	0.51
1:B:79:GLN:OE1	1:B:81:ARG:NH1	2.39	0.51
2:K:8:ASP:OD1	2:K:10:THR:HG22	2.11	0.51
1:A:81:ARG:HD2	2:K:96:PHE:CD1	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:14:VAL:HG12	2:L:19:ILE:HA	1.93	0.51
1:G:79:GLN:HG3	3:G:204:HOH:O	2.11	0.50
2:I:19:ILE:HA	2:J:14:VAL:HG22	1.92	0.50
1:A:79:GLN:OE1	1:A:81:ARG:NH2	2.35	0.50
1:H:14:SER:O	1:H:25:ARG:NH1	2.44	0.50
1:E:51:ILE:HG23	2:J:111:ILE:HG22	1.94	0.49
1:A:1:MET:O	1:A:85:LYS:HE3	2.12	0.49
1:B:87:ARG:HH21	2:J:102:GLU:CD	2.20	0.49
2:J:59:LEU:HB2	2:J:62:ASN:ND2	2.27	0.49
2:K:73:SER:HB3	2:K:76:GLU:HB2	1.94	0.49
1:B:1:MET:HE3	1:C:65:LYS:HE2	1.95	0.49
2:I:33:LEU:HB2	2:I:35:ASP:OD1	2.12	0.49
2:L:81:GLY:HA2	2:L:84:GLU:HG2	1.95	0.49
1:H:81:ARG:HB2	2:I:100:GLU:OE2	2.13	0.48
1:H:81:ARG:HB2	2:I:100:GLU:CD	2.38	0.48
1:A:15:PRO:HA	2:K:98:TYR:CE1	2.49	0.48
2:K:16:LYS:HB2	2:K:52:GLN:HG2	1.96	0.47
1:B:62:ILE:HG22	1:B:73:SER:HB2	1.95	0.47
1:F:38:PHE:CZ	2:K:8:ASP:HB2	2.49	0.47
1:F:70:GLU:HG3	1:F:71:ARG:HG3	1.95	0.47
2:L:17:LYS:HA	2:L:17:LYS:HD3	1.71	0.46
1:A:81:ARG:NH1	2:K:100:GLU:OE2	2.48	0.46
2:K:16:LYS:CD	2:K:52:GLN:HE21	2.28	0.46
1:E:77:LEU:HD12	1:E:107:LEU:HD13	1.98	0.46
1:H:77:LEU:HD12	1:H:107:LEU:HD13	1.98	0.46
1:E:67:TYR:CZ	1:E:99:MET:HG3	2.51	0.46
1:C:81:ARG:HD2	2:L:96:PHE:CD2	2.51	0.46
1:F:39:SER:HB2	2:K:82:TYR:CD1	2.51	0.46
2:J:107:THR:O	2:J:111:ILE:HG12	2.15	0.46
1:E:66:ARG:NH2	1:E:67:TYR:OH	2.48	0.45
1:H:66:ARG:HH11	1:H:66:ARG:HG3	1.82	0.45
2:K:20:ILE:HD13	2:K:66:TYR:HE2	1.81	0.45
2:K:14:VAL:HG21	2:L:14:VAL:HG21	1.98	0.45
2:K:14:VAL:HG23	2:K:19:ILE:HD11	1.98	0.45
1:D:77:LEU:HD12	1:D:107:LEU:HD13	1.98	0.45
1:G:77:LEU:HD12	1:G:107:LEU:HD13	1.99	0.45
2:L:85:MET:HB3	2:L:85:MET:HE3	1.76	0.45
1:C:61:GLU:O	1:C:99:MET:HE1	2.17	0.44
1:G:66:ARG:NH2	1:G:96:ASP:OD2	2.50	0.44
2:K:16:LYS:HB3	2:K:51:GLN:HB2	1.99	0.44
1:G:14:SER:HA	1:G:15:PRO:C	2.43	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:77:LEU:HD12	1:C:107:LEU:HD13	1.99	0.44
1:H:81:ARG:NH2	2:I:104:GLU:OE2	2.51	0.44
2:K:8:ASP:HA	2:K:9:PRO:HD2	1.91	0.43
1:E:51:ILE:CG2	2:J:111:ILE:HG22	2.48	0.43
1:H:50:GLN:OE1	1:H:50:GLN:N	2.52	0.43
1:H:62:ILE:HG12	1:H:99:MET:CE	2.47	0.43
1:F:77:LEU:HD12	1:F:107:LEU:HD13	2.00	0.43
1:D:38:PHE:CG	1:G:57:PRO:HB3	2.54	0.43
1:E:81:ARG:HB2	2:J:100:GLU:CD	2.43	0.42
2:L:51:GLN:HG2	2:L:52:GLN:N	2.34	0.42
2:I:105:THR:HG22	2:I:109:LYS:HE2	2.01	0.42
2:K:41:VAL:HG22	2:K:57:VAL:HG21	2.02	0.42
1:D:1:MET:O	1:D:85:LYS:HE3	2.19	0.42
1:D:81:ARG:CD	2:I:96:PHE:CD1	3.03	0.42
2:I:14:VAL:HG12	2:J:19:ILE:HA	2.01	0.42
2:L:6:ARG:HD2	2:L:6:ARG:HA	1.80	0.42
2:K:85:MET:HE3	2:K:85:MET:HB3	1.82	0.42
1:D:81:ARG:NH2	2:I:100:GLU:OE2	2.53	0.41
1:H:62:ILE:HG12	1:H:99:MET:HE2	2.01	0.41
2:J:50:ASP:OD1	2:J:54:ASN:N	2.53	0.41
1:G:1:MET:O	1:G:85:LYS:HE3	2.20	0.41
1:B:1:MET:O	1:B:85:LYS:HE3	2.19	0.41
2:L:8:ASP:HA	2:L:9:PRO:HD2	1.97	0.41
1:G:67:TYR:OH	1:G:99:MET:HG3	2.20	0.41
2:J:31:ILE:CG2	2:J:41:VAL:HG21	2.51	0.41
1:B:77:LEU:HD12	1:B:107:LEU:HD13	2.02	0.41
1:G:61:GLU:O	1:G:99:MET:HE1	2.21	0.41
2:I:16:LYS:HE3	2:J:67:VAL:HG21	2.03	0.41
2:L:73:SER:O	2:L:77:SER:N	2.45	0.41
2:K:9:PRO:HA	2:L:22:PHE:O	2.21	0.40
2:K:28:ASN:HB2	2:K:42:LEU:HA	2.03	0.40
1:G:50:GLN:OE1	1:G:50:GLN:N	2.53	0.40
2:I:32:HIS:HA	2:I:37:GLN:O	2.21	0.40
2:I:48:ALA:O	2:I:55:GLN:HA	2.20	0.40
2:K:14:VAL:CG2	2:K:19:ILE:CG1	3.00	0.40
2:L:53:GLY:O	2:L:55:GLN:HG3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
1	B	115/117 (98%)	113 (98%)	2 (2%)	0	100	100
1	C	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
1	D	109/117 (93%)	105 (96%)	4 (4%)	0	100	100
1	E	104/117 (89%)	102 (98%)	2 (2%)	0	100	100
1	F	108/117 (92%)	106 (98%)	2 (2%)	0	100	100
1	G	112/117 (96%)	109 (97%)	3 (3%)	0	100	100
1	H	101/117 (86%)	98 (97%)	3 (3%)	0	100	100
2	I	106/117 (91%)	104 (98%)	2 (2%)	0	100	100
2	J	108/117 (92%)	106 (98%)	2 (2%)	0	100	100
2	K	98/117 (84%)	96 (98%)	2 (2%)	0	100	100
2	L	105/117 (90%)	104 (99%)	1 (1%)	0	100	100
All	All	1296/1404 (92%)	1267 (98%)	29 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	100/100 (100%)	100 (100%)	0	100	100
1	B	100/100 (100%)	99 (99%)	1 (1%)	68	86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	C	100/100 (100%)	100 (100%)	0	100 100
1	D	99/100 (99%)	98 (99%)	1 (1%)	68 86
1	E	95/100 (95%)	95 (100%)	0	100 100
1	F	97/100 (97%)	97 (100%)	0	100 100
1	G	98/100 (98%)	97 (99%)	1 (1%)	68 86
1	H	91/100 (91%)	91 (100%)	0	100 100
2	I	95/100 (95%)	95 (100%)	0	100 100
2	J	96/100 (96%)	95 (99%)	1 (1%)	68 86
2	K	90/100 (90%)	90 (100%)	0	100 100
2	L	95/100 (95%)	94 (99%)	1 (1%)	65 85
All	All	1156/1200 (96%)	1151 (100%)	5 (0%)	84 93

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	62	ILE
1	D	53	LYS
1	G	114	ILE
2	J	5	ARG
2	L	37	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	B	31	GLN
1	C	31	GLN
1	C	86	GLN
1	D	31	GLN
1	E	31	GLN
1	F	31	GLN
1	G	31	GLN
1	G	79	GLN
2	I	52	GLN
2	I	55	GLN
2	I	97	ASN
2	J	37	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	J	52	GLN
2	J	62	ASN
2	J	97	ASN
2	K	51	GLN
2	K	52	GLN
2	K	80	GLN
2	K	101	ASN
2	L	32	HIS
2	L	97	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	117/117 (100%)	-0.48	0	100	100	34, 44, 62, 75	0
1	B	117/117 (100%)	-0.40	0	100	100	31, 45, 66, 96	0
1	C	117/117 (100%)	-0.07	2 (1%)	69	67	38, 55, 85, 121	0
1	D	113/117 (96%)	-0.01	1 (0%)	81	80	37, 56, 95, 118	0
1	E	108/117 (92%)	-0.08	3 (2%)	55	51	35, 57, 112, 131	0
1	F	112/117 (95%)	0.21	6 (5%)	31	27	35, 61, 114, 128	0
1	G	114/117 (97%)	0.29	5 (4%)	39	35	41, 68, 114, 127	0
1	H	105/117 (89%)	0.13	3 (2%)	53	50	42, 66, 91, 110	0
2	I	108/117 (92%)	0.34	4 (3%)	45	41	52, 75, 105, 114	0
2	J	110/117 (94%)	0.07	3 (2%)	56	53	35, 66, 88, 103	1 (0%)
2	K	102/117 (87%)	0.68	9 (8%)	15	13	43, 93, 116, 126	0
2	L	107/117 (91%)	0.74	7 (6%)	25	22	50, 100, 129, 149	0
All	All	1330/1404 (94%)	0.11	43 (3%)	50	46	31, 62, 112, 149	1 (0%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	55	LYS	4.5
2	J	4	ALA	4.2
2	L	69	VAL	3.5
1	F	18	GLY	3.5
1	H	55	LYS	3.4
2	I	32	HIS	3.4
1	C	23	GLY	3.3
2	K	24	VAL	3.3
2	L	24	VAL	3.2
2	K	32	HIS	3.2
1	E	67	TYR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	53	LYS	3.0
1	F	23	GLY	3.0
2	J	113	GLY	2.8
1	F	16	VAL	2.7
2	I	7	ILE	2.7
1	E	69	PHE	2.5
1	F	17	VAL	2.5
2	K	7	ILE	2.4
1	F	54	ALA	2.4
2	I	38	SER	2.4
1	F	67	TYR	2.3
2	L	50	ASP	2.3
2	K	12	PRO	2.3
1	G	114	ILE	2.3
1	H	114	ILE	2.3
1	G	50	GLN	2.3
1	G	67	TYR	2.3
2	K	113	GLY	2.3
1	H	23	GLY	2.3
1	E	50	GLN	2.2
2	K	22	PHE	2.2
2	L	63	LEU	2.2
1	D	20	GLU	2.1
2	I	25	ALA	2.1
2	K	28	ASN	2.1
2	L	19	ILE	2.1
2	J	7	ILE	2.1
2	L	26	THR	2.0
2	K	30	HIS	2.0
2	L	6	ARG	2.0
1	C	0	ALA	2.0
2	K	8	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.