Full wwPDB X-ray Structure Validation Report ⓘ

Oct 28, 2026 – 06:27 PM JST

PDB ID	:	9UIV / pdb_00009uiv
Title	:	Plasmodium vivax cytoplasmic Phenylalanyl-tRNA synthetase in complex with Phenylalanine in space group P21212 at 2.19 A
Authors	:	Mutharasappan, N.; Manickam, Y.; Sharma, A.
Deposited on	:	2025-04-16
Resolution	:	2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	304	16% 81% 18%
2	B	618	11% 85% 15%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 7541 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phenylalanine–tRNA ligase alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	2	0
			2485	1606	419	448	12			


- Molecule 2 is a protein called Phenylalanine–tRNA ligase beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	616	Total	C	N	O	S	0	0	0
			4877	3123	792	930	32			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP A5K464
B	1	GLY	-	expression tag	UNP A5K464

- Molecule 3 is PHENYLALANINE (CCD ID: PHE) (formula: $C_9H_{11}NO_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 12 9 1 2	0	0


- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cl 1 1	0	0
4	B	1	Total Cl 1 1	0	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Mg 1 1	0	0

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total O S 5 4 1	0	0

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	B	1	Total C O 6 3 3	0	0
7	B	1	Total C O 6 3 3	0	0

- Molecule 8 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	43	Total O 47 47	0	4
8	B	99	Total O 100 100	0	1


3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Phenylalanine–tRNA ligase alpha subunit


Chain A:






• Molecule 2: Phenylalanine–tRNA ligase beta subunit

Chain B:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α, β, γ	136.24Å 73.99Å 120.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	63.11 – 2.19 63.11 – 2.19	Depositor EDS
% Data completeness (in resolution range)	97.5 (63.11-2.19) 97.5 (63.11-2.19)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.48 (at 2.18Å)	Xtriage
Refinement program	PHENIX (1.21.2_5419: ???)	Depositor
R, R_{free}	0.218 , 0.257 0.220 , 0.260	Depositor DCC
R_{free} test set	3085 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å^2)	58.2	Xtriage
Anisotropy	0.317	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.31 , 51.6	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	7541	wwPDB-VP
Average B, all atoms (Å^2)	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.53% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GOL, MG, CME, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.33	0/2557	0.42	0/3452
2	B	0.27	0/4950	0.43	0/6707
All	All	0.29	0/7507	0.42	0/10159

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2485	0	2405	48	0
2	B	4877	0	4724	54	0
3	A	12	0	8	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	B	1	0	0	0	0
6	B	5	0	0	0	0
7	B	12	0	16	1	0
8	A	47	0	0	1	0
8	B	100	0	0	1	0
All	All	7541	0	7153	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:LEU:HD21	1:A:559:ILE:HG21	1.57	0.87
1:A:464:ASP:HB3	1:A:467:LEU:HD21	1.67	0.75
1:A:347:HIS:ND1	1:A:348:PRO:HD2	2.04	0.73
1:A:276:ILE:HG23	2:B:589:PRO:HB3	1.70	0.72
1:A:397:LEU:O	1:A:400:THR:HG22	1.91	0.71
2:B:148:ILE:HD13	2:B:259:ILE:HD11	1.72	0.70
1:A:522:ILE:HG13	1:A:540:ILE:HG22	1.72	0.70
2:B:423:HIS:HA	2:B:439:LEU:HD12	1.74	0.69
1:A:347:HIS:CG	1:A:348:PRO:HD2	2.29	0.66
2:B:150:ILE:HG22	2:B:233:ILE:HD11	1.77	0.66
1:A:347:HIS:CE1	1:A:348:PRO:HD2	2.33	0.64
2:B:323:VAL:HG11	2:B:342:PHE:CE1	2.36	0.61
1:A:534:PRO:O	1:A:537:VAL:HG22	2.02	0.59
2:B:356:PHE:HA	2:B:359:ILE:HD12	1.85	0.58
2:B:59:VAL:HG22	2:B:134:LYS:HB3	1.85	0.57
1:A:452:LEU:HD21	1:A:559:ILE:CG2	2.31	0.56
2:B:421:ARG:HD2	2:B:439:LEU:HD21	1.86	0.55
2:B:114:VAL:HB	2:B:274:HIS:HB2	1.87	0.55
2:B:444:GLN:HE22	7:B:703:GOL:H12	1.72	0.55
1:A:472:LEU:HD13	1:A:540:ILE:HB	1.88	0.55
2:B:460:LEU:O	2:B:464:MET:HG2	2.07	0.55
1:A:548:ARG:HB3	1:A:549:PRO:HD3	1.89	0.54
1:A:533:PHE:HB3	1:A:537:VAL:HG21	1.89	0.54
2:B:280:TYR:HD1	2:B:284:HIS:ND1	2.05	0.54
1:A:347:HIS:CG	1:A:348:PRO:CD	2.90	0.54
1:A:551:MET:SD	1:A:559:ILE:HG13	2.49	0.52
2:B:557:VAL:HG13	2:B:571:ASP:HB2	1.92	0.52
1:A:316:VAL:HG11	1:A:479:PHE:CD2	2.44	0.52
2:B:344:VAL:HG11	2:B:359:ILE:HD13	1.92	0.51
2:B:407:ASN:O	2:B:463:ASN:ND2	2.42	0.51
1:A:346:GLN:O	2:B:251:LYS:NZ	2.44	0.51
2:B:255:ALA:O	2:B:259:ILE:HG13	2.10	0.51
1:A:533:PHE:HB3	1:A:537:VAL:CG2	2.41	0.51
1:A:380:VAL:HG11	1:A:526:GLU:HB3	1.94	0.50
1:A:469:LEU:HD11	1:A:500:PRO:HB2	1.92	0.50
1:A:335:PHE:HB2	1:A:400:THR:OG1	2.12	0.49
1:A:349:SER:HB2	1:A:496:PRO:HG3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353:GLN:HG2	1:A:443:ARG:CZ	2.43	0.49
1:A:477:SER:HA	1:A:488:LEU:HD11	1.94	0.49
1:A:366:GLU:OE1	1:A:401:LYS:NZ	2.26	0.49
8:A:701:HOH:O	2:B:141:LYS:NZ	2.41	0.49
1:A:316:VAL:HG11	1:A:479:PHE:HD2	1.78	0.48
1:A:519:ASN:HB3	3:A:601:PHE:HB3	1.95	0.48
1:A:525:PRO:HG3	2:B:355:HIS:CE1	2.48	0.48
2:B:157:ASN:O	2:B:214:ASP:HB2	2.14	0.48
2:B:110:VAL:HA	2:B:244:CYS:O	2.14	0.47
2:B:105:GLU:HA	2:B:108:SER:OG	2.14	0.47
2:B:330:MET:HE3	2:B:366:ALA:HB2	1.96	0.47
1:A:458:VAL:HB	1:A:544:LEU:HG	1.97	0.47
2:B:150:ILE:HG23	2:B:242:ILE:CD1	2.45	0.47
2:B:426:TYR:CE2	2:B:441:PRO:HB2	2.49	0.47
2:B:175:LEU:HD12	2:B:229:ASP:HA	1.96	0.46
2:B:60:CYS:HB3	2:B:131:LEU:HD13	1.97	0.46
1:A:325:MET:HG3	1:A:435:PHE:HB3	1.98	0.46
2:B:361:GLU:O	2:B:365:ILE:HG13	2.16	0.46
2:B:214:ASP:OD2	2:B:218:GLN:HB3	2.16	0.45
1:A:467:LEU:HD12	1:A:471:HIS:CG	2.52	0.44
1:A:343:ILE:HG12	1:A:496:PRO:HB2	2.00	0.44
1:A:376:ASN:O	1:A:380:VAL:HG23	2.18	0.44
1:A:522:ILE:HG21	2:B:312:LEU:HD11	2.00	0.44
2:B:97:MET:HB2	2:B:276:PHE:HE1	1.83	0.44
1:A:487:LYS:HA	1:A:487:LYS:HD2	1.49	0.43
1:A:397:LEU:HA	1:A:400:THR:HG22	1.99	0.43
2:B:130:GLU:O	2:B:134:LYS:HG2	2.19	0.43
2:B:310:ARG:NH2	2:B:318:LEU:O	2.49	0.43
2:B:111:VAL:HG23	2:B:256:VAL:HG21	2.01	0.43
2:B:66:ARG:HH21	2:B:265:GLU:HG3	1.84	0.43
1:A:351:ASP:N	1:A:351:ASP:OD1	2.51	0.43
2:B:151:HIS:HB3	2:B:231:THR:HB	2.00	0.43
2:B:450:THR:HG22	2:B:452:GLU:HG2	2.00	0.42
1:A:273:TYR:HD2	1:A:273:TYR:H	1.67	0.42
1:A:430:ILE:HG21	1:A:537:VAL:HG12	2.00	0.42
1:A:268:ILE:HG23	1:A:284:TYR:HD2	1.84	0.42
1:A:316:VAL:HG22	1:A:482:TYR:CD1	2.55	0.42
2:B:121:ASN:OD1	2:B:121:ASN:N	2.52	0.42
1:A:268:ILE:CG2	1:A:284:TYR:HD2	2.32	0.42
1:A:559:ILE:HD12	1:A:559:ILE:H	1.85	0.42
2:B:102:SER:HB2	2:B:164:PHE:HB2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:174:PRO:O	2:B:229:ASP:HB2	2.20	0.42
1:A:270:ASP:OD1	1:A:271:LEU:N	2.49	0.41
2:B:75:TYR:CE1	2:B:331:MET:HA	2.55	0.41
2:B:405:MET:HE3	2:B:405:MET:HB3	1.85	0.41
2:B:120:MET:HE2	2:B:120:MET:HB2	1.98	0.41
1:A:283:LYS:HA	1:A:283:LYS:HD3	1.66	0.41
2:B:268:THR:HB	2:B:269:PRO:HD3	2.02	0.41
2:B:416:TYR:CZ	2:B:423:HIS:HB3	2.56	0.41
2:B:64:LEU:O	2:B:68:LEU:HG	2.20	0.41
2:B:126:ASN:HA	2:B:129:ILE:HG22	2.03	0.41
1:A:287:LYS:O	2:B:568:ARG:NH1	2.51	0.41
2:B:304:CYS:HB2	2:B:356:PHE:CD1	2.56	0.41
2:B:24:LEU:HD12	2:B:24:LEU:HA	1.84	0.41
1:A:469:LEU:HD12	1:A:522:ILE:HD13	2.03	0.40
2:B:403:GLU:HB2	2:B:481:PHE:CZ	2.56	0.40
2:B:493:ARG:NH2	8:B:816:HOH:O	2.54	0.40
1:A:371:GLN:O	1:A:375:GLU:HG2	2.21	0.40
2:B:67:ALA:HA	2:B:331:MET:SD	2.61	0.40
2:B:338:ASP:CB	2:B:341:THR:HB	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/304 (100%)	294 (97%)	10 (3%)	0	100	100
2	B	612/618 (99%)	596 (97%)	16 (3%)	0	100	100
All	All	916/922 (99%)	890 (97%)	26 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	266/279 (95%)	263 (99%)	3 (1%)	65 79
2	B	528/570 (93%)	523 (99%)	5 (1%)	70 84
All	All	794/849 (94%)	786 (99%)	8 (1%)	68 81

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	408	HIS
1	A	452	LEU
1	A	488	LEU
2	B	23	LYS
2	B	84	THR
2	B	213	VAL
2	B	345	ASP
2	B	557	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	353	GLN
1	A	408	HIS
1	A	425	GLN
1	A	457	GLN
2	B	77	ASN
2	B	176	ASN
2	B	444	GLN
2	B	473	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	CME	B	575	2	8,9,10	0.59	0	5,9,11	2.47	2 (40%)
2	CME	B	418	2	8,9,10	0.47	0	5,9,11	1.32	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CME	B	575	2	-	2/5/8/10	-
2	CME	B	418	2	-	2/5/8/10	-

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	575	CME	CE-SD-SG	4.65	124.88	103.45
2	B	575	CME	CB-SG-SD	-2.51	97.33	103.82
2	B	418	CME	CE-SD-SG	2.35	114.26	103.45

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	575	CME	CZ-CE-SD-SG
2	B	575	CME	SD-CE-CZ-OH
2	B	418	CME	CZ-CE-SD-SG
2	B	418	CME	CA-CB-SG-SD

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	PHE	A	601	-	11,12,12	0.72	1 (9%)	14,15,15	0.88	2 (14%)
7	GOL	B	705	-	5,5,5	0.21	0	5,5,5	0.24	0
6	SO4	B	702	-	4,4,4	0.61	0	6,6,6	0.08	0
7	GOL	B	703	-	5,5,5	0.18	0	5,5,5	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PHE	A	601	-	-	1/8/8/8	0/1/1/1
7	GOL	B	705	-	-	0/4/4/4	-
7	GOL	B	703	-	-	2/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	PHE	OXT-C	-2.15	1.23	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	601	PHE	OXT-C-O	-2.30	118.86	124.09
3	A	601	PHE	OXT-C-CA	2.15	120.72	113.38

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	703	GOL	C1-C2-C3-O3
7	B	703	GOL	O2-C2-C3-O3
3	A	601	PHE	O-C-CA-N


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	PHE	1	0
7	B	703	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand PHE A 601




Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	304/304 (100%)	1.06	49 (16%) 4 3	37, 75, 126, 152	2 (0%)
2	B	614/618 (99%)	0.89	68 (11%) 10 8	41, 79, 123, 153	0
All	All	918/922 (99%)	0.94	117 (12%) 8 6	37, 77, 125, 153	2 (0%)

All (117) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	352	LEU	7.2
1	A	568	VAL	6.7
2	B	286	ALA	6.0
1	A	447	LEU	5.4
1	A	268	ILE	4.8
1	A	512	LYS	4.7
1	A	353	GLN	4.5
1	A	275	LEU	4.4
1	A	508	HIS	4.3
1	A	286	VAL	4.2
1	A	448	ASP	4.1
1	A	507	TYR	4.0
2	B	235	TYR	4.0
1	A	511	ASN	3.9
1	A	431	ILE	3.8
1	A	271	LEU	3.7
1	A	348	PRO	3.7
1	A	269	THR	3.7
2	B	269	PRO	3.6
1	A	347	HIS	3.6
2	B	283	ASN	3.5
1	A	565	TYR	3.5
1	A	559	ILE	3.5
2	B	86	SER	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	3	THR	3.5
1	A	514	TRP	3.4
2	B	297	PHE	3.4
1	A	487	LYS	3.4
1	A	423	GLU	3.4
1	A	569	ILE	3.4
2	B	194	ILE	3.4
2	B	373	VAL	3.4
2	B	83	LEU	3.3
1	A	452	LEU	3.3
1	A	567	SER	3.3
2	B	40	TYR	3.3
1	A	515	LEU	3.2
2	B	24	LEU	3.1
2	B	56	TYR	3.1
1	A	510	GLU	3.1
2	B	179	GLN	3.1
2	B	96	PHE	3.0
1	A	276	ILE	3.0
1	A	279	GLU	3.0
2	B	316	LEU	3.0
2	B	123	ASN	2.9
2	B	317	ASN	2.9
2	B	192	ASP	2.9
2	B	115	LEU	2.8
2	B	72	ILE	2.8
2	B	322	ASP	2.8
2	B	38	VAL	2.8
1	A	349	SER	2.7
1	A	281	TYR	2.7
2	B	277	PHE	2.7
2	B	125	TYR	2.7
2	B	336	VAL	2.7
1	A	287	LYS	2.7
1	A	513	LYS	2.7
1	A	427	THR	2.7
2	B	290	ASN	2.7
2	B	116	LYS	2.7
2	B	88	GLU	2.6
1	A	476	LEU	2.6
2	B	58	LEU	2.6
2	B	68	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	2	PRO	2.6
1	A	517	VAL	2.6
2	B	20	GLU	2.6
2	B	282	LYS	2.6
2	B	49	ILE	2.6
2	B	59	VAL	2.6
2	B	291	GLY	2.6
2	B	343	THR	2.6
1	A	354	ASP	2.6
2	B	266	TYR	2.5
1	A	544	LEU	2.5
2	B	12	ILE	2.5
2	B	226	ILE	2.5
1	A	429	SER	2.5
2	B	42	GLY	2.5
2	B	293	LEU	2.5
1	A	266	LYS	2.5
1	A	506	GLY	2.5
1	A	479	PHE	2.4
2	B	187	ILE	2.4
2	B	342	PHE	2.4
1	A	430	ILE	2.4
1	A	497	TYR	2.4
2	B	303	THR	2.4
2	B	242	ILE	2.4
2	B	288	LYS	2.4
2	B	348	PHE	2.3
2	B	233	ILE	2.3
2	B	90	CYS	2.3
2	B	64	LEU	2.3
2	B	256	VAL	2.3
2	B	89	ALA	2.3
2	B	305	HIS	2.2
2	B	27	ILE	2.2
2	B	608	ILE	2.2
2	B	53	ALA	2.2
1	A	465	ARG	2.2
2	B	75	TYR	2.2
2	B	209	PHE	2.1
1	A	537	VAL	2.1
2	B	44	LYS	2.1
2	B	48	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	273	ILE	2.1
1	A	488	LEU	2.1
2	B	93	GLU	2.1
2	B	85	ASN	2.1
1	A	277	LYS	2.1
2	B	50	GLU	2.0
2	B	105	GLU	2.0
1	A	485	ILE	2.0
2	B	47	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	CME	B	418	10/11	0.94	0.12	54,60,102,118	0
2	CME	B	575	10/11	0.94	0.09	47,58,67,70	0

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
7	GOL	B	703	6/6	0.60	0.21	96,99,106,107	0
6	SO4	B	702	5/5	0.77	0.19	77,78,95,99	5
7	GOL	B	705	6/6	0.81	0.17	101,102,104,104	0
4	CL	A	602	1/1	0.87	0.24	101,101,101,101	0
3	PHE	A	601	12/12	0.96	0.10	59,63,65,67	12
5	MG	B	701	1/1	0.97	0.16	70,70,70,70	0
4	CL	B	704	1/1	0.97	0.07	54,54,54,54	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PHE A 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)





6.5 Other polymers

There are no such residues in this entry.