Full wwPDB X-ray Structure Validation Report (i)

Oct 28, 2026 – 06:09 PM JST

PDB ID	:	9UIY / pdb_00009uiy
Title	:	PLASMODIUM VIVAX PHENYLALANYL-TRNA SYNTHETASE IN COMPLEX WITH L-PHE IN SPACE GROUP P43212
Authors	:	Mutharasappan, N.; Manickam, Y.; Sharma, A.
Deposited on	:	2025-04-16
Resolution	:	3.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1605 (3.30-3.22)
Clashscore	190562	1660 (3.30-3.22)
Ramachandran outliers	187476	1630 (3.30-3.22)
Sidechain outliers	187428	1629 (3.30-3.22)
RSRZ outliers	180081	1605 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	303	2% 58% 25% 17%
2	B	618	2% 71% 26% .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6819 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phenylalanine–tRNA ligase alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	253	Total	C	N	O	S	0	0	0
			2014	1296	343	365	10			


- Molecule 2 is a protein called Phenylalanine–tRNA ligase beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	616	Total	C	N	O	S	0	0	0
			4782	3054	781	916	31			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP A5K464
B	1	GLY	-	expression tag	UNP A5K464

- Molecule 3 is PHENYLALANINE (CCD ID: PHE) (formula: $C_9H_{11}NO_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 12 9 1 2	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Mg 1 1	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total O 3 3	0	0
5	B	7	Total O 7 7	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Phenylalanine–tRNA ligase alpha subunit

Chain A:



• Molecule 2: Phenylalanine–tRNA ligase beta subunit

Chain B:




M584
G585
I586
I587
H588
I597
P600
I604
T610
L615
M616
M617

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α, β, γ	206.91Å 206.91Å 73.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	73.15 – 3.25 73.15 – 3.25	Depositor EDS
% Data completeness (in resolution range)	99.3 (73.15-3.25) 99.2 (73.15-3.25)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.13 (at 3.26Å)	Xtriage
Refinement program	PHENIX (1.15rc1_3423: ???)	Depositor
R, R_{free}	0.214 , 0.275 0.216 , 0.274	Depositor DCC
R_{free} test set	1270 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å^2)	86.2	Xtriage
Anisotropy	0.219	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.32 , 59.6	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.92	EDS
Total number of atoms	6819	wwPDB-VP
Average B, all atoms (Å^2)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.97% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CME, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.75	6/2070 (0.3%)	0.84	0/2804
2	B	0.89	25/4866 (0.5%)	0.92	15/6612 (0.2%)
All	All	0.85	31/6936 (0.4%)	0.90	15/9416 (0.2%)

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	72	ILE	CA-CB	-6.81	1.46	1.54
2	B	549	ARG	CA-C	-6.50	1.44	1.52
2	B	78	VAL	C-O	-6.39	1.17	1.24
2	B	549	ARG	C-O	-6.20	1.16	1.23
2	B	561	ASP	C-N	-6.18	1.25	1.33
2	B	429	ARG	C-O	-6.15	1.16	1.24
2	B	474	ARG	CA-C	-6.08	1.46	1.53
2	B	72	ILE	C-O	-6.02	1.17	1.24
2	B	233	ILE	C-O	-6.01	1.17	1.24
2	B	560	GLU	C-O	-5.96	1.17	1.24
1	A	430	ILE	N-CA	-5.93	1.39	1.46
2	B	23	LYS	CA-C	-5.89	1.44	1.52
2	B	336	VAL	CA-C	-5.87	1.46	1.52
2	B	414	GLU	C-O	-5.82	1.17	1.24
2	B	338	ASP	C-O	-5.74	1.17	1.23
2	B	119	LYS	CA-C	-5.53	1.45	1.52
2	B	474	ARG	C-O	-5.51	1.18	1.23
1	A	424	TYR	C-O	-5.49	1.17	1.24
2	B	429	ARG	N-CA	-5.44	1.38	1.45
2	B	354	MET	C-O	-5.43	1.15	1.23
1	A	429	SER	N-CA	-5.38	1.39	1.46
2	B	105	GLU	C-O	-5.37	1.17	1.24
2	B	232	LYS	CA-C	-5.33	1.46	1.52
2	B	22	GLU	N-CA	-5.27	1.39	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	109	TYR	C-O	-5.17	1.17	1.23
1	A	429	SER	CA-C	-5.12	1.46	1.52
2	B	120	MET	C-O	-5.08	1.17	1.24
2	B	107	ARG	C-O	-5.08	1.17	1.24
2	B	561	ASP	CA-C	-5.07	1.47	1.52
1	A	512	LYS	CA-C	-5.03	1.46	1.52
1	A	427	THR	C-O	-5.01	1.18	1.24

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	23	LYS	N-CA-C	-14.25	95.22	112.89
2	B	561	ASP	CA-C-N	11.23	131.64	119.28
2	B	561	ASP	C-N-CA	11.23	131.64	119.28
2	B	232	LYS	N-CA-C	7.95	125.75	113.19
2	B	108	SER	N-CA-C	7.88	122.89	113.28
2	B	120	MET	N-CA-C	7.04	119.75	108.41
2	B	75	TYR	N-CA-C	6.70	119.62	108.96
2	B	109	TYR	N-CA-C	6.24	119.71	109.72
2	B	72	ILE	CB-CA-C	-5.72	104.65	111.97
2	B	105	GLU	N-CA-C	5.62	119.61	112.87
2	B	21	GLU	N-CA-C	5.59	119.20	112.38
2	B	103	VAL	N-CA-C	5.14	114.67	107.37
2	B	536	TYR	CA-CB-CG	5.13	123.14	113.90
2	B	336	VAL	CB-CA-C	-5.08	104.85	111.81
2	B	227	ASN	CB-CA-C	-5.03	101.76	112.63

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2014	0	1885	65	0
2	B	4782	0	4503	139	0
3	A	12	0	8	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1	0	0	0	0
5	A	3	0	0	0	0
5	B	7	0	0	0	0
All	All	6819	0	6396	195	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (195) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:561:ASP:OD1	2:B:562:PRO:HD2	1.26	1.28
2:B:107:ARG:HG2	2:B:162:TYR:OH	1.51	1.08
2:B:320:VAL:HG11	2:B:336:VAL:HG13	1.47	0.94
1:A:344:PRO:HG3	1:A:391:TRP:NE1	1.88	0.88
2:B:561:ASP:OD1	2:B:562:PRO:CD	2.20	0.87
1:A:469:LEU:HD23	1:A:502:MET:HE3	1.55	0.85
2:B:287:GLU:HG3	2:B:290:ASN:HB2	1.59	0.84
1:A:344:PRO:HG3	1:A:391:TRP:CE2	2.12	0.84
2:B:561:ASP:CG	2:B:562:PRO:HD2	2.03	0.83
2:B:320:VAL:CG1	2:B:336:VAL:HG13	2.07	0.82
2:B:118:VAL:HG12	2:B:238:ARG:O	1.79	0.82
2:B:474:ARG:HG2	2:B:474:ARG:HH11	1.42	0.82
2:B:107:ARG:HG2	2:B:162:TYR:HH	1.39	0.82
2:B:514:ALA:HB2	2:B:600:PRO:HB2	1.63	0.80
2:B:389:THR:HG21	2:B:502:ARG:HH11	1.45	0.80
2:B:186:PHE:CE2	2:B:222:LEU:HD13	2.17	0.79
2:B:474:ARG:HG2	2:B:474:ARG:NH1	1.99	0.76
1:A:345:GLN:HB2	1:A:393:TYR:HE1	1.50	0.76
2:B:385:LEU:O	2:B:389:THR:HG23	1.87	0.74
2:B:450:THR:HG22	2:B:452:GLU:H	1.52	0.74
1:A:434:LYS:HG2	1:A:462:ILE:HG23	1.68	0.74
2:B:556:LEU:HB3	2:B:570:VAL:HG11	1.70	0.73
1:A:344:PRO:HB2	1:A:347:HIS:HB2	1.70	0.72
2:B:120:MET:CE	2:B:235:TYR:HA	2.22	0.70
1:A:421:ALA:O	1:A:424:TYR:HB3	1.93	0.69
2:B:426:TYR:HE2	2:B:489:THR:HG21	1.56	0.69
2:B:516:LEU:HD22	2:B:586:ILE:HG13	1.76	0.68
1:A:314:LYS:HG3	1:A:436:PHE:CZ	2.28	0.67
1:A:327:THR:HA	1:A:412:ASN:ND2	2.11	0.66
2:B:98:ARG:HH12	2:B:100:ASP:HB2	1.60	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:186:PHE:HE2	2:B:222:LEU:HD13	1.61	0.66
2:B:581:PHE:HB3	2:B:610:THR:HG21	1.77	0.66
2:B:350:ARG:NH2	2:B:362:ASP:OD2	2.29	0.65
1:A:459:GLU:HG3	1:A:542:TRP:O	1.96	0.65
1:A:516:GLU:HG2	1:A:517:VAL:N	2.11	0.65
2:B:531:GLN:HB2	2:B:616:MET:HG3	1.78	0.65
2:B:539:GLU:O	2:B:542:SER:N	2.29	0.65
1:A:500:PRO:HD2	1:A:522:ILE:HD13	1.79	0.64
2:B:464:MET:HE1	2:B:482:GLU:HB3	1.79	0.64
1:A:438:ILE:HG12	1:A:458:VAL:HG22	1.79	0.63
1:A:519:ASN:HB3	3:A:601:PHE:HB3	1.81	0.63
2:B:31:PHE:HD2	2:B:33:ILE:HG12	1.65	0.62
2:B:320:VAL:HG21	2:B:339:SER:HA	1.80	0.62
2:B:264:SER:HB2	2:B:271:TYR:HA	1.81	0.61
1:A:388:SER:HA	2:B:354:MET:O	2.01	0.60
1:A:499:GLU:HG2	2:B:358:ASP:HA	1.84	0.59
2:B:108:SER:HB2	2:B:284:HIS:NE2	2.17	0.59
2:B:304:CYS:HB2	2:B:356:PHE:CD2	2.38	0.58
2:B:424:ARG:HH22	2:B:431:ILE:N	2.03	0.57
1:A:309:GLN:HG2	1:A:313:PHE:HE2	1.69	0.56
2:B:561:ASP:CG	2:B:562:PRO:CD	2.73	0.56
2:B:118:VAL:HG13	2:B:118:VAL:O	2.04	0.56
2:B:426:TYR:CE2	2:B:489:THR:HG21	2.39	0.56
1:A:505:TYR:CE2	1:A:516:GLU:HB2	2.41	0.56
1:A:345:GLN:HB2	1:A:393:TYR:CE1	2.36	0.56
2:B:147:ALA:HB2	2:B:224:PRO:HB3	1.87	0.56
1:A:378:LYS:HB2	1:A:395:TRP:CE3	2.41	0.56
2:B:100:ASP:OD1	2:B:102:SER:N	2.30	0.56
2:B:303:THR:HG22	2:B:343:THR:HB	1.88	0.55
1:A:309:GLN:HG2	1:A:313:PHE:CE2	2.41	0.54
1:A:314:LYS:O	1:A:318:VAL:HG12	2.06	0.54
2:B:160:VAL:HG12	2:B:214:ASP:HA	1.89	0.54
2:B:203:ILE:HA	2:B:206:PHE:CD1	2.43	0.54
1:A:397:LEU:O	1:A:400:THR:HG22	2.07	0.54
2:B:421:ARG:HD2	2:B:439:LEU:HD21	1.88	0.54
2:B:78:VAL:HG23	2:B:78:VAL:O	2.08	0.54
2:B:186:PHE:HE1	2:B:190:TYR:CD2	2.26	0.54
2:B:249:ARG:O	2:B:253:GLU:HG3	2.07	0.54
2:B:388:CYS:SG	2:B:617:MET:HE1	2.47	0.54
2:B:306:MET:HE1	2:B:318:LEU:HB3	1.88	0.53
1:A:498:THR:OG1	1:A:501:SER:HB3	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341:LEU:HD21	1:A:414:CYS:HB2	1.89	0.53
2:B:75:TYR:CD2	2:B:75:TYR:C	2.85	0.53
1:A:300:LYS:NZ	2:B:398:GLU:OE1	2.42	0.53
2:B:508:PHE:HE1	2:B:510:ASP:HB2	1.73	0.53
2:B:186:PHE:CD2	2:B:222:LEU:HD13	2.43	0.53
2:B:379:ILE:CG1	2:B:380:ALA:H	2.22	0.53
2:B:514:ALA:CB	2:B:600:PRO:HB2	2.38	0.52
2:B:386:SER:O	2:B:390:GLU:HG2	2.09	0.52
2:B:433:LEU:O	2:B:501:LYS:HE3	2.09	0.52
1:A:344:PRO:HG3	1:A:391:TRP:CD1	2.45	0.52
2:B:303:THR:HG22	2:B:343:THR:CB	2.40	0.52
1:A:433:LYS:HG2	1:A:435:PHE:CZ	2.45	0.51
1:A:380:VAL:HG12	1:A:385:ASP:HB3	1.93	0.51
1:A:482:TYR:HD2	2:B:379:ILE:HD13	1.75	0.51
1:A:476:LEU:HD13	1:A:504:VAL:HG21	1.93	0.51
2:B:12:ILE:HG22	2:B:18:LYS:HA	1.92	0.51
1:A:496:PRO:HG2	1:A:497:TYR:CD1	2.47	0.50
2:B:156:ILE:HG23	2:B:220:LEU:HD11	1.93	0.50
2:B:464:MET:CE	2:B:482:GLU:HB3	2.41	0.50
2:B:31:PHE:CD2	2:B:33:ILE:HG12	2.46	0.49
1:A:499:GLU:HG3	2:B:361:GLU:HB2	1.94	0.49
1:A:496:PRO:HG2	1:A:497:TYR:HD1	1.76	0.49
2:B:510:ASP:HB3	2:B:513:THR:O	2.13	0.49
1:A:335:PHE:HA	1:A:339:ASP:HB2	1.94	0.49
1:A:421:ALA:HA	1:A:533:PHE:CE1	2.47	0.49
1:A:314:LYS:HG3	1:A:436:PHE:CE2	2.48	0.49
1:A:379:ARG:NH1	1:A:385:ASP:OD2	2.43	0.48
2:B:220:LEU:CD2	2:B:231:THR:HG21	2.43	0.48
2:B:514:ALA:HB2	2:B:600:PRO:CB	2.40	0.48
1:A:327:THR:HA	1:A:412:ASN:HD22	1.78	0.48
1:A:346:GLN:CB	2:B:145:LEU:HD21	2.44	0.48
1:A:410:THR:O	1:A:413:SER:HB2	2.14	0.48
2:B:157:ASN:O	2:B:214:ASP:HB2	2.13	0.48
2:B:75:TYR:CE1	2:B:331:MET:HA	2.49	0.48
2:B:584:MET:HG3	2:B:604:ILE:HG12	1.96	0.48
2:B:68:LEU:C	2:B:70:SER:N	2.69	0.48
2:B:98:ARG:O	2:B:161:ALA:HA	2.13	0.48
1:A:482:TYR:CD2	2:B:379:ILE:CD1	2.97	0.48
2:B:4:ILE:O	2:B:48:LYS:HA	2.14	0.47
2:B:120:MET:HE3	2:B:235:TYR:HA	1.96	0.47
1:A:410:THR:HA	1:A:459:GLU:OE1	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:436:TYR:CE2	2:B:583:ILE:HG22	2.50	0.47
1:A:363:MET:HE2	1:A:402:LYS:HG3	1.97	0.47
2:B:98:ARG:NH1	2:B:100:ASP:HB2	2.27	0.47
2:B:231:THR:O	2:B:231:THR:OG1	2.20	0.47
1:A:420:LEU:HD12	1:A:420:LEU:HA	1.77	0.47
2:B:304:CYS:HB2	2:B:356:PHE:CG	2.50	0.47
2:B:403:GLU:HB2	2:B:481:PHE:CZ	2.50	0.47
2:B:508:PHE:CE1	2:B:510:ASP:HB2	2.50	0.47
2:B:196:LEU:O	2:B:200:LEU:HD22	2.15	0.46
1:A:542:TRP:CD1	1:A:544:LEU:HD23	2.50	0.46
1:A:502:MET:HB3	2:B:369:TYR:HE2	1.80	0.46
1:A:462:ILE:HD12	1:A:540:ILE:HD11	1.97	0.46
2:B:320:VAL:HG21	2:B:339:SER:C	2.40	0.46
2:B:75:TYR:CD2	2:B:75:TYR:O	2.69	0.46
2:B:128:ILE:HG12	2:B:263:LEU:HD13	1.97	0.46
2:B:328:LYS:C	2:B:330:MET:H	2.23	0.46
2:B:186:PHE:CE1	2:B:190:TYR:CD2	3.04	0.46
1:A:480:TYR:HA	1:A:483:ILE:HG12	1.98	0.46
2:B:173:ILE:HG13	2:B:180:ASN:HA	1.98	0.46
2:B:457:ARG:HG3	2:B:486:VAL:HG12	1.96	0.46
2:B:441:PRO:O	2:B:489:THR:HG22	2.16	0.46
1:A:313:PHE:CD1	1:A:479:PHE:HZ	2.34	0.45
1:A:436:PHE:HA	1:A:459:GLU:O	2.16	0.45
2:B:347:PRO:HG2	2:B:350:ARG:CG	2.46	0.45
1:A:325:MET:HG3	1:A:435:PHE:HB3	1.97	0.45
1:A:336:TRP:HE3	1:A:414:CYS:HG	1.60	0.45
2:B:172:PHE:HB3	2:B:219:ILE:HB	1.98	0.45
2:B:306:MET:HG3	2:B:320:VAL:HG22	1.98	0.45
2:B:561:ASP:HA	2:B:562:PRO:HD3	1.46	0.45
1:A:482:TYR:CD2	2:B:379:ILE:HD13	2.50	0.45
2:B:280:TYR:HD2	2:B:284:HIS:ND1	2.14	0.45
1:A:418:PHE:O	1:A:421:ALA:HB3	2.16	0.45
2:B:134:LYS:HD3	2:B:134:LYS:HA	1.78	0.44
1:A:424:TYR:CD1	1:A:424:TYR:O	2.71	0.44
2:B:174:PRO:O	2:B:229:ASP:HB2	2.17	0.44
1:A:314:LYS:HG3	1:A:436:PHE:HZ	1.76	0.44
2:B:615:LEU:HB2	2:B:617:MET:HE3	2.00	0.44
1:A:546:LEU:HA	1:A:546:LEU:HD12	1.63	0.44
2:B:535:ASP:OD1	2:B:536:TYR:N	2.50	0.44
1:A:473:ILE:O	1:A:477:SER:HB2	2.18	0.44
2:B:59:VAL:O	2:B:59:VAL:HG12	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:107:ARG:HG2	2:B:107:ARG:O	2.18	0.43
2:B:109:TYR:CD1	2:B:249:ARG:HB2	2.53	0.43
2:B:107:ARG:O	2:B:107:ARG:CG	2.65	0.43
1:A:341:LEU:O	1:A:497:TYR:HB3	2.17	0.43
1:A:356:PHE:HB2	1:A:405:LEU:HB2	2.01	0.43
2:B:297:PHE:CD1	2:B:348:PHE:CZ	3.06	0.43
2:B:320:VAL:HG21	2:B:339:SER:CA	2.48	0.43
2:B:102:SER:CB	2:B:164:PHE:H	2.32	0.43
2:B:120:MET:HE3	2:B:120:MET:HB3	1.71	0.43
2:B:238:ARG:HE	2:B:238:ARG:HB3	1.68	0.43
2:B:146:LEU:HB3	2:B:246:ALA:HB2	2.01	0.42
2:B:212:ILE:HD11	2:B:245:THR:HG21	2.02	0.42
2:B:330:MET:HE2	2:B:330:MET:HB3	1.68	0.42
1:A:405:LEU:HA	1:A:405:LEU:HD23	1.74	0.42
2:B:269:PRO:HG2	2:B:272:SER:OG	2.19	0.42
2:B:185:ASN:O	2:B:189:PHE:HB2	2.20	0.42
2:B:566:ASN:C	2:B:568:ARG:H	2.26	0.42
2:B:464:MET:HE3	2:B:464:MET:HB2	1.96	0.42
2:B:33:ILE:HG21	2:B:49:ILE:HD12	2.00	0.42
2:B:221:SER:HB3	2:B:227:ASN:HA	2.02	0.42
2:B:232:LYS:O	2:B:232:LYS:CG	2.67	0.42
2:B:125:TYR:CD2	2:B:125:TYR:C	2.97	0.41
2:B:21:GLU:HG2	2:B:21:GLU:O	2.20	0.41
2:B:280:TYR:HD2	2:B:284:HIS:CE1	2.39	0.41
1:A:413:SER:O	1:A:416:ALA:HB3	2.21	0.41
2:B:297:PHE:CD1	2:B:348:PHE:CE2	3.08	0.41
2:B:296:VAL:O	2:B:297:PHE:HB2	2.20	0.41
2:B:327:LEU:HD23	2:B:327:LEU:HA	1.89	0.41
2:B:474:ARG:HH11	2:B:474:ARG:CG	2.19	0.41
2:B:250:ASN:O	2:B:254:ILE:HG13	2.20	0.41
2:B:468:VAL:HG12	2:B:597:ILE:HD13	2.02	0.41
2:B:54:ASN:O	2:B:352:ASP:HB3	2.20	0.41
2:B:108:SER:O	2:B:284:HIS:CE1	2.74	0.41
2:B:33:ILE:HD13	2:B:33:ILE:HA	1.76	0.41
1:A:469:LEU:HD11	1:A:500:PRO:HG2	2.03	0.40
2:B:110:VAL:HG23	2:B:245:THR:HG22	2.02	0.40
2:B:170:ILE:HG23	2:B:219:ILE:CD1	2.51	0.40
2:B:130:GLU:OE2	2:B:134:LYS:HE2	2.22	0.40
2:B:512:PHE:HD1	2:B:512:PHE:HA	1.72	0.40
2:B:563:SER:C	2:B:588:HIS:HB2	2.46	0.40
2:B:170:ILE:HG23	2:B:219:ILE:HD12	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:421:ALA:HB1	1:A:531:MET:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	251/303 (83%)	239 (95%)	12 (5%)	0	100	100
2	B	613/618 (99%)	567 (92%)	44 (7%)	2 (0%)	36	66
All	All	864/921 (94%)	806 (93%)	56 (6%)	2 (0%)	43	70

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	69	LYS
2	B	153	TYR

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/278 (75%)	207 (100%)	1 (0%)	81	82
2	B	502/571 (88%)	498 (99%)	4 (1%)	73	78
All	All	710/849 (84%)	705 (99%)	5 (1%)	76	79

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	408	HIS
2	B	120	MET
2	B	414	GLU
2	B	493	ARG
2	B	559	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	457	GLN
2	B	137	HIS
2	B	138	ASN
2	B	171	ASN
2	B	473	HIS

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	CME	B	575	2	6,7,10	0.42	0	3,7,11	4.53	2 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CME	B	575	2	-	0/2/6/10	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	575	CME	CB-SG-SD	6.60	120.93	103.82
2	B	575	CME	CE-SD-SG	4.24	117.22	102.58

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	PHE	A	601	-	11,12,12	0.91	1 (9%)	14,15,15	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PHE	A	601	-	-	0/8/8/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	PHE	OXT-C	-2.23	1.23	1.30

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	PHE	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	253/303 (83%)	-0.06	7 (2%)	55	36	44, 66, 110, 151	0
2	B	615/618 (99%)	0.09	12 (1%)	65	46	49, 77, 117, 172	0
All	All	868/921 (94%)	0.05	19 (2%)	62	43	44, 74, 115, 172	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	56	TYR	4.0
2	B	123	ASN	3.3
2	B	258	ILE	3.2
2	B	512	PHE	3.0
2	B	175	LEU	2.9
2	B	233	ILE	2.9
1	A	351	ASP	2.7
2	B	207	GLU	2.6
1	A	510	GLU	2.5
2	B	54	ASN	2.5
1	A	310	MET	2.5
2	B	58	LEU	2.5
1	A	511	ASN	2.4
1	A	346	GLN	2.3
1	A	509	GLU	2.2
2	B	431	ILE	2.1
2	B	51	VAL	2.1
2	B	88	GLU	2.0
1	A	352	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	CME	B	575	8/11	0.96	0.07	55,58,70,74	0

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	MG	B	701	1/1	0.89	0.27	59,59,59,59	0
3	PHE	A	601	12/12	0.96	0.09	45,51,56,60	0

6.5 Other polymers (i)

There are no such residues in this entry.