



Full wwPDB EM Validation Report ⓘ

Jan 27, 2026 – 10:39 PM JST

PDB ID : 9V1H / pdb_00009v1h
EMDB ID : EMD-64693
Title : Cryo-EM structure of Gi-coupled NPFF2R in complex with GUB08248
Authors : Zhao, L.; Li, X.; Li, S.; Yuan, Q.
Deposited on : 2025-05-19
Resolution : 2.85 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev129
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	11965 (2.35 - 3.35)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	361	
2	B	371	
3	E	247	
4	G	70	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	L	11	27% 64% 27% 9%
6	R	420	57% 14% 28%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8890 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	208	Total	C	N	O	S	0	0
			1709	1080	311	310	8		

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	335	Total	C	N	O	S	0	0
			2537	1571	457	488	21		

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	initiating methionine	UNP P62873
B	2	GLY	-	expression tag	UNP P62873
B	3	SER	-	expression tag	UNP P62873
B	4	LEU	-	expression tag	UNP P62873
B	5	LEU	-	expression tag	UNP P62873
B	6	GLN	-	expression tag	UNP P62873
B	346	GLY	-	expression tag	UNP P62873
B	347	SER	-	expression tag	UNP P62873
B	348	SER	-	expression tag	UNP P62873
B	349	GLY	-	expression tag	UNP P62873
B	350	GLY	-	expression tag	UNP P62873
B	351	GLY	-	expression tag	UNP P62873
B	352	GLY	-	expression tag	UNP P62873
B	353	SER	-	expression tag	UNP P62873
B	354	GLY	-	expression tag	UNP P62873
B	355	GLY	-	expression tag	UNP P62873
B	356	GLY	-	expression tag	UNP P62873
B	357	GLY	-	expression tag	UNP P62873
B	358	SER	-	expression tag	UNP P62873
B	359	SER	-	expression tag	UNP P62873

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	360	GLY	-	expression tag	UNP P62873
B	361	VAL	-	expression tag	UNP P62873
B	362	SER	-	expression tag	UNP P62873
B	363	GLY	-	expression tag	UNP P62873
B	364	TRP	-	expression tag	UNP P62873
B	365	ARG	-	expression tag	UNP P62873
B	366	LEU	-	expression tag	UNP P62873
B	367	PHE	-	expression tag	UNP P62873
B	368	LYS	-	expression tag	UNP P62873
B	369	LYS	-	expression tag	UNP P62873
B	370	ILE	-	expression tag	UNP P62873
B	371	SER	-	expression tag	UNP P62873

- Molecule 3 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	228	Total	C	N	O	S	0	0
			1698	1085	280	323	10		

- Molecule 4 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.


Mol	Chain	Residues	Atoms					AltConf	Trace
4	G	55	Total	C	N	O	S	0	0
			409	258	75	73	3		

- Molecule 5 is a protein called GUB08248.



Mol	Chain	Residues	Atoms				AltConf	Trace
5	L	11	Total	C	N	O	0	1
			82	50	21	11		

- Molecule 6 is a protein called Neuropeptide FF receptor 2.


Mol	Chain	Residues	Atoms					AltConf	Trace
6	R	303	Total	C	N	O	S	0	0
			2455	1645	389	401	20		




- Molecule 4: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



- Molecule 5: GUB08248



- Molecule 6: Neuropeptide FF receptor 2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	324707	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	8000	Depositor
Maximum defocus (nm)	18000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	3.725	Depositor
Minimum map value	-1.286	Depositor
Average map value	0.010	Depositor
Map value standard deviation	0.054	Depositor
Recommended contour level	0.3	Depositor
Map size (Å)	262.80002, 262.80002, 262.80002	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.7300001, 0.7300001, 0.7300001	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.09	0/1734	0.23	0/2324
2	B	0.09	0/2584	0.23	0/3508
3	E	0.08	0/1742	0.22	0/2371
4	G	0.11	0/415	0.19	0/561
5	L	0.41	0/83	0.70	0/108
6	R	0.27	1/2522 (0.0%)	0.52	0/3433
All	All	0.16	1/9080 (0.0%)	0.34	0/12305

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	R	227	ILE	N-CA	5.28	1.51	1.46

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1709	0	1715	10	0
2	B	2537	0	2430	24	0
3	E	1698	0	1594	25	0
4	G	409	0	414	0	0
5	L	82	0	90	3	0
6	R	2455	0	2539	49	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8890	0	8782	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:R:69:ILE:CD1	6:R:344:PHE:HB3	1.76	1.14
3:E:191:ARG:O	3:E:192:MET:HG2	1.56	1.05
6:R:69:ILE:HD13	6:R:344:PHE:HB3	1.05	1.04
6:R:295:MET:CE	6:R:299:TYR:HE2	1.78	0.96
6:R:295:MET:HE3	6:R:299:TYR:CE2	2.05	0.91
6:R:295:MET:CE	6:R:299:TYR:CE2	2.55	0.89
6:R:295:MET:HE1	6:R:299:TYR:HE2	1.41	0.83
3:E:191:ARG:O	3:E:192:MET:CG	2.26	0.83
3:E:172:THR:HB	3:E:192:MET:SD	2.23	0.79
6:R:295:MET:HE1	6:R:299:TYR:CE2	2.23	0.71
3:E:172:THR:HG21	3:E:192:MET:SD	2.31	0.71
6:R:71:MET:SD	6:R:85:LEU:HD22	2.33	0.68
6:R:69:ILE:HD13	6:R:344:PHE:CB	2.02	0.67
6:R:333:TYR:O	6:R:337:ASN:ND2	2.28	0.66
1:A:259:ASN:OD1	1:A:260:LYS:N	2.28	0.66
3:E:172:THR:CG2	3:E:192:MET:SD	2.84	0.66
3:E:172:THR:CB	3:E:192:MET:SD	2.83	0.66
6:R:69:ILE:CD1	6:R:344:PHE:CB	2.67	0.65
2:B:150:TYR:O	2:B:167:GLY:N	2.29	0.65
6:R:90:SER:OG	6:R:128:SER:O	2.15	0.65
3:E:63:THR:HG23	3:E:64:VAL:HG13	1.79	0.65
2:B:39:THR:HG21	2:B:305:LEU:O	1.99	0.63
5:L:9:ARG:HB2	5:L:10:PHE:CD2	2.34	0.62
3:E:29:PHE:O	3:E:72:ARG:NH2	2.32	0.62
1:A:330:PHE:O	1:A:341:ARG:NH1	2.32	0.62
1:A:5:LEU:O	1:A:10:LYS:NZ	2.34	0.60
3:E:52:SER:OG	3:E:57:THR:OG1	2.13	0.60
3:E:191:ARG:C	3:E:192:MET:HG2	2.26	0.60
1:A:46:LYS:O	1:A:50:VAL:HG22	2.04	0.58
2:B:150:TYR:OH	2:B:191:ASP:OD2	2.15	0.58
3:E:223:ASP:OD1	3:E:227:TYR:OH	2.20	0.57
3:E:165:LEU:HA	3:E:233:LEU:HD11	1.89	0.55
2:B:88:ASP:O	2:B:92:THR:N	2.40	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:152:SER:OG	2:B:193:MET:O	2.14	0.53
2:B:59:HIS:O	2:B:339:SER:OG	2.27	0.53
2:B:100:LEU:CD1	2:B:105:VAL:HG21	2.39	0.53
6:R:172:ILE:O	6:R:176:SER:OG	2.25	0.52
6:R:86:ASN:OD1	6:R:135:THR:OG1	2.09	0.52
6:R:295:MET:HE3	6:R:299:TYR:CD2	2.44	0.52
2:B:92:THR:HG22	2:B:92:THR:O	2.10	0.51
2:B:81:ASP:OD2	2:B:83:LYS:NZ	2.41	0.51
6:R:44:VAL:HA	6:R:47:ILE:HD12	1.93	0.51
6:R:61:MET:O	6:R:65:VAL:HG23	2.12	0.50
6:R:102:THR:O	6:R:106:ASN:ND2	2.44	0.50
2:B:141:SER:O	2:B:142:ARG:NH1	2.45	0.49
2:B:200:ASP:O	2:B:201:THR:OG1	2.24	0.49
1:A:216:ASN:ND2	1:A:248:TRP:O	2.42	0.49
2:B:294:TYR:OH	2:B:302:TRP:NE1	2.43	0.49
1:A:183:GLY:O	1:A:202:GLY:N	2.42	0.49
3:E:61:ALA:HB3	3:E:64:VAL:HG22	1.94	0.48
6:R:177:PRO:O	6:R:180:VAL:HB	2.13	0.48
1:A:191:VAL:HG11	1:A:343:PHE:HB2	1.96	0.48
2:B:173:LEU:CD1	2:B:218:VAL:HG13	2.44	0.48
2:B:299:CYS:SG	2:B:320:VAL:HG21	2.54	0.48
6:R:185:GLN:O	6:R:205:TRP:N	2.43	0.48
6:R:230:ALA:HB3	6:R:231:PRO:HD3	1.96	0.48
6:R:282:LEU:O	6:R:286:SER:OG	2.25	0.48
6:R:123:LEU:HD13	6:R:179:ALA:HB2	1.96	0.47
6:R:71:MET:SD	6:R:85:LEU:CD2	3.01	0.47
2:B:336:SER:OG	2:B:338:ASP:OD1	2.33	0.47
6:R:176:SER:H	6:R:177:PRO:CD	2.27	0.47
6:R:133:VAL:HG21	6:R:227:ILE:HG23	1.96	0.47
2:B:154:CYS:O	2:B:155:ARG:NH1	2.47	0.47
6:R:293:LEU:HD11	6:R:314:ILE:HG22	1.97	0.47
3:E:174:LEU:O	3:E:191:ARG:N	2.49	0.46
3:E:178:LEU:HB2	3:E:188:LEU:HD11	1.98	0.46
6:R:175:MET:HB3	6:R:175:MET:HE2	1.58	0.46
3:E:37:VAL:O	3:E:95:TYR:N	2.49	0.45
6:R:131:ALA:O	6:R:135:THR:OG1	2.34	0.45
2:B:281:VAL:HG13	2:B:290:LEU:HD11	1.97	0.45
6:R:127:ILE:HD13	6:R:172:ILE:HG12	1.99	0.45
3:E:35:HIS:NE2	3:E:101:TYR:OH	2.46	0.45
6:R:126:GLY:HA3	6:R:175:MET:HE2	1.99	0.45
2:B:76:VAL:HG21	2:B:117:VAL:HG21	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:R:158:LYS:O	6:R:162:VAL:HG23	2.17	0.45
1:A:240:PHE:CZ	1:A:254:VAL:HG21	2.53	0.44
6:R:69:ILE:HD11	6:R:344:PHE:HB3	1.87	0.44
3:E:191:ARG:C	3:E:192:MET:CG	2.90	0.43
2:B:39:THR:HG21	2:B:305:LEU:C	2.43	0.43
6:R:56:PHE:O	6:R:57:PHE:C	2.61	0.43
6:R:232:LEU:O	6:R:236:VAL:HG23	2.17	0.43
1:A:360:LEU:HG	6:R:272:ILE:HG23	2.01	0.43
3:E:97:VAL:HG13	3:E:110:PHE:O	2.19	0.43
3:E:174:LEU:HB3	3:E:192:MET:HB3	2.00	0.43
5:L:10:PHE:CE2	6:R:175:MET:HE1	2.53	0.43
2:B:205:VAL:HG22	2:B:239:PHE:CE2	2.54	0.43
6:R:176:SER:H	6:R:177:PRO:HD2	1.84	0.43
6:R:123:LEU:CD1	6:R:179:ALA:HB2	2.49	0.42
3:E:12:VAL:HG11	3:E:86:LEU:CD1	2.49	0.42
3:E:7:SER:OG	3:E:21:SER:OG	2.36	0.42
6:R:166:ILE:O	6:R:166:ILE:HG22	2.18	0.42
2:B:281:VAL:CG1	2:B:290:LEU:HD11	2.49	0.42
3:E:91:THR:HG23	3:E:91:THR:O	2.20	0.42
2:B:53:ARG:NE	2:B:345:ASN:OD1	2.44	0.42
6:R:78:THR:HG22	6:R:79:VAL:N	2.35	0.42
6:R:170:LEU:O	6:R:174:ILE:HG13	2.20	0.42
6:R:120:ILE:O	6:R:124:VAL:HG23	2.19	0.41
6:R:329:ASN:N	6:R:330:PRO:HD2	2.35	0.41
6:R:288:LEU:N	6:R:289:PRO:CD	2.83	0.41
5:L:6:PRO:O	5:L:7:VAL:C	2.64	0.41
6:R:223:LEU:HD23	6:R:223:LEU:HA	1.82	0.41
2:B:252:ASP:O	2:B:253:ALA:HB3	2.21	0.41
6:R:229:LEU:HD23	6:R:229:LEU:HA	1.91	0.41
2:B:259:ASP:C	2:B:260:LEU:HD22	2.46	0.41
6:R:232:LEU:C	6:R:232:LEU:HD12	2.45	0.41
3:E:138:ILE:N	3:E:138:ILE:HD12	2.36	0.40
3:E:235:TYR:O	3:E:237:LEU:N	2.53	0.40
1:A:336:THR:OG1	1:A:337:GLU:N	2.55	0.40
6:R:90:SER:O	6:R:94:VAL:HG23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	198/361 (55%)	197 (100%)	1 (0%)	0	100	100
2	B	333/371 (90%)	332 (100%)	1 (0%)	0	100	100
3	E	224/247 (91%)	220 (98%)	4 (2%)	0	100	100
4	G	53/70 (76%)	53 (100%)	0	0	100	100
5	L	9/11 (82%)	4 (44%)	5 (56%)	0	100	100
6	R	299/420 (71%)	289 (97%)	9 (3%)	1 (0%)	37	55
All	All	1116/1480 (75%)	1095 (98%)	20 (2%)	1 (0%)	50	69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	R	176	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/314 (59%)	186 (100%)	0	100	100
2	B	268/302 (89%)	268 (100%)	0	100	100
3	E	177/198 (89%)	177 (100%)	0	100	100
4	G	40/57 (70%)	40 (100%)	0	100	100
5	L	8/8 (100%)	7 (88%)	1 (12%)	3	7
6	R	271/382 (71%)	262 (97%)	9 (3%)	33	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	950/1261 (75%)	940 (99%)	10 (1%)	69	85

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	L	9	ARG
6	R	47	ILE
6	R	53	PHE
6	R	154	LYS
6	R	175	MET
6	R	208	GLU
6	R	227	ILE
6	R	232	LEU
6	R	315	TYR
6	R	332	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	235	ASN
6	R	41	GLN
6	R	73	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-64693. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 184



Y Index: 190




Z Index: 146


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 66 nm^3 ; this corresponds to an approximate mass of 60 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.351 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-64693 and PDB model 9V1H. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).

9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7840	0.4470
A	0.7660	0.4070
B	0.8670	0.5140
E	0.7940	0.4850
G	0.5250	0.2340
L	0.5130	0.2870
R	0.7560	0.4210

1.0

0.0

<0.0