



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 30, 2025 – 02:10 PM JST

PDB ID : 9VE0 / pdb_00009ve0
Title : hA5-6 (W30B/W53) Fab bound to SFTSV glycoprotein Gn
Authors : Deng, Z.; Kuang, W.; Zhao, H.
Deposited on : 2025-06-09
Resolution : 2.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4708 (2.70-2.66)
Clashscore	180529	5138 (2.70-2.66)
Ramachandran outliers	177936	5071 (2.70-2.66)
Sidechain outliers	177891	5071 (2.70-2.66)
RSRZ outliers	164620	4708 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	232	3% 63% 30% 6%
2	L	218	% 74% 24% .
3	A	338	75% 17% 7%
4	J	3	33% 67%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5752 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called hA5-6 (W30B/W53) Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	217	Total	C	N	O	S	0	0	0
			1627	1028	268	323	8			

- Molecule 2 is a protein called hA5-6 (W30B/W53) Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	217	Total	C	N	O	S	0	0	0
			1664	1045	276	338	5			

- Molecule 3 is a protein called Envelopment polypeptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	313	Total	C	N	O	S	0	0	0
			2396	1503	412	455	26			

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	341	GLY	-	expression tag	UNP W5VWE0
A	342	SER	-	expression tag	UNP W5VWE0
A	343	THR	-	expression tag	UNP W5VWE0
A	344	LEU	-	expression tag	UNP W5VWE0
A	345	GLU	-	expression tag	UNP W5VWE0
A	346	VAL	-	expression tag	UNP W5VWE0
A	347	LEU	-	expression tag	UNP W5VWE0
A	348	PHE	-	expression tag	UNP W5VWE0
A	349	GLN	-	expression tag	UNP W5VWE0
A	350	GLY	-	expression tag	UNP W5VWE0
A	351	PRO	-	expression tag	UNP W5VWE0
A	352	HIS	-	expression tag	UNP W5VWE0
A	353	HIS	-	expression tag	UNP W5VWE0
A	354	HIS	-	expression tag	UNP W5VWE0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	355	HIS	-	expression tag	UNP W5VWE0
A	356	HIS	-	expression tag	UNP W5VWE0
A	357	HIS	-	expression tag	UNP W5VWE0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	J	3	Total	C	N	O	0	0	0
			39	22	2	15			


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	7	Total	O	0	0
			7	7		
5	L	3	Total	O	0	0
			3	3		
5	A	16	Total	O	0	0
			16	16		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: hA5-6 (W30B/W53) Fab heavy chain



- Molecule 2: hA5-6 (W30B/W53) Fab light chain



- Molecule 3: Envelopment polyprotein



- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  33% 67%

MAG1
MAG2
MAG3

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	66.41Å 91.91Å 307.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.46 – 2.68 29.46 – 2.68	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.46-2.68) 99.1 (29.46-2.68)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.92 (at 2.68Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.231 , 0.288 0.231 , 0.286	Depositor DCC
R_{free} test set	1384 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	64.5	Xtriage
Anisotropy	0.538	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 39.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5752	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	0.47	0/1667	0.70	0/2270
2	L	0.41	0/1702	0.63	2/2315 (0.1%)
3	A	0.47	0/2456	0.67	0/3314
All	All	0.45	0/5825	0.67	2/7899 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	69	THR	N-CA-C	5.97	120.72	113.38
2	L	69	THR	N-CA-CB	-5.25	102.71	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1627	0	1576	48	0
2	L	1664	0	1599	43	0
3	A	2396	0	2290	46	0
4	J	39	0	34	1	0
5	A	16	0	0	0	0
5	H	7	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	L	3	0	0	0	0
All	All	5752	0	5499	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:141:LEU:CD2	1:H:143:LYS:HG3	1.83	1.07
1:H:141:LEU:HD21	1:H:143:LYS:HG3	1.35	1.07
1:H:67:VAL:HG12	1:H:82:LEU:HD13	1.43	0.99
1:H:67:VAL:HG12	1:H:82:LEU:CD1	1.93	0.98
3:A:25:ILE:HD11	3:A:257:VAL:HB	1.51	0.90
2:L:2:ILE:H	2:L:2:ILE:HD12	1.37	0.88
3:A:188:GLU:OE2	3:A:192:LEU:HG	1.74	0.88
2:L:195:GLU:HG3	2:L:206:THR:HG22	1.58	0.83
3:A:218:GLY:C	3:A:339:VAL:HG22	2.06	0.80
3:A:215:GLN:OE1	3:A:215:GLN:C	2.26	0.78
1:H:6:GLN:HE21	1:H:104:GLY:HA3	1.49	0.77
3:A:165:GLY:O	3:A:166:LEU:HD23	1.88	0.72
2:L:21:ILE:HD12	2:L:73:LEU:HD23	1.72	0.72
1:H:100(A):ARG:HG2	2:L:91:SER:HB2	1.72	0.71
3:A:73:GLN:HE21	3:A:166:LEU:HB3	1.57	0.70
3:A:117:MET:HE3	3:A:334:MET:HG3	1.72	0.69
2:L:106:ILE:HB	2:L:166:GLN:HE22	1.55	0.69
3:A:117:MET:CE	3:A:334:MET:HB2	2.22	0.69
1:H:63:PHE:HB3	1:H:67:VAL:CG1	2.22	0.69
3:A:135:PHE:HB2	3:A:208:ILE:HG22	1.76	0.66
1:H:181:VAL:HG21	2:L:135:LEU:HD11	1.78	0.66
2:L:2:ILE:HD13	2:L:90:GLN:NE2	2.12	0.64
3:A:73:GLN:NE2	3:A:166:LEU:HB3	2.11	0.64
2:L:165:GLU:H	2:L:165:GLU:CD	2.06	0.63
1:H:6:GLN:NE2	1:H:106:GLY:H	1.96	0.63
2:L:68:GLY:O	2:L:71:PHE:CE2	2.52	0.63
1:H:67:VAL:HG12	1:H:82:LEU:HD12	1.78	0.62
2:L:55:GLU:OE1	2:L:55:GLU:HA	1.99	0.61
3:A:117:MET:HE1	3:A:334:MET:HB2	1.83	0.61
1:H:150:VAL:HG12	1:H:200:HIS:CD2	2.36	0.61
3:A:73:GLN:HE22	3:A:166:LEU:HD13	1.66	0.60
1:H:63:PHE:HB3	1:H:67:VAL:HG11	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:141:LEU:HD22	1:H:143:LYS:HG3	1.80	0.60
1:H:6:GLN:HE21	1:H:104:GLY:CA	2.14	0.59
1:H:6:GLN:NE2	1:H:104:GLY:HA3	2.17	0.59
2:L:136:LEU:HD21	2:L:196:VAL:HG13	1.84	0.59
2:L:2:ILE:HD12	2:L:2:ILE:N	2.14	0.59
3:A:86:GLU:OE1	3:A:86:GLU:N	2.33	0.59
2:L:140:TYR:CD1	2:L:141:PRO:HA	2.39	0.58
1:H:63:PHE:HB3	1:H:67:VAL:HG13	1.85	0.58
1:H:155:ASN:ND2	1:H:195:ILE:H	2.02	0.58
2:L:30(B):TRP:HB2	3:A:152:SER:HB3	1.86	0.58
2:L:2:ILE:CD1	2:L:93:GLU:OE1	2.51	0.57
2:L:20:THR:HG23	2:L:72:THR:HG23	1.85	0.57
1:H:150:VAL:HG12	1:H:200:HIS:HD2	1.70	0.57
3:A:101:ALA:HB1	3:A:106:MET:HB2	1.87	0.56
1:H:27:TYR:OH	1:H:34:MET:HE1	2.06	0.56
3:A:50:GLN:HA	3:A:55:ILE:HD12	1.88	0.56
1:H:17:SER:OG	1:H:82(A):ASN:HB3	2.05	0.56
3:A:154:GLU:O	3:A:155:LEU:HD23	2.06	0.56
3:A:95:LEU:HD21	3:A:311:PRO:HD2	1.87	0.55
3:A:117:MET:HE3	3:A:334:MET:CG	2.36	0.55
3:A:119:VAL:HG12	3:A:334:MET:HE3	1.88	0.55
3:A:117:MET:HE3	3:A:334:MET:HB2	1.87	0.55
1:H:61:GLN:NE2	1:H:64:LYS:HD3	2.22	0.54
3:A:267:SER:OG	3:A:270:GLU:OE1	2.14	0.54
3:A:25:ILE:HG22	3:A:26:CYS:SG	2.48	0.53
3:A:51:ILE:HA	3:A:56:HIS:ND1	2.24	0.53
3:A:288:LYS:O	3:A:288:LYS:HD3	2.09	0.53
2:L:122:ASP:O	2:L:126:LYS:HB2	2.09	0.53
1:H:126:PRO:HG3	1:H:138:LEU:HB3	1.91	0.52
2:L:68:GLY:O	2:L:71:PHE:HE2	1.92	0.52
3:A:226:ASP:HB3	3:A:330:PHE:CE1	2.44	0.52
2:L:2:ILE:HD12	2:L:93:GLU:OE1	2.10	0.52
1:H:33:TRP:HB2	5:H:303:HOH:O	2.10	0.51
1:H:178:LEU:HD12	1:H:179:SER:N	2.26	0.51
2:L:106:ILE:HB	2:L:166:GLN:NE2	2.25	0.50
1:H:119:PRO:HB3	1:H:145:TYR:HB3	1.92	0.50
1:H:124:LEU:N	1:H:124:LEU:HD23	2.26	0.50
1:H:16:ALA:O	1:H:82(C):LEU:HG	2.12	0.50
2:L:117:ILE:HD13	2:L:209:PHE:HD1	1.77	0.50
2:L:165:GLU:N	2:L:165:GLU:OE1	2.45	0.50
2:L:37:GLN:HB2	2:L:47:LEU:HD11	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:51:ILE:HA	3:A:56:HIS:CE1	2.47	0.49
1:H:13:LYS:HA	1:H:112:SER:O	2.12	0.49
3:A:218:GLY:O	3:A:339:VAL:HG22	2.10	0.49
2:L:117:ILE:HD13	2:L:209:PHE:CD1	2.47	0.49
2:L:108:ARG:NH1	2:L:109:THR:HG23	2.28	0.49
2:L:27:GLN:O	2:L:69:THR:HG22	2.13	0.48
3:A:117:MET:HE3	3:A:334:MET:CB	2.43	0.48
1:H:181:VAL:HG21	2:L:135:LEU:CD1	2.41	0.48
2:L:115:VAL:HA	2:L:135:LEU:O	2.13	0.48
2:L:184:ALA:O	2:L:188:LYS:HG3	2.13	0.48
3:A:260:LYS:NZ	3:A:270:GLU:OE2	2.46	0.48
1:H:139:GLY:O	1:H:211:VAL:HG21	2.14	0.48
3:A:43:GLY:HA2	3:A:268:GLU:HG3	1.95	0.48
2:L:2:ILE:HD11	2:L:93:GLU:CD	2.39	0.47
1:H:6:GLN:HE21	1:H:104:GLY:C	2.22	0.47
3:A:30:ILE:HD13	3:A:74:ARG:HG2	1.97	0.47
1:H:31:ASP:HB3	3:A:111:LYS:HD2	1.95	0.47
2:L:2:ILE:H	2:L:2:ILE:CD1	2.14	0.47
2:L:67:SER:O	2:L:68:GLY:C	2.58	0.47
2:L:115:VAL:HB	2:L:207:LYS:HG3	1.96	0.47
3:A:336:THR:C	3:A:337:LEU:HD22	2.40	0.47
3:A:21:THR:HG23	3:A:78:SER:HB2	1.98	0.47
1:H:144:ASP:HB3	1:H:175:LEU:HD13	1.96	0.46
1:H:67:VAL:CG1	1:H:82:LEU:HD13	2.30	0.46
2:L:30(A):TYR:HD2	2:L:30(B):TRP:H	1.63	0.46
3:A:215:GLN:OE1	3:A:216:CYS:N	2.49	0.46
1:H:51:ILE:O	1:H:52(A):PRO:HD3	2.15	0.46
3:A:293:GLU:OE1	3:A:293:GLU:C	2.59	0.46
1:H:43:LYS:HB3	1:H:44:GLY:H	1.62	0.45
2:L:30(B):TRP:CB	3:A:152:SER:HB3	2.47	0.45
3:A:207:LYS:O	3:A:335:ALA:HA	2.17	0.45
1:H:83:THR:C	1:H:111:VAL:HG11	2.41	0.44
2:L:80:ALA:O	2:L:83:VAL:HG12	2.17	0.44
1:H:159:LEU:HD21	1:H:182:VAL:HG21	2.00	0.44
3:A:117:MET:CE	3:A:334:MET:CB	2.93	0.44
1:H:12:LYS:O	1:H:111:VAL:HA	2.17	0.44
1:H:201:LYS:NZ	1:H:204:ASN:OD1	2.50	0.44
2:L:201:LEU:HD13	2:L:205:VAL:HG23	2.00	0.43
3:A:94:GLY:HA3	3:A:308:VAL:HG13	2.00	0.43
2:L:129:THR:HG22	2:L:130:ALA:N	2.32	0.43
1:H:116:THR:HG22	1:H:203:SER:HB3	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:87:THR:HA	1:H:109:VAL:O	2.19	0.42
1:H:178:LEU:HD12	1:H:179:SER:C	2.44	0.42
3:A:130:PHE:HA	3:A:173:LEU:O	2.18	0.42
2:L:30(A):TYR:CE2	2:L:30(B):TRP:HE3	2.38	0.42
3:A:120:PRO:HD2	3:A:334:MET:HE1	2.02	0.42
1:H:70:THR:OG1	1:H:79:PHE:HB2	2.19	0.42
2:L:2:ILE:HD11	2:L:93:GLU:OE1	2.19	0.42
1:H:155:ASN:HD21	1:H:194:TYR:HA	1.85	0.42
2:L:50:ALA:HB3	2:L:53:TRP:HD1	1.85	0.41
1:H:97:TYR:CD2	3:A:114:GLY:HA2	2.55	0.41
2:L:6:GLN:HA	2:L:22:SER:O	2.20	0.41
1:H:124:LEU:HD21	1:H:141:LEU:HB2	2.03	0.41
3:A:119:VAL:HA	3:A:334:MET:HE3	2.03	0.41
1:H:126:PRO:O	1:H:127:SER:C	2.64	0.41
4:J:1:NAG:H61	4:J:2:NAG:C7	2.51	0.41
3:A:215:GLN:C	3:A:215:GLN:CD	2.90	0.40
2:L:189:HIS:HB2	2:L:192:TYR:OH	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	213/232 (92%)	191 (90%)	22 (10%)	0	100	100
2	L	215/218 (99%)	207 (96%)	8 (4%)	0	100	100
3	A	309/338 (91%)	289 (94%)	20 (6%)	0	100	100
All	All	737/788 (94%)	687 (93%)	50 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	182/199 (92%)	167 (92%)	15 (8%)	9	21
2	L	186/189 (98%)	179 (96%)	7 (4%)	28	53
3	A	267/292 (91%)	259 (97%)	8 (3%)	36	63
All	All	635/680 (93%)	605 (95%)	30 (5%)	22	45

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	28	SER
1	H	69	LEU
1	H	74	SER
1	H	111	VAL
1	H	140	CYS
1	H	148	GLU
1	H	149	PRO
1	H	156	SER
1	H	161	SER
1	H	191	THR
1	H	196	CYS
1	H	198	VAL
1	H	210	LYS
1	H	214	LYS
1	H	216	CYS
2	L	11	LEU
2	L	31	SER
2	L	77	SER
2	L	109	THR
2	L	110	VAL
2	L	115	VAL
2	L	176	SER
3	A	158	SER
3	A	163	SER
3	A	221	LEU
3	A	252	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	253	SER
3	A	308	VAL
3	A	309	HIS
3	A	310	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	3	GLN
1	H	6	GLN
1	H	61	GLN
1	H	155	ASN
2	L	138	ASN
2	L	199	GLN
3	A	40	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	J	1	3,4	14,14,15	0.95	0	17,19,21	2.55	6 (35%)
4	NAG	J	2	4	14,14,15	0.66	0	17,19,21	1.75	7 (41%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MAN	J	3	4	11,11,12	0.97	1 (9%)	15,15,17	1.10	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	J	1	3,4	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
4	MAN	J	3	4	-	0/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	J	3	MAN	C1-C2	2.19	1.57	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	J	1	NAG	C1-O5-C5	6.36	120.81	112.19
4	J	1	NAG	C2-N2-C7	5.00	130.02	122.90
4	J	1	NAG	C3-C4-C5	-3.76	103.52	110.24
4	J	2	NAG	C4-C3-C2	3.10	115.55	111.02
4	J	2	NAG	C1-O5-C5	3.01	116.27	112.19
4	J	2	NAG	O5-C1-C2	-2.77	106.92	111.29
4	J	1	NAG	O5-C5-C6	-2.67	103.03	107.20
4	J	1	NAG	O7-C7-N2	2.57	126.67	121.95
4	J	1	NAG	O3-C3-C4	2.55	116.25	110.35
4	J	2	NAG	O7-C7-N2	2.46	126.47	121.95
4	J	3	MAN	O3-C3-C2	-2.38	105.44	109.99
4	J	2	NAG	O4-C4-C3	-2.21	105.25	110.35
4	J	3	MAN	O3-C3-C4	2.17	115.37	110.35
4	J	2	NAG	O3-C3-C2	-2.12	105.08	109.47
4	J	2	NAG	O7-C7-C8	-2.09	118.18	122.06

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	J	1	NAG	1	0
4	J	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	217/232 (93%)	0.27	8 (3%) 45 44	51, 73, 99, 112	0
2	L	217/218 (99%)	0.33	2 (0%) 81 80	54, 74, 90, 99	0
3	A	313/338 (92%)	0.24	1 (0%) 90 89	49, 66, 87, 103	0
All	All	747/788 (94%)	0.28	11 (1%) 71 71	49, 71, 90, 112	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	213	GLU	3.3
1	H	145	TYR	2.9
1	H	150	VAL	2.5
1	H	147	PRO	2.4
1	H	149	PRO	2.2
1	H	151	THR	2.1
1	H	141	LEU	2.1
2	L	157	GLY	2.1
1	H	138	LEU	2.1
1	H	137	ALA	2.1
3	A	302	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	J	1	14/15	-	-	55,62,69,74	0
4	NAG	J	2	14/15	-	-	60,67,75,81	0
4	MAN	J	3	11/12	-	-	73,79,82,91	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.