



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 25, 2026 – 12:42 PM JST

PDB ID : 9WEH / pdb_00009weh
Title : Plasmodium vivax aspartyl-tRNA synthetase in complex with Asp-AMS, SO₄, MOPSO and Butanetriol
Authors : Manickam, Y.; Sharma, V.K.; Bagale, S.; Pradeepkumar, P.I.; Sharma, A.
Deposited on : 2025-08-19
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	536	4% 84% 10% 6%
1	B	536	5% 85% 8% 7%

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 9055 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called aspartate-tRNA ligase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	506	Total	C	N	O	S	0	3	0
			4106	2635	684	760	27			
1	B	500	Total	C	N	O	S	0	4	0
			4010	2568	667	748	27			

- Molecule 2 is 5'-O-(L-alpha-aspartylsulfamoyl)adenosine (CCD ID: DSZ) (formula: C₁₄H₁₉N₇O₉S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			31	14	7	9	1		
2	B	1	Total	C	N	O	S	0	0
			31	14	7	9	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is (2 {S})-butane-1,2,4-triol (CCD ID: 0V1) (formula: C₄H₁₀O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is (2S)-2-hydroxy-3-(morpholin-4-yl)propane-1-sulfonic acid (CCD ID: 6BX) (formula: C₇H₁₅NO₅S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			14	7	1	5	1		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	382	Total	O	0	31
			412	412		
9	B	330	Total	O	0	38
			367	367		

- Molecule 1: aspartate-tRNA ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	139.78Å 139.78Å 274.11Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.46 – 2.09 50.46 – 2.09	Depositor EDS
% Data completeness (in resolution range)	99.3 (50.46-2.09) 99.3 (50.46-2.09)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 2.08Å)	Xtriage
Refinement program	PHENIX (1.15rc1_3423: ???)	Depositor
R, R_{free}	0.175 , 0.211 0.182 , 0.212	Depositor DCC
R_{free} test set	4584 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	44.8	Xtriage
Anisotropy	0.129	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 69.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9055	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 6BX, DSZ, GOL, SO4, PEG, 0V1, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	2/4206 (0.0%)	0.59	5/5673 (0.1%)
1	B	0.31	0/4111	0.55	3/5553 (0.1%)
All	All	0.34	2/8317 (0.0%)	0.57	8/11226 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	398[A]	GLU	CA-C	7.16	1.61	1.52
1	A	398[B]	GLU	CA-C	7.16	1.61	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	219	LYS	N-CA-C	-7.77	105.76	114.62
1	A	398[A]	GLU	CA-C-O	5.86	127.60	120.92
1	A	398[B]	GLU	CA-C-O	5.86	127.60	120.92
1	A	351	SER	N-CA-C	5.49	117.26	111.28
1	B	128	LYS	N-CA-C	5.46	119.51	112.41
1	B	605	ARG	CA-CB-CG	-5.45	103.20	114.10
1	B	288	GLU	N-CA-C	5.22	117.27	108.96
1	A	254	ASP	N-CA-C	5.13	116.95	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4106	0	3997	39	0
1	B	4010	0	3825	26	0
2	A	31	0	18	1	0
2	B	31	0	18	0	0
3	A	5	0	0	0	0
3	B	10	0	0	0	0
4	A	14	0	0	0	0
4	B	14	0	0	0	0
5	A	14	0	0	0	0
6	A	12	0	16	0	0
6	B	12	0	16	0	0
7	B	7	0	10	1	0
8	B	10	0	14	2	0
9	A	412	0	0	7	0
9	B	367	0	0	0	0
All	All	9055	0	7914	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:ASN:O	1:A:223:ASN:ND2	2.33	0.61
1:A:219:LYS:HZ2	1:A:219:LYS:HB2	1.66	0.59
1:B:604:GLU:HG2	1:B:620:SER:HB2	1.84	0.59
1:B:220:HIS:CD2	1:B:220:HIS:N	2.72	0.57
1:A:324:GLN:NE2	9:A:810:HOH:O	2.38	0.57
1:A:250:GLU:O	1:A:252:PRO:HD3	2.04	0.56
1:B:106:THR:O	1:B:110:GLU:HG3	2.06	0.55
1:A:356:ASN:HB3	1:A:398[B]:GLU:OE2	2.06	0.55
1:A:360:ILE:HD12	1:A:360:ILE:O	2.07	0.55
1:B:195:ARG:HE	1:B:202:PHE:HB2	1.71	0.54
1:A:218:ILE:HG13	1:A:218:ILE:O	2.07	0.54
1:A:352:GLU:OE1	2:A:701:DSZ:N	2.40	0.54
1:A:221:ASN:ND2	9:A:802[A]:HOH:O	2.24	0.54
1:B:149:MET:HE1	1:B:259:LYS:H	1.72	0.54
1:A:422:TYR:OH	1:A:522:ILE:HD11	2.08	0.53
1:B:525:PRO:HG2	1:B:528:LEU:HD12	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:211:SER:OG	1:B:256:THR:HA	2.09	0.52
1:A:124:VAL:HG11	1:A:129:MET:SD	2.50	0.51
1:A:591:TYR:HA	1:B:273:THR:HG23	1.93	0.50
1:B:450:ILE:O	1:B:454:LYS:HG2	2.11	0.50
1:B:195:ARG:HE	1:B:202:PHE:CB	2.25	0.49
1:A:128:LYS:HD2	9:A:1143[B]:HOH:O	2.13	0.49
1:A:483:HIS:ND1	9:A:805:HOH:O	2.35	0.49
1:A:572:ILE:HG23	1:A:577:LEU:HB2	1.94	0.49
1:A:205:LEU:O	1:A:211:SER:HA	2.13	0.48
1:A:522:ILE:HG13	1:A:545:SER:O	2.13	0.48
1:B:522:ILE:HG22	1:B:546:TYR:HB3	1.96	0.48
1:A:140:ASN:OD1	1:A:143:GLU:HG3	2.14	0.48
1:B:472:THR:HG23	8:B:709:PGE:H2	1.95	0.47
1:B:496:TYR:CE2	1:B:498:MET:HA	2.50	0.47
1:A:525:PRO:HG2	1:A:528:LEU:HD12	1.97	0.47
1:A:548:PHE:HB2	1:A:556:LEU:HB3	1.96	0.47
1:A:253:ILE:HG23	1:A:256:THR:OG1	2.16	0.46
1:A:533:THR:HG23	1:A:559:SER:HB2	1.97	0.46
1:A:405:HIS:HE1	9:A:840:HOH:O	1.96	0.46
1:B:349:GLU:HG3	1:B:581:LYS:HB3	1.97	0.46
1:A:465:LEU:HG	1:A:516:THR:HB	1.95	0.46
1:A:330:LYS:NZ	9:A:808:HOH:O	2.38	0.46
1:A:465:LEU:HD12	1:A:469:PRO:HD3	1.98	0.45
1:B:140:ASN:OD1	1:B:143:GLU:HG3	2.16	0.45
1:A:219:LYS:HB2	1:A:219:LYS:NZ	2.23	0.45
1:A:288:GLU:OE1	9:A:801[A]:HOH:O	2.21	0.45
1:B:438:THR:O	1:B:442:LYS:HG3	2.16	0.45
1:B:465:LEU:HG	1:B:516:THR:HB	1.99	0.45
1:A:360:ILE:HD12	1:A:360:ILE:C	2.41	0.45
1:A:535:TYR:HA	1:A:543:SER:HA	1.97	0.45
1:B:240:VAL:HG12	1:B:269:CYS:HA	1.99	0.45
1:B:289:THR:C	1:B:291:GLU:H	2.25	0.44
1:B:184:ASP:OD2	1:B:265:ARG:HD3	2.18	0.43
1:B:472:THR:CG2	8:B:709:PGE:H2	2.48	0.43
1:B:491:GLU:H	1:B:491:GLU:CD	2.27	0.43
1:A:351:SER:HB2	1:A:375:LEU:HG	2.00	0.42
1:B:205:LEU:O	1:B:211:SER:HA	2.20	0.42
1:A:471:PHE:O	1:A:521:ILE:HA	2.19	0.42
1:A:498:MET:HE3	1:A:498:MET:HB2	1.81	0.42
1:A:582:LEU:O	1:A:586:ILE:HG13	2.20	0.42
1:A:415:GLU:OE1	1:A:598:GLY:HA3	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:CYS:HA	1:A:262:ALA:O	2.20	0.41
1:A:630:ILE:HG23	1:A:631:PRO:HA	2.03	0.41
1:A:534:MET:HE3	1:A:562:ILE:HG12	2.02	0.41
1:B:563:SER:O	1:B:593:SER:HB3	2.21	0.41
1:B:144:ILE:HG22	1:B:258:ILE:HD13	2.03	0.40
1:B:350:SER:O	7:B:707:PEG:H42	2.21	0.40
1:A:140:ASN:CG	1:A:143:GLU:HG3	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	505/536 (94%)	487 (96%)	18 (4%)	0	100	100
1	B	498/536 (93%)	483 (97%)	15 (3%)	0	100	100
All	All	1003/1072 (94%)	970 (97%)	33 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	446/485 (92%)	445 (100%)	1 (0%)	87	93

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	427/485 (88%)	426 (100%)	1 (0%)	87	93
All	All	873/970 (90%)	871 (100%)	2 (0%)	87	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	219	LYS
1	B	220	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	221	ASN
1	A	299	GLN
1	A	463	GLN
1	B	220	HIS
1	B	322	GLN
1	B	365	GLN
1	B	487	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DSZ	A	701	-	32,33,33	0.14	0	45,49,49	0.30	0
6	GOL	B	706	-	5,5,5	0.87	0	5,5,5	1.00	0
3	SO4	B	703	-	4,4,4	0.14	0	6,6,6	0.05	0
4	OV1	A	703	-	6,6,6	0.06	0	4,6,6	0.16	0
2	DSZ	B	701	-	32,33,33	0.12	0	45,49,49	0.26	0
6	GOL	A	706	-	5,5,5	0.93	0	5,5,5	1.02	0
6	GOL	A	707	-	5,5,5	0.88	0	5,5,5	1.01	0
5	6BX	A	704	-	14,14,14	0.17	0	17,19,19	0.39	0
6	GOL	B	708	-	5,5,5	0.86	0	5,5,5	0.99	0
7	PEG	B	707	-	6,6,6	0.11	0	5,5,5	0.15	0
8	PGE	B	709	-	9,9,9	0.44	0	8,8,8	0.29	0
3	SO4	B	702	-	4,4,4	0.32	0	6,6,6	0.04	0
4	OV1	B	705	-	6,6,6	0.05	0	4,6,6	0.16	0
3	SO4	A	702	-	4,4,4	0.13	0	6,6,6	0.05	0
4	OV1	B	704	-	6,6,6	0.08	0	4,6,6	0.17	0
4	OV1	A	705	-	6,6,6	0.06	0	4,6,6	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DSZ	A	701	-	-	5/22/39/39	0/3/3/3
6	GOL	B	706	-	-	4/4/4/4	-
4	OV1	A	703	-	-	3/5/5/5	-
2	DSZ	B	701	-	-	1/22/39/39	0/3/3/3
6	GOL	A	706	-	-	2/4/4/4	-
6	GOL	A	707	-	-	1/4/4/4	-
5	6BX	A	704	-	-	2/9/17/17	0/1/1/1
6	GOL	B	708	-	-	2/4/4/4	-
7	PEG	B	707	-	-	1/4/4/4	-
8	PGE	B	709	-	-	1/7/7/7	-
4	OV1	B	705	-	-	1/5/5/5	-
4	OV1	B	704	-	-	0/5/5/5	-
4	OV1	A	705	-	-	0/5/5/5	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	703	0V1	C2-C3-C4-O4
4	B	705	0V1	C2-C3-C4-O4
6	A	706	GOL	O1-C1-C2-C3
4	A	703	0V1	O1-C1-C2-C3
2	A	701	DSZ	O-C-CA-N
2	A	701	DSZ	NAT-C-CA-N
6	A	706	GOL	O1-C1-C2-O2
2	A	701	DSZ	O-C-CA-CB
7	B	707	PEG	O2-C3-C4-O4
6	B	706	GOL	O1-C1-C2-O2
6	B	706	GOL	O2-C2-C3-O3
6	B	708	GOL	O2-C2-C3-O3
5	A	704	6BX	O05-C04-C06-N07
2	B	701	DSZ	O-C-CA-N
2	A	701	DSZ	NAT-C-CA-CB
4	A	703	0V1	O1-C1-C2-O2
5	A	704	6BX	C03-C04-C06-N07
6	B	706	GOL	C1-C2-C3-O3
6	B	708	GOL	C1-C2-C3-O3
8	B	709	PGE	O2-C3-C4-O3
2	A	701	DSZ	CA-CB-CG-OD2
6	A	707	GOL	O1-C1-C2-C3
6	B	706	GOL	O1-C1-C2-C3


There are no ring outliers.


3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	DSZ	1	0
7	B	707	PEG	1	0
8	B	709	PGE	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	506/536 (94%)	0.06	24 (4%)	36 38	28, 51, 99, 150	7 (1%)
1	B	500/536 (93%)	0.10	27 (5%)	31 33	24, 51, 118, 152	6 (1%)
All	All	1006/1072 (93%)	0.08	51 (5%)	33 35	24, 51, 111, 152	13 (1%)

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	116	ILE	5.2
1	A	351	SER	5.2
1	B	132	ASN	5.0
1	A	290	ASN	4.3
1	A	353	GLY	4.3
1	A	178	ALA	4.0
1	B	253	ILE	4.0
1	B	101	LEU	3.9
1	B	295	ILE	3.8
1	B	130	LYS	3.6
1	B	179	HIS	3.5
1	B	288	GLU	3.5
1	A	98	ARG	3.4
1	A	179[A]	HIS	3.3
1	B	353	GLY	3.1
1	A	253	ILE	3.0
1	B	290	ASN	3.0
1	B	200	LEU	3.0
1	B	351	SER	3.0
1	B	135	GLU	2.9
1	B	209	LEU	2.9
1	A	222	ASP	2.8
1	A	292	GLU	2.8
1	B	218	ILE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	100	ASN	2.8
1	A	360	ILE	2.8
1	B	251	VAL	2.7
1	B	128	LYS	2.6
1	A	354	GLY	2.6
1	A	288	GLU	2.5
1	B	124	VAL	2.4
1	B	136	ILE	2.3
1	A	219	LYS	2.3
1	B	291	GLU	2.3
1	B	538	ASP	2.2
1	B	113	CYS	2.2
1	B	149	MET	2.2
1	A	126	ILE	2.2
1	B	354	GLY	2.2
1	A	355	ALA	2.2
1	B	181	LEU	2.2
1	A	289	THR	2.2
1	A	522	ILE	2.1
1	B	584	PHE	2.1
1	A	494	LEU	2.1
1	B	104	GLU	2.1
1	A	489	LYS	2.1
1	A	251	VAL	2.1
1	A	490	GLU	2.0
1	A	582	LEU	2.0
1	A	220	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	PGE	B	709	10/10	0.68	0.33	59,67,78,79	10
4	0V1	B	704	7/7	0.72	0.23	62,76,82,92	7
7	PEG	B	707	7/7	0.77	0.23	84,95,101,102	7
6	GOL	A	707	6/6	0.83	0.20	67,78,82,86	6
6	GOL	A	706	6/6	0.84	0.18	60,66,77,77	6
5	6BX	A	704	14/14	0.85	0.19	51,61,100,105	14
4	0V1	B	705	7/7	0.86	0.17	88,94,107,109	0
4	0V1	A	705	7/7	0.88	0.13	75,90,104,105	0
4	0V1	A	703	7/7	0.88	0.17	58,79,87,90	0
6	GOL	B	706	6/6	0.89	0.16	78,82,86,96	6
6	GOL	B	708	6/6	0.89	0.15	73,77,83,98	0
3	SO4	B	703	5/5	0.94	0.12	89,91,92,93	5
3	SO4	A	702	5/5	0.94	0.11	70,74,82,97	0
3	SO4	B	702	5/5	0.94	0.10	59,65,79,81	0
2	DSZ	A	701	31/31	0.98	0.06	32,36,42,44	0
2	DSZ	B	701	31/31	0.98	0.05	30,35,40,43	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PGE B 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 0V1 B 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around PEG B 707:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GOL A 707:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL A 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 6BX A 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 0V1 B 705:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 0V1 A 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 0V1 A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL B 706:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL B 708:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 B 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DSZ A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DSZ B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.