



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 29, 2026 – 10:08 AM JST

PDB ID : 9WHB / pdb_00009whb
Title : Crystal structure of VanH from *Acinetobacter baumannii*
Authors : Kang, Y.J.; Park, H.H.
Deposited on : 2025-08-26
Resolution : 2.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	
1	B	325	
1	C	325	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7615 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-phosphoglycerate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	319	2486	1581	429	467	9	0	1	0
1	B	316	2437	1547	418	463	9	0	0	0
1	C	323	2498	1587	431	471	9	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	81	Total 81	O 81	0	0
2	B	37	Total 37	O 37	0	0
2	C	76	Total 76	O 76	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-phosphoglycerate dehydrogenase



- Molecule 1: 3-phosphoglycerate dehydrogenase



- Molecule 1: 3-phosphoglycerate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	104.63Å 104.63Å 237.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.66 – 2.39 29.66 – 2.39	Depositor EDS
% Data completeness (in resolution range)	100.0 (29.66-2.39) 99.9 (29.66-2.39)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 2.39Å)	Xtrriage
Refinement program	PHENIX (1.17_3644: ???)	Depositor
R, R_{free}	0.245 , 0.279 0.246 , 0.280	Depositor DCC
R_{free} test set	2650 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	52.3	Xtrriage
Anisotropy	0.034	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7615	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	1/2529 (0.0%)	0.79	10/3426 (0.3%)
1	B	0.38	1/2480 (0.0%)	0.86	18/3364 (0.5%)
1	C	0.23	0/2542	0.56	2/3446 (0.1%)
All	All	0.35	2/7551 (0.0%)	0.75	30/10236 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	2
All	All	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	54	ARG	NE-CZ	5.34	1.39	1.33
1	B	51	ILE	CG1-CD1	-5.21	1.31	1.51

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	54	ARG	CD-NE-CZ	11.13	139.99	124.40
1	A	54	ARG	CB-CG-CD	10.93	136.44	111.30
1	A	197	GLU	CA-CB-CG	10.24	134.59	114.10
1	C	222	GLU	CA-CB-CG	-10.15	93.80	114.10
1	B	33	TYR	CA-C-N	-10.05	106.72	122.49
1	B	33	TYR	C-N-CA	-10.05	106.72	122.49
1	B	274	GLU	CB-CG-CD	-9.37	96.67	112.60
1	A	54	ARG	NE-CZ-NH2	-8.79	111.28	119.20
1	A	53	VAL	CA-C-N	-8.47	107.43	122.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	53	VAL	C-N-CA	-8.47	107.43	122.42
1	A	196	ILE	CA-C-N	-7.78	109.89	122.26
1	A	196	ILE	C-N-CA	-7.78	109.89	122.26
1	B	315	ARG	NE-CZ-NH1	-7.50	114.00	121.50
1	A	197	GLU	CB-CA-C	7.28	121.78	109.55
1	B	213	LYS	CD-CE-NZ	6.89	133.94	111.90
1	B	60	ARG	CB-CG-CD	-6.29	96.83	111.30
1	B	60	ARG	CA-CB-CG	6.11	126.33	114.10
1	B	34	MET	CA-CB-CG	5.81	125.71	114.10
1	B	314	PRO	CA-C-N	-5.67	111.52	122.06
1	B	314	PRO	C-N-CA	-5.67	111.52	122.06
1	B	49	ASP	CB-CG-OD1	-5.65	105.40	118.40
1	B	51	ILE	N-CA-C	5.62	115.25	108.06
1	B	315	ARG	CD-NE-CZ	5.55	132.17	124.40
1	B	213	LYS	CB-CG-CD	-5.54	98.57	111.30
1	B	317	ILE	CB-CG1-CD1	-5.31	102.64	113.80
1	B	213	LYS	CG-CD-CE	5.27	123.42	111.30
1	C	45	ASP	CB-CA-C	-5.26	102.59	110.90
1	B	317	ILE	CB-CA-C	-5.10	105.41	112.24
1	B	60	ARG	CG-CD-NE	5.06	123.13	112.00
1	A	40	GLU	CG-CD-OE2	-5.02	106.86	118.40

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	40	GLU	Sidechain
1	B	315	ARG	Sidechain
1	B	48	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2486	0	2534	76	0
1	B	2437	0	2458	110	0
1	C	2498	0	2543	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	81	0	0	6	2
2	B	37	0	0	5	0
2	C	76	0	0	6	1
All	All	7615	0	7535	215	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (215) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:PHE:CZ	1:B:114:PHE:HE2	1.70	1.10
1:B:47:GLN:C	1:B:49:ASP:OD1	1.94	1.09
1:B:96:ILE:HG23	1:B:317:ILE:HD11	1.36	1.07
1:B:311:LEU:HB3	1:B:315:ARG:HD3	1.32	1.07
1:B:110:PHE:CZ	1:B:114:PHE:CE2	2.47	1.02
1:B:312:LEU:O	1:B:315:ARG:HD2	1.62	1.00
1:A:190:HIS:O	2:A:401:HOH:O	1.80	0.98
1:B:110:PHE:CE1	1:B:114:PHE:CE2	2.53	0.96
1:B:47:GLN:O	1:B:49:ASP:OD1	1.82	0.96
1:A:40:GLU:OE2	1:A:44:HIS:CE1	2.20	0.95
1:B:312:LEU:HB3	1:B:315:ARG:HE	1.29	0.91
1:A:40:GLU:HA	1:A:43:ILE:HG22	1.53	0.89
1:A:64:PHE:HE1	1:A:67:ASP:CG	1.79	0.89
1:B:263:SER:O	2:B:401:HOH:O	1.93	0.85
1:B:193:GLU:OE2	1:B:223:LYS:NZ	2.09	0.84
1:A:64:PHE:CE1	1:A:67:ASP:OD1	2.31	0.83
1:A:197:GLU:OE2	1:A:223:LYS:HB3	1.77	0.82
1:B:88:ALA:HA	1:B:322:LEU:HD21	1.63	0.81
1:A:64:PHE:CE1	1:A:67:ASP:CG	2.60	0.80
1:C:144:GLY:O	2:C:401:HOH:O	2.01	0.78
1:B:51:ILE:HD12	1:B:307:TRP:CZ2	2.20	0.75
1:B:115:ASN:HD21	1:B:121:THR:HG23	1.52	0.74
1:B:13:THR:HG22	1:B:52:ILE:HG13	1.69	0.73
1:A:53:VAL:HG12	1:A:54:ARG:HG3	1.68	0.73
1:A:64:PHE:HE1	1:A:67:ASP:OD1	1.69	0.72
1:A:69:LEU:HD23	1:A:93:PRO:HG2	1.72	0.70
1:A:74:LYS:HG2	1:A:75:HIS:H	1.56	0.69
1:B:44:HIS:CD2	1:B:65:ALA:HB3	2.28	0.69
1:C:40:GLU:HG2	1:C:62:MET:HG3	1.75	0.69
1:A:175:PRO:HB3	1:C:175:PRO:HG3	1.74	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:ARG:HH21	1:A:131:HIS:CG	2.12	0.68
1:C:293:ASN:OD1	2:C:402:HOH:O	2.11	0.68
1:B:278:LEU:HD11	1:B:280:VAL:HG13	1.76	0.67
1:A:48:PRO:HA	1:A:66:SER:O	1.94	0.67
1:B:44:HIS:HD2	1:B:65:ALA:HB3	1.60	0.67
1:B:71:VAL:HB	1:B:306:ILE:HG21	1.76	0.67
1:B:311:LEU:CB	1:B:315:ARG:HD3	2.19	0.66
1:B:174:ASP:HB3	1:B:177:LEU:HB2	1.77	0.66
1:B:50:ALA:O	1:B:51:ILE:HG13	1.96	0.66
1:C:2:LYS:HG3	1:C:3:ARG:HG3	1.76	0.66
1:A:312:LEU:HD12	1:A:313:ASN:H	1.59	0.66
1:A:74:LYS:HD2	1:A:75:HIS:CD2	2.33	0.64
1:C:169:LYS:HE3	2:C:401:HOH:O	1.98	0.64
1:B:305:SER:O	1:B:309:GLY:N	2.31	0.63
1:B:33:TYR:HE2	1:B:37:ASP:N	1.96	0.63
1:B:21:GLN:N	1:B:21:GLN:OE1	2.32	0.62
1:A:32:PRO:HG2	1:A:54:ARG:CZ	2.30	0.62
1:B:101:ASN:OD1	2:B:402:HOH:O	2.16	0.62
1:A:4:LYS:HB3	1:A:48:PRO:HD2	1.82	0.62
1:A:219:SER:O	1:A:223:LYS:HG3	2.00	0.61
1:A:69:LEU:HD12	1:A:303:ILE:HG12	1.83	0.61
1:B:312:LEU:HG	1:B:314:PRO:HG2	1.82	0.61
1:C:292:ARG:NH1	2:C:406:HOH:O	2.34	0.60
1:C:38:LYS:HG3	1:C:38:LYS:O	2.03	0.59
1:B:96:ILE:CG2	1:B:317:ILE:HD11	2.22	0.58
1:B:18:LEU:O	1:B:23:HIS:NE2	2.36	0.58
1:B:44:HIS:CE1	1:B:52:ILE:HD11	2.39	0.58
1:B:312:LEU:HB3	1:B:315:ARG:NE	2.09	0.57
1:A:2:LYS:HE2	1:A:3:ARG:H	1.69	0.57
1:A:58:LEU:H	1:A:58:LEU:HD23	1.68	0.57
1:C:202:ILE:HD12	1:C:224:MET:HE3	1.87	0.57
1:B:51:ILE:CD1	1:B:303:ILE:HG23	2.35	0.57
1:A:40:GLU:OE2	1:A:44:HIS:HE1	1.82	0.57
1:C:67:ASP:HA	1:C:90:ARG:HH22	1.69	0.57
1:B:49:ASP:HB2	1:B:66:SER:HB2	1.86	0.57
1:A:208:LEU:H	1:A:235:ARG:HE	1.53	0.56
1:A:60:ARG:O	1:A:63:ILE:HB	2.05	0.56
1:B:22:SER:O	1:B:25:ILE:HG12	2.06	0.56
1:A:69:LEU:HD21	1:A:95:THR:HG23	1.87	0.56
1:A:193:GLU:O	1:A:197:GLU:HB3	2.06	0.56
1:B:259:ASP:OD2	2:B:403:HOH:O	2.18	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:GLN:NE2	1:C:193:GLU:OE1	2.39	0.55
1:B:50:ALA:O	1:B:69:LEU:HA	2.06	0.55
1:B:25:ILE:HD13	1:B:300:LEU:HD13	1.89	0.55
1:A:49:ASP:OD2	1:A:69:LEU:HB3	2.07	0.55
1:A:173:TYR:HB2	1:A:195:LEU:HD13	1.89	0.54
1:A:74:LYS:HG2	1:A:75:HIS:N	2.22	0.54
1:A:154:ALA:H	1:A:315:ARG:HH12	1.54	0.54
1:B:51:ILE:HD13	1:B:303:ILE:HG12	1.90	0.54
1:C:36:LYS:O	1:C:40:GLU:HG3	2.07	0.54
1:B:44:HIS:HE1	1:B:52:ILE:HD11	1.73	0.53
1:A:64:PHE:CZ	1:A:67:ASP:OD1	2.61	0.53
1:C:37:ASP:O	1:C:41:LYS:HG2	2.09	0.53
1:A:25:ILE:HD11	1:A:304:MET:HE3	1.90	0.53
1:B:15:ASP:OD2	1:B:54:ARG:NH1	2.41	0.53
1:A:79:PHE:N	2:A:412:HOH:O	2.42	0.53
1:B:19:TYR:HD2	1:B:293:ASN:HD21	1.54	0.53
1:B:302:GLN:HE21	1:B:315:ARG:HH21	1.56	0.53
1:C:292:ARG:NH2	2:C:411:HOH:O	2.41	0.53
1:B:312:LEU:C	1:B:315:ARG:HD2	2.32	0.52
1:B:173:TYR:HB2	1:B:195:LEU:HD13	1.91	0.52
1:B:49:ASP:HB2	1:B:66:SER:CB	2.39	0.52
1:A:5:VAL:HG22	1:A:49:ASP:HB3	1.92	0.52
1:A:68:ASN:ND2	2:A:410:HOH:O	2.42	0.52
1:B:60:ARG:HG2	1:B:83:ASP:OD2	2.08	0.52
1:B:40:GLU:O	1:B:44:HIS:HB2	2.10	0.52
1:B:74:LYS:NZ	1:B:78:GLY:O	2.30	0.52
1:B:90:ARG:HB3	1:B:92:ILE:HG13	1.91	0.52
1:B:48:PRO:C	1:B:49:ASP:OD1	2.52	0.51
1:A:39:MET:HE3	1:A:63:ILE:HD13	1.92	0.51
1:B:286:ALA:O	1:B:291:SER:OG	2.26	0.51
1:B:110:PHE:HE2	1:C:110:PHE:CE2	2.29	0.51
1:B:8:THR:O	1:B:10:PRO:HD3	2.11	0.51
1:A:34:MET:HE3	1:A:34:MET:HA	1.92	0.51
1:B:287:ASN:CG	1:B:292:ARG:HH21	2.18	0.51
1:A:45:ASP:HB3	1:A:47:GLN:NE2	2.26	0.50
1:A:304:MET:HE2	1:A:307:TRP:CE3	2.47	0.50
1:B:313:ASN:ND2	1:B:319:ASN:OD1	2.41	0.50
1:B:110:PHE:CE2	1:C:110:PHE:CE2	3.00	0.49
1:B:47:GLN:HB2	1:B:49:ASP:OD1	2.11	0.49
1:B:54:ARG:HD3	1:B:56:GLY:H	1.76	0.49
1:A:51:ILE:HG12	1:A:71:VAL:HG13	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:171:LYS:NZ	1:C:187:GLU:OE1	2.46	0.49
1:B:64:PHE:HD1	1:B:90:ARG:HD3	1.78	0.49
1:C:241:GLN:O	1:C:245:VAL:HG23	2.13	0.49
1:B:180:LEU:HD22	1:B:181:PRO:HD2	1.94	0.49
1:B:51:ILE:HG12	1:B:71:VAL:O	2.13	0.49
1:B:15:ASP:HA	1:B:33:TYR:HB3	1.95	0.48
1:A:46:GLU:O	1:A:48:PRO:HD3	2.12	0.48
1:A:36:LYS:H	1:A:36:LYS:HD3	1.79	0.48
1:A:261:PHE:O	2:A:403:HOH:O	2.19	0.48
1:B:48:PRO:HB2	1:B:68:ASN:ND2	2.29	0.48
1:B:145:LYS:HB2	1:B:168:MET:HE3	1.95	0.48
1:A:304:MET:HE2	1:A:307:TRP:CZ3	2.49	0.48
1:B:15:ASP:OD1	1:B:54:ARG:NH2	2.46	0.48
1:A:4:LYS:H	1:A:48:PRO:HG2	1.79	0.48
1:B:47:GLN:HB2	1:B:49:ASP:CG	2.39	0.48
1:B:34:MET:O	1:B:34:MET:HG2	2.13	0.47
1:B:54:ARG:HH11	1:B:56:GLY:H	1.62	0.47
1:B:203:SER:OG	1:B:205:HIS:NE2	2.42	0.47
1:C:101:ASN:O	1:C:105:VAL:HG23	2.14	0.47
1:B:47:GLN:O	1:B:49:ASP:CG	2.54	0.47
1:A:126:ARG:HH21	1:A:131:HIS:CD2	2.32	0.46
1:B:88:ALA:CA	1:B:322:LEU:HD21	2.40	0.46
1:B:128:ARG:NH2	1:C:278:LEU:O	2.48	0.46
1:B:17:LEU:HD12	1:B:17:LEU:H	1.79	0.46
1:B:121:THR:HG22	1:C:121:THR:HA	1.98	0.46
1:B:69:LEU:HG	1:B:92:ILE:HD13	1.98	0.46
1:A:34:MET:HG2	1:A:36:LYS:NZ	2.30	0.46
1:C:235:ARG:NH2	1:C:237:GLU:OE2	2.50	0.45
1:A:22:SER:OG	2:A:404:HOH:O	2.21	0.45
1:A:31:GLU:O	1:A:33:TYR:CD2	2.69	0.45
1:A:180:LEU:HD21	1:A:186:VAL:HG12	1.98	0.45
1:B:52:ILE:N	1:B:52:ILE:HD12	2.31	0.45
1:A:6:LEU:HD13	1:A:42:LEU:HD23	1.97	0.45
1:B:151:GLY:O	1:B:205:HIS:HB2	2.16	0.45
1:A:241:GLN:O	1:A:245:VAL:HG13	2.16	0.45
1:B:52:ILE:HD13	1:B:69:LEU:HD22	1.98	0.45
1:B:322:LEU:N	1:B:322:LEU:HD23	2.30	0.45
1:A:173:TYR:CZ	1:A:192:PHE:HB2	2.52	0.45
1:C:64:PHE:CD2	1:C:90:ARG:HD2	2.52	0.45
1:B:12:LEU:HA	1:B:51:ILE:O	2.16	0.45
1:B:180:LEU:HD13	1:B:181:PRO:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:ASP:HB3	1:A:194:LYS:HB3	1.99	0.44
1:B:51:ILE:HA	1:B:69:LEU:HD13	2.00	0.44
1:A:42:LEU:HD22	1:A:64:PHE:HE2	1.82	0.44
1:A:237:GLU:OE1	1:A:237:GLU:N	2.48	0.44
1:C:70:LYS:HE2	1:C:70:LYS:HB3	1.53	0.44
1:C:150:ILE:HD11	1:C:195:LEU:HD22	2.00	0.44
1:C:217:SER:OG	1:C:218:HIS:N	2.49	0.44
1:B:278:LEU:O	1:C:128:ARG:NH2	2.50	0.44
1:A:45:ASP:HB3	1:A:47:GLN:HE22	1.82	0.44
1:A:75:HIS:CE1	1:A:79:PHE:N	2.86	0.44
1:B:25:ILE:HD12	1:B:28:ILE:HB	2.00	0.44
1:B:51:ILE:HD13	1:B:303:ILE:HG23	2.00	0.44
1:B:69:LEU:HD12	1:B:70:LYS:N	2.33	0.44
1:A:151:GLY:HA3	1:A:206:CYS:HB3	2.00	0.44
1:A:294:ARG:HD3	2:A:477:HOH:O	2.18	0.44
1:C:37:ASP:OD1	1:C:37:ASP:N	2.50	0.43
1:C:59:SER:O	1:C:63:ILE:HG13	2.18	0.43
1:B:48:PRO:HB2	1:B:68:ASN:HD22	1.81	0.43
1:B:160:MET:HE1	1:B:181:PRO:HG3	2.00	0.43
1:B:64:PHE:CD1	1:B:90:ARG:HD3	2.53	0.43
1:B:241:GLN:O	1:B:245:VAL:HG23	2.19	0.43
1:B:316:ALA:HB3	1:B:319:ASN:HB2	2.00	0.43
1:C:70:LYS:O	1:C:93:PRO:HD2	2.19	0.43
1:B:110:PHE:CE1	1:B:114:PHE:CD2	3.05	0.43
1:A:74:LYS:HD2	1:A:75:HIS:NE2	2.33	0.43
1:A:189:GLU:CD	1:A:194:LYS:HG2	2.44	0.43
1:B:54:ARG:NE	1:B:54:ARG:HA	2.34	0.43
1:B:79:PHE:CG	1:B:317:ILE:HG12	2.54	0.43
1:C:321:LYS:HG2	2:C:415:HOH:O	2.18	0.43
1:B:15:ASP:HB2	1:B:55:THR:OG1	2.18	0.43
1:A:49:ASP:CG	1:A:303:ILE:HG12	2.43	0.43
1:B:54:ARG:HD3	1:B:56:GLY:N	2.33	0.43
1:B:174:ASP:OD2	2:B:404:HOH:O	2.21	0.42
1:B:290:ASP:OD2	2:B:405:HOH:O	2.21	0.42
1:B:177:LEU:HD21	1:B:180:LEU:HD23	2.01	0.42
1:C:36:LYS:NZ	1:C:57:LYS:HE3	2.35	0.42
1:A:145:LYS:HA	1:A:145:LYS:HD3	1.84	0.42
1:A:217:SER:OG	1:A:218:HIS:N	2.49	0.42
1:B:17:LEU:HG	1:B:32:PRO:HB3	2.01	0.42
1:B:249:LYS:HB3	1:B:249:LYS:HE3	1.61	0.42
1:A:242:ALA:O	1:A:245:VAL:HG22	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:202:ILE:HD12	1:B:224:MET:HE3	2.01	0.42
1:A:115:ASN:HD21	1:A:121:THR:HG23	1.85	0.41
1:B:317:ILE:HD12	1:B:317:ILE:N	2.34	0.41
1:B:323:LEU:HD12	1:B:323:LEU:HA	1.81	0.41
1:B:79:PHE:CD1	1:B:317:ILE:HG21	2.55	0.41
1:C:3:ARG:N	1:C:49:ASP:OD2	2.53	0.41
1:A:39:MET:HE1	1:A:60:ARG:NH1	2.35	0.41
1:B:312:LEU:N	1:B:315:ARG:CD	2.83	0.41
1:C:48:PRO:HD2	1:C:66:SER:HB2	2.02	0.41
1:C:203:SER:HG	1:C:205:HIS:HE2	1.68	0.41
1:A:49:ASP:OD1	1:A:303:ILE:HG12	2.20	0.41
1:A:63:ILE:HG13	1:A:63:ILE:O	2.21	0.40
1:B:302:GLN:HE21	1:B:315:ARG:NH2	2.19	0.40
1:A:154:ALA:H	1:A:315:ARG:NH1	2.17	0.40
1:B:15:ASP:O	1:B:33:TYR:O	2.39	0.40
1:B:21:GLN:CD	1:B:293:ASN:OD1	2.64	0.40
1:A:72:ILE:CG2	1:A:96:ILE:HG22	2.52	0.40
1:B:306:ILE:HG12	1:B:311:LEU:HD12	2.02	0.40
1:A:70:LYS:HB3	1:A:70:LYS:HE2	1.41	0.40
1:A:115:ASN:OD1	1:A:121:THR:HG23	2.22	0.40
1:C:100:ALA:HB2	1:C:298:LEU:HD12	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:420:HOH:O	2:A:420:HOH:O[7_555]	1.95	0.25
2:A:477:HOH:O	2:C:457:HOH:O[6_445]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	314/325 (97%)	303 (96%)	11 (4%)	0	100	100
1	B	310/325 (95%)	294 (95%)	16 (5%)	0	100	100
1	C	319/325 (98%)	313 (98%)	6 (2%)	0	100	100
All	All	943/975 (97%)	910 (96%)	33 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/276 (98%)	271 (100%)	0	100	100
1	B	264/276 (96%)	264 (100%)	0	100	100
1	C	272/276 (99%)	272 (100%)	0	100	100
All	All	807/828 (98%)	807 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	HIS
1	A	44	HIS
1	A	75	HIS
1	A	131	HIS
1	A	190	HIS
1	A	251	ASN
1	A	277	ASN
1	B	44	HIS
1	B	138	ASN
1	B	178	GLN
1	B	251	ASN
1	B	302	GLN
1	C	23	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	68	ASN
1	C	119	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	319/325 (98%)	1.04	61 (19%) 3 2	30, 53, 80, 91	1 (0%)
1	B	316/325 (97%)	1.35	84 (26%) 1 1	39, 64, 97, 109	0
1	C	323/325 (99%)	0.60	16 (4%) 34 30	34, 51, 77, 93	0
All	All	958/975 (98%)	1.00	161 (16%) 4 3	30, 56, 90, 109	1 (0%)

All (161) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	64	PHE	8.5
1	A	55	THR	7.9
1	A	63	ILE	7.7
1	B	7	ILE	6.8
1	A	47	GLN	6.7
1	B	48	PRO	6.5
1	B	56	GLY	6.4
1	A	54	ARG	6.0
1	B	16	ALA	5.8
1	B	19	TYR	5.7
1	A	32	PRO	5.5
1	B	318	ALA	5.5
1	A	67	ASP	5.4
1	B	41	LYS	5.2
1	B	25	ILE	5.2
1	B	28	ILE	5.1
1	A	35	ALA	5.1
1	B	317	ILE	5.0
1	A	75	HIS	4.9
1	B	51	ILE	4.8
1	A	49	ASP	4.8
1	B	33	TYR	4.7
1	B	55	THR	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	44	HIS	4.5
1	B	27	LEU	4.4
1	B	110	PHE	4.3
1	A	69	LEU	4.3
1	A	65	ALA	4.3
1	B	8	THR	4.3
1	A	62	MET	4.1
1	B	42	LEU	4.1
1	B	9	GLY	4.0
1	B	49	ASP	4.0
1	B	39	MET	3.9
1	B	71	VAL	3.9
1	B	311	LEU	3.8
1	B	322	LEU	3.8
1	B	15	ASP	3.8
1	A	268[A]	LYS	3.8
1	B	323	LEU	3.8
1	B	12	LEU	3.7
1	B	50	ALA	3.7
1	B	17	LEU	3.6
1	C	45	ASP	3.6
1	A	73	ALA	3.6
1	A	58	LEU	3.6
1	A	74	LYS	3.6
1	B	43	ILE	3.6
1	B	315	ARG	3.6
1	A	151	GLY	3.6
1	B	312	LEU	3.6
1	B	35	ALA	3.6
1	B	307	TRP	3.6
1	A	178	GLN	3.5
1	B	22	SER	3.5
1	A	97	ALA	3.5
1	A	34	MET	3.5
1	B	309	GLY	3.5
1	A	61	ASP	3.5
1	B	54	ARG	3.5
1	B	320	TRP	3.5
1	C	138	ASN	3.5
1	C	325	SER	3.4
1	B	45	ASP	3.4
1	B	10	PRO	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	14	SER	3.3
1	A	136	SER	3.3
1	B	53	VAL	3.3
1	B	29	PRO	3.3
1	B	65	ALA	3.2
1	B	31	GLU	3.2
1	A	71	VAL	3.1
1	A	33	TYR	3.1
1	A	152	LEU	3.1
1	C	311	LEU	3.0
1	A	197	GLU	3.0
1	B	70	LYS	3.0
1	C	222	GLU	3.0
1	A	311	LEU	3.0
1	A	56	GLY	2.9
1	B	86	ALA	2.9
1	C	57	LYS	2.9
1	B	26	GLN	2.9
1	A	265	PRO	2.9
1	B	23	HIS	2.9
1	B	64	PHE	2.9
1	A	320	TRP	2.9
1	A	70	LYS	2.8
1	A	40	GLU	2.8
1	A	315	ARG	2.8
1	A	37	ASP	2.7
1	A	31	GLU	2.7
1	B	18	LEU	2.7
1	C	184	ASP	2.7
1	B	34	MET	2.7
1	B	79	PHE	2.7
1	B	310	GLN	2.7
1	B	11	THR	2.7
1	B	313	ASN	2.7
1	B	46	GLU	2.7
1	A	324	ASN	2.7
1	A	43	ILE	2.7
1	A	135	ALA	2.6
1	B	30	THR	2.6
1	B	52	ILE	2.6
1	C	122	TRP	2.6
1	A	48	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	152	LEU	2.6
1	B	316	ALA	2.6
1	A	68	ASN	2.6
1	A	312	LEU	2.5
1	B	251	ASN	2.5
1	A	138	ASN	2.5
1	A	313	ASN	2.5
1	A	66	SER	2.5
1	B	47	GLN	2.5
1	B	87	ALA	2.5
1	A	307	TRP	2.5
1	C	175	PRO	2.4
1	B	91	LYS	2.4
1	B	303	ILE	2.4
1	B	60	ARG	2.4
1	B	274	GLU	2.4
1	B	324	ASN	2.3
1	A	41	LYS	2.3
1	B	20	ALA	2.3
1	A	179	ASN	2.3
1	B	67	ASP	2.3
1	B	63	ILE	2.3
1	C	61	ASP	2.3
1	B	98	VAL	2.3
1	A	2	LYS	2.3
1	B	180	LEU	2.3
1	C	275	LEU	2.3
1	A	122	TRP	2.3
1	A	53	VAL	2.2
1	B	58	LEU	2.2
1	A	277	ASN	2.2
1	C	269	ASP	2.2
1	A	314	PRO	2.2
1	A	218	HIS	2.2
1	B	265	PRO	2.2
1	B	24	ASP	2.2
1	B	72	ILE	2.1
1	B	297	LEU	2.1
1	C	37	ASP	2.1
1	B	38	LYS	2.1
1	C	137	ALA	2.1
1	B	57	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	292	ARG	2.1
1	B	73	ALA	2.1
1	A	275	LEU	2.1
1	A	44	HIS	2.1
1	A	274	GLU	2.1
1	B	94	VAL	2.1
1	A	153	GLY	2.1
1	A	251	ASN	2.0
1	C	115	ASN	2.0
1	A	79	PHE	2.0
1	C	176	PHE	2.0
1	A	50	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.