



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 2, 2026 – 12:35 PM JST

PDB ID : 9WN3 / pdb_00009wn3
Title : Crystal structure of W27-Fab in complex with an epitope peptide from serine hydroxymethyltransferase (SHMT)
Authors : Yoshihara, T.; Mori, T.; Chek, M.F.; Shinkura, R.; Hakoshima, T.
Deposited on : 2025-09-04
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	468	2% 43% 53%
1	D	468	2% 42% 54%
1	G	468	18% 44% 53%
2	B	219	4% 91% 8%
2	E	219	11% 83% 16%
2	H	219	22% 86% 7% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	23	
3	F	23	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	CL	D	501	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9690 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called W27-FAB (HEAVY CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	220	Total	C	N	O	S	0	0	0
			1634	1023	268	337	6			
1	D	217	Total	C	N	O	S	0	0	0
			1597	1002	262	327	6			
1	G	218	Total	C	N	O	S	0	0	0
			1446	899	242	300	5			

- Molecule 2 is a protein called W27-FAB (LIGHT CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	218	Total	C	N	O	S	0	0	0
			1621	1018	272	326	5			
2	E	218	Total	C	N	O	S	0	0	0
			1603	1005	268	325	5			
2	H	204	Total	C	N	O	S	0	0	0
			1419	886	241	288	4			


- Molecule 3 is a protein called Serine hydroxymethyltransferase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	11	Total	C	N	O	0	0	0
			84	52	16	16			
3	F	11	Total	C	N	O	0	0	0
			78	49	13	16			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	23	GLY	-	expression tag	UNP P0A825
C	24	PRO	-	expression tag	UNP P0A825
F	23	GLY	-	expression tag	UNP P0A825
F	24	PRO	-	expression tag	UNP P0A825

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		
5	B	1	Total	Cl	0	0
			1	1		
5	D	1	Total	Cl	0	0
			1	1		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		
6	E	1	Total	Mg	0	0
			1	1		



- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	47	Total 47	O 47	0	0
7	B	34	Total 34	O 34	0	0
7	C	1	Total 1	O 1	0	0
7	D	37	Total 37	O 37	0	0
7	E	36	Total 36	O 36	0	0
7	G	21	Total 21	O 21	0	0
7	H	11	Total 11	O 11	0	0



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

● Molecule 1: W27-FAB (HEAVY CHAIN)

● Molecule 3: Serine hydroxymethyltransferase



● Molecule 3: Serine hydroxymethyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.37Å 140.66Å 180.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.79 – 2.35 45.79 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.7 (45.79-2.35) 99.6 (45.79-2.35)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.34Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.223 , 0.262 0.223 , 0.260	Depositor DCC
R_{free} test set	3249 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	54.4	Xtriage
Anisotropy	0.486	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 52.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9690	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NAG, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.11	0/1671	0.30	0/2285
1	D	0.11	0/1634	0.29	0/2239
1	G	0.10	0/1473	0.29	0/2027
2	B	0.10	0/1657	0.27	0/2259
2	E	0.10	0/1639	0.28	0/2237
2	H	0.09	0/1446	0.27	0/1978
3	C	0.08	0/84	0.24	0/112
3	F	0.10	0/78	0.27	0/105
All	All	0.10	0/9682	0.28	0/13242

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1634	0	1557	15	0
1	D	1597	0	1507	17	0
1	G	1446	0	1227	6	0
2	B	1621	0	1535	11	0
2	E	1603	0	1487	25	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	1419	0	1221	7	0
3	C	84	0	78	3	0
3	F	78	0	67	4	0
4	A	14	0	13	0	0
5	A	1	0	0	0	0
5	B	1	0	0	1	0
5	D	1	0	0	2	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
7	A	47	0	0	1	0
7	B	34	0	0	0	0
7	C	1	0	0	0	0
7	D	37	0	0	0	0
7	E	36	0	0	1	0
7	G	21	0	0	0	0
7	H	11	0	0	0	0
All	All	9690	0	8692	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:110:THR:HG22	1:G:132:VAL:H	1.49	0.76
2:E:120:VAL:HG23	3:F:32:LEU:HB2	1.77	0.65
5:D:501:CL:CL	7:E:424:HOH:O	2.52	0.64
2:B:60:GLU:HG3	2:B:75:TYR:HA	1.81	0.63
2:E:87:ARG:NH2	2:E:108:ASP:OD1	2.31	0.62
2:B:146:PRO:HD3	2:B:158:VAL:HG22	1.83	0.60
1:A:57:ARG:HB3	1:A:67:ILE:HD11	1.85	0.59
1:A:234:LYS:NZ	1:G:230:THR:OG1	2.32	0.59
1:D:196:GLN:HE21	2:E:186:GLN:NE2	2.00	0.58
3:C:33:ILE:HG22	3:C:35:SER:H	1.67	0.58
2:B:24:LEU:HG	2:B:47:SER:HB3	1.87	0.57
1:D:196:GLN:HE21	2:E:186:GLN:HE22	1.53	0.56
1:D:189:HIS:HD2	5:D:501:CL:CL	2.26	0.56
1:A:61:GLU:HB3	1:D:152:SER:HA	1.88	0.55
2:B:37:GLY:HA2	2:B:103:ARG:HG2	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:144:PRO:HB3	1:D:170:TYR:HB3	1.91	0.53
1:D:167:VAL:HG11	1:D:175:VAL:HG11	1.93	0.51
1:D:66:TRP:CE3	2:E:122:PRO:HD2	2.45	0.51
2:B:120:VAL:HG12	3:C:34:ALA:HA	1.93	0.50
1:A:27:GLY:HA3	1:A:226:LYS:HD2	1.94	0.49
1:A:117:ARG:O	1:A:118:SER:OG	2.29	0.49
2:E:119:HIS:HA	3:F:33:ILE:HG13	1.94	0.49
2:E:54:ASN:O	2:E:54:ASN:ND2	2.44	0.49
2:E:109:LEU:HD12	2:E:192:GLN:HB3	1.95	0.48
1:G:121:LEU:O	1:G:124:TRP:NE1	2.46	0.48
1:D:66:TRP:CD2	2:E:122:PRO:HD2	2.49	0.47
2:E:149:GLU:OE2	2:E:149:GLU:N	2.40	0.47
1:A:66:TRP:CE3	2:B:122:PRO:HD2	2.49	0.47
2:H:192:GLN:HG3	2:H:199:TYR:CZ	2.50	0.47
2:B:175:LYS:HG3	2:B:180:LEU:HA	1.97	0.46
2:H:223:THR:HG22	2:H:230:PRO:HB3	1.95	0.46
1:A:108:GLU:OE2	1:D:154:LYS:NZ	2.43	0.46
2:B:189:VAL:HG22	2:B:201:LEU:HD12	1.97	0.46
2:E:146:PRO:HD3	2:E:158:VAL:HG22	1.98	0.46
1:A:30:LEU:HB2	1:A:172:PRO:HG3	1.97	0.46
1:G:110:THR:HG22	1:G:132:VAL:N	2.23	0.46
1:A:86:LYS:HE3	1:A:103:THR:O	2.16	0.46
2:E:80:ARG:NH2	2:E:86:ASP:OD1	2.48	0.46
2:E:62:TYR:HE2	2:E:115:PHE:HB3	1.82	0.45
2:E:52:HIS:NE2	3:F:31:GLU:O	2.42	0.45
2:E:169:GLU:H	2:E:169:GLU:HG3	1.59	0.45
2:E:72:LEU:HD21	2:E:75:TYR:HB3	2.00	0.44
2:H:61:TRP:H	2:H:74:ILE:HG13	1.83	0.44
1:A:118:SER:HA	3:C:27:GLU:OE2	2.18	0.43
1:A:29:GLU:OE2	7:A:601:HOH:O	2.21	0.43
2:E:168:ARG:HD2	2:E:199:TYR:CE2	2.54	0.43
1:D:117:ARG:O	1:D:118:SER:OG	2.35	0.43
1:A:229:ASN:HB3	1:G:235:LYS:HB3	2.01	0.43
2:E:134:ARG:NH2	2:E:137:ALA:HB2	2.33	0.42
1:A:121:LEU:HB2	2:B:62:TYR:OH	2.19	0.42
1:D:110:THR:HG23	1:D:131:THR:HA	2.01	0.42
2:H:87:ARG:HH21	2:H:88:PHE:HE1	1.66	0.42
2:B:71:LYS:NZ	5:B:301:CL:CL	2.79	0.42
2:H:112:TYR:HB2	2:H:128:THR:HG22	2.01	0.42
2:E:189:VAL:HG22	2:E:201:LEU:HD12	2.02	0.41
1:D:51:TYR:CD1	3:F:27:GLU:HB2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:122:ASP:OD1	1:A:123:TYR:N	2.51	0.41
1:D:154:LYS:HE3	2:E:234:SER:O	2.20	0.41
1:D:213:SER:HB2	1:D:217:GLN:HG2	2.02	0.41
2:E:75:TYR:O	2:E:79:ASN:HB2	2.21	0.41
2:E:51:VAL:HA	2:E:57:THR:HA	2.02	0.41
2:E:60:GLU:HG3	2:E:75:TYR:HA	2.03	0.41
2:H:112:TYR:O	2:H:127:GLY:HA2	2.21	0.41
1:D:121:LEU:HB2	2:E:62:TYR:OH	2.21	0.41
1:D:121:LEU:HD23	1:D:124:TRP:CZ2	2.56	0.41
2:E:136:ASP:OD2	2:E:225:GLN:NE2	2.53	0.41
2:H:87:ARG:NH1	2:H:105:GLU:HG3	2.36	0.41
1:A:233:ASP:HB2	1:G:231:LYS:HB2	2.03	0.40
2:B:120:VAL:HA	2:B:121:PRO:HA	1.96	0.40
1:D:39:LEU:HD22	1:D:128:THR:HG21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/468 (46%)	213 (99%)	3 (1%)	0	100	100
1	D	213/468 (46%)	210 (99%)	3 (1%)	0	100	100
1	G	212/468 (45%)	201 (95%)	11 (5%)	0	100	100
2	B	216/219 (99%)	211 (98%)	5 (2%)	0	100	100
2	E	216/219 (99%)	208 (96%)	8 (4%)	0	100	100
2	H	196/219 (90%)	190 (97%)	6 (3%)	0	100	100
3	C	9/23 (39%)	9 (100%)	0	0	100	100
3	F	9/23 (39%)	8 (89%)	1 (11%)	0	100	100
All	All	1287/2107 (61%)	1250 (97%)	37 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/418 (44%)	185 (100%)	1 (0%)	81	89
1	D	179/418 (43%)	177 (99%)	2 (1%)	65	79
1	G	134/418 (32%)	131 (98%)	3 (2%)	45	59
2	B	178/191 (93%)	177 (99%)	1 (1%)	78	87
2	E	172/191 (90%)	166 (96%)	6 (4%)	32	42
2	H	133/191 (70%)	130 (98%)	3 (2%)	44	58
3	C	8/21 (38%)	8 (100%)	0	100	100
3	F	7/21 (33%)	7 (100%)	0	100	100
All	All	997/1869 (53%)	981 (98%)	16 (2%)	55	70

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	175	VAL
2	B	31	SER
1	D	119	THR
1	D	175	VAL
2	E	22	ASP
2	E	28	THR
2	E	120	VAL
2	E	134	ARG
2	E	148	SER
2	E	153	SER
1	G	43	VAL
1	G	93	THR
1	G	175	VAL
2	H	114	CYS
2	H	158	VAL
2	H	217	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	217	GLN
2	B	164	ASN
1	D	84	GLN
1	D	126	HIS
1	D	189	HIS
1	D	196	GLN
2	E	48	GLN
2	E	54	ASN
2	E	56	ASN
2	E	79	ASN
2	E	163	ASN
1	G	58	GLN
1	G	217	GLN
2	H	173	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 7 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	501	1	14,14,15	0.18	0	17,19,21	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	501	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	501	NAG	O5-C5-C6-O6
4	A	501	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	220/468 (47%)	0.32	9 (4%) 41 47	35, 51, 74, 105	0
1	D	217/468 (46%)	0.57	9 (4%) 41 47	38, 57, 80, 102	0
1	G	218/468 (46%)	1.57	84 (38%) 1 0	45, 115, 143, 153	0
2	B	218/219 (99%)	0.51	8 (3%) 45 51	38, 59, 76, 100	0
2	E	218/219 (99%)	0.89	24 (11%) 10 12	42, 66, 92, 112	0
2	H	204/219 (93%)	1.33	49 (24%) 2 1	48, 81, 122, 138	0
3	C	11/23 (47%)	1.18	2 (18%) 3 3	67, 71, 86, 93	0
3	F	11/23 (47%)	1.80	3 (27%) 1 1	89, 93, 99, 99	0
All	All	1317/2107 (62%)	0.87	188 (14%) 6 7	35, 62, 128, 153	0

All (188) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	53	ILE	6.9
1	G	55	TRP	5.2
2	H	122	PRO	5.1
2	H	47	SER	4.8
1	G	66	TRP	4.7
1	G	138	THR	4.7
1	G	116	ALA	4.6
2	E	53	THR	4.6
1	G	113	TYR	4.4
1	G	56	VAL	4.4
2	H	73	LEU	4.3
1	G	118	SER	4.2
1	G	67	ILE	4.1
2	H	96	ASP	4.1
1	G	99	TYR	4.1
1	A	63	GLY	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	120	VAL	4.0
1	G	124	TRP	3.9
2	E	52	HIS	3.9
1	G	36	SER	3.9
3	F	30	ILE	3.9
1	G	139	SER	3.8
1	G	69	ARG	3.8
1	G	122	ASP	3.8
2	E	51	VAL	3.8
2	H	36	LEU	3.8
1	G	103	THR	3.7
1	G	52	TYR	3.7
1	G	77	THR	3.7
2	H	115	PHE	3.6
1	G	100	LEU	3.6
1	G	121	LEU	3.6
2	H	62	TYR	3.6
2	H	61	TRP	3.5
2	H	42	ILE	3.5
1	G	37	VAL	3.5
2	H	50	ILE	3.5
2	H	124	PHE	3.5
1	D	241	CYS	3.5
1	G	123	TYR	3.4
1	G	80	ALA	3.4
1	G	90	THR	3.4
2	H	59	LEU	3.4
1	D	62	GLN	3.3
1	G	71	ASP	3.3
2	H	92	GLY	3.3
1	G	51	TYR	3.3
2	H	72	LEU	3.2
2	H	53	THR	3.2
3	C	35	SER	3.2
1	G	49	THR	3.2
2	H	112	TYR	3.2
2	B	94	GLY	3.2
1	A	136	SER	3.2
2	E	24	LEU	3.2
2	E	50	ILE	3.2
2	H	123	THR	3.2
1	G	117	ARG	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	54	HIS	3.1
2	H	57	THR	3.1
1	G	64	LEU	3.1
2	E	92	GLY	3.1
1	G	79	TYR	3.0
1	G	48	PHE	3.0
1	G	102	LEU	3.0
2	E	77	VAL	3.0
2	H	77	VAL	3.0
2	H	113	TYR	3.0
2	H	126	GLY	3.0
2	H	32	LEU	2.9
2	H	99	LEU	2.9
1	D	140	SER	2.9
2	E	239	GLU	2.8
1	D	134	SER	2.8
2	H	90	GLY	2.8
1	G	31	VAL	2.8
3	F	33	ILE	2.8
2	H	54	ASN	2.8
2	E	94	GLY	2.8
1	G	114	TYR	2.8
1	G	128	THR	2.7
2	E	118	SER	2.7
1	G	30	LEU	2.7
1	G	46	PHE	2.7
1	D	141	THR	2.7
1	G	101	GLN	2.7
1	D	158	GLY	2.7
2	H	207	LEU	2.7
2	E	97	PHE	2.7
1	G	63	GLY	2.7
3	F	32	LEU	2.7
2	H	52	HIS	2.7
1	G	83	PHE	2.7
2	B	90	GLY	2.7
2	E	208	SER	2.7
1	A	241	CYS	2.7
1	G	62	GLN	2.6
1	G	47	ASN	2.6
2	H	45	ARG	2.6
2	E	23	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	132	VAL	2.6
1	D	159	GLY	2.6
1	G	39	LEU	2.6
1	G	29	GLU	2.6
1	G	89	MET	2.6
1	G	129	THR	2.6
1	G	115	CYS	2.6
1	A	60	THR	2.6
1	D	63	GLY	2.6
1	G	106	THR	2.6
3	C	33	ILE	2.6
1	G	88	THR	2.5
2	H	26	THR	2.5
1	G	96	ASN	2.5
2	E	46	ALA	2.5
2	H	46	ALA	2.5
2	E	26	THR	2.5
1	G	21	VAL	2.5
2	H	44	CYS	2.5
1	A	62	GLN	2.5
1	A	141	THR	2.5
1	G	76	GLU	2.5
2	H	58	TYR	2.5
2	H	130	LEU	2.5
1	G	72	PRO	2.5
1	G	26	SER	2.4
1	G	43	VAL	2.4
1	G	112	VAL	2.4
2	H	51	VAL	2.4
2	H	27	GLN	2.4
2	H	127	GLY	2.4
1	D	119	THR	2.4
1	A	135	ALA	2.4
1	G	95	SER	2.4
2	B	23	VAL	2.4
2	B	24	LEU	2.4
1	G	65	GLU	2.4
1	G	93	THR	2.4
2	B	82	SER	2.4
1	G	22	GLN	2.4
2	H	60	GLU	2.4
2	E	28	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	98	ILE	2.3
2	B	220	CYS	2.3
2	H	84	VAL	2.3
2	H	116	GLN	2.3
2	H	114	CYS	2.3
2	H	220	CYS	2.3
1	A	139	SER	2.3
1	G	40	SER	2.3
1	G	25	GLN	2.3
1	G	28	SER	2.2
2	E	31	SER	2.2
2	E	54	ASN	2.2
1	G	68	GLY	2.2
2	B	93	SER	2.2
1	G	41	CYS	2.2
1	G	158	GLY	2.2
1	G	104	SER	2.2
1	G	140	SER	2.2
2	E	43	SER	2.2
1	G	23	LEU	2.2
2	E	98	ILE	2.2
2	H	97	PHE	2.2
1	G	87	ALA	2.2
1	G	134	SER	2.2
2	B	43	SER	2.2
2	E	59	LEU	2.1
2	H	79	ASN	2.1
2	H	178	ASN	2.1
1	G	38	LYS	2.1
1	G	132	VAL	2.1
1	G	110	THR	2.1
1	G	119	THR	2.1
2	H	74	ILE	2.1
2	E	121	PRO	2.1
1	G	59	ARG	2.1
2	E	49	SER	2.1
2	E	57	THR	2.1
1	G	32	LYS	2.1
1	G	35	ALA	2.1
2	H	111	VAL	2.1
1	G	86	LYS	2.0
1	A	119	THR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	131	THR	2.0
1	G	20	GLU	2.0
2	H	75	TYR	2.0
1	G	214	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	501	14/15	0.40	0.17	88,102,109,116	0
6	MG	D	502	1/1	0.73	0.20	79,79,79,79	0
6	MG	A	503	1/1	0.78	0.26	74,74,74,74	0
6	MG	B	302	1/1	0.80	0.38	74,74,74,74	0
5	CL	A	502	1/1	0.87	0.12	71,71,71,71	0
6	MG	E	301	1/1	0.89	0.25	77,77,77,77	0
5	CL	D	501	1/1	0.90	0.10	68,68,68,68	0
5	CL	B	301	1/1	0.91	0.11	82,82,82,82	0

6.5 Other polymers [i](#)

There are no such residues in this entry.