



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 12:36 PM JST

PDB ID : 9WWH / pdb_00009wwh
Title : Crystal structure of IL-33 and antibody Tozorakimab fab binary complex
Authors : Wang, X.Q.; Chen, J.; Wang, Y.
Deposited on : 2025-09-23
Resolution : 3.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1089 (3.58-3.46)
Clashscore	180529	1165 (3.58-3.46)
Ramachandran outliers	177936	1150 (3.58-3.46)
Sidechain outliers	177891	1151 (3.58-3.46)
RSRZ outliers	164620	1088 (3.58-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	78% 19% .
1	H	228	77% 20% ..
2	B	211	82% 18%
2	L	211	83% 15% .
3	C	152	% 60% 24% 5% 11%
3	D	152	57% 25% . 14%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8613 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tozorakimab-Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	223	Total 1681	C 1065	N 283	O 324	S 9	0	2	0
1	A	221	Total 1669	C 1059	N 281	O 320	S 9	0	2	0

- Molecule 2 is a protein called Tozorakimab-Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	208	Total 1544	C 965	N 257	O 316	S 6	0	0	0
2	B	211	Total 1566	C 977	N 260	O 322	S 7	0	0	0

- Molecule 3 is a protein called Interleukin-33 (109-270).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	135	Total 1096	C 705	N 174	O 211	S 6	0	0	0
3	D	130	Total 1057	C 681	N 165	O 205	S 6	0	0	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	259	SER	CYS	conflict	UNP O95760
D	259	SER	CYS	conflict	UNP O95760


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tozorakimab-Heavy chain




- Molecule 1: Tozorakimab-Heavy chain



- Molecule 2: Tozorakimab-Light chain



- Molecule 2: Tozorakimab-Light chain






- Molecule 3: Interleukin-33 (109-270)



- Molecule 3: Interleukin-33 (109-270)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.44Å 162.56Å 188.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.19 – 3.51 45.19 – 3.51	Depositor EDS
% Data completeness (in resolution range)	87.6 (45.19-3.51) 87.5 (45.19-3.51)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.47 (at 3.48Å)	Xtrriage
Refinement program	PHENIX (1.21_5207: ???)	Depositor
R, R_{free}	0.230 , 0.259 0.229 , 0.259	Depositor DCC
R_{free} test set	944 reflections (4.51%)	wwPDB-VP
Wilson B-factor (Å ²)	97.4	Xtrriage
Anisotropy	0.415	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 73.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8613	wwPDB-VP
Average B, all atoms (Å ²)	102.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.18	0/1716	0.40	0/2332
1	H	0.18	0/1728	0.42	0/2348
2	B	0.17	0/1603	0.38	0/2189
2	L	0.15	0/1581	0.39	0/2159
3	C	0.22	0/1121	0.50	0/1513
3	D	0.18	0/1080	0.45	0/1458
All	All	0.18	0/8829	0.42	0/11999

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	H	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	161	GLU	Peptide
1	H	161	GLU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1669	0	1639	31	0
1	H	1681	0	1649	35	0
2	B	1566	0	1516	24	0
2	L	1544	0	1498	21	0
3	C	1096	0	1072	32	0
3	D	1057	0	1034	34	0
All	All	8613	0	8408	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:129:TYR:H	3:D:264:LEU:HG	1.51	0.75
3:C:191:ASP:HB3	3:C:209:GLU:HG2	1.68	0.74
2:L:80:ALA:HA	2:L:106:VAL:HG21	1.69	0.73
1:H:12:VAL:HG21	1:H:86:LEU:HD13	1.75	0.69
3:C:129:TYR:HA	3:C:266:LYS:HE3	1.78	0.66
2:L:39:LYS:HG2	2:L:84:ALA:HB2	1.76	0.66
2:B:6:THR:HB	2:B:24:SER:HB2	1.77	0.65
1:A:99:GLN:HE21	1:A:109:LEU:HD22	1.62	0.64
3:C:129:TYR:H	3:C:264:LEU:HG	1.62	0.63
3:C:168:HIS:HB2	3:C:169:PRO:HD3	1.79	0.62
1:A:100:LYS:HB2	1:A:114:GLY:HA3	1.82	0.62
2:L:51:ASP:OD2	3:D:151:LYS:NZ	2.32	0.62
2:L:139:ASP:OD1	2:L:170:ASN:ND2	2.32	0.62
1:A:31:SER:HA	3:C:190:LYS:HE2	1.83	0.61
3:D:235:ASP:N	3:D:235:ASP:OD1	2.35	0.60
2:L:61:ARG:NH1	2:B:79:GLN:OE1	2.35	0.59
1:A:110:ARG:HD2	3:C:155:LYS:HG2	1.84	0.59
3:C:135:THR:HG22	3:C:146:TYR:HB2	1.83	0.59
1:H:151:LEU:HB2	1:H:224:VAL:HG11	1.85	0.59
3:D:139:GLU:C	3:D:141:GLU:H	2.11	0.59
1:A:83:MET:HE3	1:A:86:LEU:HD21	1.84	0.59
1:A:91:THR:HG23	1:A:123:THR:HA	1.84	0.59
3:C:128:THR:HG23	3:C:134:ILE:HD11	1.85	0.58
3:D:126:LEU:HD12	3:D:265:PHE:HB3	1.86	0.57
1:H:41:PRO:HD3	1:H:92:ALA:HA	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:GLY:HA2	1:A:167:TRP:CZ2	2.40	0.56
1:A:12:VAL:HG21	1:A:86:LEU:HD13	1.88	0.56
1:H:34:MET:HB3	1:H:79:LEU:HD22	1.88	0.56
1:A:39:GLN:HB2	1:A:45:LEU:HD23	1.87	0.56
3:C:235:ASP:OD1	3:C:235:ASP:N	2.39	0.56
3:C:136:PHE:HB3	3:C:138:LEU:HD11	1.87	0.56
2:B:133:LEU:HD12	2:B:179:LEU:HD23	1.88	0.55
3:C:240:ILE:O	3:C:263:ILE:HG23	2.07	0.55
1:H:40:ALA:HB3	1:H:43:LYS:HB2	1.87	0.55
3:C:243:LYS:HG2	3:C:250:ILE:HD11	1.88	0.54
3:D:193:TRP:CD2	3:D:212:LEU:HD21	2.42	0.54
3:D:220:LEU:HD11	3:D:228:VAL:HB	1.89	0.54
1:A:110:ARG:HD2	3:C:155:LYS:HD3	1.90	0.54
1:A:32:TYR:OH	3:C:139:GLU:HA	2.07	0.53
2:B:125:GLU:HG2	2:B:130:LYS:HB2	1.91	0.53
1:H:162:PRO:HD2	1:H:215:PRO:HG2	1.91	0.53
2:B:133:LEU:HB2	2:B:179:LEU:HB3	1.91	0.53
2:B:12:SER:HB3	2:B:107:LEU:HD11	1.90	0.53
1:H:178:THR:HG23	1:H:193:SER:HB2	1.90	0.52
3:D:240:ILE:O	3:D:263:ILE:HG23	2.10	0.52
1:A:83:MET:HB3	1:A:86:LEU:HD21	1.91	0.52
1:H:99:GLN:HE21	1:H:109:LEU:HD22	1.74	0.52
2:B:162:THR:HA	2:B:177:SER:HA	1.91	0.52
1:A:175:GLY:O	1:A:195:VAL:HA	2.10	0.52
1:A:51:ILE:HG13	1:A:58:THR:HG22	1.92	0.52
2:L:61:ARG:NH2	2:L:82:ASP:OD1	2.43	0.51
3:D:161:LEU:HD12	3:D:186:LEU:HD12	1.91	0.51
1:A:22:CYS:HB3	1:A:79:LEU:HB3	1.92	0.51
1:H:137:LEU:HB3	2:L:119:PHE:CD1	2.45	0.51
1:H:39:GLN:HB2	1:H:45:LEU:HD23	1.93	0.51
1:H:110:ARG:HB3	3:D:155:LYS:HE2	1.93	0.49
1:A:165:VAL:HG21	1:A:191:LEU:HD11	1.93	0.49
3:C:126:LEU:HD12	3:C:265:PHE:HB3	1.94	0.49
2:B:3:TYR:HE1	2:B:26:GLU:HB2	1.78	0.49
3:C:155:LYS:HE3	3:C:157:ASP:OD1	2.13	0.49
3:C:161:LEU:HD12	3:C:186:LEU:HD12	1.94	0.49
3:C:193:TRP:CD2	3:C:212:LEU:HD21	2.48	0.49
1:H:6:GLU:OE2	1:H:119:GLY:N	2.46	0.49
2:L:133:LEU:HB2	2:L:179:LEU:HB3	1.95	0.48
2:B:13:VAL:HG11	2:B:78:THR:HG21	1.95	0.48
1:H:22:CYS:HB3	1:H:79:LEU:HB3	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:104:LEU:HA	3:C:189:THR:HB	1.95	0.48
3:D:129:TYR:HB3	3:D:264:LEU:HB2	1.95	0.48
1:H:91:THR:HG23	1:H:123:THR:HA	1.95	0.48
2:B:39:LYS:HG2	2:B:84:ALA:HB2	1.95	0.48
2:L:133:LEU:HD12	2:L:179:LEU:HD23	1.96	0.47
2:L:31:LYS:HD3	2:L:90:VAL:HG11	1.95	0.47
2:B:146:THR:OG1	2:B:197:THR:HB	2.14	0.47
2:L:61:ARG:HB2	2:L:76:SER:O	2.13	0.47
1:H:158:TYR:HE1	1:H:161:GLU:HG2	1.78	0.47
3:D:215:GLN:OE1	3:D:215:GLN:N	2.47	0.47
2:B:109:GLN:HB2	2:B:141:TYR:CE1	2.50	0.47
2:B:23:CYS:HB3	2:B:71:ALA:HB3	1.97	0.47
3:C:192:PHE:CZ	3:C:207:LYS:HD3	2.50	0.47
3:C:243:LYS:HA	3:C:243:LYS:HE2	1.96	0.47
1:H:152:GLY:HA2	1:H:167:TRP:CH2	2.51	0.46
1:A:167:TRP:CH2	1:A:209:CYS:HB3	2.50	0.46
2:L:168:GLN:HG3	2:L:172:LYS:O	2.15	0.46
2:B:23:CYS:N	2:B:71:ALA:O	2.48	0.46
3:C:215:GLN:OE1	3:C:215:GLN:N	2.45	0.46
1:H:167:TRP:CH2	1:H:209:CYS:HB3	2.50	0.46
1:A:184:GLN:NE2	1:A:188:LEU:HB2	2.31	0.46
3:D:166:SER:HB3	3:D:183:MET:CG	2.45	0.46
3:D:218:PHE:CE1	3:D:240:ILE:HD11	2.51	0.46
2:B:49:TYR:HD1	2:B:55:PRO:HG3	1.81	0.46
3:D:186:LEU:H	3:D:186:LEU:HD22	1.80	0.46
2:L:83:GLU:HG3	2:L:106:VAL:HG22	1.98	0.46
2:B:23:CYS:HB2	2:B:35:TRP:CZ2	2.51	0.46
3:D:139:GLU:C	3:D:141:GLU:N	2.73	0.46
1:A:155:VAL:HB	1:A:191:LEU:HG	1.97	0.46
1:A:104:LEU:HD12	3:C:188:PRO:O	2.16	0.45
1:H:158:TYR:CE1	1:H:161:GLU:HG2	2.52	0.45
1:A:2:VAL:HG13	1:A:27:PHE:CD1	2.52	0.45
1:H:132:PRO:HB2	1:H:155:VAL:HG13	1.99	0.45
3:D:231:GLU:HB2	3:D:239:PHE:CE2	2.52	0.45
1:H:162:PRO:HD2	1:H:215:PRO:CG	2.46	0.45
1:A:5:LEU:HA	1:A:118:GLN:HE22	1.82	0.45
2:B:3:TYR:CE1	2:B:26:GLU:HB2	2.52	0.45
3:D:147:VAL:O	3:D:245:ASN:ND2	2.49	0.45
3:D:183:MET:HE3	3:D:219:VAL:HG22	1.99	0.45
3:D:160:LEU:HB3	3:D:187:SER:HB3	1.99	0.45
2:L:135:CYS:HB2	2:L:149:TRP:CH2	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:110:PRO:HG3	2:B:56:SER:OG	2.17	0.44
1:A:36:TRP:CZ3	1:A:96:CYS:HB3	2.53	0.44
2:L:109:GLN:HB2	2:L:141:TYR:CZ	2.53	0.44
3:C:168:HIS:HB2	3:C:169:PRO:CD	2.48	0.44
3:D:186:LEU:HB2	3:D:194:LEU:HD13	2.00	0.44
3:D:262:ASN:HA	3:D:264:LEU:HD13	2.00	0.44
1:H:47:TRP:CE3	2:L:95:THR:HG23	2.53	0.43
1:H:164:THR:OG1	1:H:212:ASN:HB2	2.17	0.43
1:A:83:MET:HE1	1:A:94:TYR:CZ	2.53	0.43
3:D:264:LEU:HD22	3:D:264:LEU:H	1.83	0.43
1:A:100:LYS:O	3:C:139:GLU:HG2	2.19	0.43
1:H:152:GLY:HA2	1:H:167:TRP:CZ2	2.54	0.43
3:C:186:LEU:H	3:C:186:LEU:HD22	1.83	0.43
3:D:191:ASP:O	3:D:207:LYS:HD2	2.19	0.43
1:H:156:LYS:HG3	1:H:190:SER:OG	2.18	0.43
3:D:166:SER:HB3	3:D:183:MET:HG2	1.99	0.43
1:H:165:VAL:HG22	1:H:211:VAL:HG22	2.01	0.43
3:C:121:GLU:HB2	3:C:160:LEU:HD11	1.99	0.43
3:C:196:ALA:HB2	3:C:218:PHE:CZ	2.55	0.42
1:H:101:PHE:HA	3:D:138:LEU:O	2.19	0.42
1:A:89:GLU:CD	1:A:89:GLU:H	2.28	0.42
1:A:152:GLY:HA2	1:A:167:TRP:HZ2	1.84	0.42
2:B:25:GLY:O	2:B:69:ASN:HB2	2.19	0.42
1:H:137:LEU:N	1:H:152:GLY:O	2.44	0.42
2:B:83:GLU:CD	2:B:106:VAL:HG22	2.45	0.42
3:C:135:THR:CG2	3:C:146:TYR:HB2	2.50	0.42
2:L:35:TRP:CE2	2:L:73:LEU:HB2	2.55	0.41
3:C:262:ASN:HA	3:C:264:LEU:HD13	2.02	0.41
3:D:147:VAL:HB	3:D:245:ASN:HA	2.02	0.41
2:L:145:VAL:HG12	2:L:198:HIS:HB2	2.02	0.41
1:A:137:LEU:HB3	2:B:119:PHE:CD1	2.55	0.41
2:B:162:THR:HG23	2:B:177:SER:HB2	2.01	0.41
1:H:134:VAL:HG22	1:H:155:VAL:HG22	2.03	0.41
2:B:83:GLU:HG2	2:B:104:LEU:O	2.20	0.41
1:H:222:LYS:HE3	1:H:222:LYS:HB2	1.81	0.41
2:L:29:GLY:O	3:D:151:LYS:HD3	2.20	0.41
1:H:118:GLN:HG2	1:H:119:GLY:N	2.36	0.41
1:A:41:PRO:HD3	1:A:92:ALA:HA	2.02	0.41
2:L:6:THR:HB	2:L:24:SER:HB2	2.02	0.41
1:H:158:TYR:CZ	1:H:189:TYR:HB2	2.56	0.40
1:A:34:MET:HB3	1:A:79:LEU:HD22	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:15:PRO:HD3	2:B:107:LEU:O	2.21	0.40
3:C:186:LEU:HB2	3:C:194:LEU:HD13	2.02	0.40
3:D:123:LEU:HA	3:D:159:VAL:O	2.21	0.40
3:D:199:LYS:HD2	3:D:199:LYS:H	1.86	0.40
1:H:104:LEU:HD12	3:D:188:PRO:O	2.21	0.40
3:D:194:LEU:O	3:D:216:ALA:HA	2.21	0.40
3:C:162:SER:HB2	3:C:185:THR:OG1	2.21	0.40
1:H:6:GLU:HG2	1:H:96:CYS:SG	2.61	0.40
3:D:203:VAL:HG21	3:D:247:LEU:HB3	2.03	0.40
1:H:5:LEU:O	1:H:23:ALA:N	2.55	0.40
1:H:110:ARG:HD2	3:D:155:LYS:CD	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	219/228 (96%)	209 (95%)	9 (4%)	1 (0%)	25 59
1	H	221/228 (97%)	213 (96%)	7 (3%)	1 (0%)	25 59
2	B	209/211 (99%)	202 (97%)	7 (3%)	0	100 100
2	L	206/211 (98%)	199 (97%)	7 (3%)	0	100 100
3	C	129/152 (85%)	118 (92%)	10 (8%)	1 (1%)	16 50
3	D	124/152 (82%)	118 (95%)	6 (5%)	0	100 100
All	All	1108/1182 (94%)	1059 (96%)	46 (4%)	3 (0%)	37 68

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	168	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	162	PRO
1	H	162	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	184/189 (97%)	182 (99%)	2 (1%)	70 83
1	H	186/189 (98%)	185 (100%)	1 (0%)	86 92
2	B	176/176 (100%)	172 (98%)	4 (2%)	45 69
2	L	173/176 (98%)	170 (98%)	3 (2%)	56 75
3	C	127/142 (89%)	117 (92%)	10 (8%)	10 34
3	D	123/142 (87%)	113 (92%)	10 (8%)	9 33
All	All	969/1014 (96%)	939 (97%)	30 (3%)	35 62

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	118	GLN
2	L	91	ILE
2	L	168	GLN
2	L	181	LEU
1	A	118	GLN
1	A	151	LEU
2	B	32	TYR
2	B	91	ILE
2	B	168	GLN
2	B	181	LEU
3	C	129	TYR
3	C	150	LEU
3	C	154	GLU
3	C	155	LYS
3	C	186	LEU
3	C	235	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	261	GLU
3	C	262	ASN
3	C	264	LEU
3	C	266	LYS
3	D	129	TYR
3	D	153	ASP
3	D	154	GLU
3	D	183	MET
3	D	186	LEU
3	D	235	ASP
3	D	261	GLU
3	D	262	ASN
3	D	264	LEU
3	D	266	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	13	GLN
1	H	82	GLN
1	H	205	GLN
2	L	37	GLN
1	A	13	GLN
1	A	99	GLN
2	B	37	GLN
2	B	127	GLN
2	B	171	ASN
2	B	198	HIS
3	C	224	HIS
3	C	246	HIS
3	D	224	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	221/228 (96%)	-0.16	0	100 100	49, 93, 119, 140	2 (0%)
1	H	223/228 (97%)	-0.18	0	100 100	59, 96, 113, 120	2 (0%)
2	B	211/211 (100%)	-0.18	0	100 100	69, 104, 149, 164	0
2	L	208/211 (98%)	-0.20	0	100 100	78, 106, 132, 141	0
3	C	135/152 (88%)	0.08	1 (0%)	84 68	71, 97, 129, 149	0
3	D	130/152 (85%)	0.11	0	100 100	85, 117, 141, 145	0
All	All	1128/1182 (95%)	-0.12	1 (0%)	92 89	49, 100, 133, 164	4 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	146	TYR	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.