



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 15, 2026 – 12:18 PM JST

PDB ID : 9X7R / pdb_00009x7r
Title : The molecular mechanisms of CD8+ T cell responses to restrictive UTP20 antigen
Authors : Wang, J.; Wu, D.C.
Deposited on : 2025-10-17
Resolution : 3.54 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1008 (3.58-3.50)
Clashscore	190562	1062 (3.58-3.50)
Ramachandran outliers	187476	1033 (3.58-3.50)
Sidechain outliers	187428	1034 (3.58-3.50)
RSRZ outliers	180081	1007 (3.58-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	189	9% 58% 38% ...
2	E	244	73% 27%
3	A	276	83% 16%
4	B	100	2% 78% 22%
5	C	9	56% 44%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6543 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TCR alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	187	Total	C	N	O	S	0	0	0
			1458	915	243	292	8			

- Molecule 2 is a protein called TCR beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	244	Total	C	N	O	S	0	0	0
			1933	1206	341	379	7			

- Molecule 3 is a protein called MHC class I antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	275	Total	C	N	O	S	0	0	0
			2247	1403	409	426	9			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP Q8WLS4

- Molecule 4 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769


- Molecule 5 is a protein called peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	C	9	Total	C	N	O	S	0	0	0
			68	43	12	12	1			


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: TCR alpha




• Molecule 2: TCR beta




• Molecule 3: MHC class I antigen




• Molecule 4: Beta-2-microglobulin





● Molecule 5: peptide



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	204.02Å 204.02Å 204.02Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.54 – 3.54 33.54 – 3.54	Depositor EDS
% Data completeness (in resolution range)	99.5 (33.54-3.54) 99.3 (33.54-3.54)	Depositor EDS
R_{merge}	0.56	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.65 (at 3.56Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.250 , 0.279 0.249 , 0.277	Depositor DCC
R_{free} test set	1998 reflections (5.79%)	wwPDB-VP
Wilson B-factor (Å ²)	54.7	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 22.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.199 for l,-k,h	Xtriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	6543	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	D	1.10	1/1490 (0.1%)	1.05	9/2020 (0.4%)
2	E	0.18	0/1984	0.42	0/2704
3	A	0.17	0/2312	0.36	0/3137
4	B	0.14	0/860	0.35	0/1162
5	C	0.22	0/68	0.39	0/88
All	All	0.54	1/6714 (0.0%)	0.60	9/9111 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	E	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	151	ASP	C-N	41.73	1.91	1.33

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	151	ASP	O-C-N	-28.22	85.06	122.59
1	D	151	ASP	CA-C-N	13.13	145.33	121.70
1	D	151	ASP	C-N-CA	13.13	145.33	121.70
1	D	117	PRO	CA-C-N	11.35	142.13	121.70
1	D	117	PRO	C-N-CA	11.35	142.13	121.70
1	D	142	SER	CA-C-N	9.97	139.66	121.70
1	D	142	SER	C-N-CA	9.97	139.66	121.70
1	D	144	THR	CA-C-N	8.16	136.39	121.70
1	D	144	THR	C-N-CA	8.16	136.39	121.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	E	100	GLU	Peptide
2	E	241	ARG	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1458	0	1389	69	0
2	E	1933	0	1813	51	0
3	A	2247	0	2096	35	0
4	B	837	0	803	15	0
5	C	68	0	74	9	0
All	All	6543	0	6175	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:151:ASP:C	1:D:153:ASP:N	1.91	1.26
1:D:149:SER:OG	1:D:154:VAL:CG1	1.99	1.08
1:D:149:SER:OG	1:D:154:VAL:HG12	1.64	0.95
1:D:149:SER:OG	1:D:154:VAL:HG11	1.67	0.93
1:D:96:GLY:HA2	3:A:65:ARG:HH12	1.35	0.92
1:D:58:LYS:HG2	1:D:63:SER:HB3	1.54	0.89
1:D:114:ILE:HD13	1:D:141:ASP:HA	1.57	0.87
1:D:141:ASP:OD1	1:D:143:GLN:NE2	2.14	0.81
1:D:149:SER:CB	1:D:154:VAL:CG1	2.58	0.81
1:D:154:VAL:CG1	1:D:154:VAL:O	2.30	0.80
1:D:34:HIS:CE1	1:D:93:ILE:HD11	2.18	0.79
1:D:151:ASP:O	1:D:153:ASP:N	2.19	0.75
1:D:154:VAL:O	1:D:154:VAL:HG13	1.87	0.74
1:D:93:ILE:HD13	2:E:99:LYS:HA	1.70	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:63:GLU:OE2	3:A:66:LYS:NZ	2.20	0.70
1:D:149:SER:CB	1:D:154:VAL:HG12	2.19	0.70
2:E:68:ARG:NH2	2:E:71:THR:O	2.22	0.68
1:D:121:VAL:HG11	1:D:186:ALA:HA	1.76	0.67
1:D:97:ASN:H	3:A:65:ARG:NH1	1.94	0.66
4:B:81:ARG:HA	4:B:92:ILE:HG12	1.79	0.65
2:E:96:SER:HB3	5:C:7:HIS:HA	1.79	0.65
1:D:11:LEU:HG	1:D:13:VAL:HG23	1.79	0.63
3:A:119:ASP:HB3	4:B:0:MET:HG3	1.81	0.63
1:D:6:GLN:NE2	1:D:88:TYR:O	2.32	0.62
1:D:50:MET:HE3	1:D:57:LYS:HG3	1.81	0.62
1:D:64:ALA:HB2	1:D:75:LEU:HD12	1.80	0.62
2:E:52:VAL:N	3:A:72:GLN:HE22	1.96	0.62
3:A:13:SER:HA	3:A:20:PRO:HB3	1.81	0.61
1:D:34:HIS:CD2	1:D:49:VAL:HG22	2.35	0.61
1:D:36:TYR:OH	2:E:102:GLN:HB2	2.01	0.61
2:E:199:PHE:O	2:E:205:ASN:ND2	2.33	0.60
1:D:2:LEU:HD13	1:D:26:PRO:HG2	1.83	0.60
1:D:96:GLY:O	1:D:98:THR:N	2.31	0.60
2:E:51:GLY:C	3:A:72:GLN:HE22	2.10	0.60
1:D:134:VAL:HG12	1:D:177:TRP:HB3	1.83	0.59
1:D:126:ASP:OD1	1:D:127:SER:N	2.35	0.59
3:A:76:VAL:HG11	5:C:8:LYS:HD3	1.85	0.58
3:A:266:LEU:HD13	3:A:270:LEU:HG	1.84	0.58
2:E:24:HIS:ND1	2:E:73:ASP:OD1	2.29	0.58
2:E:129:PRO:HG3	2:E:142:LEU:HG	1.86	0.57
2:E:18:GLN:HG3	2:E:79:GLU:HA	1.86	0.57
3:A:111:ARG:HG3	3:A:128:GLU:HG3	1.87	0.56
1:D:155:TYR:OH	2:E:178:GLU:O	2.20	0.55
2:E:30:ASN:HB2	2:E:95:ASP:O	2.07	0.55
2:E:52:VAL:HG12	2:E:53:GLN:HG3	1.87	0.55
3:A:37:ASP:HB3	3:A:40:ALA:HB2	1.89	0.54
1:D:61:ARG:HH11	1:D:79:GLY:HA3	1.73	0.54
2:E:152:ASP:HB2	2:E:175:PRO:HG2	1.90	0.53
2:E:30:ASN:OD1	5:C:8:LYS:HE2	2.09	0.53
1:D:62:ILE:HG22	1:D:77:ILE:HG23	1.90	0.53
1:D:126:ASP:HB2	1:D:132:LYS:HB2	1.90	0.52
1:D:140:PHE:HB3	1:D:143:GLN:NE2	2.24	0.52
3:A:64:THR:O	3:A:67:VAL:HG12	2.10	0.52
1:D:171:SER:OG	1:D:172:ASN:N	2.43	0.52
2:E:29:HIS:HB3	2:E:94:SER:O	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:195:SER:O	3:A:197:HIS:N	2.44	0.51
3:A:130:LEU:HB2	3:A:157:ARG:HD3	1.92	0.51
2:E:96:SER:HB3	5:C:6:ILE:O	2.11	0.51
3:A:194:VAL:HG12	3:A:195:SER:H	1.75	0.51
4:B:41:LYS:HG3	4:B:78:TYR:HE1	1.76	0.50
1:D:94:ASN:ND2	1:D:98:THR:O	2.22	0.50
3:A:195:SER:C	3:A:197:HIS:H	2.18	0.50
2:E:196:SER:HB2	2:E:199:PHE:H	1.76	0.49
4:B:54:LEU:HD11	4:B:62:PHE:HB3	1.93	0.49
2:E:64:TYR:HD2	2:E:76:LEU:HD11	1.77	0.49
2:E:36:ARG:HH12	2:E:85:GLN:HA	1.79	0.48
4:B:55:SER:HB3	4:B:63:TYR:CZ	2.48	0.48
1:D:117:PRO:CB	1:D:118:ASP:HA	2.43	0.48
1:D:162:LEU:HD13	2:E:170:CYS:HB2	1.95	0.48
1:D:97:ASN:H	3:A:65:ARG:CZ	2.26	0.48
1:D:143:GLN:O	1:D:144:THR:HG22	2.13	0.48
3:A:73:THR:HG23	5:C:8:LYS:HG2	1.96	0.48
1:D:53:ASN:OD1	1:D:68:THR:N	2.37	0.48
2:E:144:CYS:HB2	2:E:158:TRP:CH2	2.49	0.48
1:D:93:ILE:HG12	1:D:100:LEU:HG	1.96	0.48
2:E:141:THR:OG1	2:E:194:ARG:HD2	2.14	0.48
3:A:13:SER:HG	3:A:93:HIS:H	1.62	0.48
1:D:33:LEU:HD11	1:D:90:CYS:SG	2.54	0.47
1:D:154:VAL:HG12	1:D:154:VAL:O	2.14	0.47
2:E:51:GLY:O	2:E:68:ARG:HG2	2.14	0.47
3:A:117:ALA:HB2	4:B:60:TRP:CE2	2.49	0.47
3:A:106:ASP:OD1	3:A:106:ASP:N	2.47	0.47
2:E:96:SER:CB	5:C:7:HIS:HA	2.45	0.47
3:A:12:VAL:HG22	3:A:94:THR:HG23	1.95	0.47
2:E:64:TYR:HB3	2:E:76:LEU:HD11	1.96	0.46
2:E:31:ASN:HB2	2:E:94:SER:HB2	1.95	0.46
2:E:177:LYS:NZ	2:E:182:LEU:O	2.49	0.46
3:A:3:HIS:ND1	3:A:29:ASP:OD2	2.42	0.46
3:A:143:THR:HG23	5:C:9:VAL:HA	1.98	0.46
2:E:33:PHE:HB3	2:E:45:LEU:HD11	1.98	0.46
4:B:54:LEU:HD11	4:B:62:PHE:CD1	2.50	0.46
2:E:78:LEU:HD23	2:E:85:GLN:CD	2.41	0.46
2:E:67:SER:O	2:E:75:PRO:HD2	2.16	0.45
3:A:207:SER:HA	3:A:240:THR:HB	1.98	0.45
4:B:56:PHE:HA	4:B:62:PHE:HA	1.98	0.45
2:E:119:VAL:HG21	2:E:216:LEU:HD21	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:80:CYS:O	4:B:92:ILE:HG23	2.17	0.45
1:D:6:GLN:HE22	1:D:89:LEU:HA	1.81	0.45
3:A:261:VAL:HB	3:A:270:LEU:HB2	1.98	0.44
1:D:124:LEU:HD22	2:E:143:VAL:HG23	1.99	0.44
1:D:137:PHE:HB3	1:D:140:PHE:HZ	1.83	0.44
2:E:92:ALA:HA	2:E:103:TYR:O	2.17	0.44
3:A:255:GLN:NE2	3:A:274:TRP:O	2.49	0.44
2:E:14:GLU:HA	2:E:113:LEU:O	2.16	0.44
3:A:77:ASP:OD1	5:C:9:VAL:HG22	2.18	0.44
1:D:33:LEU:HD12	1:D:91:ALA:O	2.18	0.44
3:A:195:SER:C	3:A:197:HIS:N	2.75	0.44
2:E:129:PRO:HD2	2:E:200:TRP:CH2	2.53	0.43
2:E:33:PHE:CE1	2:E:102:GLN:NE2	2.87	0.43
1:D:34:HIS:ND1	1:D:93:ILE:HD11	2.34	0.43
1:D:97:ASN:O	1:D:99:PRO:HD3	2.18	0.43
2:E:68:ARG:HD2	2:E:68:ARG:HA	1.82	0.43
2:E:41:HIS:HD2	2:E:44:ARG:CZ	2.31	0.43
1:D:8:PRO:HG3	1:D:11:LEU:HD13	1.99	0.43
3:A:97:ARG:NE	5:C:6:ILE:HD12	2.33	0.43
4:B:41:LYS:HG3	4:B:78:TYR:CE1	2.53	0.43
2:E:64:TYR:CD2	2:E:76:LEU:HD11	2.53	0.43
2:E:133:GLU:O	2:E:137:THR:OG1	2.32	0.43
2:E:156:LEU:HD23	2:E:157:SER:N	2.34	0.43
1:D:127:SER:HB3	2:E:128:GLU:HG3	2.01	0.42
4:B:17:ASN:CG	4:B:97:ARG:HH22	2.26	0.42
3:A:52:ILE:HD12	3:A:52:ILE:HA	1.85	0.42
4:B:5:PRO:HA	4:B:30:PHE:HB3	2.00	0.42
1:D:65:THR:HG22	1:D:74:TYR:HB2	2.01	0.42
1:D:141:ASP:OD1	1:D:143:GLN:HA	2.20	0.42
1:D:141:ASP:CG	1:D:142:SER:H	2.26	0.42
3:A:22:PHE:CD2	3:A:71:SER:HB2	2.54	0.42
1:D:121:VAL:HG22	1:D:137:PHE:HD1	1.85	0.42
1:D:15:GLU:HB2	1:D:112:ALA:HA	2.00	0.42
1:D:162:LEU:HD21	2:E:194:ARG:HB2	2.02	0.42
2:E:18:GLN:HA	2:E:78:LEU:O	2.20	0.42
2:E:121:PRO:HD3	2:E:229:PRO:HB3	2.02	0.41
1:D:115:GLN:CD	1:D:115:GLN:H	2.28	0.41
4:B:6:LYS:O	4:B:27:VAL:HA	2.21	0.41
1:D:144:THR:OG1	1:D:145:ASN:HA	2.20	0.41
1:D:154:VAL:HG23	1:D:178:SER:HB2	2.01	0.41
1:D:52:LEU:HD23	3:A:158:ALA:HB2	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:31:ASN:O	2:E:93:SER:HA	2.19	0.41
1:D:117:PRO:HB3	1:D:118:ASP:HA	2.02	0.41
1:D:141:ASP:OD1	1:D:142:SER:N	2.53	0.41
1:D:148:GLN:HA	1:D:156:ILE:HG21	2.03	0.41
4:B:19:LYS:O	4:B:72:PRO:HD2	2.20	0.41
2:E:23:CYS:HB2	2:E:34:TRP:CZ2	2.55	0.41
3:A:81:LEU:HD13	3:A:118:TYR:CD1	2.55	0.41
4:B:41:LYS:HA	4:B:78:TYR:HD1	1.86	0.41
1:D:31:TYR:CE1	1:D:95:SER:HB2	2.56	0.41
1:D:36:TYR:CD1	1:D:46:ALA:HA	2.56	0.40
1:D:81:GLN:HB3	1:D:82:PRO:HD2	2.03	0.40
3:A:47:PRO:HB2	3:A:53:GLU:HG2	2.02	0.40
2:E:14:GLU:HG2	2:E:116:LEU:HD21	2.04	0.40
1:D:149:SER:HB2	1:D:154:VAL:CG1	2.49	0.40
1:D:156:ILE:HD13	1:D:176:ALA:HB2	2.04	0.40
2:E:31:ASN:HA	2:E:49:SER:O	2.21	0.40
1:D:19:THR:HG22	1:D:77:ILE:HB	2.03	0.40
2:E:99:LYS:H	2:E:99:LYS:HG2	1.67	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	185/189 (98%)	147 (80%)	31 (17%)	7 (4%)	2	20
2	E	242/244 (99%)	224 (93%)	15 (6%)	3 (1%)	10	42
3	A	273/276 (99%)	261 (96%)	10 (4%)	2 (1%)	18	52
4	B	98/100 (98%)	92 (94%)	4 (4%)	2 (2%)	6	32
5	C	7/9 (78%)	7 (100%)	0	0	100	100
All	All	805/818 (98%)	731 (91%)	60 (8%)	14 (2%)	7	35

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	117	PRO
1	D	143	GLN
1	D	144	THR
2	E	102	GLN
4	B	88	SER
1	D	141	ASP
1	D	142	SER
3	A	194	VAL
3	A	196	ASP
1	D	40	THR
4	B	12	ARG
1	D	130	SER
2	E	181	ALA
2	E	173	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	164/168 (98%)	164 (100%)	0	100	100
2	E	211/214 (99%)	211 (100%)	0	100	100
3	A	231/232 (100%)	231 (100%)	0	100	100
4	B	95/95 (100%)	95 (100%)	0	100	100
5	C	7/7 (100%)	7 (100%)	0	100	100
All	All	708/716 (99%)	708 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	81	GLN
1	D	113	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	143	GLN
2	E	18	GLN
2	E	30	ASN
2	E	56	ASN
2	E	153	HIS
3	A	72	GLN
3	A	155	GLN
3	A	224	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	D	187/189 (98%)	0.53	17 (9%) 15 9	36, 82, 129, 146	0
2	E	244/244 (100%)	0.12	1 (0%) 88 69	36, 68, 109, 129	0
3	A	275/276 (99%)	-0.17	0 100 100	28, 53, 98, 123	0
4	B	100/100 (100%)	0.24	2 (2%) 65 36	42, 79, 106, 110	0
5	C	9/9 (100%)	-0.14	0 100 100	32, 35, 38, 38	0
All	All	815/818 (99%)	0.13	20 (2%) 58 32	28, 65, 113, 146	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	153	ASP	7.1
1	D	188	ALA	6.9
1	D	129	SER	4.2
1	D	1	ILE	3.5
1	D	120	ALA	2.8
1	D	146	VAL	2.5
4	B	99	MET	2.4
1	D	14	GLN	2.4
1	D	183	PHE	2.4
1	D	144	THR	2.3
1	D	172	ASN	2.2
2	E	141	THR	2.2
1	D	186	ALA	2.2
1	D	181	SER	2.2
1	D	170	LYS	2.2
1	D	140	PHE	2.1
1	D	117	PRO	2.1
1	D	184	ALA	2.1
4	B	91	LYS	2.1
1	D	142	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.