Full wwPDB EM Validation Report ⓘ

Nov 9, 2026 – 01:06 PM JST

PDB ID	:	9XO6 / pdb_00009xo6
EMDB ID	:	EMD-67071
Title	:	Cryo-EM structure of the ABTS-1
Authors	:	You, Z.L.; Bai, L.
Deposited on	:	2025-11-13
Resolution	:	3.64 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


EMDB validation analysis	:	0.0.1.dev133
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4-5-2 with Phenix2.2
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51


1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11633 (3.14 - 4.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	587	16% 74% 25%
1	B	587	16% 74% 25%

2 Entry composition


There are 2 unique types of molecules in this entry. The entry contains 9258 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Anion exchange protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	587	Total	C	N	O	S	0	0
			4615	3049	744	788	34		
1	B	587	Total	C	N	O	S	0	0
			4615	3049	744	788	34		

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
2	A	1	Total	C	N	O	0
			14	8	1	5	
2	B	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Anion exchange protein


Chain A:



• Molecule 1: Anion exchange protein

Chain B:




K648 S649 T650 G651 L652 P653 I654 A655 F656 N657 D658 T659 F660 I661 D662 Y663 T664 A665 A666 D670 C671 R672 T673 I674 G675 G676 S677 F678 D679 G680 T681 T682 C683 K689 M692 K709 M710 R711 N712 F716 R721 Q722 L723 D726 F727 I731 M736 I741 F742 V743
G744 V745 N746 F756 R757 P758 G762 R763 G764 W765 D771 A772 N773 E774 W775 W776 P779 I790 Q797 V801 I802 N808 K812 G813 C814 V822 L823 S824 I827 L828 M829 V830 L833 G834 L835 Y838 V839 A840 I846 N847 H848 I849 K853 E857
C858 K859 A860 P861 G862 E863 V864 A865 Q866 V870 R871 E872 Q873 R874 I878 V879 T880 I884 S887 L902 V905 F906 M909 L919 D935 Y938 I939 V942 R945 K946 L949 Q954 C957 L958 A959 L960 V963 I964 K965 K968 M981
R985 K986 D996 L997 L1000 D1001 D1002 P1003 D1006 F1007 R1010 E1013 D1014 A1015 K1016 R1017 R1018 Q1019

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	303829	Depositor
Resolution determination method	OTHER	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.075	Depositor
Minimum map value	-1.322	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.048	Depositor
Recommended contour level	0.4	Depositor
Map size (Å)	282.19998, 282.19998, 282.19998	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8299999, 0.8299999, 0.8299999	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.15	0/4731	0.36	0/6425
1	B	0.15	0/4731	0.37	0/6425
All	All	0.15	0/9462	0.36	0/12850

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4615	0	4769	96	0
1	B	4615	0	4769	101	0
2	A	14	0	13	0	0
2	B	14	0	13	0	0
All	All	9258	0	9564	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:582:THR:O	1:A:586:GLU:OE1	1.84	0.94
1:A:692:MET:HG2	1:A:745:VAL:HG21	1.67	0.76
1:B:692:MET:HG2	1:B:745:VAL:HG21	1.67	0.76
1:B:582:THR:O	1:B:586:GLU:OE1	2.04	0.75
1:A:591:THR:HG21	1:A:919:LEU:HD23	1.70	0.74
1:B:591:THR:HG21	1:B:919:LEU:HD23	1.70	0.74
1:A:644:ARG:NH2	1:A:657:ASN:O	2.21	0.73
1:B:644:ARG:NH2	1:B:657:ASN:O	2.21	0.72
1:B:503:MET:HE2	1:B:756:PHE:HA	1.69	0.72
1:B:981:MET:HA	1:B:981:MET:HE2	1.72	0.71
1:A:503:MET:HE2	1:A:756:PHE:HA	1.72	0.70
1:B:905:VAL:HG12	1:B:909:MET:HE2	1.75	0.68
1:A:905:VAL:HG12	1:A:909:MET:HE2	1.75	0.67
1:A:527:VAL:HA	1:A:840:ALA:HA	1.76	0.66
1:A:672:ARG:HB2	1:A:678:PHE:HZ	1.61	0.65
1:B:672:ARG:HB2	1:B:678:PHE:HZ	1.61	0.65
1:B:520:ALA:HB2	1:B:822:VAL:HG11	1.80	0.64
1:A:520:ALA:HB2	1:A:822:VAL:HG11	1.80	0.64
1:B:465:ALA:HB2	1:B:873:GLN:HG3	1.78	0.64
1:B:527:VAL:HA	1:B:840:ALA:HA	1.80	0.63
1:B:797:GLN:O	1:B:801:VAL:HG23	1.99	0.62
1:A:797:GLN:O	1:A:801:VAL:HG23	1.99	0.61
1:A:453:ARG:NH1	1:A:814:CYS:O	2.31	0.61
1:A:585:THR:HG22	1:A:981:MET:HG3	1.83	0.60
1:A:830:VAL:HG13	1:A:835:LEU:HB2	1.82	0.60
1:B:830:VAL:HG13	1:B:835:LEU:HB2	1.82	0.60
1:B:670:ASP:HA	1:B:673:THR:HG22	1.83	0.60
1:A:670:ASP:HA	1:A:673:THR:HG22	1.83	0.59
1:B:585:THR:HG22	1:B:981:MET:HG3	1.82	0.59
1:A:852:LEU:HD11	1:A:873:GLN:HE22	1.67	0.59
1:B:627:CYS:SG	1:B:683:CYS:N	2.76	0.58
1:A:627:CYS:SG	1:A:683:CYS:N	2.76	0.58
1:A:474:ILE:HG13	1:A:880:THR:HB	1.85	0.58
1:A:689:LYS:NZ	1:A:746:ASN:O	2.37	0.58
1:A:689:LYS:NZ	1:A:746:ASN:OD1	2.37	0.58
1:B:474:ILE:HG13	1:B:880:THR:HB	1.84	0.58
1:B:736:MET:HE3	1:B:736:MET:HA	1.87	0.57
1:B:689:LYS:NZ	1:B:746:ASN:OD1	2.37	0.57
1:A:736:MET:HE3	1:A:736:MET:HA	1.86	0.57
1:B:853:LYS:HA	1:B:870:VAL:HG23	1.87	0.57
1:B:689:LYS:NZ	1:B:746:ASN:O	2.37	0.56
1:B:477:MET:HE1	1:B:848:HIS:HA	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:906:PHE:HA	1:B:909:MET:HE3	1.88	0.56
1:B:447:LEU:O	1:B:451:ILE:HG22	2.05	0.56
1:A:447:LEU:O	1:A:451:ILE:HG22	2.05	0.56
1:A:935:ASP:O	1:A:1010:ARG:NH1	2.39	0.55
1:A:477:MET:HE1	1:A:848:HIS:HA	1.89	0.55
1:A:716:PHE:O	1:A:721:ARG:NH1	2.36	0.55
1:B:935:ASP:O	1:B:1010:ARG:NH1	2.39	0.55
1:A:906:PHE:HA	1:A:909:MET:HE3	1.88	0.54
1:B:716:PHE:O	1:B:721:ARG:NH1	2.36	0.54
1:B:483:ALA:HB2	1:B:902:LEU:HD13	1.89	0.54
1:B:613:ASP:OD1	1:B:613:ASP:N	2.41	0.53
1:A:1002:ASP:N	1:A:1002:ASP:OD1	2.40	0.53
1:A:711:ARG:NE	1:A:722:GLN:OE1	2.42	0.53
1:A:996:ASP:N	1:A:996:ASP:OD1	2.40	0.53
1:B:453:ARG:NH1	1:B:814:CYS:O	2.31	0.53
1:B:711:ARG:NE	1:B:722:GLN:OE1	2.42	0.53
1:A:613:ASP:OD1	1:A:613:ASP:N	2.41	0.53
1:B:640:PRO:O	1:B:644:ARG:HG3	2.09	0.53
1:B:996:ASP:N	1:B:996:ASP:OD1	2.41	0.53
1:A:483:ALA:HB2	1:A:902:LEU:HD13	1.89	0.52
1:B:1002:ASP:N	1:B:1002:ASP:OD1	2.40	0.52
1:B:514:VAL:HG23	1:B:878:ILE:HG23	1.92	0.52
1:B:582:THR:HG21	1:B:985:ARG:HE	1.75	0.52
1:A:640:PRO:O	1:A:644:ARG:HG3	2.09	0.52
1:A:484:PRO:HD3	1:A:906:PHE:HZ	1.76	0.51
1:B:484:PRO:HD3	1:B:906:PHE:HZ	1.76	0.51
1:A:905:VAL:HG12	1:A:909:MET:CE	2.41	0.51
1:A:514:VAL:HG23	1:A:878:ILE:HG23	1.91	0.51
1:A:637:SER:O	1:A:637:SER:OG	2.29	0.51
1:A:582:THR:HG21	1:A:985:ARG:HE	1.75	0.51
1:A:658:ASP:OD1	1:A:659:THR:HG23	2.10	0.51
1:A:647:ILE:HD11	1:A:674:ILE:HD12	1.93	0.51
1:B:905:VAL:HG12	1:B:909:MET:CE	2.41	0.51
1:B:960:LEU:O	1:B:964:ILE:HG13	2.11	0.51
1:A:468:LEU:HD23	1:A:723:LEU:HD11	1.92	0.50
1:B:627:CYS:HA	1:B:680:GLY:HA3	1.94	0.50
1:B:647:ILE:HD11	1:B:674:ILE:HD12	1.94	0.50
1:B:637:SER:O	1:B:637:SER:OG	2.28	0.50
1:A:802:ILE:HG22	1:A:846:ILE:HD11	1.93	0.50
1:B:590:ALA:HB2	1:B:802:ILE:HD13	1.92	0.50
1:A:590:ALA:HB2	1:A:802:ILE:HD13	1.92	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1006:ASP:N	1:B:1006:ASP:OD1	2.44	0.49
1:A:504:GLU:OE2	1:A:763:ARG:NH2	2.45	0.49
1:A:647:ILE:HG12	1:A:652:LEU:HD11	1.94	0.49
1:B:658:ASP:OD1	1:B:659:THR:HG23	2.12	0.49
1:A:544:CYS:SG	1:A:549:ILE:HB	2.53	0.49
1:A:642:HIS:O	1:A:646:VAL:HG23	2.13	0.49
1:B:544:CYS:SG	1:B:549:ILE:HB	2.53	0.49
1:B:656:PHE:HD1	1:B:661:ILE:HD13	1.78	0.49
1:B:802:ILE:HG22	1:B:846:ILE:HD11	1.94	0.49
1:B:468:LEU:HD23	1:B:723:LEU:HD11	1.93	0.49
1:B:647:ILE:HG12	1:B:652:LEU:HD11	1.94	0.49
1:B:504:GLU:OE2	1:B:763:ARG:NH2	2.46	0.49
1:A:627:CYS:HA	1:A:680:GLY:HA3	1.94	0.49
1:A:537:GLU:OE1	1:A:551:TYR:OH	2.31	0.48
1:A:656:PHE:HD1	1:A:661:ILE:HD13	1.77	0.48
1:A:1006:ASP:N	1:A:1006:ASP:OD1	2.45	0.48
1:B:618:SER:OG	1:B:620:ASP:O	2.30	0.48
1:A:853:LYS:HA	1:A:870:VAL:HG23	1.96	0.48
1:B:537:GLU:OE1	1:B:551:TYR:OH	2.31	0.48
1:B:642:HIS:O	1:B:646:VAL:HG23	2.13	0.48
1:A:884:ILE:O	1:A:887:SER:OG	2.29	0.47
1:A:874:ARG:O	1:A:878:ILE:HG13	2.15	0.47
1:A:1006:ASP:O	1:A:1010:ARG:HG2	2.15	0.47
1:B:1006:ASP:O	1:B:1010:ARG:HG2	2.15	0.47
1:A:643:ALA:O	1:A:647:ILE:HD12	2.15	0.47
1:B:874:ARG:O	1:B:878:ILE:HG13	2.14	0.47
1:B:959:ALA:O	1:B:963:VAL:HG12	2.14	0.47
1:A:658:ASP:OD1	1:A:659:THR:N	2.48	0.47
1:B:511:LEU:HD21	1:B:829:MET:SD	2.55	0.47
1:B:957:CYS:SG	1:B:981:MET:HE1	2.55	0.47
1:A:638:VAL:HG21	1:A:675:GLY:HA3	1.98	0.46
1:A:959:ALA:O	1:A:963:VAL:HG12	2.15	0.46
1:B:884:ILE:O	1:B:887:SER:OG	2.29	0.46
1:B:638:VAL:HG21	1:B:675:GLY:HA3	1.98	0.46
1:A:808:ASN:ND2	1:A:849:ILE:HG21	2.30	0.46
1:A:605:LEU:HA	1:A:608:ILE:HG22	1.98	0.46
1:B:643:ALA:O	1:B:647:ILE:HD12	2.15	0.46
1:A:511:LEU:HD21	1:A:829:MET:SD	2.55	0.46
1:B:709:LYS:HB3	1:B:709:LYS:HE2	1.81	0.46
1:A:465:ALA:HB1	1:A:470:CYS:SG	2.56	0.46
1:B:600:GLU:O	1:B:604:LYS:HG2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:484:PRO:HD3	1:B:906:PHE:CZ	2.51	0.45
1:A:484:PRO:HD3	1:A:906:PHE:CZ	2.51	0.45
1:B:960:LEU:HD11	1:B:964:ILE:HD11	1.98	0.45
1:A:600:GLU:O	1:A:604:LYS:HG2	2.16	0.45
1:A:618:SER:OG	1:A:620:ASP:O	2.30	0.45
1:B:808:ASN:ND2	1:B:849:ILE:HG21	2.31	0.45
1:B:540:VAL:HG13	1:B:551:TYR:HE1	1.82	0.44
1:B:605:LEU:HA	1:B:608:ILE:HG22	1.98	0.44
1:A:783:LEU:HB2	1:A:784:PRO:HD3	2.00	0.44
1:B:605:LEU:O	1:B:608:ILE:HG22	2.18	0.44
1:A:692:MET:HE3	1:A:743:VAL:HG11	2.00	0.44
1:B:727:PHE:O	1:B:731:ILE:HG12	2.18	0.44
1:B:996:ASP:HB2	1:B:1000:LEU:HD23	2.00	0.44
1:B:812:LYS:HG3	1:B:872:GLU:CD	2.43	0.44
1:A:454:LYS:NZ	1:A:813:GLY:O	2.43	0.44
1:A:534:LEU:O	1:A:538:THR:HG23	2.17	0.44
1:B:954:GLN:HE21	1:B:954:GLN:HB2	1.63	0.44
1:A:468:LEU:HD12	1:A:471:LEU:HD12	1.99	0.43
1:B:468:LEU:HD12	1:B:471:LEU:HD12	1.99	0.43
1:B:741:ILE:HD12	1:B:741:ILE:HA	1.85	0.43
1:A:939:ILE:HD12	1:A:939:ILE:C	2.44	0.43
1:B:534:LEU:O	1:B:538:THR:HG23	2.17	0.43
1:A:540:VAL:HG13	1:A:551:TYR:HE1	1.82	0.43
1:B:658:ASP:OD1	1:B:659:THR:N	2.51	0.43
1:B:596:ILE:HG21	1:B:965:LYS:HZ2	1.84	0.43
1:A:605:LEU:O	1:A:608:ILE:HG22	2.18	0.43
1:A:612:LEU:HD23	1:A:612:LEU:HA	1.82	0.43
1:B:692:MET:HE3	1:B:743:VAL:HG11	2.00	0.43
1:A:727:PHE:O	1:A:731:ILE:HG12	2.18	0.42
1:A:882:LEU:HD12	1:A:882:LEU:HA	1.93	0.42
1:A:629:CYS:SG	1:A:630:VAL:N	2.93	0.42
1:B:612:LEU:HD23	1:B:612:LEU:HA	1.82	0.42
1:B:758:PRO:HD3	1:B:765:TRP:CE2	2.54	0.42
1:B:776:TRP:C	1:B:779:PRO:HD2	2.45	0.42
1:B:557:TRP:O	1:B:560:VAL:HG12	2.19	0.42
1:B:481:LEU:O	1:B:485:ILE:HG12	2.20	0.42
1:A:584:PHE:HE1	1:A:954:GLN:CG	2.33	0.42
1:A:758:PRO:HD3	1:A:765:TRP:CE2	2.55	0.42
1:A:532:PRO:HB3	1:A:972:ILE:HA	2.02	0.42
1:A:812:LYS:HG3	1:A:872:GLU:CD	2.44	0.42
1:A:833:LEU:HB3	1:A:835:LEU:HG	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:999:TYR:CD1	1:A:999:TYR:C	2.98	0.42
1:A:776:TRP:C	1:A:779:PRO:HD2	2.45	0.41
1:A:639:SER:OG	1:A:642:HIS:HB3	2.19	0.41
1:B:629:CYS:SG	1:B:630:VAL:N	2.93	0.41
1:A:557:TRP:O	1:A:560:VAL:HG12	2.20	0.41
1:A:935:ASP:HA	1:A:939:ILE:HD11	2.03	0.41
1:B:671:CYS:O	1:B:676:GLY:N	2.50	0.41
1:B:939:ILE:HD12	1:B:939:ILE:C	2.45	0.41
1:A:671:CYS:O	1:A:676:GLY:N	2.50	0.41
1:A:481:LEU:O	1:A:485:ILE:HG12	2.20	0.41
1:B:833:LEU:HB3	1:B:835:LEU:HG	2.02	0.41
1:A:954:GLN:HE21	1:A:954:GLN:HB2	1.64	0.41
1:B:935:ASP:HA	1:B:939:ILE:HD11	2.02	0.41
1:B:454:LYS:NZ	1:B:813:GLY:O	2.43	0.41
1:A:469:GLN:HG3	1:A:726:ASP:OD2	2.21	0.41
1:B:968:LYS:HD3	1:B:968:LYS:HA	1.77	0.41
1:A:549:ILE:HG23	1:A:773:ASN:CB	2.51	0.41
1:A:898:PRO:HB2	1:A:900:PRO:HD2	2.03	0.41
1:B:465:ALA:HB1	1:B:470:CYS:SG	2.60	0.41
1:B:469:GLN:HG3	1:B:726:ASP:OD2	2.20	0.41
1:B:528:GLY:O	1:B:838:TYR:HD1	2.04	0.41
1:B:549:ILE:HG23	1:B:773:ASN:CB	2.51	0.41
1:B:790:ILE:HD13	1:B:790:ILE:HA	1.93	0.41
1:B:946:LYS:HD3	1:B:946:LYS:HA	1.76	0.41
1:A:723:LEU:O	1:A:727:PHE:HB2	2.21	0.41
1:A:790:ILE:HD13	1:A:790:ILE:HA	1.95	0.41
1:A:946:LYS:HA	1:A:946:LYS:HD3	1.77	0.41
1:B:824:SER:O	1:B:827:ILE:HG22	2.21	0.40
1:A:824:SER:O	1:A:827:ILE:HG22	2.21	0.40
1:B:537:GLU:HA	1:B:540:VAL:HG12	2.03	0.40
1:B:938:TYR:O	1:B:942:VAL:HG22	2.22	0.40
1:B:723:LEU:O	1:B:727:PHE:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	585/587 (100%)	565 (97%)	20 (3%)	0	100	100
1	B	585/587 (100%)	564 (96%)	21 (4%)	0	100	100
All	All	1170/1174 (100%)	1129 (96%)	41 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	508/508 (100%)	503 (99%)	5 (1%)	68	72
1	B	508/508 (100%)	506 (100%)	2 (0%)	84	79
All	All	1016/1016 (100%)	1009 (99%)	7 (1%)	73	75

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	461	ASP
1	A	527	VAL
1	A	582	THR
1	A	622	VAL
1	A	917	ILE
1	B	582	THR
1	B	622	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	873	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NAG	A	1101	1	14,14,15	2.01	4 (28%)	17,19,21	1.54	4 (23%)
2	NAG	B	1101	1	14,14,15	2.01	4 (28%)	17,19,21	1.53	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1101	1	-	2/6/23/26	0/1/1/1
2	NAG	B	1101	1	-	2/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1101	NAG	O5-C1	4.69	1.51	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1101	NAG	O5-C1	4.68	1.51	1.43
2	B	1101	NAG	C7-N2	3.49	1.46	1.34
2	A	1101	NAG	C7-N2	3.47	1.46	1.34
2	A	1101	NAG	C2-N2	2.68	1.50	1.46
2	B	1101	NAG	C2-N2	2.68	1.50	1.46
2	A	1101	NAG	O5-C5	2.25	1.48	1.43
2	B	1101	NAG	O5-C5	2.23	1.48	1.43

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	A	1101	NAG	C4-C3-C2	3.14	115.61	111.02
2	B	1101	NAG	C4-C3-C2	3.10	115.56	111.02
2	A	1101	NAG	C3-C4-C5	2.65	114.97	110.24
2	B	1101	NAG	C3-C4-C5	2.65	114.97	110.24
2	A	1101	NAG	C8-C7-N2	2.36	120.09	116.10
2	B	1101	NAG	C8-C7-N2	2.33	120.04	116.10
2	B	1101	NAG	C2-N2-C7	-2.27	119.68	122.90
2	A	1101	NAG	C2-N2-C7	-2.26	119.68	122.90

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1101	NAG	O5-C5-C6-O6
2	B	1101	NAG	O5-C5-C6-O6
2	B	1101	NAG	C4-C5-C6-O6
2	A	1101	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.


6 Map visualisation

This section contains visualisations of the EMDB entry EMD-67071. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)


6.2.1 Primary map



X Index: 170




Y Index: 170




Z Index: 170


6.2.2 Raw map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)


6.3.1 Primary map



X Index: 154




Y Index: 166




Z Index: 167


6.3.2 Raw map



X Index: 154



Y Index: 159





Z Index: 158


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)


6.4.1 Primary map



X



Y


Z

6.4.2 Raw map


X



Y


Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate (i)



The volume at the recommended contour level is 46 nm^3; this corresponds to an approximate mass of 42 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)




*Reported resolution corresponds to spatial frequency of 0.275 $Å^{-1}$

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.275 Å^{-1}

8.2 Resolution estimates (i)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)			
	0.143	0.5	Half-bit	Other
Reported by author	-	-	-	3.64
Author-provided FSC curve	-	-	-	-
Unmasked-calculated*	4.11	4.60	4.18	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-67071 and PDB model 9XO6. Per-residue inclusion information can be found in section 3 on page 4.


9.1 Map-model overlay



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.


9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).

9.4 Atom inclusion (i)



At the recommended contour level, 72% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.



Chain	Atom inclusion	Q-score
All	0.6310	0.4210
A	0.6310	0.4220
B	0.6300	0.4210