Full wwPDB X-ray Structure Validation Report (i)

Nov 9, 2026 – 08:13 PM JST

PDB ID	:	9XOD / pdb_00009xod
Title	:	Crystal Structure of Hyaluronate lyase B from Staphylococcus aureus
Authors	:	Kong, W.P.; Chung, W.H.; Wong, K.Y.
Deposited on	:	2025-11-13
Resolution	:	2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	775	7%, 63%, 29%, 5%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 12203 atoms, of which 6037 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hyaluronate lyase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	763	12169	3835	6037	1027	1242	28	202	5	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	14	GLU	-	expression tag	UNP A0AAJ4YVQ1
A	15	ASN	-	expression tag	UNP A0AAJ4YVQ1
A	16	LEU	-	expression tag	UNP A0AAJ4YVQ1
A	17	TYR	-	expression tag	UNP A0AAJ4YVQ1
A	18	PHE	-	expression tag	UNP A0AAJ4YVQ1
A	19	GLN	-	expression tag	UNP A0AAJ4YVQ1
A	20	GLY	-	expression tag	UNP A0AAJ4YVQ1
A	21	HIS	-	expression tag	UNP A0AAJ4YVQ1
A	22	MET	-	expression tag	UNP A0AAJ4YVQ1

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	A	34	34	34	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hyaluronate lyase

Chain A:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	76.54Å 64.00Å 81.36Å 90.00° 101.45° 90.00°	Depositor
Resolution (Å)	28.36 – 2.70 28.36 – 2.70	Depositor EDS
% Data completeness (in resolution range)	96.3 (28.36-2.70) 85.9 (28.36-2.70)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.72 (at 2.72Å)	Xtriage
Refinement program	REFMAC 5.8.0430 (refmacat 0.4.105)	Depositor
R, R_{free}	0.254 , 0.316 0.243 , 0.291	Depositor DCC
R_{free} test set	1021 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å^2)	26.7	Xtriage
Anisotropy	0.807	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.30 , 21.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.52$, $< L^2 > = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.88	EDS
Total number of atoms	12203	wwPDB-VP
Average B, all atoms (Å^2)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.75% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.53	0/6258	1.24	33/8429 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

There are no bond length outliers.

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	353	THR	OG1-CB-CG2	-8.82	91.67	109.30
1	A	259	VAL	N-CA-CB	7.76	119.42	110.49
1	A	67	LYS	N-CA-CB	7.37	120.69	110.01
1	A	506	MET	CG-SD-CE	7.25	116.84	100.90
1	A	68	LYS	N-CA-CB	6.84	119.93	110.01
1	A	621	ASP	CA-CB-CG	6.50	119.10	112.60
1	A	779	ASP	CA-CB-CG	6.40	119.00	112.60
1	A	208	ASP	CB-CA-C	6.38	122.33	111.35
1	A	164	LEU	N-CA-CB	-6.22	101.08	110.35
1	A	449	THR	CA-CB-OG1	-6.19	100.32	109.60
1	A	131	ASP	CA-CB-CG	6.19	118.79	112.60
1	A	279	ASP	CA-CB-CG	6.17	118.77	112.60
1	A	178	THR	CA-CB-OG1	-6.07	100.50	109.60
1	A	487	ASN	CB-CA-C	6.04	120.78	110.56
1	A	332	LYS	CB-CA-C	-6.01	102.63	112.06
1	A	727	LYS	CB-CA-C	5.92	122.20	110.42
1	A	182	LEU	N-CA-CB	5.78	118.39	110.01
1	A	385	VAL	N-CA-CB	-5.74	98.99	111.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	486	ASP	CB-CA-C	5.61	121.59	110.42
1	A	444	PHE	CA-CB-CG	5.61	119.41	113.80
1	A	505	ASP	CA-CB-CG	5.52	118.12	112.60
1	A	513	ASN	CB-CA-C	-5.45	99.57	110.42
1	A	551	ASN	CB-CA-C	5.43	119.91	110.79
1	A	565	ASP	CA-CB-CG	5.41	118.01	112.60
1	A	208	ASP	CA-CB-CG	5.41	118.00	112.60
1	A	258	TYR	N-CA-CB	-5.40	101.99	110.69
1	A	438	LYS	N-CA-CB	5.39	118.11	110.13
1	A	202	THR	CA-CB-OG1	-5.29	101.67	109.60
1	A	564	THR	CA-CB-OG1	-5.18	101.83	109.60
1	A	232	LYS	CB-CA-C	-5.15	102.24	110.79
1	A	47	GLN	N-CA-CB	5.12	118.72	110.42
1	A	53	GLN	N-CA-CB	5.03	117.60	110.06
1	A	337	ASP	CA-CB-CG	5.01	117.61	112.60

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	260	GLN	Peptide
1	A	268	ARG	Sidechain
1	A	340	ARG	Sidechain
1	A	432	ARG	Sidechain
1	A	751	THR	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6132	6037	6006	137	0
2	A	34	0	0	1	0
All	All	6166	6037	6006	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353:THR:HG22	1:A:396:TYR:CZ	1.79	1.17
1:A:144:GLN:NE2	1:A:147:GLU:OE2	1.91	1.03
1:A:149:LEU:HD22	1:A:164:LEU:HD21	1.45	0.97
1:A:509:THR:HB	1:A:537:GLN:OE1	1.89	0.72
1:A:353:THR:HG22	1:A:396:TYR:OH	1.90	0.72
1:A:131:ASP:HB2	1:A:196:TYR:OH	1.92	0.70
1:A:392:ASN:HD22	1:A:394:ASN:H	1.39	0.70
1:A:53:GLN:HE21	1:A:53:GLN:HA	1.58	0.69
1:A:483:HIS:CE1	1:A:577:ARG:HD3	2.30	0.67
1:A:527:TYR:HA	1:A:549:ILE:O	1.96	0.65
1:A:640:ASN:HB3	1:A:643:GLN:HG2	1.78	0.65
1:A:333:GLY:HA2	1:A:355:SER:OG	1.96	0.64
1:A:468:HIS:HB2	1:A:497:LEU:HD12	1.81	0.63
1:A:433:VAL:HG21	1:A:530:ILE:HG12	1.80	0.62
1:A:595:ASP:HB2	1:A:627:VAL:O	2.00	0.62
1:A:335:MET:HE1	1:A:358:VAL:HG21	1.82	0.61
1:A:44:GLY:HA3	1:A:401:SER:HB2	1.83	0.60
1:A:556:PHE:O	1:A:667:ALA:HA	2.02	0.60
1:A:511:THR:H	1:A:537:GLN:NE2	2.00	0.59
1:A:353:THR:HG22	1:A:396:TYR:CE2	2.35	0.59
1:A:173:THR:HB	1:A:174:PRO:HD3	1.84	0.59
1:A:520:GLY:HA3	1:A:530:ILE:HG13	1.85	0.58
1:A:336:MET:HB3	1:A:338:LEU:CD2	2.33	0.58
1:A:311:THR:HB	1:A:313:GLN:HG2	1.85	0.58
1:A:762:ILE:HG21	1:A:784:PHE:HZ	1.70	0.56
1:A:640:ASN:HB3	1:A:643:GLN:CG	2.36	0.56
1:A:318:LEU:O	1:A:322:ILE:HG12	2.04	0.56
1:A:736:LYS:HG2	1:A:737:LYS:O	2.05	0.56
1:A:747:TYR:HA	1:A:753:ASN:OD1	2.06	0.56
1:A:336:MET:HB3	1:A:338:LEU:HD22	1.87	0.55
1:A:762:ILE:HG21	1:A:784:PHE:CZ	2.41	0.55
1:A:383:THR:O	1:A:387:SER:HB3	2.07	0.55
1:A:350:THR:HB	1:A:485:ARG:HG2	1.88	0.54
1:A:323:ASP:OD2	1:A:376:ARG:NH2	2.41	0.54
1:A:462:GLU:OE1	1:A:640:ASN:ND2	2.40	0.54
1:A:338:LEU:HB2	1:A:447:SER:HB3	1.90	0.54
1:A:604:VAL:HG23	1:A:619:PHE:HE1	1.73	0.54
1:A:604:VAL:HG23	1:A:619:PHE:CE1	2.43	0.54
1:A:526:LYS:HB3	1:A:551:ASN:HB2	1.91	0.53
1:A:141:ASN:ND2	1:A:144:GLN:HB2	2.22	0.53
1:A:282:ASP:OD1	1:A:283:VAL:HG23	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:424:LEU:HD22	1:A:522:LYS:HD2	1.90	0.53
1:A:617:TYR:HA	1:A:669:VAL:O	2.09	0.52
1:A:553:LYS:C	1:A:554:ILE:HG13	2.35	0.52
1:A:473:MET:SD	1:A:497:LEU:HD22	2.49	0.52
1:A:49:ASP:OD1	1:A:49:ASP:C	2.53	0.52
1:A:297:ILE:O	1:A:301:MET:HG2	2.09	0.52
1:A:778:ASN:N	1:A:778:ASN:OD1	2.43	0.51
1:A:322:ILE:HD12	1:A:362:LEU:HD21	1.92	0.51
1:A:285:TYR:CE1	1:A:341:GLY:HA3	2.45	0.51
1:A:329:LEU:HD23	1:A:434:THR:HG21	1.93	0.51
1:A:103:ILE:HG23	1:A:126:ILE:HD11	1.92	0.51
1:A:63:GLU:OE1	1:A:115:THR:HA	2.11	0.51
1:A:609:ASN:ND2	1:A:609:ASN:H	2.09	0.51
1:A:447:SER:OG	1:A:469:THR:O	2.29	0.50
1:A:331:TYR:CD2	1:A:477:TYR:HB3	2.47	0.50
1:A:491:THR:HG1	1:A:652:TYR:HE2	1.58	0.49
1:A:610:ASP:OD2	1:A:612:LYS:HB2	2.11	0.49
1:A:584:LEU:HD22	1:A:627:VAL:HG11	1.94	0.49
1:A:246:LYS:HE2	1:A:250:ASP:OD2	2.13	0.49
1:A:483:HIS:HE1	1:A:578:LYS:H	1.59	0.49
1:A:272:TYR:HB2	1:A:276:SER:HB2	1.95	0.48
1:A:489:TRP:CZ3	1:A:494:MET:HE1	2.48	0.48
1:A:493:ASP:HB2	1:A:632:HIS:CE1	2.48	0.48
1:A:162:ASN:O	1:A:163:SER:C	2.55	0.48
1:A:226:VAL:HG21	1:A:293:LEU:HD12	1.95	0.48
1:A:563:SER:OG	1:A:564:THR:N	2.45	0.48
1:A:123:LYS:O	1:A:127:LYS:HG3	2.14	0.48
1:A:513:ASN:HB3	1:A:515:LYS:H	1.78	0.48
1:A:467:TRP:CZ2	1:A:506:MET:HB3	2.49	0.47
1:A:632:HIS:CD2	1:A:632:HIS:N	2.81	0.47
1:A:31:TYR:CZ	1:A:240:GLU:HA	2.49	0.47
1:A:584:LEU:HD21	1:A:604:VAL:HG13	1.96	0.47
1:A:493:ASP:OD1	1:A:493:ASP:C	2.56	0.47
1:A:719:ILE:HD11	1:A:734:ILE:HD12	1.96	0.47
1:A:178:THR:HG22	1:A:238:ILE:HD12	1.97	0.47
1:A:198:LYS:N	1:A:199:PRO:CD	2.77	0.47
1:A:353:THR:CG2	1:A:396:TYR:OH	2.62	0.47
1:A:210:ILE:O	1:A:217:SER:HA	2.14	0.47
1:A:497:LEU:O	1:A:573:SER:HB2	2.15	0.47
1:A:425:LYS:HE2	1:A:427:TYR:CE1	2.51	0.46
1:A:748:ASN:O	1:A:753:ASN:ND2	2.47	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:ARG:HD3	2:A:826:HOH:O	2.16	0.46
1:A:745:SER:HA	1:A:782:VAL:O	2.16	0.46
1:A:205:PRO:HD2	1:A:212:SER:OG	2.16	0.45
1:A:350:THR:N	1:A:353:THR:OG1	2.49	0.45
1:A:680:LYS:O	1:A:683:ASN:ND2	2.49	0.45
1:A:272:TYR:CE1	1:A:278:ILE:HD13	2.51	0.45
1:A:206:SER:HB3	1:A:209:LYS:HB2	1.99	0.45
1:A:507:PRO:C	1:A:509:THR:H	2.25	0.45
1:A:577:ARG:O	1:A:578:LYS:C	2.60	0.45
1:A:337:ASP:OD1	1:A:351:SER:HB3	2.17	0.44
1:A:92:ASN:HD22	1:A:95:HIS:CD2	2.36	0.44
1:A:208:ASP:HB3	1:A:251:SER:HB3	2.00	0.44
1:A:501:THR:HA	1:A:571:VAL:O	2.17	0.44
1:A:608:SER:OG	1:A:609:ASN:N	2.51	0.44
1:A:100:TYR:CD2	1:A:173:THR:HG23	2.53	0.43
1:A:487:ASN:O	1:A:488:PHE:C	2.62	0.43
1:A:538:ASP:HB2	1:A:540:THR:HG23	1.99	0.43
1:A:532:MET:HE3	1:A:534:PHE:HB2	2.00	0.43
1:A:496:CYS:O	1:A:576:ASN:ND2	2.32	0.43
1:A:732:PHE:HA	1:A:745:SER:O	2.19	0.43
1:A:485:ARG:HB3	1:A:486:ASP:H	1.66	0.43
1:A:491:THR:OG1	1:A:652:TYR:CE2	2.71	0.43
1:A:553:LYS:NZ	1:A:700:ASP:OD1	2.40	0.43
1:A:205:PRO:HD2	1:A:212:SER:CB	2.49	0.42
1:A:334:GLU:OE1	1:A:391:TYR:OH	2.33	0.42
1:A:310:LYS:H	1:A:310:LYS:HG2	1.60	0.42
1:A:336:MET:CB	1:A:338:LEU:CD2	2.97	0.42
1:A:488:PHE:C	1:A:488:PHE:CD1	2.97	0.42
1:A:511:THR:N	1:A:537:GLN:NE2	2.65	0.42
1:A:366:ASN:O	1:A:367:ASP:C	2.63	0.42
1:A:625:ILE:C	1:A:625:ILE:HD12	2.44	0.42
1:A:233:LEU:HD23	1:A:233:LEU:C	2.45	0.42
1:A:258:TYR:HA	1:A:271:PHE:O	2.18	0.42
1:A:483:HIS:HE1	1:A:578:LYS:N	2.16	0.42
1:A:92:ASN:HD22	1:A:95:HIS:CG	2.38	0.42
1:A:666:TYR:C	1:A:666:TYR:CD1	2.96	0.42
1:A:153:ARG:HH21	1:A:153:ARG:CG	2.33	0.41
1:A:694:ASP:OD1	1:A:694:ASP:N	2.53	0.41
1:A:92:ASN:ND2	1:A:95:HIS:CD2	2.88	0.41
1:A:252:PHE:CD2	1:A:300:MET:HG2	2.54	0.41
1:A:444:PHE:CG	1:A:554:ILE:HD13	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:473:MET:CE	1:A:497:LEU:HD22	2.51	0.41
1:A:124:LEU:HD13	1:A:124:LEU:HA	1.88	0.41
1:A:695:PHE:CZ	1:A:726:LEU:HD23	2.55	0.41
1:A:773:SER:HB2	1:A:783:ASN:O	2.20	0.41
1:A:695:PHE:CE2	1:A:715:LYS:HB3	2.56	0.41
1:A:541:LEU:HD12	1:A:562:LYS:O	2.21	0.40
1:A:208:ASP:HB3	1:A:251:SER:CB	2.51	0.40
1:A:654:GLU:C	1:A:655:VAL:HG23	2.46	0.40
1:A:695:PHE:CE1	1:A:726:LEU:HD23	2.56	0.40
1:A:283:VAL:HA	1:A:284:PRO:HD2	1.90	0.40
1:A:335:MET:HE1	1:A:358:VAL:CG2	2.49	0.40
1:A:709:ASN:ND2	1:A:729:LYS:HA	2.37	0.40
1:A:216:GLU:O	1:A:217:SER:C	2.64	0.40
1:A:776:ASN:HD21	1:A:780:ALA:HB3	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	766/775 (99%)	683 (89%)	80 (10%)	3 (0%)	30 54

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	513	ASN
1	A	162	ASN
1	A	137	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	700/706 (99%)	609 (87%)	91 (13%)	4 10

All (91) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	VAL
1	A	28	THR
1	A	40	ASP
1	A	53	GLN
1	A	68	LYS
1	A	75	THR
1	A	76	ASP
1	A	80	THR
1	A	84	SER
1	A	104	GLU
1	A	114	ASN
1	A	120	VAL
1	A	124	LEU
1	A	126	ILE
1	A	128	GLU
1	A	130	LEU
1	A	131	ASP
1	A	143	SER
1	A	145	LYS
1	A	148	ASP
1	A	153	ARG
1	A	156	GLN
1	A	160	LYS
1	A	185	ASP
1	A	193	MET
1	A	207	SER
1	A	257	THR
1	A	261	ASP
1	A	264	THR
1	A	268	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	273	LYS
1	A	278	ILE
1	A	285	TYR
1	A	286	THR
1	A	310	LYS
1	A	311	THR
1	A	338	LEU
1	A	370	ASP
1	A	372	SER
1	A	385	VAL
1	A	416	SER
1	A	417	LYS
1	A	423	GLN
1	A	456	TYR
1	A	459	ILE
1	A	462	GLU
1	A	474	SER
1	A	501	THR
1	A	506	MET
1	A	509	THR
1	A	511	THR
1	A	521	THR
1	A	530	ILE
1	A	536	ASN
1	A	537	GLN
1	A	538	ASP
1	A	551	ASN
1	A	553	LYS
1	A	565	ASP
1	A	572	THR
1	A	584	LEU
1	A	590	GLU
1	A	592	THR
1	A	594	SER
1	A	597	ASN
1	A	609	ASN
1	A	625	ILE
1	A	632	HIS
1	A	646	ASP
1	A	648	LYS
1	A	649	LYS
1	A	651	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	664	SER
1	A	676	LYS
1	A	678	ASP
1	A	680	LYS
1	A	722	ILE
1	A	726	LEU
1	A	728	GLU
1	A	734	ILE
1	A	737	LYS
1	A	739	ASP
1	A	740	LYS
1	A	754	THR
1	A	757	ASN
1	A	768	THR
1	A	774	VAL
1	A	775	ILE
1	A	778	ASN
1	A	782	VAL
1	A	787	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	ASN
1	A	53	GLN
1	A	92	ASN
1	A	95	HIS
1	A	366	ASN
1	A	386	ASN
1	A	392	ASN
1	A	394	ASN
1	A	423	GLN
1	A	436	HIS
1	A	483	HIS
1	A	504	ASN
1	A	510	ASN
1	A	536	ASN
1	A	537	GLN
1	A	597	ASN
1	A	609	ASN
1	A	657	GLN
1	A	660	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	709	ASN
1	A	776	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	763/775 (98%)	0.55	52 (6%)	23	20	8, 28, 69, 191	3 (0%)

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	777	SER	6.5
1	A	158	THR	6.4
1	A	159	PRO	5.7
1	A	760	SER	5.3
1	A	157	THR	4.6
1	A	156	GLN	4.5
1	A	161	ASN	4.4
1	A	775	ILE	4.3
1	A	593	THR	4.2
1	A	155	GLY	4.2
1	A	596	VAL	3.6
1	A	597	ASN	3.6
1	A	778	ASN	3.4
1	A	759	GLU	3.4
1	A	774	VAL	3.2
1	A	713	ASN	3.0
1	A	567	SER	3.0
1	A	595	ASP	2.9
1	A	26	VAL	2.9
1	A	592	THR	2.8
1	A	776	ASN	2.8
1	A	543	ALA	2.8
1	A	163	SER	2.8
1	A	561	ILE	2.7
1	A	712	ASP	2.7
1	A	164	LEU	2.7
1	A	162	ASN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	160	LYS	2.7
1	A	764	ILE	2.5
1	A	621	ASP	2.5
1	A	598	ALA	2.4
1	A	754	THR	2.4
1	A	501	THR	2.4
1	A	756	SER	2.4
1	A	513	ASN	2.3
1	A	668	TYR	2.3
1	A	739	ASP	2.3
1	A	120	VAL	2.3
1	A	660	ASN	2.3
1	A	755	ALA	2.2
1	A	748	ASN	2.2
1	A	779	ASP	2.2
1	A	588	ASP	2.2
1	A	562	LYS	2.2
1	A	107	ALA	2.2
1	A	496	CYS	2.2
1	A	763	PHE	2.2
1	A	502	THR	2.1
1	A	770	THR	2.1
1	A	594	SER	2.0
1	A	753	ASN	2.0
1	A	463	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.