Full wwPDB X-ray Structure Validation Report (i)

Nov 17, 2026 – 02:36 AM JST

PDB ID	:	9XOW / pdb_00009xow
Title	:	crystal Structures of Keap1-495 complexes
Authors	:	Zhuang, C.L.; Yu, R.Z.
Deposited on	:	2025-11-15
Resolution	:	1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	
1	B	292	

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 4901 atoms, of which 45 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kelch-like ECH-associated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total	C	N	O	S	0	0	0
			2113	1318	378	402	15			
1	B	280	Total	C	N	O	S	0	0	0
			2153	1339	388	411	15			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	318	GLY	-	expression tag	UNP Q14145
A	319	SER	-	expression tag	UNP Q14145
A	320	HIS	-	expression tag	UNP Q14145
B	318	GLY	-	expression tag	UNP Q14145
B	319	SER	-	expression tag	UNP Q14145
B	320	HIS	-	expression tag	UNP Q14145

- Molecule 2 is (2 {R})- {N}-[4-[(2-azanyl-2-oxidanylidene-ethyl)-[4-[(2-azanyl-2-oxidanylidene-ethyl)-(4-methoxyphenyl)sulfonyl-amino]naphthalen-1-yl]sulfamoyl]phenyl]-1-(2-diethoxyphosphorylethanoyl)pyrrolidine-2-carboxamide (CCD ID: A1E2I) (formula: $C_{38}H_{45}N_6O_{12}PS_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	B	1	Total	C	H	N	O	P	S	0	0
			104	38	45	6	12	1	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	244	Total	O	0	0
			244	244		
3	B	287	Total	O	0	0
			287	287		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 1: Kelch-like ECH-associated protein 1



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	70.50Å 51.47Å 76.71Å 90.00° 113.88° 90.00°	Depositor
Resolution (Å)	19.83 – 1.90 19.83 – 1.90	Depositor EDS
% Data completeness (in resolution range)	98.0 (19.83-1.90) 97.9 (19.83-1.90)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	4.95 (at 1.90Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.180 , 0.223 0.191 , 0.234	Depositor DCC
R_{free} test set	2002 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å^2)	14.7	Xtriage
Anisotropy	0.103	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.36 , 43.8	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	4901	wwPDB-VP
Average B, all atoms (Å^2)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 48.02 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.1375e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1E2I

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.34	0/2160	0.59	0/2934
1	B	0.32	0/2202	0.57	0/2993
All	All	0.33	0/4362	0.58	0/5927

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2113	0	2009	61	0
1	B	2153	0	2039	42	0
2	B	59	45	0	4	0
3	A	244	0	0	5	0
3	B	287	0	0	7	0
All	All	4856	45	4048	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:338:SER:H	1:B:382:ASN:HB3	1.31	0.96
1:A:485:ASN:HB3	1:A:506:ILE:HD13	1.47	0.95
1:A:461:ILE:HG22	1:A:478:PHE:O	1.67	0.93
1:A:415:ARG:HB2	1:A:461:ILE:HD11	1.48	0.93
1:B:338:SER:OG	1:B:382:ASN:HB2	1.70	0.91
1:B:386:GLY:HA3	3:B:1004:HOH:O	1.73	0.86
1:A:466:ALA:HB1	1:A:514:VAL:HG23	1.60	0.81
1:A:415:ARG:HB2	1:A:461:ILE:CD1	2.13	0.78
1:A:338:SER:OG	1:A:382:ASN:HB3	1.85	0.76
1:A:485:ASN:HB3	1:A:506:ILE:CD1	2.17	0.74
1:B:387:ASN:O	1:B:388:THR:HG23	1.89	0.73
1:B:494:ARG:HD2	3:B:1019:HOH:O	1.87	0.73
1:A:561:VAL:HG22	1:A:566:ILE:HD13	1.69	0.72
1:A:483:ARG:HB3	1:A:506:ILE:CG2	2.19	0.71
1:B:415:ARG:NH1	3:B:801:HOH:O	2.24	0.70
1:A:561:VAL:HG22	1:A:566:ILE:CD1	2.22	0.69
1:A:338:SER:H	1:A:382:ASN:HB3	1.57	0.69
1:A:562:HIS:CE1	1:A:563:GLN:HG3	2.29	0.68
1:A:518:CYS:SG	1:A:536:ARG:HD3	2.33	0.67
1:A:338:SER:OG	1:A:382:ASN:CB	2.43	0.67
1:A:338:SER:HB2	1:A:382:ASN:H	1.58	0.66
1:A:513:CYS:SG	1:A:566:ILE:HD12	2.36	0.65
1:B:596:ARG:HD3	3:B:889:HOH:O	1.96	0.65
1:A:557:LEU:HD23	1:A:557:LEU:H	1.61	0.64
1:B:446:GLU:H	1:B:446:GLU:CD	2.06	0.64
1:B:422:ASP:CG	1:B:470:ARG:HH12	2.05	0.64
1:A:430:GLY:C	1:A:461:ILE:HD13	2.24	0.63
1:A:338:SER:N	1:A:382:ASN:HB3	2.14	0.63
1:B:386:GLY:N	3:B:804:HOH:O	2.31	0.62
1:B:557:LEU:H	1:B:557:LEU:HD23	1.65	0.62
1:B:338:SER:OG	1:B:382:ASN:CB	2.47	0.62
1:A:472:LEU:HB3	1:A:490:TYR:HB3	1.81	0.61
1:B:498:ARG:NH1	3:B:806:HOH:O	2.34	0.61
1:A:563:GLN:CD	3:A:708:HOH:O	2.43	0.61
1:B:338:SER:N	1:B:382:ASN:HB3	2.11	0.60
1:A:382:ASN:HD21	1:B:516:HIS:CE1	2.21	0.58
1:B:478:PHE:HD1	1:B:483:ARG:HG3	1.68	0.57
1:A:515:LEU:HD21	1:A:586:PRO:HG3	1.86	0.57
1:A:335:PHE:CD1	1:A:336:ARG:HG3	2.40	0.56
2:B:701:A1E2I:C34	2:B:701:A1E2I:O38	2.54	0.56
1:B:334:TYR:HB3	2:B:701:A1E2I:O28	2.06	0.55
1:A:338:SER:CB	1:A:382:ASN:HB3	2.37	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:530:GLN:O	1:B:553:ARG:HD3	2.07	0.55
1:A:431:SER:N	1:A:461:ILE:HD13	2.22	0.54
1:A:442:ARG:HG2	3:A:781:HOH:O	2.07	0.54
1:B:361:PRO:O	1:B:362:ARG:HG3	2.08	0.54
1:B:507:ARG:HH21	1:B:535:GLU:HG3	1.71	0.53
1:A:369:VAL:HG23	1:A:607:ALA:HB1	1.91	0.53
1:A:498:ARG:NH1	1:A:499:MET:H	2.06	0.53
1:A:382:ASN:ND2	1:B:516:HIS:CE1	2.78	0.52
1:A:566:ILE:HB	1:A:584:TYR:HB3	1.92	0.52
1:B:334:TYR:CB	2:B:701:A1E2I:O28	2.57	0.52
1:B:380:ARG:NH2	1:B:382:ASN:HD21	2.07	0.52
1:A:498:ARG:CZ	1:A:499:MET:H	2.23	0.52
1:B:422:ASP:OD1	1:B:470:ARG:NH1	2.33	0.52
1:B:468:LEU:HD11	1:B:517:ASN:HA	1.92	0.51
1:A:374:LEU:CD1	1:A:607:ALA:HB3	2.40	0.51
1:B:338:SER:CB	1:B:382:ASN:HB2	2.40	0.50
1:B:478:PHE:CD1	1:B:483:ARG:HG3	2.45	0.50
1:B:520:TYR:CZ	1:B:536:ARG:HD3	2.45	0.50
1:B:470:ARG:HH11	1:B:470:ARG:HG2	1.76	0.50
1:B:507:ARG:NH2	1:B:535:GLU:HG3	2.27	0.49
1:B:529:ASP:HB2	3:B:870:HOH:O	2.14	0.48
1:A:430:GLY:HA2	1:A:461:ILE:CD1	2.44	0.48
1:A:530:GLN:O	1:A:553:ARG:NH1	2.41	0.47
1:A:466:ALA:HB2	1:A:512:VAL:HG12	1.96	0.46
1:B:541:THR:O	1:B:543:THR:HG23	2.16	0.46
1:A:466:ALA:HB1	1:A:514:VAL:CG2	2.39	0.46
1:A:380:ARG:NE	1:A:382:ASN:HD22	2.14	0.46
1:A:382:ASN:CG	3:A:756:HOH:O	2.57	0.46
1:A:430:GLY:HA2	1:A:461:ILE:HD12	1.97	0.46
1:B:503:MET:HE1	1:B:507:ARG:HB2	1.98	0.46
1:A:604:VAL:HG22	3:A:812:HOH:O	2.15	0.46
1:B:380:ARG:HH21	1:B:382:ASN:HD21	1.62	0.46
1:B:461:ILE:HG13	2:B:701:A1E2I:N07	2.30	0.46
1:A:457:LEU:HD22	1:A:497:TRP:HB2	1.99	0.45
1:B:436:HIS:O	1:B:459:ARG:HD3	2.16	0.45
1:B:380:ARG:HH21	1:B:382:ASN:ND2	2.15	0.45
1:A:518:CYS:HB3	1:A:536:ARG:HG2	2.00	0.44
1:B:338:SER:CB	1:B:382:ASN:CB	2.95	0.44
1:B:512:VAL:HA	1:B:520:TYR:O	2.18	0.44
1:A:361:PRO:O	1:A:362:ARG:HG3	2.18	0.44
1:A:338:SER:H	1:A:382:ASN:CB	2.28	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:365:LEU:HD23	1:A:365:LEU:H	1.83	0.43
1:A:461:ILE:CG2	1:A:478:PHE:HB3	2.49	0.43
1:A:566:ILE:O	1:A:583:CYS:HA	2.19	0.43
1:A:338:SER:HB2	1:A:382:ASN:N	2.30	0.43
1:A:362:ARG:NH1	1:A:394:ASP:OD2	2.51	0.43
1:A:457:LEU:CD2	1:A:497:TRP:CB	2.97	0.43
1:A:359:GLN:HG3	3:A:722:HOH:O	2.19	0.42
1:A:340:SER:OG	1:A:361:PRO:HB3	2.19	0.42
1:A:505:THR:HG22	1:A:506:ILE:O	2.19	0.42
1:B:416:ILE:HD11	1:B:427:ALA:HB1	2.02	0.42
1:A:338:SER:H	1:A:382:ASN:C	2.27	0.42
1:B:387:ASN:O	1:B:388:THR:CG2	2.66	0.42
1:A:440:VAL:HG21	1:A:497:TRP:CZ2	2.55	0.41
1:A:457:LEU:CD2	1:A:497:TRP:HB2	2.50	0.41
1:A:461:ILE:HG23	1:A:478:PHE:HB3	2.03	0.41
1:A:520:TYR:CZ	1:A:536:ARG:HG3	2.56	0.41
1:A:365:LEU:HD12	1:A:376:ALA:HB1	2.02	0.41
1:A:516:HIS:O	1:A:517:ASN:HB2	2.20	0.41
1:B:470:ARG:NH1	1:B:470:ARG:HG2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	265/292 (91%)	260 (98%)	5 (2%)	0	100	100
1	B	272/292 (93%)	268 (98%)	4 (2%)	0	100	100
All	All	537/584 (92%)	528 (98%)	9 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	222/236 (94%)	222 (100%)	0	100	100
1	B	226/236 (96%)	225 (100%)	1 (0%)	84	87
All	All	448/472 (95%)	447 (100%)	1 (0%)	87	90

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	539	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	382	ASN
1	B	382	ASN
1	B	469	ASN
1	B	528	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	A1E2I	B	701	-	63,63,63	3.20	27 (42%)	85,92,92	3.07	21 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1E2I	B	701	-	-	17/67/77/77	0/5/5/5

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	A1E2I	S08-N03	9.74	1.78	1.65
2	B	701	A1E2I	S27-N26	7.91	1.76	1.65
2	B	701	A1E2I	C48-N36	-7.45	1.33	1.47
2	B	701	A1E2I	C29-S27	6.48	1.85	1.76
2	B	701	A1E2I	C35-N36	5.84	1.58	1.47
2	B	701	A1E2I	P40-C39	5.63	1.86	1.80
2	B	701	A1E2I	P40-O45	4.92	1.69	1.57
2	B	701	A1E2I	C02-N03	4.88	1.48	1.44
2	B	701	A1E2I	C35-C34	-4.88	1.41	1.52
2	B	701	A1E2I	C37-N36	4.67	1.49	1.35
2	B	701	A1E2I	C39-C37	4.51	1.57	1.51
2	B	701	A1E2I	C34-N33	4.38	1.45	1.35
2	B	701	A1E2I	C10-S08	4.25	1.82	1.76
2	B	701	A1E2I	P40-O41	3.99	1.66	1.57
2	B	701	A1E2I	O54-S27	3.91	1.47	1.43
2	B	701	A1E2I	C49-C48	3.83	1.65	1.51
2	B	701	A1E2I	C05-N07	3.81	1.45	1.32
2	B	701	A1E2I	C19-C24	-3.51	1.36	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	A1E2I	O18-S08	3.48	1.47	1.43
2	B	701	A1E2I	C49-C50	-3.37	1.37	1.51
2	B	701	A1E2I	C56-N58	3.00	1.42	1.32
2	B	701	A1E2I	C25-N26	3.00	1.47	1.44
2	B	701	A1E2I	O28-S27	2.70	1.46	1.43
2	B	701	A1E2I	C32-N33	2.39	1.46	1.41
2	B	701	A1E2I	O51-C34	-2.33	1.18	1.23
2	B	701	A1E2I	C11-C10	2.08	1.42	1.38
2	B	701	A1E2I	O06-C05	-2.02	1.17	1.24

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	701	A1E2I	O18-S08-O09	-11.16	101.44	119.52
2	B	701	A1E2I	O54-S27-O28	-9.84	103.58	119.52
2	B	701	A1E2I	C50-C35-C34	8.96	130.34	111.22
2	B	701	A1E2I	O54-S27-N26	8.95	117.30	106.71
2	B	701	A1E2I	C29-S27-N26	-6.88	97.54	106.92
2	B	701	A1E2I	C50-C35-N36	-6.43	93.47	103.03
2	B	701	A1E2I	O18-S08-N03	6.24	114.09	106.71
2	B	701	A1E2I	O28-S27-C29	6.11	115.78	108.05
2	B	701	A1E2I	O28-S27-N26	5.33	113.02	106.71
2	B	701	A1E2I	C48-N36-C35	-5.07	103.95	112.00
2	B	701	A1E2I	O09-S08-N03	4.63	112.19	106.71
2	B	701	A1E2I	C30-C29-S27	-4.34	115.18	119.76
2	B	701	A1E2I	O44-P40-C39	-3.78	108.81	114.49
2	B	701	A1E2I	C35-C34-N33	-3.78	104.75	114.12
2	B	701	A1E2I	C04-N03-S08	3.58	123.33	117.23
2	B	701	A1E2I	C59-C25-N26	-3.52	115.65	119.75
2	B	701	A1E2I	C25-N26-S27	-3.23	112.67	117.24
2	B	701	A1E2I	O51-C34-C35	2.85	127.72	120.63
2	B	701	A1E2I	O09-S08-C10	2.72	111.49	108.05
2	B	701	A1E2I	C48-N36-C37	2.29	132.87	126.04
2	B	701	A1E2I	O45-P40-O41	2.18	111.27	104.11

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	701	A1E2I	N36-C37-C39-P40
2	B	701	A1E2I	O38-C37-C39-P40
2	B	701	A1E2I	N26-C55-C56-N58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	701	A1E2I	N26-C55-C56-O57
2	B	701	A1E2I	C42-O41-P40-C39
2	B	701	A1E2I	C12-C13-O14-C15
2	B	701	A1E2I	C16-C13-O14-C15
2	B	701	A1E2I	O51-C34-C35-N36
2	B	701	A1E2I	N33-C34-C35-N36
2	B	701	A1E2I	C42-O41-P40-O44
2	B	701	A1E2I	N33-C34-C35-C50
2	B	701	A1E2I	O51-C34-C35-C50
2	B	701	A1E2I	C04-N03-S08-O18
2	B	701	A1E2I	C05-C04-N03-S08
2	B	701	A1E2I	C55-N26-S27-O54
2	B	701	A1E2I	C04-N03-S08-C10
2	B	701	A1E2I	C56-C55-N26-C25

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	701	A1E2I	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand A1E2I B 701



Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	275/292 (94%)	-0.16	3 (1%)	78	80	8, 15, 28, 35	0
1	B	280/292 (95%)	-0.21	4 (1%)	73	76	8, 14, 28, 38	0
All	All	555/584 (95%)	-0.18	7 (1%)	75	78	8, 14, 28, 38	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	387	ASN	8.9
1	B	382	ASN	6.4
1	A	382	ASN	5.9
1	B	388	THR	5.0
1	B	386	GLY	4.1
1	A	574	GLY	3.2
1	A	336	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	A1E2I	B	701	59/59	0.83	0.11	18,36,49,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1E2I B 701:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







6.5 Other polymers

There are no such residues in this entry.