



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 2, 2026 – 12:34 PM JST

PDB ID : 9XPJ / pdb_00009xpj
Title : Crystal structure of the pufferfish taste receptor Tas1r1-Tas1r3 ligand binding domains in complex with L-alanine
Authors : Mizoguchi, R.; Matsuura, H.; Hirata, K.; Yamashita, A.
Deposited on : 2025-11-16
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	513	70% 16% 14%
2	B	504	72% 19% 9%
3	C	3	67% 33%

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 7254 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Taste receptor, type 1, member 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	442	Total	C	N	O	S	0	0	0
			3453	2219	568	651	15			

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	242	SER	CYS	engineered mutation	UNP Q2MHK1
A	502	GLY	-	expression tag	UNP Q2MHK1
A	503	VAL	-	expression tag	UNP Q2MHK1
A	504	ALA	-	expression tag	UNP Q2MHK1
A	505	MET	-	expression tag	UNP Q2MHK1
A	506	PRO	-	expression tag	UNP Q2MHK1
A	507	GLY	-	expression tag	UNP Q2MHK1
A	508	ALA	-	expression tag	UNP Q2MHK1
A	509	GLU	-	expression tag	UNP Q2MHK1
A	510	ASP	-	expression tag	UNP Q2MHK1
A	511	ASP	-	expression tag	UNP Q2MHK1
A	512	VAL	-	expression tag	UNP Q2MHK1
A	513	VAL	-	expression tag	UNP Q2MHK1

- Molecule 2 is a protein called Taste receptor type 1 member 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	457	Total	C	N	O	S	0	0	0
			3596	2311	589	681	15			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	238	SER	CYS	engineered mutation	UNP H2UNJ5
B	497	ASP	-	expression tag	UNP H2UNJ5
B	498	TYR	-	expression tag	UNP H2UNJ5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	499	LYS	-	expression tag	UNP H2UNJ5
B	500	ASP	-	expression tag	UNP H2UNJ5
B	501	ASP	-	expression tag	UNP H2UNJ5
B	502	ASP	-	expression tag	UNP H2UNJ5
B	503	ASP	-	expression tag	UNP H2UNJ5
B	504	LYS	-	expression tag	UNP H2UNJ5

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is ALANINE (CCD ID: ALA) (formula: $C_3H_7NO_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			6	3	1	2		
5	B	1	Total	C	N	O	0	0
			6	3	1	2		

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Na	0	0
			1	1		

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Cl	0	0
			1	1		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	16	Total	O	0	0
			16	16		
8	B	10	Total	O	0	0
			10	10		



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 2 2	Depositor
Cell constants a, b, c, α , β , γ	72.50Å 72.50Å 431.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.88 – 3.10 49.88 – 3.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.88-3.10) 99.9 (49.88-3.10)	Depositor EDS
R_{merge}	0.28	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.52 (at 3.12Å)	Xtriage
Refinement program	PHENIX 2.0_5936	Depositor
R, R_{free}	0.194 , 0.249 0.193 , 0.247	Depositor DCC
R_{free} test set	1115 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	81.4	Xtriage
Anisotropy	0.203	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 51.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7254	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NA, CL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/3538	0.61	1/4816 (0.0%)
2	B	0.39	0/3674	0.54	0/5005
All	All	0.42	0/7212	0.58	1/9821 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	209	ARG	CD-NE-CZ	5.19	131.67	124.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	209	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3453	0	3404	59	0
2	B	3596	0	3587	73	0
3	C	39	0	34	0	0
4	A	42	0	39	0	0
4	B	84	0	78	0	0
5	A	6	0	4	1	0
5	B	6	0	4	0	0
6	A	1	0	0	0	0
7	B	1	0	0	0	0
8	A	16	0	0	0	0
8	B	10	0	0	0	0
All	All	7254	0	7150	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:78:MET:HG3	2:B:394:ILE:HD11	1.30	1.10
2:B:270:VAL:CG1	2:B:295:TRP:CZ3	2.35	1.08
2:B:270:VAL:HG11	2:B:295:TRP:HZ3	1.19	1.01
2:B:270:VAL:HG11	2:B:295:TRP:CZ3	1.97	0.98
2:B:270:VAL:CG1	2:B:295:TRP:HZ3	1.76	0.93
1:A:209:ARG:NH1	1:A:210:PHE:CE1	2.47	0.82
2:B:174:GLU:OE1	2:B:191:SER:OG	1.98	0.80
2:B:270:VAL:HG13	2:B:295:TRP:CZ3	2.20	0.76
2:B:270:VAL:HG13	2:B:295:TRP:CE3	2.22	0.74
2:B:295:TRP:HE1	2:B:316:VAL:HB	1.54	0.72
1:A:70:ILE:HG22	1:A:72:LYS:HD3	1.72	0.71
1:A:70:ILE:HD11	1:A:370:ARG:HH12	1.53	0.71
1:A:83:LEU:HD21	1:A:87:GLU:OE2	1.91	0.71
2:B:460:TRP:HB3	2:B:465:LEU:HA	1.75	0.69
1:A:183:LYS:HE3	1:A:446:ASN:O	1.93	0.68
1:A:314:SER:HG	1:A:465:TRP:CG	2.12	0.68
2:B:314:GLN:H	2:B:314:GLN:CD	2.03	0.66
2:B:313:ILE:O	2:B:316:VAL:HG22	1.96	0.66
1:A:203:MET:HE2	1:A:302:ILE:HG22	1.77	0.66
2:B:27:ILE:HD12	2:B:335:TYR:CE1	2.30	0.66
2:B:270:VAL:CG1	2:B:295:TRP:CE3	2.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:408:ASN:OD1	2:B:410:THR:N	2.20	0.65
2:B:461:LYS:O	2:B:464:THR:OG1	2.16	0.63
1:A:72:LYS:HG3	1:A:380:PHE:CD2	2.34	0.63
1:A:73:HIS:ND1	1:A:386:ASP:OD1	2.32	0.61
1:A:337:GLY:O	1:A:341:ARG:HG3	2.01	0.61
2:B:294:VAL:HG12	2:B:318:THR:HG23	1.82	0.60
2:B:377:LEU:O	2:B:383:ILE:HD13	2.02	0.60
2:B:128:SER:OG	2:B:130:GLN:NE2	2.35	0.59
1:A:33:GLN:HB2	1:A:371:ASP:OD1	2.03	0.59
2:B:34:LEU:HD12	2:B:35:PRO:HD2	1.85	0.59
1:A:34:GLY:O	1:A:82:LYS:NZ	2.36	0.59
1:A:48:PRO:O	1:A:74:GLY:HA3	2.06	0.56
2:B:241:TYR:HE2	2:B:258:ILE:HA	1.71	0.56
1:A:215:ILE:HG22	1:A:274:THR:HB	1.88	0.55
2:B:292:LYS:HA	2:B:316:VAL:O	2.07	0.55
1:A:292:ILE:HG21	1:A:318:GLY:HA3	1.89	0.55
2:B:37:ASP:HB2	2:B:95:ILE:HG23	1.88	0.54
1:A:30:THR:HG22	1:A:31:HIS:ND1	2.22	0.54
2:B:305:ASP:O	2:B:309:SER:OG	2.22	0.53
1:A:209:ARG:NH1	1:A:210:PHE:CZ	2.69	0.53
2:B:88:ASN:O	2:B:90:ILE:N	2.41	0.53
1:A:199:GLN:O	1:A:203:MET:HG3	2.09	0.52
2:B:93:PRO:HD2	2:B:412:CYS:SG	2.50	0.52
2:B:78:MET:HG3	2:B:394:ILE:CD1	2.21	0.51
1:A:305:GLU:OE2	5:A:904:ALA:N	2.43	0.51
2:B:249:THR:HG22	2:B:250:ASP:N	2.27	0.50
1:A:171:ILE:HG12	1:A:190:PHE:HB2	1.93	0.50
1:A:94:THR:O	1:A:95:GLN:HG2	2.11	0.49
2:B:56:ARG:HD2	2:B:62:ILE:CG1	2.42	0.49
1:A:72:LYS:HG3	1:A:380:PHE:CE2	2.47	0.49
2:B:200:VAL:HG11	2:B:231:LEU:HD23	1.94	0.49
2:B:456:ILE:HG21	2:B:467:PHE:HB3	1.95	0.49
2:B:285:GLU:OE1	2:B:288:ARG:NH1	2.46	0.48
2:B:107:GLN:OE1	2:B:109:ALA:N	2.44	0.48
2:B:457:GLU:CD	2:B:459:ILE:HD11	2.39	0.48
2:B:236:SER:O	2:B:236:SER:OG	2.30	0.48
1:A:407:VAL:HG22	1:A:428:ARG:HG3	1.95	0.48
1:A:260:MET:HB2	1:A:290:PHE:CD2	2.48	0.48
2:B:212:ALA:O	2:B:270:VAL:HG23	2.14	0.47
1:A:73:HIS:O	1:A:77:LEU:HG	2.14	0.47
2:B:167:ILE:HA	2:B:186:PHE:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:484:PHE:HB3	2:B:486:TRP:CZ3	2.49	0.47
1:A:265:ASP:OD1	1:A:266:SER:N	2.47	0.47
1:A:126:TYR:HB3	1:A:143:ARG:HG2	1.96	0.47
1:A:403:ALA:O	1:A:407:VAL:HG23	2.14	0.47
1:A:167:LEU:HD23	1:A:167:LEU:HA	1.79	0.47
2:B:211:VAL:HG12	2:B:269:VAL:HG12	1.96	0.47
2:B:399:GLN:HG2	2:B:434:VAL:HG22	1.96	0.47
2:B:107:GLN:OE1	2:B:109:ALA:HB3	2.15	0.46
1:A:219:GLY:HA2	1:A:278:PHE:O	2.16	0.46
2:B:62:ILE:HG21	2:B:110:ILE:HD11	1.97	0.46
1:A:140:ILE:HA	1:A:143:ARG:HD2	1.97	0.46
2:B:140:ILE:O	2:B:164:MET:HE1	2.15	0.46
2:B:218:GLU:OE2	2:B:221:GLY:N	2.41	0.45
1:A:265:ASP:O	1:A:269:LYS:HD2	2.16	0.45
2:B:55:GLN:O	2:B:61:GLN:NE2	2.49	0.45
2:B:471:GLY:HA3	2:B:479:ILE:HG22	1.98	0.45
2:B:375:ILE:O	2:B:379:THR:HG23	2.17	0.45
2:B:167:ILE:HG12	2:B:186:PHE:HB2	1.99	0.45
2:B:314:GLN:HB3	2:B:460:TRP:CZ2	2.51	0.45
1:A:150:PRO:HG2	1:A:155:ASN:O	2.18	0.44
2:B:164:MET:O	2:B:184:SER:HB2	2.17	0.44
1:A:36:GLN:NE2	1:A:38:HIS:CE1	2.86	0.43
2:B:167:ILE:HD11	2:B:429:LEU:HD21	1.99	0.43
1:A:214:TRP:CD1	1:A:272:VAL:HG12	2.53	0.43
1:A:140:ILE:HG22	1:A:143:ARG:HD2	1.99	0.43
1:A:435:LEU:HD12	1:A:435:LEU:HA	1.91	0.43
2:B:408:ASN:OD1	2:B:409:SER:N	2.50	0.43
1:A:43:ILE:HG23	1:A:103:LEU:HD11	2.00	0.43
2:B:22:ALA:O	2:B:25:GLN:HG2	2.18	0.43
2:B:294:VAL:HG12	2:B:318:THR:CG2	2.45	0.43
2:B:62:ILE:CG2	2:B:110:ILE:HD11	2.49	0.43
1:A:316:ILE:HB	1:A:319:ILE:HB	2.01	0.42
2:B:408:ASN:OD1	2:B:408:ASN:C	2.62	0.42
1:A:43:ILE:HD11	1:A:81:MET:HE3	2.01	0.42
1:A:218:LEU:HD21	1:A:267:ILE:HD11	2.01	0.42
2:B:286:VAL:HG13	2:B:291:LEU:HB2	2.01	0.42
2:B:45:PRO:O	2:B:71:GLY:HA3	2.20	0.42
1:A:252:TYR:HB2	1:A:286:LYS:HB3	2.01	0.42
1:A:43:ILE:O	1:A:105:TYR:HA	2.19	0.42
1:A:260:MET:O	1:A:264:VAL:HG23	2.19	0.42
2:B:195:GLN:HE22	2:B:298:SER:HA	1.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:458:TRP:CG	1:A:465:TRP:HE1	2.38	0.42
2:B:35:PRO:HA	2:B:39:LYS:HE3	2.01	0.42
2:B:314:GLN:HB3	2:B:460:TRP:HE1	1.85	0.41
1:A:288:MET:O	1:A:292:ILE:HD12	2.20	0.41
2:B:314:GLN:HB3	2:B:460:TRP:NE1	2.35	0.41
1:A:232:LEU:C	1:A:232:LEU:HD23	2.45	0.41
1:A:252:TYR:HD2	1:A:286:LYS:HB3	1.85	0.41
2:B:212:ALA:C	2:B:270:VAL:HG23	2.45	0.41
2:B:137:GLU:HG3	2:B:421:TYR:HE1	1.85	0.41
2:B:146:PRO:HD2	2:B:152:VAL:HG22	2.03	0.41
2:B:327:GLN:HE21	2:B:327:GLN:HB3	1.68	0.41
1:A:37:LEU:HD23	1:A:104:GLY:HA2	2.02	0.41
1:A:217:LEU:CD1	1:A:232:LEU:HD22	2.51	0.41
1:A:257:VAL:HG13	1:A:290:PHE:HZ	1.86	0.41
2:B:474:ASN:C	2:B:476:ILE:H	2.28	0.41
1:A:83:LEU:HD11	1:A:341:ARG:CB	2.51	0.41
1:A:110:THR:HA	1:A:115:ALA:HB1	2.02	0.41
2:B:27:ILE:HD11	2:B:335:TYR:CZ	2.55	0.41
1:A:29:SER:O	1:A:33:GLN:NE2	2.54	0.41
1:A:122:ASP:HB2	2:B:129:VAL:HG11	2.02	0.41
1:A:214:TRP:CZ2	1:A:244:ALA:HB2	2.56	0.41
2:B:295:TRP:NE1	2:B:316:VAL:HB	2.28	0.40
1:A:35:MET:HG2	1:A:372:LEU:HD11	2.02	0.40
1:A:83:LEU:CD2	1:A:87:GLU:OE2	2.65	0.40
2:B:81:THR:O	2:B:85:ILE:HG13	2.22	0.40
1:A:458:TRP:CD1	1:A:465:TRP:HE1	2.39	0.40
2:B:291:LEU:HD13	2:B:291:LEU:HA	1.96	0.40
2:B:299:THR:HG21	2:B:324:GLU:HG3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/513 (85%)	417 (96%)	19 (4%)	0	100	100
2	B	453/504 (90%)	436 (96%)	17 (4%)	0	100	100
All	All	889/1017 (87%)	853 (96%)	36 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	384/442 (87%)	384 (100%)	0	100	100
2	B	407/451 (90%)	407 (100%)	0	100	100
All	All	791/893 (89%)	791 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	36	GLN
1	A	38	HIS
1	A	79	GLN
1	A	166	HIS
1	A	199	GLN
1	A	234	GLN
1	A	416	GLN
1	A	461	HIS
2	B	33	ASN
2	B	55	GLN
2	B	61	GLN
2	B	130	GLN
2	B	195	GLN
2	B	261	ASN
2	B	325	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	327	GLN
2	B	362	ASN
2	B	406	GLN
2	B	474	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	C	1	3,2	14,14,15	0.53	0	17,19,21	1.73	1 (5%)
3	NAG	C	2	3	14,14,15	0.73	0	17,19,21	0.96	0
3	BMA	C	3	3	11,11,12	0.52	0	15,15,17	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	C	2	3	-	2/6/23/26	0/1/1/1
3	BMA	C	3	3	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1	NAG	C1-O5-C5	5.86	120.13	112.19

There are no chirality outliers.


All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1	NAG	C8-C7-N2-C2
3	C	1	NAG	O7-C7-N2-C2
3	C	2	NAG	C8-C7-N2-C2
3	C	2	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ALA	A	904	-	5,5,5	0.97	0	6,6,6	1.68	2 (33%)
4	NAG	B	905	2	14,14,15	0.51	0	17,19,21	1.06	2 (11%)
4	NAG	B	906	2	14,14,15	0.58	0	17,19,21	0.97	0
4	NAG	A	902	1	14,14,15	0.47	0	17,19,21	1.19	1 (5%)
4	NAG	A	903	1	14,14,15	0.49	0	17,19,21	1.08	1 (5%)
4	NAG	B	902	2	14,14,15	0.51	0	17,19,21	0.83	0
4	NAG	B	901	2	14,14,15	0.72	0	17,19,21	1.24	2 (11%)
4	NAG	A	901	1	14,14,15	0.74	0	17,19,21	0.98	1 (5%)
5	ALA	B	907	-	5,5,5	1.12	1 (20%)	6,6,6	1.36	1 (16%)
4	NAG	B	904	2	14,14,15	0.88	0	17,19,21	1.35	2 (11%)
4	NAG	B	903	2	14,14,15	2.14	4 (28%)	17,19,21	2.60	7 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ALA	A	904	-	-	2/4/4/4	-
4	NAG	B	905	2	-	2/6/23/26	0/1/1/1
4	NAG	B	906	2	-	2/6/23/26	0/1/1/1
4	NAG	A	902	1	-	2/6/23/26	0/1/1/1
4	NAG	A	903	1	-	2/6/23/26	0/1/1/1
4	NAG	B	902	2	-	2/6/23/26	0/1/1/1
4	NAG	B	901	2	-	3/6/23/26	0/1/1/1
4	NAG	A	901	1	-	2/6/23/26	0/1/1/1
5	ALA	B	907	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	904	2	-	2/6/23/26	0/1/1/1
4	NAG	B	903	2	-	3/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	903	NAG	C1-C2	5.87	1.61	1.52
4	B	903	NAG	O5-C1	3.66	1.49	1.43
4	B	903	NAG	C3-C2	2.26	1.57	1.52
5	B	907	ALA	OXT-C	-2.17	1.23	1.30
4	B	903	NAG	C2-N2	2.04	1.49	1.46

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	903	NAG	O5-C5-C6	6.27	117.03	107.20
4	B	903	NAG	C2-N2-C7	-4.71	116.19	122.90
4	A	902	NAG	O5-C5-C6	3.92	113.35	107.20
4	A	903	NAG	C1-O5-C5	3.21	116.54	112.19
4	B	904	NAG	C2-N2-C7	3.21	127.48	122.90
4	B	903	NAG	O7-C7-C8	3.15	127.90	122.06
4	B	903	NAG	C1-O5-C5	3.13	116.43	112.19
4	B	903	NAG	O7-C7-N2	-3.11	116.24	121.95
5	A	904	ALA	OXT-C-O	-3.07	117.11	124.09
4	B	901	NAG	C1-O5-C5	2.74	115.90	112.19
5	B	907	ALA	OXT-C-O	-2.63	118.12	124.09
4	B	903	NAG	C1-C2-N2	2.51	114.77	110.49
5	A	904	ALA	OXT-C-CA	2.39	122.70	114.06
4	B	903	NAG	C6-C5-C4	-2.39	107.41	113.00
4	B	905	NAG	C1-C2-N2	-2.34	106.49	110.49
4	B	901	NAG	O5-C1-C2	-2.29	107.68	111.29
4	B	904	NAG	O7-C7-C8	-2.22	117.93	122.06
4	A	901	NAG	C2-N2-C7	2.16	125.98	122.90
4	B	905	NAG	O5-C5-C6	2.09	110.49	107.20

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	901	NAG	C8-C7-N2-C2
4	A	901	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	902	NAG	C8-C7-N2-C2
4	A	902	NAG	O7-C7-N2-C2
4	A	903	NAG	C8-C7-N2-C2
4	A	903	NAG	O7-C7-N2-C2
4	B	901	NAG	C8-C7-N2-C2
4	B	901	NAG	O7-C7-N2-C2
4	B	902	NAG	C8-C7-N2-C2
4	B	902	NAG	O7-C7-N2-C2
4	B	903	NAG	C8-C7-N2-C2
4	B	903	NAG	O7-C7-N2-C2
4	B	904	NAG	C8-C7-N2-C2
4	B	904	NAG	O7-C7-N2-C2
4	B	905	NAG	C8-C7-N2-C2
4	B	905	NAG	O7-C7-N2-C2
4	B	906	NAG	C8-C7-N2-C2
4	B	906	NAG	O7-C7-N2-C2
4	B	901	NAG	O5-C5-C6-O6
4	B	903	NAG	O5-C5-C6-O6
5	A	904	ALA	O-C-CA-CB
5	A	904	ALA	OXT-C-CA-CB


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	904	ALA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	442/513 (86%)	-0.43	0 100 100	40, 69, 103, 130	0
2	B	457/504 (90%)	-0.33	1 (0%) 91 83	49, 77, 112, 151	0
All	All	899/1017 (88%)	-0.38	1 (0%) 92 86	40, 73, 107, 151	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	350	THR	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BMA	C	3	11/12	0.18	0.13	117,122,127,128	0
3	NAG	C	2	14/15	0.75	0.12	81,98,111,116	0
3	NAG	C	1	14/15	0.86	0.10	65,68,84,92	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	B	905	14/15	0.11	0.12	107,124,130,131	0
4	NAG	B	906	14/15	0.50	0.11	123,130,134,137	0
4	NAG	B	904	14/15	0.61	0.14	88,111,127,128	0
4	NAG	B	901	14/15	0.65	0.12	83,89,102,115	0
4	NAG	A	902	14/15	0.65	0.12	104,111,116,118	0
4	NAG	B	903	14/15	0.72	0.10	103,111,117,119	0
4	NAG	A	901	14/15	0.74	0.11	72,86,92,97	0
4	NAG	A	903	14/15	0.78	0.12	83,100,118,123	0
4	NAG	B	902	14/15	0.79	0.12	80,107,117,120	0
6	NA	A	905	1/1	0.85	0.12	61,61,61,61	0
5	ALA	B	907	6/6	0.96	0.06	59,60,62,62	0
5	ALA	A	904	6/6	0.96	0.08	51,52,58,60	0
7	CL	B	908	1/1	0.98	0.03	66,66,66,66	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around NA A 905:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ALA B 907:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ALA A 904:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CL B 908:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.