Full wwPDB X-ray Structure Validation Report (i)

Nov 10, 2026 – 12:11 PM EST

PDB ID	:	9YUN / pdb_00009yun
Title	:	human Siderocalin bound to 343HOPO-Nd
Authors	:	Rupert, P.B.; Strong, R.K.
Deposited on	:	2025-10-22
Resolution	:	2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	178	6% 87% 11%
1	B	178	6% 84% 11%
1	C	178	3% 87% 11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	A1DND	A	201	X	-	-	-
2	A1DND	B	201	X	-	-	-
2	A1DND	C	201	X	-	-	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 4486 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Neutrophil gelatinase-associated lipocalin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	177	Total	C	N	O	S	0	1	0
			1413	914	237	258	4			
1	B	170	Total	C	N	O	S	0	0	0
			1352	882	221	245	4			
1	C	174	Total	C	N	O	S	0	3	0
			1405	911	232	258	4			

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	87	SER	CYS	engineered mutation	UNP P80188
B	87	SER	CYS	engineered mutation	UNP P80188
C	87	SER	CYS	engineered mutation	UNP P80188

- Molecule 2 is [(1R)-6-({3-[(R)-[(1S)-1-(oxido-kappaO)-6-oxo-1,6-dihydropyridine-2-carbonyl]{4-[(S)-[(1S)-1-(oxido-kappaO)-6-(oxo-kappaO)-1,6-dihydropyridine-2-carbonyl](3-{[(1S)-1-(oxido-kappaO)-6-(oxo-kappaO)-1,6-dihydropyridine-2-carbonyl]amino}propyl)amino]butyl}amino]propyl}carbamoyl)-2-(oxo-kappaO)pyridin-1(2H)-olato-kappaO]neodymate(1-) (CCD ID: A1DND) (formula: $C_{34}H_{34}N_8NdO_{12}$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	Nd	O	0	0
			55	34	8	1	12		
2	B	1	Total	C	N	Nd	O	0	0
			55	34	8	1	12		
2	C	1	Total	C	N	Nd	O	0	0
			55	34	8	1	12		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total Cl 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	20	Total O 20 20	0	0
6	B	16	Total O 16 16	0	0
6	C	51	Total O 51 51	0	0


3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Neutrophil gelatinase-associated lipocalin



• Molecule 1: Neutrophil gelatinase-associated lipocalin



• Molecule 1: Neutrophil gelatinase-associated lipocalin



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α, β, γ	116.08Å 116.08Å 118.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.41 – 2.15 41.41 – 2.15	Depositor EDS
% Data completeness (in resolution range)	91.8 (41.41-2.15) 91.8 (41.41-2.15)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.93 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.201 , 0.228 0.208 , 0.235	Depositor DCC
R_{free} test set	2098 reflections (4.72%)	wwPDB-VP
Wilson B-factor (Å^2)	38.5	Xtriage
Anisotropy	0.039	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 36.5	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	0.017 for -h,l,k 0.011 for -l,-k,-h	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	4486	wwPDB-VP
Average B, all atoms (Å^2)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.83% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GOL, SO4, A1DND

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.49	0/1453	0.82	0/1974
1	B	0.46	0/1388	0.79	0/1885
1	C	0.49	0/1448	0.81	0/1967
All	All	0.48	0/4289	0.81	0/5826

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	1
1	C	0	1
All	All	0	7

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	109	ARG	Sidechain
1	A	130	ARG	Sidechain
1	A	72	ARG	Sidechain
1	A	78	TYR	Peptide
1	A	81	ARG	Sidechain
1	B	109	ARG	Sidechain
1	C	143	GLU	Mainchain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1413	0	1380	25	0
1	B	1352	0	1321	14	1
1	C	1405	0	1369	11	1
2	A	55	0	0	12	0
2	B	55	0	0	2	0
2	C	55	0	0	1	0
3	A	20	0	0	0	0
3	B	5	0	0	1	0
3	C	20	0	0	1	1
4	A	12	0	16	0	0
4	C	6	0	8	0	0
5	C	1	0	0	0	0
6	A	20	0	0	0	0
6	B	16	0	0	3	0
6	C	51	0	0	1	0
All	All	4486	0	4094	56	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:LEU:HD13	1:A:79:TRP:CZ3	1.77	1.19
1:A:70:LEU:HD13	1:A:79:TRP:HZ3	0.93	1.08
1:A:70:LEU:CD1	1:A:79:TRP:CZ3	2.50	0.94
1:A:79:TRP:HZ2	2:A:201:A1DND:C24	1.93	0.81
1:A:34:VAL:HG21	1:A:144:LEU:HD12	1.65	0.79
1:B:34:VAL:HG21	1:B:144:LEU:HD12	1.66	0.78
1:A:70:LEU:HD11	1:A:79:TRP:CH2	2.20	0.77
2:A:201:A1DND:O48	2:A:201:A1DND:C14	2.36	0.72
1:A:70:LEU:HD11	1:A:79:TRP:HH2	1.56	0.70
1:A:79:TRP:CZ2	2:A:201:A1DND:C23	2.77	0.67
1:A:70:LEU:CD1	1:A:79:TRP:CH2	2.76	0.67
1:C:59:LYS:HE2	1:C:65[A]:ASN:OD1	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:LYS:HE2	1:A:65:ASN:OD1	1.97	0.65
1:A:79:TRP:CZ2	2:A:201:A1DND:C24	2.79	0.64
2:B:201:A1DND:N9	2:B:201:A1DND:O10	2.33	0.62
2:A:201:A1DND:C19	2:A:201:A1DND:O55	2.49	0.61
1:B:59:LYS:HE2	1:B:65:ASN:OD1	2.01	0.61
2:B:201:A1DND:O50	2:B:201:A1DND:N32	2.34	0.60
1:C:162:PRO:HA	3:C:205:SO4:O2	2.02	0.60
2:A:201:A1DND:O50	2:A:201:A1DND:N32	2.37	0.58
1:A:125:LYS:CE	2:A:201:A1DND:O47	2.51	0.58
1:A:43:ARG:NH1	3:B:202:SO4:O3	2.37	0.57
1:A:79:TRP:HZ2	2:A:201:A1DND:C23	2.17	0.56
1:A:125:LYS:NZ	2:A:201:A1DND:O47	2.41	0.54
1:A:125:LYS:HE2	2:A:201:A1DND:O47	2.09	0.53
1:B:33:VAL:HG21	1:B:52:TYR:CE2	2.45	0.52
1:A:79:TRP:CH2	2:A:201:A1DND:C23	2.93	0.52
1:A:79:TRP:HZ2	2:A:201:A1DND:C25	2.24	0.50
1:A:61:ASP:O	1:A:62:LYS:HB2	2.11	0.49
1:B:57:GLU:HG3	1:B:65:ASN:HB2	1.96	0.48
2:C:201:A1DND:N9	2:C:201:A1DND:O10	2.47	0.48
1:C:61:ASP:O	1:C:62:LYS:HB2	2.13	0.47
1:C:93:THR:OG1	6:C:301:HOH:O	2.20	0.47
1:C:28:GLN:HB2	1:C:56:TYR:O	2.15	0.47
1:B:61:ASP:O	1:B:62:LYS:HB2	2.16	0.46
1:A:81:ARG:HB2	1:A:94:LEU:HD11	1.98	0.46
1:A:72:ARG:NH2	1:A:73:LYS:HE2	2.31	0.46
1:B:89:PRO:HA	6:B:307:HOH:O	2.15	0.45
1:B:91:GLU:OE1	1:B:109:ARG:NH1	2.48	0.45
1:A:136:THR:HG21	1:A:138:TYR:CE1	2.51	0.45
1:B:28:GLN:HB2	1:B:56:TYR:O	2.17	0.44
1:C:59:LYS:HE3	1:C:63:SER:OG	2.16	0.44
1:A:81:ARG:N	1:A:81:ARG:HD3	2.34	0.43
1:C:33:VAL:HG21	1:C:52:TYR:CE2	2.53	0.43
1:A:33:VAL:HG21	1:A:52:TYR:CE2	2.53	0.43
1:B:136:THR:HG21	6:B:310:HOH:O	2.18	0.43
1:C:70:LEU:HD12	1:C:70:LEU:N	2.34	0.43
1:C:127:SER:O	1:C:128:GLN:HB2	2.19	0.43
1:B:69:VAL:HG13	1:B:176:ILE:HG22	2.01	0.42
1:C:73:LYS:O	1:C:74:LYS:HB2	2.18	0.42
1:B:34:VAL:CG2	1:B:144:LEU:HD12	2.44	0.41
1:B:135:ILE:HD11	1:B:159:LEU:CD1	2.51	0.41
1:B:135:ILE:HD11	1:B:159:LEU:HD12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:69:VAL:HG13	1:C:78:TYR:CE2	2.56	0.41
1:A:16:VAL:HG12	1:A:109:ARG:HD2	2.03	0.40
1:B:23:GLN:HB3	6:B:315:HOH:O	2.20	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:150:GLU:OE1	1:C:150:GLU:OE1[8_665]	1.99	0.21
1:B:23:GLN:NE2	3:C:204:SO4:O2[8_665]	2.14	0.06

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	176/178 (99%)	170 (97%)	6 (3%)	0	100	100
1	B	166/178 (93%)	160 (96%)	6 (4%)	0	100	100
1	C	175/178 (98%)	171 (98%)	4 (2%)	0	100	100
All	All	517/534 (97%)	501 (97%)	16 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	154/163 (94%)	154 (100%)	0	100	100
1	B	147/163 (90%)	147 (100%)	0	100	100
1	C	154/163 (94%)	154 (100%)	0	100	100
All	All	455/489 (93%)	455 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	GLN
1	B	118	HIS
1	B	151	ASN
1	C	49	GLN
1	C	128	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 16 ligands modelled in this entry, 1 is monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
3	SO4	C	203	-	4,4,4	0.33	0	6,6,6	0.08	0
3	SO4	A	203	-	4,4,4	0.33	0	6,6,6	0.05	0
4	GOL	A	206	-	5,5,5	0.07	0	5,5,5	0.26	0
2	A1DND	C	201	-	50,64,64	1.18	6 (12%)	68,106,106	2.81	15 (22%)
3	SO4	A	205	-	4,4,4	0.32	0	6,6,6	0.09	0
2	A1DND	B	201	-	50,64,64	1.35	7 (14%)	68,106,106	2.85	13 (19%)
2	A1DND	A	201	-	50,64,64	1.42	7 (14%)	68,106,106	2.82	14 (20%)
3	SO4	C	202	-	4,4,4	0.32	0	6,6,6	0.09	0
3	SO4	A	204	-	4,4,4	0.33	0	6,6,6	0.08	0
3	SO4	B	202	-	4,4,4	0.29	0	6,6,6	0.15	0
3	SO4	C	204	-	4,4,4	0.35	0	6,6,6	0.11	0
3	SO4	C	205	-	4,4,4	0.32	0	6,6,6	0.07	0
3	SO4	A	202	-	4,4,4	0.33	0	6,6,6	0.14	0
4	GOL	C	206	-	5,5,5	0.09	0	5,5,5	0.25	0
4	GOL	A	207	-	5,5,5	0.08	0	5,5,5	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	206	-	-	4/4/4/4	-
2	A1DND	C	201	-	5/5/7/9	11/45/101/101	-
2	A1DND	B	201	-	5/5/7/9	9/45/101/101	-
2	A1DND	A	201	-	5/5/7/9	16/45/101/101	-
4	GOL	C	206	-	-	0/4/4/4	-
4	GOL	A	207	-	-	1/4/4/4	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	A1DND	C26-N27	4.81	1.43	1.38
2	B	201	A1DND	C26-N27	4.48	1.43	1.38
2	A	201	A1DND	C44-N45	4.10	1.42	1.38
2	B	201	A1DND	C44-N45	3.93	1.42	1.38
2	B	201	A1DND	C36-N35	3.67	1.41	1.39
2	C	201	A1DND	C26-N27	3.25	1.41	1.38
2	A	201	A1DND	C4-N3	3.23	1.41	1.38
2	C	201	A1DND	C4-N3	3.03	1.41	1.38
2	C	201	A1DND	C44-N45	2.81	1.41	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	A1DND	C36-N35	2.61	1.41	1.39
2	A	201	A1DND	C2-N3	2.49	1.42	1.37
2	B	201	A1DND	C40-N45	2.33	1.41	1.37
2	C	201	A1DND	C36-N35	2.30	1.40	1.39
2	C	201	A1DND	C2-N3	2.29	1.41	1.37
2	B	201	A1DND	C34-N35	2.27	1.41	1.37
2	A	201	A1DND	C22-N27	2.23	1.41	1.37
2	B	201	A1DND	C22-N27	2.19	1.41	1.37
2	A	201	A1DND	C34-N35	2.12	1.41	1.37
2	B	201	A1DND	C4-N3	2.11	1.40	1.38
2	C	201	A1DND	C34-N35	2.03	1.41	1.37

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	C	201	A1DND	O49-C26-C25	-11.74	117.87	126.29
2	B	201	A1DND	O51-C44-C43	-11.53	118.02	126.29
2	B	201	A1DND	O49-C26-C25	-11.49	118.05	126.29
2	A	201	A1DND	O49-C26-C25	-11.29	118.19	126.29
2	A	201	A1DND	O51-C44-C43	-9.78	119.28	126.29
2	A	201	A1DND	O9-C4-C5	-9.39	119.56	126.29
2	C	201	A1DND	O51-C44-C43	-8.60	120.12	126.29
2	C	201	A1DND	O9-C4-C5	-8.03	120.53	126.29
2	B	201	A1DND	O51-C44-N45	7.37	122.85	117.48
2	B	201	A1DND	O49-C26-N27	7.26	122.76	117.48
2	A	201	A1DND	O49-C26-N27	6.58	122.27	117.48
2	A	201	A1DND	O51-C44-N45	6.43	122.16	117.48
2	B	201	A1DND	O9-C4-C5	-6.17	121.86	126.29
2	C	201	A1DND	C22-N27-C26	-6.13	118.84	123.72
2	C	201	A1DND	O51-C44-N45	5.66	121.60	117.48
2	C	201	A1DND	O49-C26-N27	5.65	121.59	117.48
2	C	201	A1DND	C40-N45-C44	-5.57	119.28	123.72
2	B	201	A1DND	C22-N27-C26	-5.39	119.43	123.72
2	A	201	A1DND	C22-N27-C26	-4.60	120.05	123.72
2	A	201	A1DND	O9-C4-N3	4.41	120.69	117.48
2	A	201	A1DND	C40-N45-C44	-4.30	120.29	123.72
2	B	201	A1DND	C40-N45-C44	-4.29	120.30	123.72
2	C	201	A1DND	C2-N3-C4	-4.17	120.40	123.72
2	A	201	A1DND	C2-N3-C4	-4.09	120.46	123.72
2	B	201	A1DND	C2-N3-C4	-4.00	120.53	123.72
2	C	201	A1DND	C41-C40-N45	3.93	121.40	118.45
2	C	201	A1DND	C25-C26-N27	3.77	120.29	116.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	C	201	A1DND	O9-C4-N3	3.74	120.21	117.48
2	A	201	A1DND	C5-C4-N3	3.24	119.75	116.44
2	A	201	A1DND	C25-C26-N27	3.02	119.52	116.44
2	B	201	A1DND	C5-C4-N3	3.02	119.52	116.44
2	B	201	A1DND	C1-C2-N3	-2.84	117.20	122.38
2	C	201	A1DND	C5-C4-N3	2.76	119.26	116.44
2	B	201	A1DND	C25-C26-N27	2.68	119.18	116.44
2	B	201	A1DND	C43-C44-N45	2.53	119.03	116.44
2	A	201	A1DND	C33-C40-N45	-2.49	117.84	122.38
2	A	201	A1DND	C41-C40-N45	2.38	120.24	118.45
2	C	201	A1DND	C34-C28-N21	2.32	121.93	118.45
2	B	201	A1DND	C7-C2-C1	2.07	123.13	119.27
2	A	201	A1DND	C43-C44-N45	2.06	118.55	116.44
2	C	201	A1DND	C33-C40-N45	-2.04	118.66	122.38
2	C	201	A1DND	C23-C22-N27	2.02	119.97	118.45

All (15) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	201	A1DND	N3
2	A	201	A1DND	N15
2	A	201	A1DND	N21
2	A	201	A1DND	N27
2	A	201	A1DND	N45
2	B	201	A1DND	N3
2	B	201	A1DND	N15
2	B	201	A1DND	N21
2	B	201	A1DND	N27
2	B	201	A1DND	N45
2	C	201	A1DND	N3
2	C	201	A1DND	N15
2	C	201	A1DND	N21
2	C	201	A1DND	N27
2	C	201	A1DND	N45

All (41) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	A1DND	N15-C16-C22-N27
2	A	201	A1DND	C19-C20-N21-C28
2	B	201	A1DND	N9-C12-C13-C14
2	B	201	A1DND	N15-C16-C22-N27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	206	GOL	C1-C2-C3-O3
2	A	201	A1DND	C19-C20-N21-C29
2	C	201	A1DND	C18-C19-C20-N21
2	B	201	A1DND	O53-C33-N32-C31
2	B	201	A1DND	C18-C19-C20-N21
4	A	206	GOL	O1-C1-C2-C3
2	A	201	A1DND	C29-C30-C31-N32
2	A	201	A1DND	N15-C17-C18-C19
4	A	206	GOL	O1-C1-C2-O2
2	C	201	A1DND	O55-C28-N21-C29
2	A	201	A1DND	N21-C29-C30-C31
2	C	201	A1DND	N21-C29-C30-C31
4	A	206	GOL	O2-C2-C3-O3
2	A	201	A1DND	N9-C12-C13-C14
2	C	201	A1DND	O53-C33-C40-N45
4	A	207	GOL	O1-C1-C2-O2
2	B	201	A1DND	C29-C30-C31-N32
2	A	201	A1DND	O8-C1-C2-C7
2	C	201	A1DND	O53-C33-C40-C41
2	B	201	A1DND	C17-C18-C19-C20
2	A	201	A1DND	O54-C16-C22-C23
2	A	201	A1DND	O54-C16-C22-N27
2	A	201	A1DND	O8-C1-C2-N3
2	C	201	A1DND	N32-C33-C40-N45
2	C	201	A1DND	O54-C16-C22-C23
2	B	201	A1DND	O54-C16-C22-N27
2	C	201	A1DND	O54-C16-C22-N27
2	B	201	A1DND	N21-C29-C30-C31
2	A	201	A1DND	N9-C1-C2-C7
2	C	201	A1DND	O55-C28-C34-N35
2	C	201	A1DND	C34-C28-N21-C29
2	A	201	A1DND	C18-C19-C20-N21
2	C	201	A1DND	C30-C29-N21-C20
2	A	201	A1DND	C17-C18-C19-C20
2	A	201	A1DND	O54-C16-N15-C17
2	B	201	A1DND	O54-C16-C22-C23
2	A	201	A1DND	N9-C1-C2-N3


There are no ring outliers.

6 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	201	A1DND	1	0
2	B	201	A1DND	2	0
2	A	201	A1DND	12	0
3	B	202	SO4	1	0
3	C	204	SO4	0	1
3	C	205	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand A1DND C 201




Bond lengths



Bond angles




Torsions




Rings


Ligand A1DND B 201




Bond lengths



Bond angles




Torsions




Rings


Ligand A1DND A 201




Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	177/178 (99%)	0.41	10 (5%) 30 34	29, 43, 66, 93	1 (0%)
1	B	170/178 (95%)	0.66	10 (5%) 28 32	35, 49, 70, 83	0
1	C	174/178 (97%)	0.09	5 (2%) 53 57	17, 34, 62, 97	3 (1%)
All	All	521/534 (97%)	0.38	25 (4%) 35 41	17, 43, 66, 97	4 (0%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	4	THR	4.8
1	B	42	LEU	4.3
1	A	79	TRP	4.0
1	B	48	PRO	4.0
1	B	4	THR	3.9
1	C	144	LEU	3.4
1	A	97	ILE	3.2
1	A	1	GLN	3.2
1	A	42	LEU	3.0
1	B	40	ALA	2.9
1	A	44	GLU	2.7
1	C	97	ILE	2.7
1	C	163	GLU	2.6
1	A	65	ASN	2.5
1	B	80	ILE	2.4
1	C	42	LEU	2.4
1	B	49	GLN	2.3
1	A	43	ARG	2.3
1	A	70	LEU	2.3
1	B	77	ASP	2.2
1	B	43	ARG	2.1
1	B	5	SER	2.1
1	B	18	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	177	ASP	2.0
1	A	46	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	SO4	C	203	5/5	0.67	0.12	87,92,105,124	0
3	SO4	A	205	5/5	0.69	0.11	70,75,96,103	0
3	SO4	C	205	5/5	0.71	0.13	89,89,120,136	0
3	SO4	A	203	5/5	0.72	0.10	81,90,106,112	0
3	SO4	A	202	5/5	0.77	0.10	54,67,75,83	0
3	SO4	B	202	5/5	0.78	0.13	58,62,81,95	0
4	GOL	A	207	6/6	0.82	0.14	56,64,72,80	0
3	SO4	C	202	5/5	0.83	0.09	51,52,70,76	0
3	SO4	A	204	5/5	0.83	0.10	66,73,92,102	0
4	GOL	A	206	6/6	0.86	0.14	52,67,71,72	0
3	SO4	C	204	5/5	0.87	0.10	55,66,85,129	0
4	GOL	C	206	6/6	0.87	0.14	61,67,77,79	0
2	A1DND	A	201	55/55	0.94	0.15	38,78,110,119	0
2	A1DND	B	201	55/55	0.96	0.12	38,60,79,85	0
5	CL	C	207	1/1	0.98	0.06	33,33,33,33	0
2	A1DND	C	201	55/55	0.99	0.08	25,46,57,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around A1DND A 201:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around A1DND B 201:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around A1DND C 201:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers

There are no such residues in this entry.