Full wwPDB X-ray Structure Validation Report ⓘ

Nov 3, 2026 – 12:17 PM EST

PDB ID	:	9Z15 / pdb_00009z15
Title	:	GH29B alpha-fucosidase from Faecalibacterium prausnitzii
Authors	:	Kowalewski, M.E.; Redinbo, M.R.
Deposited on	:	2025-11-03
Resolution	:	1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	498	2% 84% 7% 8%
1	B	498	4% 78% 13% 9%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 7681 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-L-fucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	459	Total	C	N	O	S	0	0	0
			3624	2284	631	694	15			
1	B	455	Total	C	N	O	S	0	0	0
			3576	2255	623	684	14			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP A0A943HIP3
A	2	HIS	-	expression tag	UNP A0A943HIP3
A	3	HIS	-	expression tag	UNP A0A943HIP3
A	4	HIS	-	expression tag	UNP A0A943HIP3
A	5	HIS	-	expression tag	UNP A0A943HIP3
A	6	HIS	-	expression tag	UNP A0A943HIP3
A	7	HIS	-	expression tag	UNP A0A943HIP3
A	8	SER	-	expression tag	UNP A0A943HIP3
A	9	SER	-	expression tag	UNP A0A943HIP3
A	10	GLY	-	expression tag	UNP A0A943HIP3
A	11	VAL	-	expression tag	UNP A0A943HIP3
A	12	ASP	-	expression tag	UNP A0A943HIP3
A	13	LEU	-	expression tag	UNP A0A943HIP3
A	14	GLY	-	expression tag	UNP A0A943HIP3
A	15	THR	-	expression tag	UNP A0A943HIP3
A	16	GLU	-	expression tag	UNP A0A943HIP3
A	17	ASN	-	expression tag	UNP A0A943HIP3
A	18	LEU	-	expression tag	UNP A0A943HIP3
A	19	TYR	-	expression tag	UNP A0A943HIP3
A	20	PHE	-	expression tag	UNP A0A943HIP3
A	21	GLN	-	expression tag	UNP A0A943HIP3
A	22	SER	-	expression tag	UNP A0A943HIP3
A	23	ASN	-	expression tag	UNP A0A943HIP3
A	41	PRO	LEU	conflict	UNP A0A943HIP3
A	128	ASN	ASP	conflict	UNP A0A943HIP3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	130	GLN	LYS	conflict	UNP A0A943HIP3
A	270	GLU	LYS	conflict	UNP A0A943HIP3
A	286	GLU	ALA	conflict	UNP A0A943HIP3
A	354	PRO	ALA	conflict	UNP A0A943HIP3
A	360	THR	ALA	conflict	UNP A0A943HIP3
A	364	THR	ALA	conflict	UNP A0A943HIP3
A	367	GLN	ARG	conflict	UNP A0A943HIP3
A	372	SER	ASP	conflict	UNP A0A943HIP3
A	379	LYS	GLU	conflict	UNP A0A943HIP3
A	420	LYS	GLU	conflict	UNP A0A943HIP3
A	421	PRO	LEU	conflict	UNP A0A943HIP3
A	452	SER	ALA	conflict	UNP A0A943HIP3
A	494	ARG	-	expression tag	UNP A0A943HIP3
A	495	GLY	-	expression tag	UNP A0A943HIP3
A	496	TYR	-	expression tag	UNP A0A943HIP3
A	497	MET	-	expression tag	UNP A0A943HIP3
A	498	GLY	-	expression tag	UNP A0A943HIP3
B	1	MET	-	expression tag	UNP A0A943HIP3
B	2	HIS	-	expression tag	UNP A0A943HIP3
B	3	HIS	-	expression tag	UNP A0A943HIP3
B	4	HIS	-	expression tag	UNP A0A943HIP3
B	5	HIS	-	expression tag	UNP A0A943HIP3
B	6	HIS	-	expression tag	UNP A0A943HIP3
B	7	HIS	-	expression tag	UNP A0A943HIP3
B	8	SER	-	expression tag	UNP A0A943HIP3
B	9	SER	-	expression tag	UNP A0A943HIP3
B	10	GLY	-	expression tag	UNP A0A943HIP3
B	11	VAL	-	expression tag	UNP A0A943HIP3
B	12	ASP	-	expression tag	UNP A0A943HIP3
B	13	LEU	-	expression tag	UNP A0A943HIP3
B	14	GLY	-	expression tag	UNP A0A943HIP3
B	15	THR	-	expression tag	UNP A0A943HIP3
B	16	GLU	-	expression tag	UNP A0A943HIP3
B	17	ASN	-	expression tag	UNP A0A943HIP3
B	18	LEU	-	expression tag	UNP A0A943HIP3
B	19	TYR	-	expression tag	UNP A0A943HIP3
B	20	PHE	-	expression tag	UNP A0A943HIP3
B	21	GLN	-	expression tag	UNP A0A943HIP3
B	22	SER	-	expression tag	UNP A0A943HIP3
B	23	ASN	-	expression tag	UNP A0A943HIP3
B	41	PRO	LEU	conflict	UNP A0A943HIP3
B	128	ASN	ASP	conflict	UNP A0A943HIP3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	130	GLN	LYS	conflict	UNP A0A943HIP3
B	270	GLU	LYS	conflict	UNP A0A943HIP3
B	286	GLU	ALA	conflict	UNP A0A943HIP3
B	354	PRO	ALA	conflict	UNP A0A943HIP3
B	360	THR	ALA	conflict	UNP A0A943HIP3
B	364	THR	ALA	conflict	UNP A0A943HIP3
B	367	GLN	ARG	conflict	UNP A0A943HIP3
B	372	SER	ASP	conflict	UNP A0A943HIP3
B	379	LYS	GLU	conflict	UNP A0A943HIP3
B	420	LYS	GLU	conflict	UNP A0A943HIP3
B	421	PRO	LEU	conflict	UNP A0A943HIP3
B	452	SER	ALA	conflict	UNP A0A943HIP3
B	494	ARG	-	expression tag	UNP A0A943HIP3
B	495	GLY	-	expression tag	UNP A0A943HIP3
B	496	TYR	-	expression tag	UNP A0A943HIP3
B	497	MET	-	expression tag	UNP A0A943HIP3
B	498	GLY	-	expression tag	UNP A0A943HIP3

- Molecule 2 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total K 1 1	0	0
2	B	1	Total K 1 1	0	0

- Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	239	Total O 239 239	0	0
3	B	240	Total O 240 240	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Alpha-L-fucosidase

Chain A:



• Molecule 1: Alpha-L-fucosidase

Chain B:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α, β, γ	115.18Å 122.97Å 146.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.14 – 1.99 34.14 – 1.99	Depositor EDS
% Data completeness (in resolution range)	100.0 (34.14-1.99) 100.0 (34.14-1.99)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.47 (at 2.00Å)	Xtriage
Refinement program	PHENIX 1.21.1_5286	Depositor
R, R_{free}	0.207 , 0.256 0.207 , 0.256	Depositor DCC
R_{free} test set	2009 reflections (2.82%)	wwPDB-VP
Wilson B-factor (Å^2)	22.4	Xtriage
Anisotropy	0.379	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.37 , 41.2	EDS
L-test for twinning[2]	$< \|L\| > = 0.47$, $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	7681	wwPDB-VP
Average B, all atoms (Å^2)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.37	0/3717	0.59	1/5059 (0.0%)
1	B	0.37	0/3669	0.57	2/4998 (0.0%)
All	All	0.37	0/7386	0.58	3/10057 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	258	ARG	N-CA-CB	7.65	123.42	110.49
1	B	388	GLN	N-CA-C	-5.33	104.92	113.28
1	B	227	CYS	N-CA-C	-5.32	107.33	112.97

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	258	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3624	0	3463	18	0
1	B	3576	0	3395	37	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	239	0	0	4	0
3	B	240	0	0	8	0
All	All	7681	0	6858	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:LYS:CD	3:B:641:HOH:O	2.38	0.70
1:B:122:LYS:HD2	3:B:641:HOH:O	1.93	0.69
1:B:376:GLU:OE2	3:B:601:HOH:O	2.13	0.65
1:A:102:THR:HA	1:A:151:TYR:HB3	1.83	0.61
1:B:256:ALA:O	3:B:602:HOH:O	2.17	0.59
1:B:423:LYS:O	1:B:493:GLN:HG3	2.04	0.57
1:B:122:LYS:HD3	3:B:641:HOH:O	2.04	0.57
1:B:318:ASP:HB3	3:B:660:HOH:O	2.04	0.57
1:B:243:LYS:O	1:B:455:THR:OG1	2.23	0.53
1:B:426:CYS:HB3	1:B:492:TYR:HB2	1.91	0.52
1:A:25:ARG:HD2	1:A:30:GLN:OE1	2.09	0.52
1:B:104:LYS:HB3	1:B:152:LEU:HD12	1.91	0.52
1:B:102:THR:HA	1:B:151:TYR:HB3	1.92	0.52
1:B:143:ARG:HD3	3:B:668:HOH:O	2.09	0.52
1:B:390:PRO:HG2	1:B:393:GLN:HG2	1.92	0.51
1:B:202:LYS:HE2	3:B:751:HOH:O	2.10	0.50
1:B:386:ILE:HD12	1:B:406:ALA:HA	1.94	0.49
1:A:445:TRP:CZ2	1:A:450:LYS:HD3	2.47	0.49
1:A:391:ILE:HA	1:A:403:TRP:HB2	1.95	0.49
1:B:91:VAL:HG13	1:B:96:MET:HB2	1.95	0.48
1:B:488:LEU:HD11	1:B:490:GLU:CD	2.39	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:GLY:O	1:A:278:GLN:HG2	2.13	0.47
1:B:58:GLY:HA2	1:B:111:LEU:HD21	1.97	0.47
1:A:467:PRO:O	3:A:601:HOH:O	2.20	0.47
3:A:601:HOH:O	1:B:217:LYS:HE3	2.14	0.46
1:A:326:LEU:HD21	1:A:369:ILE:HD11	1.97	0.46
1:B:441:SER:HA	1:B:455:THR:HA	1.98	0.46
1:B:421:PRO:HG3	1:B:471:GLN:HG3	1.96	0.46
1:B:368:GLN:O	1:B:494:ARG:HG2	2.17	0.44
1:B:49:LEU:HD21	1:B:147:LYS:HZ2	1.83	0.44
1:B:442:GLY:HA3	1:B:454:PHE:CZ	2.52	0.44
1:A:306:ARG:HD3	3:A:747:HOH:O	2.18	0.43
1:A:422:GLN:HG2	3:A:712:HOH:O	2.19	0.43
1:B:224:LEU:HB2	1:B:229:PRO:HD2	2.01	0.43
1:B:252:GLU:H	1:B:252:GLU:CD	2.26	0.43
1:A:304:SER:HA	1:A:342:ASN:HB3	2.00	0.42
1:B:372:SER:HB3	1:B:493:GLN:HB3	2.01	0.42
1:B:66:GLU:OE2	1:B:312:HIS:NE2	2.52	0.42
1:B:256:ALA:C	1:B:258:ARG:H	2.27	0.42
1:A:489:LEU:HD12	1:A:490:GLU:N	2.34	0.42
1:B:424:VAL:HG23	1:B:465:PHE:HE1	1.85	0.42
1:A:296:TRP:CD1	1:A:298:PRO:HD3	2.54	0.42
1:B:424:VAL:O	1:B:467:PRO:HA	2.19	0.42
1:A:488:LEU:HD21	1:A:490:GLU:OE2	2.20	0.42
1:A:442:GLY:HA3	1:A:454:PHE:CE1	2.56	0.41
1:A:494:ARG:HB3	1:A:494:ARG:HH11	1.85	0.41
1:A:126:TRP:CZ3	1:A:131:GLY:HA3	2.56	0.41
1:B:31:ILE:HD13	1:B:31:ILE:HA	1.79	0.41
1:B:296:TRP:CD1	1:B:298:PRO:HD3	2.55	0.41
1:B:325:LEU:HB3	1:B:362:LEU:HD22	2.02	0.41
1:B:391:ILE:HA	1:B:403:TRP:HB2	2.02	0.40
1:A:282:ILE:H	1:A:282:ILE:HG13	1.67	0.40
1:A:405:ALA:HB3	1:A:484:PRO:HD2	2.03	0.40
1:B:173:VAL:HG13	1:B:214:VAL:HG21	2.04	0.40
1:B:116:TYR:CE2	1:B:174:SER:HB3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	455/498 (91%)	429 (94%)	24 (5%)	2 (0%)	30	27
1	B	451/498 (91%)	434 (96%)	16 (4%)	1 (0%)	43	42
All	All	906/996 (91%)	863 (95%)	40 (4%)	3 (0%)	36	35

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	258	ARG
1	A	226	VAL
1	B	226	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	382/416 (92%)	373 (98%)	9 (2%)	43	47
1	B	373/416 (90%)	366 (98%)	7 (2%)	50	56
All	All	755/832 (91%)	739 (98%)	16 (2%)	47	52

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	PHE
1	A	91	VAL
1	A	190	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	255	ASP
1	A	258	ARG
1	A	282	ILE
1	A	290	ASN
1	A	423	LYS
1	A	449	SER
1	B	54	PHE
1	B	80	ASP
1	B	190	TRP
1	B	236	ASN
1	B	253	LEU
1	B	375	THR
1	B	386	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	164	GLN
1	A	240	HIS
1	A	368	GLN
1	A	393	GLN
1	A	422	GLN
1	A	493	GLN
1	B	164	GLN
1	B	393	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	459/498 (92%)	-0.00	9 (1%) 65 64	15, 24, 44, 55	0
1	B	455/498 (91%)	0.06	18 (3%) 42 41	13, 23, 47, 63	0
All	All	914/996 (91%)	0.03	27 (2%) 52 51	13, 23, 46, 63	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	238	ALA	5.4
1	B	236	ASN	5.0
1	B	238	ALA	4.9
1	B	240	HIS	4.6
1	B	387	ALA	3.9
1	B	275	ILE	3.8
1	A	259	THR	3.7
1	B	256	ALA	3.7
1	B	239	GLY	3.6
1	A	407	TYR	3.1
1	B	423	LYS	3.1
1	B	237	GLU	2.9
1	B	282	ILE	2.9
1	B	380	ILE	2.8
1	B	241	CYS	2.8
1	B	494	ARG	2.8
1	A	240	HIS	2.8
1	A	241	CYS	2.7
1	A	22	SER	2.6
1	B	386	ILE	2.5
1	A	236	ASN	2.5
1	B	255	ASP	2.5
1	B	417	LYS	2.4
1	B	421	PRO	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	24	MET	2.4
1	A	409	GLN	2.2
1	A	417	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	K	A	501	1/1	0.99	0.03	22,22,22,22	0
2	K	B	501	1/1	0.99	0.02	27,27,27,27	0

6.5 Other polymers (i)

There are no such residues in this entry.