



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 19, 2026 – 10:10 AM EDT

PDB ID : 9ZBW / pdb_00009zbw
Title : Crystal structure of SARS-CoV-2 receptor binding domain in complex with antibodies HB148 and LY-CoV1404
Authors : Yuan, M.; Feng, Z.; Wilson, I.A.
Deposited on : 2025-11-21
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	222	
1	E	222	
2	B	215	
2	F	215	
3	G	221	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	221	 83% 14% .
4	C	205	 85% 10% 5%
4	I	205	 86% 8% 5%
5	J	217	 90% 9% .
5	L	217	 92% 7% .

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 15954 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Antibody LY-CoV1404 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	212	Total	C	N	O	S	0	0	0
			1588	1017	257	309	5			
1	E	212	Total	C	N	O	S	0	0	0
			1588	1017	257	309	5			

- Molecule 2 is a protein called Antibody LY-CoV1404 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	212	Total	C	N	O	S	0	0	0
			1566	975	259	327	5			
2	F	212	Total	C	N	O	S	0	0	0
			1566	975	259	327	5			

- Molecule 3 is a protein called Antibody HB148 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	215	Total	C	N	O	S	0	0	0
			1606	1014	268	318	6			
3	G	215	Total	C	N	O	S	0	0	0
			1606	1014	268	318	6			

- Molecule 4 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	C	194	Total	C	N	O	S	0	1	0
			1544	990	259	287	8			
4	I	194	Total	C	N	O	S	0	1	0
			1544	990	259	287	8			


There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	531	GLY	-	expression tag	UNP P0DTC2
C	532	HIS	-	expression tag	UNP P0DTC2
C	533	HIS	-	expression tag	UNP P0DTC2
C	534	HIS	-	expression tag	UNP P0DTC2
C	535	HIS	-	expression tag	UNP P0DTC2
C	536	HIS	-	expression tag	UNP P0DTC2
C	537	HIS	-	expression tag	UNP P0DTC2
I	531	GLY	-	expression tag	UNP P0DTC2
I	532	HIS	-	expression tag	UNP P0DTC2
I	533	HIS	-	expression tag	UNP P0DTC2
I	534	HIS	-	expression tag	UNP P0DTC2
I	535	HIS	-	expression tag	UNP P0DTC2
I	536	HIS	-	expression tag	UNP P0DTC2
I	537	HIS	-	expression tag	UNP P0DTC2

- Molecule 5 is a protein called Antibody HB148 Fab Light Chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	L	215	Total	C	N	O	S	0	1	0
			1654	1034	281	335	4			
5	J	215	Total	C	N	O	S	0	1	0
			1654	1034	281	335	4			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	I	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	O	P	0	0
			5	4	1		
7	I	1	Total	O	P	0	0
			5	4	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Antibody LY-CoV1404 Fab Heavy Chain




- Molecule 1: Antibody LY-CoV1404 Fab Heavy Chain



- Molecule 2: Antibody LY-CoV1404 Fab Light Chain




- Molecule 2: Antibody LY-CoV1404 Fab Light Chain




- Molecule 3: Antibody HB148 Fab Heavy Chain

Chain H:  83% 14%



• Molecule 3: Antibody HB148 Fab Heavy Chain

Chain G:  84% 13%



• Molecule 4: Spike protein S1

Chain C:  85% 10% 5%




• Molecule 4: Spike protein S1

Chain I:  86% 8% 5%



• Molecule 5: Antibody HB148 Fab Light Chain

Chain L:  92% 7%



• Molecule 5: Antibody HB148 Fab Light Chain

Chain J:  90% 9%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	85.28Å 86.11Å 98.80Å 115.69° 89.70° 94.39°	Depositor
Resolution (Å)	48.81 – 3.10 48.81 – 3.10	Depositor EDS
% Data completeness (in resolution range)	81.1 (48.81-3.10) 85.0 (48.81-3.10)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 3.07Å)	Xtriage
Refinement program	PHENIX (1.21.2_5419: ???)	Depositor
R, R_{free}	0.213 , 0.259 0.213 , 0.259	Depositor DCC
R_{free} test set	1841 reflections (3.81%)	wwPDB-VP
Wilson B-factor (Å ²)	67.1	Xtriage
Anisotropy	0.031	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 23.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.023 for -h,-k,k+1	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	15954	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.10	0/1629	0.28	0/2231
1	E	0.10	0/1629	0.27	0/2231
2	B	0.10	0/1603	0.29	0/2187
2	F	0.11	0/1603	0.30	0/2187
3	G	0.11	0/1642	0.27	0/2236
3	H	0.11	0/1642	0.27	0/2236
4	C	0.12	0/1591	0.25	0/2165
4	I	0.10	0/1591	0.24	0/2165
5	J	0.11	0/1693	0.30	0/2297
5	L	0.10	0/1693	0.28	0/2297
All	All	0.11	0/16316	0.27	0/22232

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1588	0	1565	17	0
1	E	1588	0	1565	19	0
2	B	1566	0	1506	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	1566	0	1506	22	0
3	G	1606	0	1579	17	0
3	H	1606	0	1579	20	0
4	C	1544	0	1465	11	0
4	I	1544	0	1465	11	0
5	J	1654	0	1609	12	0
5	L	1654	0	1609	8	0
6	C	14	0	13	0	0
6	I	14	0	13	1	0
7	C	5	0	0	0	0
7	I	5	0	0	0	0
All	All	15954	0	15474	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:123:PRO:HD3	3:G:209:LYS:HE2	1.71	0.72
1:A:14:PRO:HG2	1:A:113:SER:HB3	1.71	0.71
2:B:194:GLN:HG2	2:B:203:GLU:HG2	1.72	0.70
3:G:29:VAL:HG13	3:G:34:MET:HG3	1.74	0.67
3:G:23:ALA:HA	3:G:77:THR:HG22	1.77	0.65
2:F:132:LEU:HD12	2:F:178:LEU:HD23	1.80	0.63
3:H:23:ALA:HA	3:H:77:THR:HG22	1.80	0.63
3:H:29:VAL:HG13	3:H:34:MET:HG3	1.80	0.62
3:H:199:ASN:HD22	3:H:206:LYS:HG2	1.63	0.62
1:E:87:THR:HG23	1:E:110:THR:HA	1.82	0.62
3:H:123:PRO:HD3	3:H:209:LYS:HE2	1.81	0.61
2:F:12:SER:HB2	2:F:106(A):LEU:HD21	1.83	0.59
3:H:82:MET:HB3	3:H:82(C):LEU:HD21	1.83	0.59
3:G:87:THR:HG23	3:G:110:THR:HA	1.85	0.58
4:I:350:VAL:HG22	4:I:422:ASN:HB3	1.85	0.58
1:A:87:THR:HG23	1:A:110:THR:HA	1.84	0.58
3:H:87:THR:HG23	3:H:110:THR:HA	1.84	0.57
4:C:350:VAL:HG22	4:C:422:ASN:HB3	1.85	0.57
3:G:34:MET:HB3	3:G:78:LEU:HD22	1.86	0.57
2:F:83:GLU:HG3	2:F:105:THR:HA	1.87	0.57
3:G:199:ASN:HD22	3:G:206:LYS:HG2	1.70	0.56
1:A:159:LEU:HD21	1:A:182:VAL:HG21	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:34:MET:HB3	3:H:78:LEU:HD22	1.88	0.55
3:G:99:VAL:HG21	4:I:456:PHE:HE2	1.70	0.55
3:H:200:HIS:CD2	3:H:202:PRO:HD2	2.41	0.55
3:G:82:MET:HB3	3:G:82(C):LEU:HD21	1.88	0.55
5:J:120:PRO:HG3	5:J:130:ALA:HB1	1.89	0.55
5:J:120:PRO:HD3	5:J:132:VAL:HG22	1.90	0.54
1:E:40:PRO:HB2	1:E:43:LYS:HB2	1.91	0.53
2:F:105:THR:OG1	2:F:141:PRO:HB3	2.08	0.53
1:E:159:LEU:HD21	1:E:182:VAL:HG21	1.89	0.53
5:J:47:LEU:HA	5:J:58:ILE:HG13	1.90	0.53
3:H:99:VAL:HG21	4:C:456:PHE:HE2	1.73	0.53
5:L:37:GLN:HB2	5:L:47:LEU:HD11	1.89	0.53
2:B:149:LYS:HE3	2:B:154:PRO:HG3	1.90	0.52
2:B:27(A):SER:HB3	5:L:70:ASP:HB2	1.91	0.52
1:A:22:CYS:HB2	1:A:36:TRP:CZ2	2.45	0.52
4:I:360:ASN:H	4:I:523:THR:HG23	1.74	0.52
5:J:37:GLN:HB2	5:J:47:LEU:HD11	1.90	0.52
5:J:29:SER:HB3	5:J:32:TYR:HD2	1.75	0.52
3:H:126:PRO:HG2	3:H:213:PRO:HG3	1.92	0.51
2:F:111:ALA:CB	2:F:140:TYR:H	2.22	0.51
3:G:200:HIS:CD2	3:G:202:PRO:HD2	2.44	0.51
2:B:188:HIS:HB2	2:B:191:TYR:CZ	2.45	0.51
4:I:411:ALA:HB3	4:I:414:GLN:HG3	1.92	0.51
1:A:40:PRO:HB2	1:A:43:LYS:HB2	1.93	0.51
3:G:85:GLU:H	3:G:85:GLU:CD	2.18	0.51
2:F:25:ALA:HB1	2:F:27(C):VAL:HG11	1.93	0.50
1:E:22:CYS:HB2	1:E:36:TRP:CZ2	2.47	0.50
2:F:111:ALA:HB1	2:F:139:PHE:HA	1.92	0.50
1:A:47:TRP:HE1	1:A:50:LEU:HB2	1.75	0.50
1:E:193:THR:HG23	1:E:210:LYS:HE3	1.94	0.50
2:F:28:GLY:HA3	4:I:500:THR:HB	1.92	0.50
5:J:59:PRO:HB2	5:J:61:ARG:HG2	1.95	0.49
3:H:22:CYS:HB3	3:H:78:LEU:HB3	1.94	0.49
1:E:32:SER:HA	1:E:53:TRP:CE2	2.48	0.49
4:I:401:VAL:HG22	4:I:509:ARG:HG2	1.95	0.49
1:A:163:VAL:HG22	1:A:182:VAL:HB	1.94	0.49
5:L:120:PRO:HG3	5:L:130:ALA:HB1	1.95	0.48
4:C:401:VAL:HG22	4:C:509:ARG:HG2	1.94	0.48
1:E:169:VAL:HB	2:F:162:THR:HG22	1.95	0.48
1:A:12:VAL:HG23	1:A:111:VAL:HG22	1.95	0.48
1:A:20:LEU:HB3	1:A:36:TRP:CH2	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:366:SER:H	4:C:388:ASN:HD21	1.62	0.48
4:I:393:THR:HA	4:I:522:ALA:HA	1.95	0.48
1:A:22:CYS:HB3	1:A:78:VAL:HB	1.95	0.47
1:A:32:SER:HA	1:A:53:TRP:CE2	2.49	0.47
4:C:393:THR:HA	4:C:522:ALA:HA	1.96	0.47
2:F:194:GLN:HG2	2:F:203:GLU:HG3	1.96	0.47
1:A:193:THR:HG23	1:A:210:LYS:HE3	1.96	0.47
3:H:35:SER:HB3	3:H:50:VAL:HG23	1.95	0.47
3:H:85:GLU:CD	4:I:481:ASN:HB3	2.40	0.47
1:E:20:LEU:HB3	1:E:36:TRP:CH2	2.49	0.47
4:I:342:PHE:HB2	6:I:601:NAG:H82	1.96	0.47
2:F:120:PRO:HD3	2:F:132:LEU:HD23	1.97	0.47
2:B:45:LYS:HB3	2:B:47:MET:HE2	1.97	0.47
4:C:360:ASN:H	4:C:523:THR:HG23	1.80	0.46
5:J:32:TYR:HA	5:J:91:TYR:CE2	2.50	0.46
2:B:25:ALA:HB1	2:B:27(C):VAL:HG11	1.97	0.46
2:B:110:LYS:HE3	2:B:110:LYS:HB3	1.74	0.46
4:C:364:ASP:O	4:C:367:VAL:HG12	2.16	0.46
2:F:140:TYR:HA	2:F:141:PRO:C	2.40	0.46
3:G:126:PRO:HG2	3:G:213:PRO:HG3	1.97	0.46
3:H:66:ARG:HG2	3:H:82(B):SER:HB2	1.98	0.46
3:G:35:SER:HB3	3:G:50:VAL:HG23	1.96	0.46
2:F:45:LYS:HB3	2:F:47:MET:HE2	1.98	0.46
1:A:101:ASP:HB3	2:B:46:LEU:HD22	1.98	0.46
5:L:32:TYR:HA	5:L:91:TYR:CE2	2.51	0.46
3:H:82:MET:HE1	3:H:109:VAL:HG21	1.97	0.45
1:E:165:THR:HA	1:E:180:SER:HA	1.99	0.45
2:B:19:ILE:HG12	2:B:78:LEU:HD11	1.98	0.45
2:F:108:GLN:HG3	2:F:140:TYR:CD1	2.52	0.45
1:E:164:HIS:NE2	2:F:167:GLN:HG2	2.32	0.45
4:I:364:ASP:O	4:I:367:VAL:HG12	2.17	0.45
1:E:47:TRP:HE1	1:E:50:LEU:HB2	1.82	0.44
4:C:411:ALA:HB3	4:C:414:GLN:HG3	2.00	0.44
5:L:59:PRO:HB2	5:L:61:ARG:HG2	1.97	0.44
1:E:39:GLN:HB2	1:E:45:LEU:HD23	2.00	0.44
1:E:101:ASP:HB3	2:F:46:LEU:HD22	1.99	0.44
1:E:67:LEU:HD13	1:E:80:LEU:HD21	2.00	0.44
3:G:22:CYS:HB3	3:G:78:LEU:HB3	1.99	0.44
2:F:108:GLN:HG3	2:F:140:TYR:CG	2.53	0.44
2:B:79:GLN:O	2:B:106:VAL:HG21	2.17	0.43
2:B:117:LEU:HD13	2:B:134:CYS:HB2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:376:THR:HB	4:C:435:ALA:HB3	2.00	0.43
2:F:111:ALA:HB2	2:F:140:TYR:H	1.83	0.43
5:J:94:SER:HB3	5:J:95:PRO:HA	2.01	0.43
1:E:12:VAL:HG23	1:E:111:VAL:HG22	2.01	0.42
5:J:124:GLN:HG2	5:J:129:THR:O	2.18	0.42
3:H:195:ILE:HG22	3:H:210:LYS:HA	2.02	0.42
3:G:135:THR:N	3:G:186:SER:HG	2.17	0.42
2:F:39:HIS:CD2	2:F:84:ALA:HB2	2.54	0.42
2:F:117:LEU:HD13	2:F:134:CYS:HB2	2.01	0.42
3:G:6:GLU:CD	3:G:106:GLY:H	2.27	0.42
3:H:85:GLU:CD	3:H:85:GLU:H	2.26	0.42
3:H:20:LEU:HD12	3:H:80:LEU:HD23	2.01	0.42
3:H:135:THR:N	3:H:186:SER:HG	2.18	0.42
1:A:118:GLY:HA2	1:A:119:PRO:HD3	1.92	0.41
2:B:105:THR:HG21	2:B:141:PRO:HA	2.03	0.41
5:J:114:SER:HB2	5:J:137:ASN:HB3	2.02	0.41
5:J:190:LYS:HE2	5:J:190:LYS:HB2	1.93	0.41
2:B:136:ILE:HG12	2:B:195:VAL:HG21	2.02	0.41
1:E:51:ILE:HD13	1:E:71:LYS:HB3	2.03	0.41
4:I:393:THR:HG22	4:I:394:ASN:ND2	2.36	0.41
4:C:502:GLY:O	4:C:506:GLN:HG3	2.20	0.41
1:A:38:ARG:HB3	1:A:48:LEU:HD11	2.03	0.41
5:L:124:GLN:HG2	5:L:129:THR:O	2.20	0.41
1:E:181:VAL:HG21	2:F:135:LEU:HD13	2.03	0.41
3:G:40:ALA:HB3	3:G:43:LYS:HB2	2.02	0.41
3:G:64:LYS:HE3	3:G:64:LYS:HB2	1.87	0.41
1:A:209:LYS:HD2	1:A:209:LYS:HA	1.86	0.41
3:H:119:PRO:HD3	3:H:200:HIS:ND1	2.36	0.41
4:C:350:VAL:HA	4:C:400:PHE:HB2	2.02	0.41
5:L:114:SER:HB2	5:L:137:ASN:HB3	2.03	0.41
1:E:209:LYS:HD2	1:E:209:LYS:HA	1.83	0.41
5:L:94:SER:HB3	5:L:95:PRO:HA	2.03	0.40
1:E:163:VAL:HG22	1:E:182:VAL:HB	2.03	0.40
2:F:93:THR:HG21	5:J:67:SER:HB2	2.03	0.40
1:A:29:LEU:HD23	1:A:71:LYS:HE3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	208/222 (94%)	201 (97%)	7 (3%)	0	100	100
1	E	208/222 (94%)	203 (98%)	5 (2%)	0	100	100
2	B	210/215 (98%)	201 (96%)	9 (4%)	0	100	100
2	F	210/215 (98%)	199 (95%)	10 (5%)	1 (0%)	24	57
3	G	211/221 (96%)	204 (97%)	7 (3%)	0	100	100
3	H	211/221 (96%)	205 (97%)	6 (3%)	0	100	100
4	C	193/205 (94%)	189 (98%)	4 (2%)	0	100	100
4	I	193/205 (94%)	189 (98%)	4 (2%)	0	100	100
5	J	214/217 (99%)	208 (97%)	6 (3%)	0	100	100
5	L	214/217 (99%)	210 (98%)	4 (2%)	0	100	100
All	All	2072/2160 (96%)	2009 (97%)	62 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	110	LYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/196 (92%)	181 (100%)	0	100	100
1	E	181/196 (92%)	181 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	177/181 (98%)	177 (100%)	0	100	100
2	F	177/181 (98%)	177 (100%)	0	100	100
3	G	181/185 (98%)	181 (100%)	0	100	100
3	H	181/185 (98%)	181 (100%)	0	100	100
4	C	168/177 (95%)	168 (100%)	0	100	100
4	I	168/177 (95%)	168 (100%)	0	100	100
5	J	186/187 (100%)	186 (100%)	0	100	100
5	L	186/187 (100%)	186 (100%)	0	100	100
All	All	1786/1852 (96%)	1786 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	108	GLN
3	H	81	GLN
3	H	82(A)	ASN
3	H	98	GLN
3	H	105	GLN
3	H	171	GLN
3	H	199	ASN
4	C	360	ASN
4	C	394	ASN
5	L	189	HIS
2	F	184	GLN
2	F	194	GLN
3	G	81	GLN
3	G	82(A)	ASN
3	G	105	GLN
3	G	199	ASN
4	I	360	ASN
4	I	394	ASN
5	J	138	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	I	601	4	14,14,15	0.69	0	17,19,21	1.08	1 (5%)
6	NAG	C	601	4	14,14,15	0.70	0	17,19,21	1.08	1 (5%)
7	PO4	C	602	-	4,4,4	1.51	1 (25%)	6,6,6	0.70	0
7	PO4	I	602	-	4,4,4	1.51	1 (25%)	6,6,6	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	I	601	4	-	1/6/23/26	0/1/1/1
6	NAG	C	601	4	-	3/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	602	PO4	P-O1	2.64	1.56	1.50
7	I	602	PO4	P-O1	2.64	1.56	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	I	601	NAG	C1-O5-C5	2.69	115.79	112.19
6	C	601	NAG	C1-O5-C5	2.34	115.33	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	601	NAG	C8-C7-N2-C2
6	C	601	NAG	O7-C7-N2-C2
6	C	601	NAG	O5-C5-C6-O6
6	I	601	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	I	601	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	212/222 (95%)	0.08	1 (0%) 87 73	46, 74, 105, 132	0
1	E	212/222 (95%)	0.17	4 (1%) 66 45	43, 66, 92, 117	0
2	B	212/215 (98%)	0.15	1 (0%) 87 73	49, 84, 114, 140	0
2	F	212/215 (98%)	0.31	2 (0%) 81 63	56, 91, 123, 143	0
3	G	215/221 (97%)	-0.26	0 100 100	37, 57, 86, 107	0
3	H	215/221 (97%)	-0.27	0 100 100	38, 58, 85, 100	0
4	C	194/205 (94%)	-0.19	0 100 100	27, 56, 119, 145	1 (0%)
4	I	194/205 (94%)	-0.14	1 (0%) 87 73	25, 58, 108, 138	1 (0%)
5	J	215/217 (99%)	-0.30	1 (0%) 87 73	27, 56, 80, 96	1 (0%)
5	L	215/217 (99%)	-0.24	0 100 100	29, 58, 85, 98	1 (0%)
All	All	2096/2160 (97%)	-0.07	10 (0%) 87 73	25, 65, 106, 145	4 (0%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	79	VAL	3.2
1	E	70	SER	2.8
2	F	75	ILE	2.4
1	E	73	THR	2.3
1	A	100(A)	PHE	2.2
4	I	368	LEU	2.2
2	B	45	LYS	2.2
1	E	9	PRO	2.1
5	J	212	GLY	2.1
2	F	143	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	C	601	14/15	0.70	0.11	71,90,108,108	0
6	NAG	I	601	14/15	0.73	0.15	88,99,107,114	0
7	PO4	I	602	5/5	0.87	0.18	51,55,92,103	0
7	PO4	C	602	5/5	0.94	0.12	34,60,88,93	0

6.5 Other polymers [i](#)

There are no such residues in this entry.