Full wwPDB X-ray Structure Validation Report (i)

Nov 19, 2026 – 12:21 PM EST

PDB ID	:	9ZEX / pdb_00009zex
Title	:	Crystal structure of JF1cpCasp2 in complex with inhibitor MUR-225
Authors	:	Fuller, J.L.; Shi, K.
Deposited on	:	2025-12-01
Resolution	:	1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	282	5% 75% 9% 16%
1	B	282	6% 76% 9% 16%
1	C	282	5% 76% 8% 16%
1	D	282	3% 79% 9% 12%
2	F	5	20% 40% 40% 20%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	5	40% 60%
2	H	5	20% 60% 20%
2	I	5	40% 40% 20%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	A1AT6	F	1	-	X	-	-
2	A1AT7	F	4	-	X	-	-
2	A1AT6	G	1	-	X	-	-
2	A1AT7	G	4	-	X	-	-
2	A1AT6	H	1	-	X	-	-
2	A1AT7	H	4	-	X	-	-
2	A1AT6	I	1	-	X	-	-
2	A1AT7	I	4	-	X	-	-

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 7705 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called JF1cpCasp2,Caspase-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	238	Total	C	N	O	S	0	3	0
			1843	1159	323	341	20			
1	B	238	Total	C	N	O	S	0	4	0
			1862	1168	331	343	20			
1	C	237	Total	C	N	O	S	0	3	0
			1847	1160	328	340	19			
1	D	249	Total	C	N	O	S	0	2	0
			1931	1215	342	355	19			

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP P42575
A	2	HIS	-	expression tag	UNP P42575
A	3	HIS	-	expression tag	UNP P42575
A	4	HIS	-	expression tag	UNP P42575
A	5	HIS	-	expression tag	UNP P42575
A	6	HIS	-	expression tag	UNP P42575
A	7	HIS	-	expression tag	UNP P42575
A	21	ALA	ASP	engineered mutation	UNP P42575
A	123	GLY	-	linker	UNP P42575
A	124	GLY	-	linker	UNP P42575
A	125	VAL	-	linker	UNP P42575
B	1	MET	-	initiating methionine	UNP P42575
B	2	HIS	-	expression tag	UNP P42575
B	3	HIS	-	expression tag	UNP P42575
B	4	HIS	-	expression tag	UNP P42575
B	5	HIS	-	expression tag	UNP P42575
B	6	HIS	-	expression tag	UNP P42575
B	7	HIS	-	expression tag	UNP P42575
B	21	ALA	ASP	engineered mutation	UNP P42575
B	123	GLY	-	linker	UNP P42575
B	124	GLY	-	linker	UNP P42575

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	125	VAL	-	linker	UNP P42575
C	1	MET	-	initiating methionine	UNP P42575
C	2	HIS	-	expression tag	UNP P42575
C	3	HIS	-	expression tag	UNP P42575
C	4	HIS	-	expression tag	UNP P42575
C	5	HIS	-	expression tag	UNP P42575
C	6	HIS	-	expression tag	UNP P42575
C	7	HIS	-	expression tag	UNP P42575
C	21	ALA	ASP	engineered mutation	UNP P42575
C	123	GLY	-	linker	UNP P42575
C	124	GLY	-	linker	UNP P42575
C	125	VAL	-	linker	UNP P42575
D	1	MET	-	initiating methionine	UNP P42575
D	2	HIS	-	expression tag	UNP P42575
D	3	HIS	-	expression tag	UNP P42575
D	4	HIS	-	expression tag	UNP P42575
D	5	HIS	-	expression tag	UNP P42575
D	6	HIS	-	expression tag	UNP P42575
D	7	HIS	-	expression tag	UNP P42575
D	21	ALA	ASP	engineered mutation	UNP P42575
D	123	GLY	-	linker	UNP P42575
D	124	GLY	-	linker	UNP P42575
D	125	VAL	-	linker	UNP P42575

- Molecule 2 is a protein called peptide inhibitor MUR-225.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	F	5	Total	C	N	O	0	0	0
			46	32	5	9			
2	G	5	Total	C	N	O	0	0	0
			46	32	5	9			
2	H	5	Total	C	N	O	0	0	0
			46	32	5	9			
2	I	5	Total	C	N	O	0	0	0
			46	32	5	9			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	10	Total	O	0	0
			10	10		
3	B	7	Total	O	0	0
			7	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	8	Total O 8 8	0	0
3	D	13	Total O 13 13	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: JF1cpCasp2,Caspase-2

Chain A:



• Molecule 1: JF1cpCasp2,Caspase-2

Chain B:



• Molecule 1: JF1cpCasp2,Caspase-2

Chain C:



• Molecule 1: JF1cpCasp2,Caspase-2

Chain D:





• Molecule 2: peptide inhibitor MUR-225

Chain F:





• Molecule 2: peptide inhibitor MUR-225

Chain G:





• Molecule 2: peptide inhibitor MUR-225

Chain H:





• Molecule 2: peptide inhibitor MUR-225

Chain I:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	63.70Å 130.24Å 77.76Å 90.00° 104.95° 90.00°	Depositor
Resolution (Å)	34.10 – 1.97 34.10 – 1.97	Depositor EDS
% Data completeness (in resolution range)	48.8 (34.10-1.97) 46.3 (34.10-1.97)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.15 (at 1.97Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.208 , 0.250 0.208 , 0.250	Depositor DCC
R_{free} test set	1965 reflections (2.27%)	wwPDB-VP
Wilson B-factor (Å^2)	20.2	Xtriage
Anisotropy	0.123	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 35.1	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.91	EDS
Total number of atoms	7705	wwPDB-VP
Average B, all atoms (Å^2)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ASJ, A1AT6, A1AT7, UN1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.17	0/1878	0.41	0/2538
1	B	0.18	0/1896	0.43	0/2561
1	C	0.17	0/1882	0.41	0/2542
1	D	0.17	0/1970	0.42	0/2663
2	F	1.23	0/3	1.82	0/2
2	G	1.43	0/3	1.64	0/2
2	H	1.31	0/3	1.55	0/2
2	I	1.37	0/3	1.92	0/2
All	All	0.18	0/7638	0.42	0/10312

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1843	0	1768	13	1
1	B	1862	0	1791	15	0
1	C	1847	0	1781	11	0
1	D	1931	0	1857	16	1
2	F	46	0	11	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	G	46	0	11	0	0
2	H	46	0	11	1	0
2	I	46	0	11	1	0
3	A	10	0	0	0	0
3	B	7	0	0	0	0
3	C	8	0	0	0	0
3	D	13	0	0	0	0
All	All	7705	0	7241	55	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:1:A1AT6:N	2:H:1:A1AT6:C19	1.67	1.43
2:F:1:A1AT6:C19	2:F:1:A1AT6:N	1.67	1.38
1:C:56:ARG:NH1	1:C:62:GLU:OE2	2.23	0.71
1:C:205:GLN:HG3	1:C:248:LEU:HD22	1.74	0.68
1:D:154:LEU:HG	1:D:192:LEU:HB2	1.83	0.59
1:D:71:ARG:HB3	1:D:75:MET:HE3	1.84	0.59
1:B:44:CYS:HA	1:B:106:MET:O	2.04	0.57
1:D:44:CYS:HA	1:D:106:MET:O	2.05	0.56
1:B:154:LEU:HD11	1:B:200:MET:HG2	1.87	0.56
1:B:54:THR:HG22	1:B:169:SER:HB3	1.87	0.56
1:C:150:LEU:HD11	1:C:212:ALA:HB3	1.88	0.56
1:D:143:LEU:HD22	1:D:148:ARG:HD2	1.87	0.55
1:C:211:PRO:O	1:C:214:ARG:HD2	2.05	0.54
1:B:183:LYS:HE2	1:B:189:VAL:HB	1.89	0.54
1:B:118:TYR:O	1:B:143:LEU:HD23	2.09	0.52
1:A:119:LEU:HD21	1:A:263:MET:HE1	1.92	0.52
1:A:75:MET:HE3	1:A:79:ASP:HB3	1.92	0.51
1:D:200:MET:HB3	1:D:240:LEU:HD22	1.93	0.51
1:D:75:MET:O	1:D:80:MET:HE2	2.11	0.50
1:D:195:GLN:O	1:D:235:VAL:HG22	2.11	0.50
1:B:172:ASP:OD1	1:B:172:ASP:N	2.45	0.50
1:A:33:PRO:O	1:A:251:ASN:ND2	2.39	0.50
1:A:255:PRO:HA	1:A:258:GLN:HG3	1.94	0.49
1:C:102:ARG:NH1	1:D:31:ARG:HD2	2.28	0.49
1:B:200:MET:HE1	1:B:232:ILE:CD1	2.41	0.49
1:A:150:LEU:HD11	1:A:212:ALA:HB3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:241:GLN:HB2	1:D:244:GLU:HG3	1.95	0.49
1:C:195:GLN:OE1	1:C:203:LYS:NZ	2.47	0.48
1:D:198:GLN:O	1:D:202:GLU:HG3	2.13	0.48
1:B:255:PRO:HA	1:B:258:GLN:HG3	1.96	0.47
1:A:31:ARG:HH12	1:B:277:GLY:HA3	1.78	0.47
1:A:180:THR:O	1:A:184:LEU:HG	2.14	0.47
1:D:61:ILE:HD12	1:D:178:LEU:HD11	1.97	0.47
1:A:95:ALA:HA	2:F:1:A1AT6:C22	2.46	0.46
1:B:198:GLN:NE2	1:B:202:GLU:OE2	2.49	0.46
1:C:197:ALA:HA	1:C:200:MET:CE	2.47	0.45
1:B:73[B]:CYS:SG	1:B:121:PRO:HG2	2.56	0.45
1:D:143:LEU:HA	1:D:143:LEU:HD23	1.71	0.43
1:A:35:ARG:NH2	1:A:243:GLN:OE1	2.52	0.43
1:C:73[B]:CYS:SG	1:C:121:PRO:HG2	2.58	0.43
1:D:195:GLN:C	1:D:235:VAL:HG22	2.44	0.43
1:A:154:LEU:HD21	1:A:200:MET:HG2	2.00	0.42
1:B:142:ARG:NH1	1:B:217:ASP:OD2	2.52	0.42
1:B:150:LEU:HD11	1:B:212:ALA:HB3	2.01	0.42
1:C:149:GLY:HA2	1:C:216:THR:HB	2.00	0.42
1:B:200:MET:HE1	1:B:232:ILE:HD11	2.01	0.42
1:C:52:ARG:HA	1:C:58:SER:HA	2.02	0.42
1:C:51:MET:HE1	1:C:100:PHE:CD1	2.54	0.42
1:A:73[B]:CYS:SG	1:A:121:PRO:HG2	2.60	0.41
1:D:257:LEU:HD23	1:D:257:LEU:HA	1.88	0.41
1:D:119:LEU:HA	1:D:143:LEU:HD13	2.02	0.41
1:B:119:LEU:HA	1:B:143:LEU:HD23	2.01	0.41
1:D:51:MET:HE1	2:I:4:A1AT7:C27	2.51	0.41
1:A:159:PHE:CD2	1:A:235:VAL:HA	2.56	0.40
1:A:114:CYS:O	1:A:115:ARG:HG3	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:GLU:OE1	1:D:146:ARG:NH2[1_556]	2.07	0.13

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	237/282 (84%)	229 (97%)	8 (3%)	0	100	100
1	B	236/282 (84%)	229 (97%)	7 (3%)	0	100	100
1	C	236/282 (84%)	228 (97%)	8 (3%)	0	100	100
1	D	247/282 (88%)	242 (98%)	5 (2%)	0	100	100
2	F	1/5 (20%)	1 (100%)	0	0	100	100
2	G	1/5 (20%)	1 (100%)	0	0	100	100
2	H	1/5 (20%)	1 (100%)	0	0	100	100
2	I	1/5 (20%)	1 (100%)	0	0	100	100
All	All	960/1148 (84%)	932 (97%)	28 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/238 (82%)	193 (100%)	1 (0%)	81	79
1	B	197/238 (83%)	197 (100%)	0	100	100
1	C	195/238 (82%)	193 (99%)	2 (1%)	68	65
1	D	203/238 (85%)	202 (100%)	1 (0%)	81	79
All	All	789/952 (83%)	785 (100%)	4 (0%)	81	79

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	274	THR
1	C	143	LEU
1	C	144	GLN
1	D	135	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	213	HIS
1	C	253	ASN
1	D	253	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

16 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	UN1	F	2	2	8,9,10	0.95	0	5,10,12	1.45	0
2	A1AT7	G	4	2	14,14,15	7.45	11 (78%)	16,19,21	3.59	10 (62%)
2	UN1	H	2	2	8,9,10	0.86	0	5,10,12	1.71	1 (20%)
2	A1AT6	G	1	2	11,12,13	10.36	9 (81%)	13,16,18	5.96	12 (92%)
2	A1AT6	H	1	2	11,12,13	10.41	9 (81%)	13,16,18	6.14	11 (84%)
2	A1AT7	H	4	2	14,14,15	7.44	11 (78%)	16,19,21	3.57	11 (68%)
2	A1AT6	F	1	2	11,12,13	10.44	9 (81%)	13,16,18	5.97	12 (92%)
2	UN1	G	2	2	8,9,10	0.95	0	5,10,12	1.77	1 (20%)
2	ASJ	I	5	2,1	7,7,7	0.86	0	5,8,8	1.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
2	ASJ	F	5	2,1	7,7,7	0.84	0	5,8,8	1.45	1 (20%)
2	ASJ	H	5	2,1	7,7,7	0.83	0	5,8,8	1.45	1 (20%)
2	UN1	I	2	2	8,9,10	0.90	0	5,10,12	1.67	1 (20%)
2	ASJ	G	5	2,1	7,7,7	0.83	0	5,8,8	1.34	0
2	A1AT7	I	4	2	14,14,15	7.46	10 (71%)	16,19,21	3.61	11 (68%)
2	A1AT7	F	4	2	14,14,15	7.44	11 (78%)	16,19,21	3.55	11 (68%)
2	A1AT6	I	1	2	11,12,13	10.35	9 (81%)	13,16,18	6.07	11 (84%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UN1	F	2	2	-	4/7/8/10	-
2	A1AT7	G	4	2	-	0/0/12/14	0/2/2/2
2	UN1	H	2	2	-	4/7/8/10	-
2	A1AT6	G	1	2	-	0/0/10/12	0/2/2/2
2	A1AT6	H	1	2	-	0/0/10/12	0/2/2/2
2	A1AT7	H	4	2	-	0/0/12/14	0/2/2/2
2	A1AT6	F	1	2	-	0/0/10/12	0/2/2/2
2	UN1	G	2	2	-	3/7/8/10	-
2	ASJ	I	5	2,1	-	3/6/6/6	-
2	ASJ	F	5	2,1	-	4/6/6/6	-
2	ASJ	H	5	2,1	-	2/6/6/6	-
2	UN1	I	2	2	-	5/7/8/10	-
2	ASJ	G	5	2,1	-	3/6/6/6	-
2	A1AT7	I	4	2	-	0/0/12/14	0/2/2/2
2	A1AT7	F	4	2	-	0/0/12/14	0/2/2/2
2	A1AT6	I	1	2	-	0/0/10/12	0/2/2/2

All (79) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	1	A1AT6	C23-C18	17.00	1.67	1.39
2	F	1	A1AT6	C19-N	16.94	1.67	1.39
2	H	1	A1AT6	C19-N	16.92	1.67	1.39
2	I	1	A1AT6	C23-C18	16.88	1.66	1.39
2	G	1	A1AT6	C23-C18	16.83	1.66	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1	A1AT6	C23-C18	16.82	1.66	1.39
2	G	1	A1AT6	C19-N	16.79	1.67	1.39
2	I	1	A1AT6	C19-N	16.76	1.67	1.39
2	I	4	A1AT7	C23-C20	15.78	1.67	1.40
2	G	4	A1AT7	C23-C20	15.73	1.67	1.40
2	H	4	A1AT7	C23-C20	15.73	1.67	1.40
2	F	1	A1AT6	CB-CA	-15.71	1.36	1.53
2	F	4	A1AT7	C23-C20	15.63	1.67	1.40
2	G	1	A1AT6	CB-CA	-15.41	1.36	1.53
2	I	1	A1AT6	CB-CA	-15.26	1.36	1.53
2	H	1	A1AT6	CB-CA	-15.24	1.36	1.53
2	F	4	A1AT7	CB-CA	13.43	1.68	1.51
2	H	1	A1AT6	C19-C18	13.42	1.51	1.39
2	I	4	A1AT7	CB-CA	13.40	1.68	1.51
2	I	1	A1AT6	C19-C18	13.38	1.51	1.39
2	F	1	A1AT6	C19-C18	13.37	1.51	1.39
2	H	4	A1AT7	CB-CA	13.32	1.68	1.51
2	G	4	A1AT7	CB-CA	13.30	1.67	1.51
2	G	1	A1AT6	C19-C18	13.18	1.51	1.39
2	H	4	A1AT7	C27-C26	-9.00	1.24	1.38
2	F	4	A1AT7	C27-C26	-8.89	1.24	1.38
2	I	4	A1AT7	C27-C26	-8.87	1.24	1.38
2	G	4	A1AT7	C27-C26	-8.71	1.24	1.38
2	G	1	A1AT6	CB-C18	-8.53	1.35	1.50
2	F	1	A1AT6	CB-C18	-8.48	1.35	1.50
2	H	1	A1AT6	CB-C18	-8.36	1.36	1.50
2	I	1	A1AT6	CB-C18	-8.29	1.36	1.50
2	G	4	A1AT7	C27-CB	8.24	1.49	1.39
2	H	4	A1AT7	C27-CB	8.23	1.49	1.39
2	F	4	A1AT7	C27-CB	8.22	1.49	1.39
2	I	4	A1AT7	C27-CB	8.13	1.49	1.39
2	I	1	A1AT6	C21-C20	-8.01	1.25	1.38
2	H	1	A1AT6	C21-C20	-7.96	1.25	1.38
2	G	1	A1AT6	C21-C20	-7.95	1.25	1.38
2	F	1	A1AT6	C21-C20	-7.91	1.25	1.38
2	F	4	A1AT7	C20-C21	-7.72	1.28	1.44
2	G	4	A1AT7	C20-C21	-7.58	1.28	1.44
2	H	4	A1AT7	C20-C21	-7.50	1.28	1.44
2	I	4	A1AT7	C20-C21	-7.45	1.28	1.44
2	G	4	A1AT7	CA-C	-6.52	1.40	1.51
2	I	4	A1AT7	C20-CB	6.49	1.47	1.40
2	G	4	A1AT7	C20-CB	6.43	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	4	A1AT7	CA-C	-6.36	1.40	1.51
2	H	4	A1AT7	CA-C	-6.27	1.40	1.51
2	F	4	A1AT7	C20-CB	6.23	1.47	1.40
2	H	4	A1AT7	C20-CB	6.23	1.47	1.40
2	F	4	A1AT7	CA-C	-6.17	1.40	1.51
2	F	4	A1AT7	C26-C24	-5.88	1.25	1.38
2	I	4	A1AT7	C26-C24	-5.85	1.25	1.38
2	G	4	A1AT7	C26-C24	-5.85	1.25	1.38
2	H	4	A1AT7	C26-C24	-5.80	1.25	1.38
2	H	1	A1AT6	C20-C19	5.46	1.48	1.39
2	F	1	A1AT6	C20-C19	5.44	1.48	1.39
2	I	1	A1AT6	C20-C19	5.42	1.48	1.39
2	G	1	A1AT6	C20-C19	5.27	1.48	1.39
2	G	1	A1AT6	C22-C21	-4.83	1.27	1.38
2	F	1	A1AT6	C22-C21	-4.77	1.27	1.38
2	I	1	A1AT6	C22-C21	-4.76	1.27	1.38
2	H	1	A1AT6	C22-C21	-4.76	1.27	1.38
2	H	1	A1AT6	CA-N	4.24	1.51	1.46
2	I	1	A1AT6	CA-N	4.12	1.51	1.46
2	G	1	A1AT6	CA-N	4.05	1.51	1.46
2	F	1	A1AT6	CA-N	3.99	1.51	1.46
2	G	4	A1AT7	C22-C21	-3.98	1.26	1.35
2	I	4	A1AT7	C22-C21	-3.90	1.26	1.35
2	H	4	A1AT7	C22-C21	-3.90	1.26	1.35
2	F	4	A1AT7	C22-C21	-3.81	1.26	1.35
2	I	4	A1AT7	CA-N	3.60	1.53	1.46
2	G	4	A1AT7	CA-N	3.51	1.53	1.46
2	H	4	A1AT7	CA-N	3.41	1.53	1.46
2	F	4	A1AT7	CA-N	3.27	1.52	1.46
2	H	4	A1AT7	C22-N	2.19	1.37	1.34
2	F	4	A1AT7	C22-N	2.17	1.37	1.34
2	G	4	A1AT7	C22-N	2.02	1.37	1.34

All (94) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	I	1	A1AT6	C23-C18-C19	-11.10	114.07	119.67
2	H	1	A1AT6	C23-C18-C19	-10.30	114.48	119.67
2	G	1	A1AT6	C23-C18-C19	-10.16	114.55	119.67
2	H	1	A1AT6	C20-C19-N	10.03	141.57	127.98
2	F	1	A1AT6	C20-C19-N	9.90	141.40	127.98
2	F	1	A1AT6	C23-C18-C19	-9.70	114.78	119.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	G	1	A1AT6	C20-C19-N	9.68	141.10	127.98
2	I	1	A1AT6	C20-C19-N	9.64	141.04	127.98
2	H	1	A1AT6	C18-C19-N	-7.33	103.52	110.84
2	H	4	A1AT7	C20-C23-C24	-7.19	112.84	122.64
2	I	1	A1AT6	C18-C19-N	-7.17	103.67	110.84
2	I	4	A1AT7	C20-C23-C24	-7.15	112.90	122.64
2	F	4	A1AT7	C20-C23-C24	-7.14	112.92	122.64
2	G	4	A1AT7	C20-C23-C24	-7.03	113.06	122.64
2	H	1	A1AT6	CB-C18-C23	6.88	142.05	129.17
2	F	1	A1AT6	C18-C19-N	-6.87	103.97	110.84
2	I	1	A1AT6	CB-C18-C23	6.85	142.00	129.17
2	I	4	A1AT7	C26-C24-C23	6.82	128.02	117.96
2	H	4	A1AT7	C26-C24-C23	6.81	128.00	117.96
2	G	1	A1AT6	CB-C18-C23	6.71	141.74	129.17
2	G	1	A1AT6	C18-C19-N	-6.70	104.14	110.84
2	F	4	A1AT7	C26-C24-C23	6.67	127.79	117.96
2	G	4	A1AT7	C26-C24-C23	6.64	127.75	117.96
2	F	1	A1AT6	CB-C18-C23	6.53	141.40	129.17
2	F	1	A1AT6	C20-C19-C18	-6.20	114.62	122.12
2	H	1	A1AT6	CB-C18-C19	-6.18	103.47	109.78
2	G	1	A1AT6	C20-C19-C18	-6.09	114.76	122.12
2	H	1	A1AT6	C20-C19-C18	-5.96	114.91	122.12
2	G	1	A1AT6	CB-C18-C19	-5.94	103.72	109.78
2	F	1	A1AT6	CB-C18-C19	-5.84	103.82	109.78
2	I	1	A1AT6	CB-C18-C19	-5.74	103.92	109.78
2	I	1	A1AT6	C20-C19-C18	-5.65	115.29	122.12
2	F	1	A1AT6	C22-C23-C18	-5.19	113.28	120.88
2	I	1	A1AT6	C21-C22-C23	5.18	126.63	120.24
2	H	1	A1AT6	C22-C23-C18	-5.15	113.33	120.88
2	G	4	A1AT7	C27-CB-C20	-5.13	114.64	119.41
2	H	1	A1AT6	C21-C22-C23	5.11	126.55	120.24
2	F	1	A1AT6	C21-C22-C23	5.05	126.47	120.24
2	G	1	A1AT6	C22-C23-C18	-5.02	113.53	120.88
2	I	1	A1AT6	C22-C23-C18	-5.01	113.55	120.88
2	F	4	A1AT7	C27-CB-C20	-4.97	114.79	119.41
2	I	4	A1AT7	C27-CB-C20	-4.95	114.81	119.41
2	G	1	A1AT6	C21-C22-C23	4.81	126.17	120.24
2	H	1	A1AT6	C19-N-CA	-4.79	102.19	107.70
2	G	1	A1AT6	C22-C21-C20	4.68	126.01	120.24
2	F	1	A1AT6	C22-C21-C20	4.58	125.89	120.24
2	H	1	A1AT6	C22-C21-C20	4.57	125.88	120.24
2	H	4	A1AT7	C27-CB-C20	-4.52	115.20	119.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	F	1	A1AT6	C19-N-CA	-4.36	102.68	107.70
2	I	1	A1AT6	C22-C21-C20	4.35	125.61	120.24
2	G	4	A1AT7	C27-CB-CA	4.30	127.84	119.75
2	I	4	A1AT7	C27-CB-CA	4.21	127.66	119.75
2	F	4	A1AT7	C27-CB-CA	4.00	127.28	119.75
2	H	4	A1AT7	C23-C20-CB	-4.00	114.38	118.86
2	G	1	A1AT6	C19-N-CA	-3.99	103.11	107.70
2	G	4	A1AT7	C25-C24-C23	-3.96	115.56	120.92
2	I	1	A1AT6	C19-N-CA	-3.92	103.19	107.70
2	I	4	A1AT7	C23-C20-CB	-3.90	114.49	118.86
2	H	4	A1AT7	C27-CB-CA	3.84	126.97	119.75
2	I	4	A1AT7	C25-C24-C23	-3.80	115.78	120.92
2	G	4	A1AT7	C23-C20-CB	-3.77	114.63	118.86
2	F	4	A1AT7	C23-C20-CB	-3.76	114.65	118.86
2	H	4	A1AT7	C25-C24-C23	-3.61	116.03	120.92
2	F	4	A1AT7	C25-C24-C23	-3.50	116.19	120.92
2	H	4	A1AT7	C20-C21-C22	3.44	125.24	120.96
2	F	4	A1AT7	C27-C26-C24	3.14	125.00	121.37
2	I	4	A1AT7	CB-CA-N	-3.12	98.63	110.09
2	G	1	A1AT6	C21-C20-C19	3.09	124.98	118.69
2	F	1	A1AT6	C21-C20-C19	3.09	124.97	118.69
2	H	4	A1AT7	C27-C26-C24	3.08	124.92	121.37
2	G	4	A1AT7	C27-C26-C24	3.07	124.91	121.37
2	H	1	A1AT6	C21-C20-C19	3.03	124.86	118.69
2	I	1	A1AT6	C21-C20-C19	3.03	124.86	118.69
2	I	4	A1AT7	C27-C26-C24	2.94	124.76	121.37
2	G	2	UN1	C6-C1-C1'	-2.93	106.86	114.51
2	G	4	A1AT7	C20-C21-C22	2.84	124.49	120.96
2	G	4	A1AT7	CB-CA-N	-2.66	100.31	110.09
2	F	4	A1AT7	C20-C21-C22	2.62	124.22	120.96
2	H	2	UN1	C6-C1-C1'	-2.45	108.12	114.51
2	F	4	A1AT7	CB-CA-N	-2.44	101.11	110.09
2	I	4	A1AT7	C20-C21-C22	2.43	123.99	120.96
2	F	1	A1AT6	CB-CA-N	2.38	104.17	101.22
2	I	4	A1AT7	C26-C27-CB	2.36	125.03	121.12
2	G	4	A1AT7	C26-C27-CB	2.34	125.00	121.12
2	F	4	A1AT7	C26-C27-CB	2.25	124.85	121.12
2	G	1	A1AT6	CB-CA-N	2.18	103.93	101.22
2	I	2	UN1	C6-C1-C1'	-2.17	108.84	114.51
2	F	4	A1AT7	C23-C20-C21	2.17	126.87	122.88
2	H	4	A1AT7	C23-C20-C21	2.14	126.83	122.88
2	H	4	A1AT7	C26-C27-CB	2.14	124.66	121.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	F	5	ASJ	CB-CA-C	-2.13	108.36	112.21
2	I	4	A1AT7	C23-C20-C21	2.11	126.76	122.88
2	H	5	ASJ	CB-CA-C	-2.07	108.47	112.21
2	H	4	A1AT7	CB-CA-N	-2.06	102.53	110.09

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	2	UN1	C6-C5-CA-C
2	F	2	UN1	C6-C5-CA-N
2	G	2	UN1	O-C-CA-C5
2	G	2	UN1	C6-C5-CA-C
2	H	2	UN1	C6-C5-CA-C
2	H	2	UN1	C6-C5-CA-N
2	I	2	UN1	C6-C5-CA-C
2	I	2	UN1	C6-C5-CA-N
2	F	5	ASJ	O-C-CA-N
2	F	5	ASJ	O-C-CA-CB
2	F	5	ASJ	C-CA-CB-CG
2	F	5	ASJ	N-CA-CB-CG
2	G	5	ASJ	O-C-CA-N
2	G	5	ASJ	O-C-CA-CB
2	G	5	ASJ	N-CA-CB-CG
2	H	5	ASJ	O-C-CA-N
2	H	5	ASJ	O-C-CA-CB
2	I	5	ASJ	O-C-CA-N
2	I	5	ASJ	O-C-CA-CB
2	I	5	ASJ	N-CA-CB-CG
2	H	2	UN1	CA-C5-C6-C1
2	I	2	UN1	CA-C5-C6-C1
2	H	2	UN1	C1'-C1-C6-C5
2	F	2	UN1	C6-C1-C1'-O2'
2	F	2	UN1	C6-C1-C1'-O1'
2	I	2	UN1	C6-C1-C1'-O2'
2	I	2	UN1	C6-C1-C1'-O1'
2	G	2	UN1	CA-C5-C6-C1

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	1	A1AT6	1	0
2	F	1	A1AT6	2	0
2	I	4	A1AT7	1	0

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	238/282 (84%)	0.63	13 (5%) 30 39	11, 28, 46, 62	3 (1%)
1	B	238/282 (84%)	0.56	17 (7%) 22 29	9, 26, 45, 59	4 (1%)
1	C	237/282 (84%)	0.63	13 (5%) 30 39	9, 28, 47, 63	3 (1%)
1	D	249/282 (88%)	0.47	8 (3%) 50 60	8, 24, 43, 56	2 (0%)
2	F	1/5 (20%)	2.62	1 (100%) 0 0	43, 43, 43, 43	0
2	G	1/5 (20%)	0.69	0 100 100	31, 31, 31, 31	0
2	H	1/5 (20%)	1.84	0 100 100	46, 46, 46, 46	0
2	I	1/5 (20%)	0.57	0 100 100	34, 34, 34, 34	0
All	All	966/1148 (84%)	0.58	52 (5%) 31 40	8, 27, 45, 63	12 (1%)

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	55	LYS	4.4
1	B	135	THR	4.2
1	C	98	THR	3.6
1	C	95	ALA	3.5
1	C	55	LYS	3.4
1	B	161	GLY	3.3
1	A	137	PHE	3.2
1	B	184	LEU	3.0
1	A	99	GLU	3.0
1	A	54	THR	3.0
1	D	49	ALA	2.9
1	A	143	LEU	2.8
1	C	94	TYR	2.8
1	B	160	THR	2.8
1	D	244	GLU	2.7
1	B	164	GLU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	273	GLU	2.6
2	F	3	GLY	2.6
1	C	214	ARG	2.6
1	A	136	HIS	2.6
1	A	121	PRO	2.5
1	B	137	PHE	2.5
1	D	274	THR	2.5
1	D	30	MET	2.5
1	B	100	PHE	2.4
1	D	273	GLU	2.4
1	D	163	LYS	2.4
1	D	97	GLY	2.4
1	B	139	LEU	2.3
1	A	144	GLN	2.3
1	A	97	GLY	2.3
1	B	138	GLN	2.3
1	B	163	LYS	2.3
1	D	100	PHE	2.3
1	B	151	ALA	2.3
1	B	157[A]	VAL	2.3
1	C	139	LEU	2.3
1	B	136	HIS	2.2
1	C	54	THR	2.2
1	C	192	LEU	2.2
1	A	139	LEU	2.2
1	C	96	PRO	2.2
1	C	274	THR	2.1
1	C	142	ARG	2.1
1	B	99	GLU	2.1
1	C	281	GLN	2.1
1	B	154	LEU	2.1
1	B	54	THR	2.0
1	C	97	GLY	2.0
1	A	140	ALA	2.0
1	A	30	MET	2.0
1	A	100	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	A1AT6	F	1	11/12	0.65	0.23	59,64,72,73	0
2	A1AT6	G	1	11/12	0.81	0.14	37,41,51,51	0
2	ASJ	H	5	8/8	0.81	0.13	37,41,46,50	0
2	A1AT7	H	4	13/14	0.83	0.15	43,48,54,61	0
2	A1AT6	H	1	11/12	0.85	0.14	45,52,55,56	0
2	A1AT6	I	1	11/12	0.85	0.12	38,43,45,48	0
2	ASJ	F	5	8/8	0.87	0.10	32,35,39,40	0
2	A1AT7	G	4	13/14	0.87	0.13	31,36,42,46	0
2	UN1	H	2	10/11	0.88	0.11	38,44,51,52	0
2	ASJ	G	5	8/8	0.88	0.11	32,36,41,41	0
2	A1AT7	F	4	13/14	0.88	0.12	32,41,48,49	0
2	UN1	F	2	10/11	0.89	0.10	30,39,49,55	0
2	UN1	I	2	10/11	0.90	0.09	31,37,41,43	0
2	ASJ	I	5	8/8	0.91	0.10	28,38,42,44	0
2	UN1	G	2	10/11	0.92	0.08	21,27,31,37	0
2	A1AT7	I	4	13/14	0.92	0.11	33,37,44,48	0

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.