



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 30, 2026 – 06:07 PM EDT

PDB ID : 9ZGB / pdb_00009zgb
Title : Crystal structure of VRC42.01 Fab in complex with HIV-1 gp41 MPER peptide and phosphatidic acid (06:0 PA)
Authors : Cho, S.Y.; Wilson, I.A.
Deposited on : 2025-12-02
Resolution : 3.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1070 (3.50-3.42)
Clashscore	190562	1128 (3.50-3.42)
Ramachandran outliers	187476	1101 (3.50-3.42)
Sidechain outliers	187428	1102 (3.50-3.42)
RSRZ outliers	180081	1070 (3.50-3.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	
2	B	213	
3	C	19	

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 6577 atoms, of which 3181 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Antibody VRC42.01 Fab heavy chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	225	3248	1047	1598	276	319	8	0	0	0

- Molecule 2 is a protein called Antibody VRC42.01 Fab light chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	B	211	3033	979	1464	271	315	4	0	0	0

- Molecule 3 is a protein called Transmembrane protein gp41.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	H	N	O			
3	C	18	275	106	119	26	24	0	0	0

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	668	LYS	-	expression tag	UNP Q73372
C	669	LYS	-	expression tag	UNP Q73372
C	670	LYS	-	expression tag	UNP Q73372
C	684	LYS	-	expression tag	UNP Q73372
C	685	LYS	-	expression tag	UNP Q73372
C	686	LYS	-	expression tag	UNP Q73372

- Molecule 4 is (2R)-3-(phosphonoxy)propane-1,2-diyl dihexanoate (CCD ID: 44E) (formula: C₁₅H₂₉O₈P) (labeled as "Ligand of Interest" by depositor).


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Antibody VRC42.01 Fab heavy chain



- Molecule 2: Antibody VRC42.01 Fab light chain



- Molecule 3: Transmembrane protein gp41



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	74.40Å 128.38Å 207.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.01 – 3.45 35.01 – 3.45	Depositor EDS
% Data completeness (in resolution range)	98.2 (35.01-3.45) 98.3 (35.01-3.45)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.04 (at 3.48Å)	Xtrriage
Refinement program	PHENIX 1.21.2_5419	Depositor
R, R_{free}	0.227 , 0.269 0.226 , 0.268	Depositor DCC
R_{free} test set	669 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	59.7	Xtrriage
Anisotropy	1.161	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 57.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	6577	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 44E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/1694	0.93	0/2309
2	B	0.70	0/1604	0.92	0/2181
3	C	0.98	0/163	1.11	0/225
All	All	0.71	0/3461	0.93	0/4715

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	3
All	All	0	4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	106	GLY	Peptide
2	B	138	ASN	Peptide
2	B	193	ALA	Peptide
2	B	44	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1650	1598	1604	72	0
2	B	1569	1464	1464	87	0
3	C	156	119	126	16	0
4	A	21	0	14	7	0
All	All	3396	3181	3208	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:301:44E:H5	3:C:683:ARG:HH12	1.36	0.90
1:A:33:THR:HG23	3:C:676:THR:HG23	1.67	0.76
4:A:301:44E:H5	3:C:683:ARG:NH1	1.99	0.76
1:A:53:LEU:HD23	3:C:679:LEU:HD13	1.73	0.70
2:B:139:PHE:HB3	2:B:173:TYR:O	1.95	0.66
2:B:10:THR:HG22	2:B:11:LEU:H	1.62	0.63
2:B:8:PRO:HG3	2:B:11:LEU:HD12	1.81	0.63
2:B:13:LEU:HD22	2:B:17:GLU:OE1	1.98	0.63
2:B:115:VAL:HA	2:B:135:LEU:O	2.00	0.62
1:A:19:LYS:HA	1:A:80:MET:O	2.00	0.62
1:A:33:THR:HG23	3:C:676:THR:CG2	2.31	0.61
2:B:104:VAL:HG12	2:B:104:VAL:O	1.99	0.61
2:B:32:ASN:HB3	2:B:91:TYR:CD2	2.36	0.60
1:A:148:GLU:HB3	1:A:149:PRO:HA	1.84	0.60
2:B:38:HIS:O	2:B:40:PRO:HD3	2.02	0.60
2:B:47:LEU:O	2:B:48:ILE:HG13	2.02	0.59
2:B:83:PHE:CD1	2:B:104:VAL:HG12	2.37	0.58
2:B:145:LYS:HB3	2:B:197:THR:HB	1.84	0.58
1:A:16:SER:O	1:A:82(C):LEU:HG	2.04	0.58
2:B:150:VAL:O	2:B:153:ALA:HB3	2.04	0.58
1:A:205:THR:HG22	1:A:207:VAL:HG23	1.86	0.57
1:A:132:SER:HB3	1:A:135:THR:HG23	1.86	0.56
1:A:51:ILE:HA	1:A:56:LEU:O	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:124:GLN:HG2	2:B:129:THR:HG23	1.87	0.56
2:B:140:TYR:HB3	2:B:141:PRO:HD3	1.87	0.56
2:B:83:PHE:HD1	2:B:104:VAL:HG12	1.71	0.56
2:B:149:LYS:HA	2:B:153:ALA:O	2.05	0.56
2:B:33:LEU:HD22	2:B:71:PHE:CG	2.41	0.55
2:B:61:ARG:CZ	2:B:79:GLU:HG3	2.37	0.55
2:B:187:GLU:HA	2:B:187:GLU:OE1	2.07	0.55
1:A:31:THR:O	3:C:676:THR:HG22	2.07	0.55
1:A:165:THR:HG23	1:A:180:SER:HB2	1.89	0.55
1:A:30:SER:CB	1:A:53:LEU:HD13	2.37	0.54
1:A:30:SER:HA	1:A:52(A):PRO:HG2	1.89	0.54
1:A:205:THR:CG2	1:A:207:VAL:HG23	2.36	0.54
2:B:131:SER:HA	2:B:179:LEU:O	2.06	0.54
2:B:117:ILE:HD13	2:B:207:PHE:HD2	1.73	0.54
2:B:33:LEU:HG	2:B:34:ALA:N	2.22	0.54
2:B:134:CYS:HB2	2:B:148:TRP:CZ2	2.43	0.54
2:B:179:LEU:O	2:B:179:LEU:HD23	2.07	0.54
1:A:4:LEU:HD23	1:A:22:CYS:SG	2.48	0.53
1:A:34:LEU:HD21	1:A:92:CYS:HB2	1.90	0.53
1:A:52:ILE:HD12	1:A:56:LEU:HB3	1.89	0.53
1:A:94:ARG:O	1:A:95:GLU:C	2.51	0.53
2:B:35:TRP:CE3	2:B:73:LEU:HD22	2.44	0.52
1:A:195:ILE:HD12	1:A:195:ILE:N	2.25	0.51
2:B:13:LEU:HD22	2:B:17:GLU:CD	2.35	0.51
2:B:191:VAL:HA	2:B:208:ASN:OD1	2.10	0.51
2:B:6:GLN:OE1	2:B:101:GLY:HA2	2.11	0.51
2:B:4:LEU:HD13	2:B:23:CYS:SG	2.51	0.51
2:B:192:TYR:HB2	2:B:207:PHE:CE2	2.46	0.51
2:B:175:LEU:HD12	2:B:176:SER:H	1.74	0.51
2:B:150:VAL:HG22	2:B:192:TYR:HD1	1.76	0.50
1:A:18:LEU:O	1:A:81:GLU:HA	2.11	0.50
1:A:148:GLU:OE1	1:A:176:TYR:CE2	2.65	0.50
1:A:24:ALA:HB3	1:A:76:ASN:HB3	1.94	0.49
1:A:33:THR:HG22	1:A:52:ILE:HG13	1.94	0.49
1:A:144:ASP:O	1:A:175:LEU:HB3	2.11	0.49
2:B:74:THR:C	2:B:75:ILE:HD12	2.36	0.49
2:B:124:GLN:CG	2:B:129:THR:HG23	2.42	0.49
2:B:4:LEU:HD13	2:B:88:CYS:SG	2.52	0.49
2:B:158:ASN:O	2:B:179:LEU:HA	2.13	0.49
1:A:123:PRO:HB3	1:A:211:VAL:HG22	1.94	0.49
2:B:70:ASP:OD1	2:B:70:ASP:C	2.55	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:PRO:HG3	1:A:189:LEU:HD21	1.94	0.49
1:A:49:GLY:HA3	1:A:58:ASN:O	2.12	0.49
3:C:680:TRP:CD2	3:C:680:TRP:C	2.92	0.48
2:B:37:GLN:HG2	2:B:37:GLN:O	2.14	0.48
2:B:80:PRO:HA	2:B:83:PHE:HD2	1.78	0.48
1:A:141:LEU:HD12	1:A:179:SER:HB3	1.95	0.47
2:B:183:LYS:HG2	2:B:183:LYS:O	2.14	0.47
1:A:67:VAL:HG12	1:A:68:THR:N	2.29	0.47
1:A:178:LEU:C	1:A:178:LEU:HD12	2.39	0.47
2:B:80:PRO:HA	2:B:83:PHE:CD2	2.49	0.47
3:C:671:ASN:HB3	3:C:673:PHE:H	1.80	0.47
1:A:6:GLN:HG2	1:A:92:CYS:SG	2.55	0.47
1:A:23:LYS:NZ	1:A:75:THR:O	2.47	0.47
2:B:186:TYR:C	2:B:186:TYR:CD1	2.93	0.47
1:A:59:TYR:CE1	1:A:69:PHE:CE2	3.02	0.47
1:A:83:ARG:O	1:A:111:VAL:HG11	2.15	0.47
2:B:47:LEU:HD23	2:B:58:ILE:HD12	1.97	0.47
2:B:49:TYR:C	2:B:51:ALA:H	2.22	0.47
1:A:33:THR:CG2	1:A:52:ILE:HG13	2.45	0.47
2:B:7:SER:O	2:B:22:SER:HB3	2.15	0.47
1:A:58:ASN:HB2	3:C:672:TRP:CE2	2.50	0.47
1:A:58:ASN:HB2	3:C:672:TRP:CD2	2.50	0.46
2:B:34:ALA:O	2:B:88:CYS:HA	2.15	0.46
2:B:183:LYS:O	2:B:187:GLU:HG2	2.15	0.46
1:A:146:PHE:CZ	1:A:147:PRO:HG3	2.50	0.46
2:B:137:ASN:OD1	2:B:138:ASN:N	2.48	0.46
2:B:10:THR:HG22	2:B:11:LEU:N	2.30	0.46
2:B:124:GLN:O	2:B:127:SER:HB2	2.16	0.46
3:C:672:TRP:HA	3:C:675:ILE:HD12	1.98	0.46
1:A:200:HIS:CD2	1:A:202:PRO:HD2	2.51	0.46
2:B:34:ALA:HA	2:B:48:ILE:O	2.16	0.46
1:A:112:SER:HB3	1:A:146:PHE:CZ	2.51	0.46
4:A:301:44E:H5	3:C:683:ARG:CZ	2.46	0.46
1:A:22:CYS:O	1:A:77:THR:HA	2.16	0.45
2:B:28:VAL:HG11	2:B:32:ASN:O	2.17	0.45
2:B:193:ALA:HB2	2:B:206:SER:HB3	1.98	0.45
1:A:87:THR:HG23	1:A:110:THR:HA	1.98	0.45
1:A:210:ARG:HD2	1:A:212:GLU:OE1	2.17	0.45
1:A:19:LYS:HD2	4:A:302:44E:H12	1.99	0.44
1:A:38:ARG:HG3	1:A:39:GLN:N	2.32	0.44
4:A:301:44E:H5	3:C:683:ARG:HH22	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:115:VAL:HG21	2:B:196:VAL:HG21	1.98	0.44
2:B:6:GLN:HA	2:B:22:SER:O	2.17	0.44
1:A:30:SER:HB3	1:A:53:LEU:HD13	1.98	0.44
2:B:23:CYS:HB2	2:B:35:TRP:CH2	2.53	0.44
2:B:170:ASP:O	2:B:171:SER:C	2.60	0.44
1:A:28:SER:HA	4:A:301:44E:H12	2.00	0.44
1:A:201:LYS:N	1:A:202:PRO:CD	2.80	0.44
3:C:671:ASN:C	3:C:673:PHE:N	2.75	0.44
1:A:30:SER:CB	1:A:53:LEU:HB2	2.48	0.44
2:B:148:TRP:HB2	2:B:155:GLN:HB2	2.00	0.44
1:A:38:ARG:CG	1:A:39:GLN:N	2.81	0.43
2:B:110:VAL:HG13	2:B:141:PRO:HG3	1.99	0.43
2:B:150:VAL:HG13	2:B:191:VAL:O	2.18	0.43
2:B:179:LEU:HD23	2:B:179:LEU:C	2.43	0.43
1:A:59:TYR:HE1	1:A:69:PHE:CE2	2.36	0.43
1:A:138:LEU:HD11	1:A:194:TYR:CD2	2.53	0.43
2:B:160:GLN:O	2:B:177:SER:HA	2.18	0.43
4:A:301:44E:H5	3:C:683:ARG:NH2	2.34	0.43
2:B:124:GLN:HG2	2:B:129:THR:O	2.18	0.43
2:B:15:PRO:HG3	2:B:83:PHE:HE2	1.84	0.43
1:A:35:SER:HA	1:A:50:GLY:CA	2.49	0.42
1:A:50:GLY:O	1:A:57:PRO:HA	2.18	0.42
2:B:59:PRO:HG2	2:B:61:ARG:NH2	2.32	0.42
1:A:70:SER:OG	1:A:79:TYR:HB2	2.18	0.42
2:B:14:SER:O	2:B:17:GLU:HG3	2.19	0.42
2:B:166:GLN:HG2	2:B:173:TYR:CZ	2.54	0.42
2:B:79:GLU:O	2:B:82:ASP:HB2	2.19	0.42
2:B:115:VAL:O	2:B:205:LYS:HD3	2.20	0.42
2:B:121:SER:HB2	2:B:124:GLN:H	1.85	0.42
2:B:147:GLN:O	2:B:194:CYS:HA	2.19	0.42
1:A:59:TYR:CE1	1:A:69:PHE:CD2	3.08	0.42
1:A:23:LYS:HE2	1:A:77:THR:OG1	2.19	0.42
2:B:7:SER:HA	2:B:8:PRO:O	2.20	0.42
2:B:159:SER:HA	2:B:178:THR:O	2.20	0.42
1:A:146:PHE:CE1	1:A:147:PRO:HG3	2.55	0.42
3:C:680:TRP:CD2	3:C:680:TRP:O	2.73	0.42
1:A:101:GLY:HA2	2:B:46:LEU:HD23	2.02	0.41
1:A:127:SER:OG	1:A:130:SER:CB	2.68	0.41
2:B:29:ARG:O	2:B:31:SER:N	2.53	0.41
1:A:59:TYR:HE1	1:A:69:PHE:CD2	2.39	0.41
2:B:108:ARG:HG2	2:B:140:TYR:CE1	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:148:TRP:O	2:B:155:GLN:HB2	2.20	0.41
1:A:49:GLY:CA	1:A:58:ASN:O	2.69	0.41
1:A:145:TYR:CE1	1:A:176:TYR:HB2	2.56	0.41
2:B:135:LEU:HD12	2:B:136:LEU:H	1.86	0.41
1:A:168:ALA:HB2	1:A:178:LEU:HD23	2.02	0.41
1:A:175:LEU:N	1:A:175:LEU:HD22	2.35	0.41
2:B:193:ALA:HB1	2:B:205:LYS:O	2.21	0.41
1:A:30:SER:HB2	1:A:53:LEU:HD13	2.03	0.41
2:B:139:PHE:HZ	2:B:144:ALA:HB2	1.85	0.41
1:A:61:PRO:HA	1:A:64:GLN:HB2	2.02	0.40
1:A:182:VAL:HG22	1:A:183:THR:N	2.36	0.40
2:B:175:LEU:HD12	2:B:176:SER:N	2.35	0.40
2:B:21:LEU:O	2:B:72:THR:HG23	2.21	0.40
2:B:39:LYS:HB3	2:B:39:LYS:HE2	1.88	0.40
2:B:48:ILE:HA	2:B:53:SER:O	2.20	0.40
1:A:124:LEU:HB2	1:A:139:GLY:CA	2.51	0.40
1:A:126:PRO:HD3	1:A:138:LEU:HD23	2.03	0.40
2:B:37:GLN:HB2	2:B:47:LEU:HD11	2.03	0.40
1:A:13:LYS:O	1:A:14:PRO:C	2.64	0.40
1:A:137:ALA:O	2:B:118:PHE:CZ	2.75	0.40
2:B:130:ALA:HB3	2:B:182:SER:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	223/228 (98%)	192 (86%)	30 (14%)	1 (0%)	30	62
2	B	209/213 (98%)	180 (86%)	29 (14%)	0	100	100
3	C	16/19 (84%)	13 (81%)	3 (19%)	0	100	100
All	All	448/460 (97%)	385 (86%)	62 (14%)	1 (0%)	43	74

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	98	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/189 (95%)	176 (98%)	3 (2%)	53	70
2	B	167/183 (91%)	166 (99%)	1 (1%)	78	80
3	C	13/19 (68%)	12 (92%)	1 (8%)	12	38
All	All	359/391 (92%)	354 (99%)	5 (1%)	59	72

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	SER
1	A	33	THR
1	A	175	LEU
2	B	121	SER
3	C	676	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	44E	A	302	-	10,10,23	1.08	1 (10%)	11,13,28	0.85	0
4	44E	A	301	-	9,9,23	0.88	0	10,12,28	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	44E	A	302	-	-	7/9/9/25	-
4	44E	A	301	-	-	5/8/8/25	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	302	44E	P-O11	2.42	1.67	1.60

There are no bond angle outliers.

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	301	44E	C1-O11-P-O13
4	A	301	44E	C1-O11-P-O14

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	A	301	44E	C2-C1-O11-P
4	A	302	44E	C1-O11-P-O13
4	A	302	44E	C1-O11-P-O14
4	A	302	44E	C1-O11-P-O12
4	A	302	44E	O11-C1-C2-O21
4	A	302	44E	O11-C1-C2-C3
4	A	301	44E	C1-O11-P-O12
4	A	302	44E	O21-C2-C3-O31
4	A	302	44E	C1-C2-C3-O31
4	A	301	44E	O11-C1-C2-O21

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	302	44E	1	0
4	A	301	44E	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	225/228 (98%)	0.98	32 (14%) 6 6	31, 63, 107, 144	0
2	B	211/213 (99%)	1.05	27 (12%) 7 7	34, 68, 97, 131	0
3	C	18/19 (94%)	0.75	2 (11%) 10 8	30, 47, 72, 76	0
All	All	454/460 (98%)	1.01	61 (13%) 7 6	30, 64, 103, 144	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	28	SER	4.2
1	A	131	THR	4.2
1	A	130	SER	3.9
2	B	67	SER	3.8
2	B	155	GLN	3.6
2	B	121	SER	3.5
2	B	194	CYS	3.5
1	A	92	CYS	3.4
1	A	81	GLU	3.3
2	B	10	THR	3.2
2	B	126	LYS	2.8
1	A	29	PHE	2.7
2	B	51	ALA	2.7
1	A	2	VAL	2.7
2	B	142	ARG	2.7
2	B	131	SER	2.6
1	A	121	VAL	2.6
2	B	206	SER	2.5
1	A	144	ASP	2.5
2	B	48	ILE	2.5
1	A	30	SER	2.5
1	A	95	GLU	2.5
1	A	31	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	33	LEU	2.5
3	C	673	PHE	2.5
1	A	117	LYS	2.5
2	B	21	LEU	2.5
1	A	128	SER	2.4
1	A	104	GLY	2.4
1	A	132	SER	2.4
3	C	679	LEU	2.4
2	B	111	ALA	2.4
1	A	34	LEU	2.4
1	A	27	GLY	2.4
1	A	32	TYR	2.4
2	B	125	LEU	2.4
1	A	135	THR	2.3
2	B	192	TYR	2.3
1	A	208	ASP	2.3
2	B	129	THR	2.3
2	B	115	VAL	2.3
2	B	23	CYS	2.3
1	A	210	ARG	2.3
1	A	107	THR	2.2
2	B	207	PHE	2.2
2	B	120	PRO	2.2
1	A	127	SER	2.2
2	B	102	THR	2.2
1	A	35	SER	2.2
1	A	136	ALA	2.2
1	A	129	LYS	2.1
1	A	1	GLN	2.1
1	A	6	GLN	2.1
1	A	102	TYR	2.1
2	B	113	PRO	2.1
2	B	138	ASN	2.1
2	B	7	SER	2.0
2	B	9	ASP	2.0
1	A	167	PRO	2.0
1	A	185	PRO	2.0
2	B	116	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	44E	A	301	10/24	0.51	0.17	84,114,146,182	0
4	44E	A	302	11/24	0.67	0.25	70,83,105,112	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.