Full wwPDB EM Validation Report ⓘ

Oct 25, 2026 – 10:35 AM EDT

PDB ID	:	9ZUF / pdb_00009zuf
EMDB ID	:	EMD-74811
Title	:	EBV gB trimer with "deliDoP" mutations and I5350A2h (prefusion conformation) - Global refinement
Authors	:	McCallum, M.; Veesler, D.; Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on	:	2025-12-23
Resolution	:	4.40 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:


EMDB validation analysis	:	0.0.1.dev133
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4-5-2 with Phenix2.2
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	3132 (3.91 - 4.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	910	9%, 87%, 9%
1	B	910	11%, 87%, 9%
1	C	910	12%, 86%, 10%
2	D	4	25%, 25%, 25%, 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	3	100%

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 12807 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called EBV gB trimer with "deliDoP" mutations and I5350A2h.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	827	Total	C	N	O	S	0	0
			4185	2505	833	833	14		
1	B	825	Total	C	N	O	S	0	0
			4175	2499	831	831	14		
1	C	818	Total	C	N	O	S	0	0
			4134	2472	824	824	14		

There are 165 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	193	SER	-	linker	UNP P03188
A	194	THR	-	linker	UNP P03188
A	195	THR	-	linker	UNP P03188
A	196	GLN	-	linker	UNP P03188
A	197	THR	-	linker	UNP P03188
A	198	THR	-	linker	UNP P03188
A	293	PRO	ALA	engineered mutation	UNP P03188
A	446	GLY	-	linker	UNP P03188
A	447	SER	-	linker	UNP P03188
A	448	PRO	-	linker	UNP P03188
A	449	PRO	-	linker	UNP P03188
A	450	GLY	-	linker	UNP P03188
A	451	SER	-	linker	UNP P03188
A	452	PRO	-	linker	UNP P03188
A	527	CYS	GLN	engineered mutation	UNP P03188
A	634	CYS	GLU	engineered mutation	UNP P03188
A	664	LEU	-	expression tag	UNP P03188
A	665	PRO	-	expression tag	UNP P03188
A	666	PHE	-	expression tag	UNP P03188
A	667	ILE	-	expression tag	UNP P03188
A	668	ALA	-	expression tag	UNP P03188
A	669	GLN	-	expression tag	UNP P03188
A	670	ARG	-	expression tag	UNP P03188
A	671	ILE	-	expression tag	UNP P03188

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	672	ALA	-	expression tag	UNP P03188
A	673	ALA	-	expression tag	UNP P03188
A	674	ILE	-	expression tag	UNP P03188
A	675	GLU	-	expression tag	UNP P03188
A	676	LYS	-	expression tag	UNP P03188
A	677	ARG	-	expression tag	UNP P03188
A	678	ILE	-	expression tag	UNP P03188
A	679	ASN	-	expression tag	UNP P03188
A	680	GLU	-	expression tag	UNP P03188
A	681	ILE	-	expression tag	UNP P03188
A	682	GLU	-	expression tag	UNP P03188
A	683	ARG	-	expression tag	UNP P03188
A	684	ARG	-	expression tag	UNP P03188
A	685	ILE	-	expression tag	UNP P03188
A	686	SER	-	expression tag	UNP P03188
A	687	GLY	-	expression tag	UNP P03188
A	688	SER	-	expression tag	UNP P03188
A	689	GLY	-	expression tag	UNP P03188
A	690	SER	-	expression tag	UNP P03188
A	691	GLY	-	expression tag	UNP P03188
A	692	GLY	-	expression tag	UNP P03188
A	693	SER	-	expression tag	UNP P03188
A	694	GLY	-	expression tag	UNP P03188
A	695	HIS	-	expression tag	UNP P03188
A	696	HIS	-	expression tag	UNP P03188
A	697	HIS	-	expression tag	UNP P03188
A	698	HIS	-	expression tag	UNP P03188
A	699	HIS	-	expression tag	UNP P03188
A	700	HIS	-	expression tag	UNP P03188
A	701	HIS	-	expression tag	UNP P03188
A	702	HIS	-	expression tag	UNP P03188
B	193	SER	-	linker	UNP P03188
B	194	THR	-	linker	UNP P03188
B	195	THR	-	linker	UNP P03188
B	196	GLN	-	linker	UNP P03188
B	197	THR	-	linker	UNP P03188
B	198	THR	-	linker	UNP P03188
B	293	PRO	ALA	engineered mutation	UNP P03188
B	446	GLY	-	linker	UNP P03188
B	447	SER	-	linker	UNP P03188
B	448	PRO	-	linker	UNP P03188
B	449	PRO	-	linker	UNP P03188

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	450	GLY	-	linker	UNP P03188
B	451	SER	-	linker	UNP P03188
B	452	PRO	-	linker	UNP P03188
B	527	CYS	GLN	engineered mutation	UNP P03188
B	634	CYS	GLU	engineered mutation	UNP P03188
B	664	LEU	-	expression tag	UNP P03188
B	665	PRO	-	expression tag	UNP P03188
B	666	PHE	-	expression tag	UNP P03188
B	667	ILE	-	expression tag	UNP P03188
B	668	ALA	-	expression tag	UNP P03188
B	669	GLN	-	expression tag	UNP P03188
B	670	ARG	-	expression tag	UNP P03188
B	671	ILE	-	expression tag	UNP P03188
B	672	ALA	-	expression tag	UNP P03188
B	673	ALA	-	expression tag	UNP P03188
B	674	ILE	-	expression tag	UNP P03188
B	675	GLU	-	expression tag	UNP P03188
B	676	LYS	-	expression tag	UNP P03188
B	677	ARG	-	expression tag	UNP P03188
B	678	ILE	-	expression tag	UNP P03188
B	679	ASN	-	expression tag	UNP P03188
B	680	GLU	-	expression tag	UNP P03188
B	681	ILE	-	expression tag	UNP P03188
B	682	GLU	-	expression tag	UNP P03188
B	683	ARG	-	expression tag	UNP P03188
B	684	ARG	-	expression tag	UNP P03188
B	685	ILE	-	expression tag	UNP P03188
B	686	SER	-	expression tag	UNP P03188
B	687	GLY	-	expression tag	UNP P03188
B	688	SER	-	expression tag	UNP P03188
B	689	GLY	-	expression tag	UNP P03188
B	690	SER	-	expression tag	UNP P03188
B	691	GLY	-	expression tag	UNP P03188
B	692	GLY	-	expression tag	UNP P03188
B	693	SER	-	expression tag	UNP P03188
B	694	GLY	-	expression tag	UNP P03188
B	695	HIS	-	expression tag	UNP P03188
B	696	HIS	-	expression tag	UNP P03188
B	697	HIS	-	expression tag	UNP P03188
B	698	HIS	-	expression tag	UNP P03188
B	699	HIS	-	expression tag	UNP P03188
B	700	HIS	-	expression tag	UNP P03188

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	701	HIS	-	expression tag	UNP P03188
B	702	HIS	-	expression tag	UNP P03188
C	193	SER	-	linker	UNP P03188
C	194	THR	-	linker	UNP P03188
C	195	THR	-	linker	UNP P03188
C	196	GLN	-	linker	UNP P03188
C	197	THR	-	linker	UNP P03188
C	198	THR	-	linker	UNP P03188
C	293	PRO	ALA	engineered mutation	UNP P03188
C	446	GLY	-	linker	UNP P03188
C	447	SER	-	linker	UNP P03188
C	448	PRO	-	linker	UNP P03188
C	449	PRO	-	linker	UNP P03188
C	450	GLY	-	linker	UNP P03188
C	451	SER	-	linker	UNP P03188
C	452	PRO	-	linker	UNP P03188
C	527	CYS	GLN	engineered mutation	UNP P03188
C	634	CYS	GLU	engineered mutation	UNP P03188
C	664	LEU	-	expression tag	UNP P03188
C	665	PRO	-	expression tag	UNP P03188
C	666	PHE	-	expression tag	UNP P03188
C	667	ILE	-	expression tag	UNP P03188
C	668	ALA	-	expression tag	UNP P03188
C	669	GLN	-	expression tag	UNP P03188
C	670	ARG	-	expression tag	UNP P03188
C	671	ILE	-	expression tag	UNP P03188
C	672	ALA	-	expression tag	UNP P03188
C	673	ALA	-	expression tag	UNP P03188
C	674	ILE	-	expression tag	UNP P03188
C	675	GLU	-	expression tag	UNP P03188
C	676	LYS	-	expression tag	UNP P03188
C	677	ARG	-	expression tag	UNP P03188
C	678	ILE	-	expression tag	UNP P03188
C	679	ASN	-	expression tag	UNP P03188
C	680	GLU	-	expression tag	UNP P03188
C	681	ILE	-	expression tag	UNP P03188
C	682	GLU	-	expression tag	UNP P03188
C	683	ARG	-	expression tag	UNP P03188
C	684	ARG	-	expression tag	UNP P03188
C	685	ILE	-	expression tag	UNP P03188
C	686	SER	-	expression tag	UNP P03188
C	687	GLY	-	expression tag	UNP P03188

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	688	SER	-	expression tag	UNP P03188
C	689	GLY	-	expression tag	UNP P03188
C	690	SER	-	expression tag	UNP P03188
C	691	GLY	-	expression tag	UNP P03188
C	692	GLY	-	expression tag	UNP P03188
C	693	SER	-	expression tag	UNP P03188
C	694	GLY	-	expression tag	UNP P03188
C	695	HIS	-	expression tag	UNP P03188
C	696	HIS	-	expression tag	UNP P03188
C	697	HIS	-	expression tag	UNP P03188
C	698	HIS	-	expression tag	UNP P03188
C	699	HIS	-	expression tag	UNP P03188
C	700	HIS	-	expression tag	UNP P03188
C	701	HIS	-	expression tag	UNP P03188
C	702	HIS	-	expression tag	UNP P03188

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	D	4	50	28	2	20	0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	E	3	39	22	2	15	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	


3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: EBV gB trimer with "deliDoP" mutations and I5350A2h



• Molecule 1: EBV gB trimer with "deliDoP" mutations and I5350A2h








• Molecule 1: EBV gB trimer with "deliDoP" mutations and I5350A2h


Chain C:














• Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain D:





• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	64249	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	50	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.662	Depositor
Minimum map value	-0.180	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.018	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	424.448, 424.448, 424.448	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.829, 0.829, 0.829	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.48	0/4211	1.00	55/5873 (0.9%)
1	B	0.50	0/4202	1.01	52/5862 (0.9%)
1	C	0.48	0/4158	1.01	54/5797 (0.9%)
All	All	0.49	0/12571	1.01	161/17532 (0.9%)

There are no bond length outliers.

All (161) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	-735	GLY	CA-C-N	7.98	127.70	119.56
1	B	-735	GLY	C-N-CA	7.98	127.70	119.56
1	A	-764	MET	CA-C-N	7.82	127.83	119.78
1	A	-764	MET	C-N-CA	7.82	127.83	119.78
1	A	-735	GLY	CA-C-N	7.79	127.51	119.56
1	A	-735	GLY	C-N-CA	7.79	127.51	119.56
1	C	-735	GLY	CA-C-N	7.63	127.34	119.56
1	C	-735	GLY	C-N-CA	7.63	127.34	119.56
1	B	-764	MET	CA-C-N	7.62	127.62	119.78
1	B	-764	MET	C-N-CA	7.62	127.62	119.78
1	C	-764	MET	CA-C-N	7.60	127.52	119.85
1	C	-764	MET	C-N-CA	7.60	127.52	119.85
1	C	-783	SER	CA-C-N	7.37	127.01	119.56
1	C	-783	SER	C-N-CA	7.37	127.01	119.56
1	C	268	ASN	CA-C-N	7.30	127.26	120.03
1	C	268	ASN	C-N-CA	7.30	127.26	120.03
1	B	-724	PHE	CA-C-N	7.24	126.87	119.56
1	B	-724	PHE	C-N-CA	7.24	126.87	119.56
1	A	-783	SER	CA-C-N	7.23	126.87	119.56
1	A	-783	SER	C-N-CA	7.23	126.87	119.56
1	A	-666	GLY	CA-C-N	7.07	127.38	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	-666	GLY	C-N-CA	7.07	127.38	119.32
1	B	295	CYS	CA-C-N	7.02	127.17	119.87
1	B	295	CYS	C-N-CA	7.02	127.17	119.87
1	B	190	ALA	CA-C-N	7.02	126.94	120.21
1	B	190	ALA	C-N-CA	7.02	126.94	120.21
1	C	68	CYS	CA-C-N	7.01	127.00	119.78
1	C	68	CYS	C-N-CA	7.01	127.00	119.78
1	C	-724	PHE	CA-C-N	6.97	127.12	119.87
1	C	-724	PHE	C-N-CA	6.97	127.12	119.87
1	A	46	PHE	CA-C-N	6.95	127.41	120.52
1	A	46	PHE	C-N-CA	6.95	127.41	120.52
1	A	169	LYS	CA-C-N	6.95	126.92	119.76
1	A	169	LYS	C-N-CA	6.95	126.92	119.76
1	A	-726	GLY	CA-C-N	6.94	126.57	119.56
1	A	-726	GLY	C-N-CA	6.94	126.57	119.56
1	B	268	ASN	CA-C-N	6.94	126.87	120.21
1	B	268	ASN	C-N-CA	6.94	126.87	120.21
1	A	-724	PHE	CA-C-N	6.94	127.08	119.87
1	A	-724	PHE	C-N-CA	6.94	127.08	119.87
1	B	46	PHE	CA-C-N	6.92	127.37	120.52
1	B	46	PHE	C-N-CA	6.92	127.37	120.52
1	C	169	LYS	CA-C-N	6.91	126.67	119.76
1	C	169	LYS	C-N-CA	6.91	126.67	119.76
1	A	-885	ASP	CA-C-N	6.89	127.17	119.32
1	A	-885	ASP	C-N-CA	6.89	127.17	119.32
1	A	554	ARG	CA-C-N	6.83	126.75	119.85
1	A	554	ARG	C-N-CA	6.83	126.75	119.85
1	B	-783	SER	CA-C-N	6.82	126.96	119.87
1	B	-783	SER	C-N-CA	6.82	126.96	119.87
1	C	-666	GLY	CA-C-N	6.80	127.36	119.47
1	C	-666	GLY	C-N-CA	6.80	127.36	119.47
1	B	-666	GLY	CA-C-N	6.80	127.36	119.47
1	B	-666	GLY	C-N-CA	6.80	127.36	119.47
1	C	554	ARG	CA-C-N	6.78	126.70	119.85
1	C	554	ARG	C-N-CA	6.78	126.70	119.85
1	C	-726	GLY	CA-C-N	6.74	126.33	119.19
1	C	-726	GLY	C-N-CA	6.74	126.33	119.19
1	A	268	ASN	CA-C-N	6.69	126.65	120.03
1	A	268	ASN	C-N-CA	6.69	126.65	120.03
1	A	336	LEU	CA-C-N	6.67	126.65	119.78
1	A	336	LEU	C-N-CA	6.67	126.65	119.78
1	A	190	ALA	CA-C-N	6.67	126.65	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	190	ALA	C-N-CA	6.67	126.65	119.78
1	C	46	PHE	CA-C-N	6.64	127.10	120.52
1	C	46	PHE	C-N-CA	6.64	127.10	120.52
1	B	554	ARG	CA-C-N	6.62	126.53	119.85
1	B	554	ARG	C-N-CA	6.62	126.53	119.85
1	B	501	ASN	CA-C-N	6.59	126.22	119.56
1	B	501	ASN	C-N-CA	6.59	126.22	119.56
1	C	190	ALA	CA-C-N	6.59	126.56	119.78
1	C	190	ALA	C-N-CA	6.59	126.56	119.78
1	B	169	LYS	CA-C-N	6.55	126.94	119.93
1	B	169	LYS	C-N-CA	6.55	126.94	119.93
1	B	336	LEU	CA-C-N	6.55	126.57	119.89
1	B	336	LEU	C-N-CA	6.55	126.57	119.89
1	A	295	CYS	CA-C-N	6.54	126.68	119.87
1	A	295	CYS	C-N-CA	6.54	126.68	119.87
1	B	455	ASN	CA-C-N	6.54	126.78	119.32
1	B	455	ASN	C-N-CA	6.54	126.78	119.32
1	B	68	CYS	CA-C-N	6.54	126.57	119.90
1	B	68	CYS	C-N-CA	6.54	126.57	119.90
1	C	501	ASN	CA-C-N	6.51	126.13	119.56
1	C	501	ASN	C-N-CA	6.51	126.13	119.56
1	B	-759	THR	CA-C-N	6.49	126.72	119.32
1	B	-759	THR	C-N-CA	6.49	126.72	119.32
1	B	233	SER	CA-C-N	6.48	126.17	119.82
1	B	233	SER	C-N-CA	6.48	126.17	119.82
1	C	383	LEU	CA-C-N	6.45	126.21	119.76
1	C	383	LEU	C-N-CA	6.45	126.21	119.76
1	A	455	ASN	CA-C-N	6.43	126.92	119.47
1	A	455	ASN	C-N-CA	6.43	126.92	119.47
1	A	-759	THR	CA-C-N	6.41	126.62	119.32
1	A	-759	THR	C-N-CA	6.41	126.62	119.32
1	A	-718	VAL	CA-C-N	6.41	126.36	119.76
1	A	-718	VAL	C-N-CA	6.41	126.36	119.76
1	A	233	SER	CA-C-N	6.39	126.09	119.82
1	A	233	SER	C-N-CA	6.39	126.09	119.82
1	C	336	LEU	CA-C-N	6.39	126.36	119.78
1	C	336	LEU	C-N-CA	6.39	126.36	119.78
1	A	501	ASN	CA-C-N	6.37	126.86	119.47
1	A	501	ASN	C-N-CA	6.37	126.86	119.47
1	C	529	VAL	CA-C-N	6.33	126.25	119.85
1	C	529	VAL	C-N-CA	6.33	126.25	119.85
1	C	-759	THR	CA-C-N	6.29	126.50	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	C	-759	THR	C-N-CA	6.29	126.50	119.32
1	C	-885	ASP	CA-C-N	6.21	126.40	119.32
1	C	-885	ASP	C-N-CA	6.21	126.40	119.32
1	B	529	VAL	CA-C-N	6.21	126.12	119.85
1	B	529	VAL	C-N-CA	6.21	126.12	119.85
1	B	292	THR	CA-C-N	6.11	125.87	119.76
1	B	292	THR	C-N-CA	6.11	125.87	119.76
1	B	-885	ASP	CA-C-N	6.10	126.27	119.32
1	B	-885	ASP	C-N-CA	6.10	126.27	119.32
1	B	-718	VAL	CA-C-N	6.08	126.40	119.83
1	B	-718	VAL	C-N-CA	6.08	126.40	119.83
1	B	383	LEU	CA-C-N	6.08	126.28	119.90
1	B	383	LEU	C-N-CA	6.08	126.28	119.90
1	A	292	THR	CA-C-N	6.07	125.98	119.85
1	A	292	THR	C-N-CA	6.07	125.98	119.85
1	A	529	VAL	CA-C-N	6.07	125.98	119.85
1	A	529	VAL	C-N-CA	6.07	125.98	119.85
1	C	-718	VAL	CA-C-N	6.04	126.35	119.83
1	C	-718	VAL	C-N-CA	6.04	126.35	119.83
1	C	295	CYS	CA-C-N	6.03	126.14	119.87
1	C	295	CYS	C-N-CA	6.03	126.14	119.87
1	B	664	LEU	CA-C-N	6.01	126.17	119.32
1	B	664	LEU	C-N-CA	6.01	126.17	119.32
1	A	664	LEU	CA-C-N	6.00	126.16	119.32
1	A	664	LEU	C-N-CA	6.00	126.16	119.32
1	C	90	ILE	CA-C-N	6.00	125.94	119.76
1	C	90	ILE	C-N-CA	6.00	125.94	119.76
1	A	68	CYS	CA-C-N	5.97	125.99	119.90
1	A	68	CYS	C-N-CA	5.97	125.99	119.90
1	A	386	THR	CA-C-N	5.91	126.26	119.93
1	A	386	THR	C-N-CA	5.91	126.26	119.93
1	C	664	LEU	CA-C-N	5.90	126.05	119.32
1	C	664	LEU	C-N-CA	5.90	126.05	119.32
1	A	383	LEU	CA-C-N	5.89	125.80	119.85
1	A	383	LEU	C-N-CA	5.89	125.80	119.85
1	A	-687	THR	CA-C-N	5.70	125.82	119.32
1	A	-687	THR	C-N-CA	5.70	125.82	119.32
1	C	292	THR	CA-C-N	5.69	125.62	119.76
1	C	292	THR	C-N-CA	5.69	125.62	119.76
1	C	-687	THR	CA-C-N	5.58	125.68	119.32
1	C	-687	THR	C-N-CA	5.58	125.68	119.32
1	A	544	VAL	CA-C-N	5.54	125.81	119.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	544	VAL	C-N-CA	5.54	125.81	119.83
1	B	386	THR	CA-C-N	5.49	125.50	119.90
1	B	386	THR	C-N-CA	5.49	125.50	119.90
1	C	386	THR	CA-C-N	5.41	125.72	119.93
1	C	386	THR	C-N-CA	5.41	125.72	119.93
1	B	-687	THR	CA-C-N	5.37	125.45	119.32
1	B	-687	THR	C-N-CA	5.37	125.45	119.32
1	C	544	VAL	CA-C-N	5.37	125.62	119.83
1	C	544	VAL	C-N-CA	5.37	125.62	119.83
1	B	544	VAL	CA-C-N	5.32	125.58	119.83
1	B	544	VAL	C-N-CA	5.32	125.58	119.83
1	C	233	SER	CA-C-N	5.30	126.46	119.84
1	C	233	SER	C-N-CA	5.30	126.46	119.84
1	A	529	VAL	N-CA-C	5.09	113.05	107.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4185	0	2068	5	0
1	B	4175	0	2068	5	0
1	C	4134	0	2043	6	0
2	D	50	0	43	1	0
3	E	39	0	34	0	0
4	A	70	0	65	0	0
4	B	70	0	65	0	0
4	C	84	0	78	0	0
All	All	12807	0	6464	17	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (17) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:322:GLY:O	1:B:323:THR:C	2.56	0.48
1:C:664:LEU:N	1:C:665:PRO:CD	2.79	0.45
1:A:664:LEU:N	1:A:665:PRO:CD	2.80	0.44
1:C:621:THR:O	1:C:625:PHE:N	2.51	0.44
1:A:322:GLY:O	1:A:323:THR:C	2.60	0.43
1:B:664:LEU:N	1:B:665:PRO:HD2	2.33	0.43
1:C:664:LEU:N	1:C:665:PRO:HD2	2.33	0.43
1:C:182:ALA:HA	1:C:206:CYS:O	2.19	0.43
1:A:182:ALA:HA	1:A:206:CYS:O	2.19	0.43
1:B:664:LEU:N	1:B:665:PRO:CD	2.81	0.43
2:D:1:NAG:H4	2:D:2:NAG:N2	2.35	0.42
1:A:664:LEU:N	1:A:665:PRO:HD2	2.34	0.41
1:C:-726:GLY:N	1:C:-725:PRO:HD2	2.33	0.41
1:C:233:SER:HA	1:C:234:PRO:HD3	1.93	0.41
1:A:-726:GLY:N	1:A:-725:PRO:HD2	2.36	0.40
1:B:626:ILE:O	1:B:627:SER:C	2.64	0.40
1:B:216:ASN:O	1:B:217:SER:C	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	815/910 (90%)	803 (98%)	12 (2%)	0	100	100
1	B	815/910 (90%)	803 (98%)	12 (2%)	0	100	100
1	C	804/910 (88%)	791 (98%)	13 (2%)	0	100	100
All	All	2434/2730 (89%)	2397 (98%)	37 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	52/789 (7%)	51 (98%)	1 (2%)	50 66
1	B	52/789 (7%)	51 (98%)	1 (2%)	50 66
1	C	51/789 (6%)	51 (100%)	0	100 100
All	All	155/2367 (6%)	153 (99%)	2 (1%)	59 72

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	395	ASN
1	B	395	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
2	NAG	D	1	2,1	14,14,15	1.07	1 (7%)	17,19,21	1.42	3 (17%)
2	NAG	D	2	2	14,14,15	1.09	1 (7%)	17,19,21	1.02	1 (5%)
2	BMA	D	3	2	11,11,12	0.83	0	15,15,17	1.13	1 (6%)
2	MAN	D	4	2	11,11,12	0.93	0	15,15,17	0.49	0
3	NAG	E	1	1,3	14,14,15	1.07	1 (7%)	17,19,21	1.29	3 (17%)
3	NAG	E	2	3	14,14,15	0.91	1 (7%)	17,19,21	1.15	1 (5%)
3	BMA	E	3	3	11,11,12	0.87	0	15,15,17	0.96	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	BMA	D	3	2	-	1/2/19/22	0/1/1/1
2	MAN	D	4	2	-	1/2/19/22	0/1/1/1
3	NAG	E	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
3	BMA	E	3	3	-	0/2/19/22	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	1	NAG	C1-C2	3.29	1.56	1.52
2	D	2	NAG	C1-C2	3.28	1.56	1.52
2	D	1	NAG	C1-C2	3.13	1.56	1.52
3	E	2	NAG	C1-C2	2.27	1.55	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	D	1	NAG	C4-C3-C2	-3.03	106.57	111.02
2	D	3	BMA	O3-C3-C4	2.90	117.22	110.38
2	D	1	NAG	C8-C7-N2	2.56	120.37	116.12
3	E	1	NAG	C2-N2-C7	-2.56	119.47	122.90
3	E	2	NAG	C8-C7-N2	2.55	120.35	116.12
3	E	1	NAG	C8-C7-N2	2.50	120.26	116.12
3	E	3	BMA	O3-C3-C4	2.40	116.04	110.38
2	D	2	NAG	C8-C7-N2	2.37	120.04	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	E	1	NAG	C4-C3-C2	-2.12	107.91	111.02
2	D	1	NAG	C2-N2-C7	-2.07	120.12	122.90

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	4	MAN	O5-C5-C6-O6
2	D	3	BMA	O5-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1	NAG	1	0
2	D	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry (i)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	NAG	A	801	1	14,14,15	1.17	1 (7%)	17,19,21	1.09	2 (11%)
4	NAG	A	803	1	14,14,15	1.08	1 (7%)	17,19,21	1.14	2 (11%)
4	NAG	C	805	1	14,14,15	1.15	1 (7%)	17,19,21	1.17	2 (11%)
4	NAG	B	802	1	14,14,15	1.12	1 (7%)	17,19,21	1.16	2 (11%)
4	NAG	A	802	1	14,14,15	1.16	1 (7%)	17,19,21	1.16	2 (11%)
4	NAG	B	805	1	14,14,15	1.09	1 (7%)	17,19,21	1.13	2 (11%)
4	NAG	C	801	1	14,14,15	1.17	1 (7%)	17,19,21	1.11	2 (11%)
4	NAG	A	805	1	14,14,15	1.11	1 (7%)	17,19,21	1.13	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
4	NAG	C	804	1	14,14,15	1.09	1 (7%)	17,19,21	1.23	2 (11%)
4	NAG	A	804	1	14,14,15	1.04	1 (7%)	17,19,21	1.21	2 (11%)
4	NAG	C	803	1	14,14,15	1.11	1 (7%)	17,19,21	1.17	2 (11%)
4	NAG	C	806	1	14,14,15	1.10	1 (7%)	17,19,21	1.43	3 (17%)
4	NAG	C	802	1	14,14,15	1.11	1 (7%)	17,19,21	1.12	2 (11%)
4	NAG	B	804	1	14,14,15	1.12	1 (7%)	17,19,21	1.15	2 (11%)
4	NAG	B	801	1	14,14,15	1.15	1 (7%)	17,19,21	1.12	2 (11%)
4	NAG	B	803	1	14,14,15	1.08	1 (7%)	17,19,21	1.22	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	801	1	-	0/6/23/26	0/1/1/1
4	NAG	A	803	1	-	0/6/23/26	0/1/1/1
4	NAG	C	805	1	-	0/6/23/26	0/1/1/1
4	NAG	B	802	1	-	0/6/23/26	0/1/1/1
4	NAG	A	802	1	-	0/6/23/26	0/1/1/1
4	NAG	B	805	1	-	0/6/23/26	0/1/1/1
4	NAG	C	801	1	-	0/6/23/26	0/1/1/1
4	NAG	A	805	1	-	0/6/23/26	0/1/1/1
4	NAG	C	804	1	-	0/6/23/26	0/1/1/1
4	NAG	A	804	1	-	0/6/23/26	0/1/1/1
4	NAG	C	803	1	-	0/6/23/26	0/1/1/1
4	NAG	C	806	1	-	1/6/23/26	0/1/1/1
4	NAG	C	802	1	-	0/6/23/26	0/1/1/1
4	NAG	B	804	1	-	0/6/23/26	0/1/1/1
4	NAG	B	801	1	-	0/6/23/26	0/1/1/1
4	NAG	B	803	1	-	0/6/23/26	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	802	NAG	C1-C2	3.64	1.57	1.52
4	A	801	NAG	C1-C2	3.62	1.57	1.52
4	C	801	NAG	C1-C2	3.56	1.57	1.52
4	B	801	NAG	C1-C2	3.49	1.57	1.52
4	C	805	NAG	C1-C2	3.48	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	805	NAG	C1-C2	3.38	1.56	1.52
4	C	803	NAG	C1-C2	3.37	1.56	1.52
4	C	804	NAG	C1-C2	3.37	1.56	1.52
4	B	802	NAG	C1-C2	3.36	1.56	1.52
4	C	802	NAG	C1-C2	3.36	1.56	1.52
4	B	805	NAG	C1-C2	3.34	1.56	1.52
4	B	804	NAG	C1-C2	3.32	1.56	1.52
4	C	806	NAG	C1-C2	3.27	1.56	1.52
4	B	803	NAG	C1-C2	3.24	1.56	1.52
4	A	803	NAG	C1-C2	3.22	1.56	1.52
4	A	804	NAG	C1-C2	3.04	1.56	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	C	806	NAG	C4-C3-C2	-3.14	106.41	111.02
4	C	804	NAG	C8-C7-N2	2.70	120.59	116.12
4	A	804	NAG	C8-C7-N2	2.69	120.58	116.12
4	C	804	NAG	C2-N2-C7	-2.69	119.30	122.90
4	C	805	NAG	C8-C7-N2	2.67	120.54	116.12
4	C	803	NAG	C8-C7-N2	2.63	120.48	116.12
4	B	803	NAG	C8-C7-N2	2.58	120.40	116.12
4	B	802	NAG	C8-C7-N2	2.58	120.39	116.12
4	A	803	NAG	C8-C7-N2	2.56	120.37	116.12
4	B	805	NAG	C8-C7-N2	2.54	120.33	116.12
4	C	806	NAG	C8-C7-N2	2.54	120.32	116.12
4	A	805	NAG	C8-C7-N2	2.53	120.32	116.12
4	A	804	NAG	C2-N2-C7	-2.53	119.51	122.90
4	B	801	NAG	C8-C7-N2	2.53	120.31	116.12
4	C	801	NAG	C8-C7-N2	2.53	120.31	116.12
4	A	802	NAG	C8-C7-N2	2.51	120.28	116.12
4	B	803	NAG	C2-N2-C7	-2.49	119.57	122.90
4	B	804	NAG	C8-C7-N2	2.48	120.23	116.12
4	A	801	NAG	C8-C7-N2	2.47	120.21	116.12
4	C	805	NAG	C2-N2-C7	-2.44	119.63	122.90
4	C	803	NAG	C2-N2-C7	-2.39	119.70	122.90
4	A	802	NAG	C2-N2-C7	-2.36	119.74	122.90
4	B	804	NAG	C2-N2-C7	-2.36	119.74	122.90
4	B	802	NAG	C2-N2-C7	-2.35	119.75	122.90
4	C	802	NAG	C8-C7-N2	2.32	119.96	116.12
4	B	801	NAG	C2-N2-C7	-2.28	119.85	122.90
4	C	802	NAG	C2-N2-C7	-2.28	119.85	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	A	803	NAG	C2-N2-C7	-2.23	119.91	122.90
4	A	805	NAG	C2-N2-C7	-2.22	119.93	122.90
4	B	805	NAG	C2-N2-C7	-2.16	120.00	122.90
4	A	801	NAG	C2-N2-C7	-2.15	120.02	122.90
4	C	801	NAG	C2-N2-C7	-2.15	120.03	122.90
4	C	806	NAG	C2-N2-C7	-2.08	120.11	122.90

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	806	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.


6 Map visualisation

This section contains visualisations of the EMDB entry EMD-74811. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256



Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)


6.3.1 Primary map



X Index: 240




Y Index: 262




Z Index: 274


6.3.2 Raw map



X Index: 239



Y Index: 262




Z Index: 273


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate



The volume at the recommended contour level is 202 nm^3; this corresponds to an approximate mass of 183 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)




*Reported resolution corresponds to spatial frequency of 0.227 Å^{-1}

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.227 $Å^{-1}$

8.2 Resolution estimates (i)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.40	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	6.39	9.07	6.86

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.39 differs from the reported value 4.4 by more than 10 %


9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-74811 and PDB model 9ZUF. Per-residue inclusion information can be found in section 3 on page 11.


9.1 Map-model overlay



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.


9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).

9.4 Atom inclusion (i)



At the recommended contour level, 88% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.



Chain	Atom inclusion	Q-score
All	0.8460	0.2740
A	0.8650	0.2840
B	0.8450	0.2730
C	0.8320	0.2650
D	0.7600	0.2310
E	0.6670	0.1720