



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2020 – 12:19 am BST

PDB ID : 6ARE
Title : Aspergillus fumigatus Cytosolic Thiolase in complex with two tetrahedral reaction intermediates and ammonium ions
Authors : Marshall, A.C.; Bond, C.S.; Bruning, J.B.
Deposited on : 2017-08-22
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2340 (1.76-1.76)
Clashscore	141614	2466 (1.76-1.76)
Ramachandran outliers	138981	2437 (1.76-1.76)
Sidechain outliers	138945	2437 (1.76-1.76)
RSRZ outliers	127900	2298 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	
1	B	399	
2	C	399	
2	D	399	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CL	B	402	-	-	X	-
6	ACT	D	402	-	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 13043 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase, acetylated enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	399	2888	1822	497	557	12	0	6	0
1	B	397	2904	1830	498	564	12	0	11	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q4WCL5
B	0	GLY	-	expression tag	UNP Q4WCL5


- Molecule 2 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	394	2836	1785	487	552	12	0	3	0
2	D	398	2838	1787	490	549	12	0	3	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	GLY	-	expression tag	UNP Q4WCL5
D	0	GLY	-	expression tag	UNP Q4WCL5

- Molecule 3 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
3	A	1	48	21	7	16	3	1	0	1
3	B	1	48	21	7	16	3	1	0	1
3	D	1	48	21	7	16	3	1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Cl 1 1	0	0
4	A	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0
4	C	1	Total Cl 1 1	0	0

- Molecule 5 is AMMONIUM ION (three-letter code: NH4) (formula: H₄N).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total N 1 1	0	0
5	A	1	Total N 1 1	0	0
5	B	1	Total N 1 1	0	0
5	B	1	Total N 1 1	0	0
5	B	1	Total N 1 1	0	0
5	C	1	Total N 1 1	0	0
5	C	1	Total N 1 1	0	0
5	C	1	Total N 1 1	0	0
5	D	1	Total N 1 1	0	0
5	D	1	Total N 1 1	0	0

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			3	2	1		
6	D	1	Total	C	O	0	0
			3	2	1		

- Molecule 7 is ACETYL COENZYME *A (three-letter code: ACO) (formula: C₂₃H₃₈N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
7	C	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	406	Total 407	O 407	0	1
8	B	462	Total 463	O 463	0	1
8	C	270	Total 270	O 270	0	0
8	D	222	Total 222	O 222	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-CoA acetyltransferase, acetylated enzyme




- Molecule 1: Acetyl-CoA acetyltransferase, acetylated enzyme




- Molecule 2: Acetyl-CoA acetyltransferase



- Molecule 2: Acetyl-CoA acetyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.36Å 106.59Å 110.84Å 90.00° 104.27° 90.00°	Depositor
Resolution (Å)	31.29 – 1.75 31.29 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.6 (31.29-1.75) 99.6 (31.29-1.75)	Depositor EDS
R_{merge}	0.39	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 1.75Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.194 , 0.232 0.195 , 0.232	Depositor DCC
R_{free} test set	8014 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	12.4	Xtrriage
Anisotropy	0.346	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	13043	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, ACO, COA, NH4, SCY, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2937	0.56	0/3982
1	B	0.41	0/2962	0.57	0/4016
2	C	0.32	0/2888	0.51	0/3920
2	D	0.32	0/2890	0.51	0/3927
All	All	0.36	0/11677	0.54	0/15845

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2888	0	2964	17	0
1	B	2904	0	2963	14	0
2	C	2836	0	2888	12	0
2	D	2838	0	2861	19	0
3	A	48	0	3	1	0
3	B	48	0	3	1	0
3	D	48	0	32	6	0
4	A	1	0	0	1	0
4	B	1	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	1	0	0	0	0
4	D	1	0	0	1	0
5	A	2	0	0	0	0
5	B	3	0	0	0	0
5	C	3	0	0	0	0
5	D	2	0	0	0	0
6	C	3	0	3	0	0
6	D	3	0	3	2	0
7	C	51	0	32	3	0
8	A	407	0	0	3	0
8	B	463	0	0	6	0
8	C	270	0	0	4	0
8	D	222	0	0	0	0
All	All	13043	0	11752	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:401:COA:O4B	3:D:401:COA:C1B	1.65	1.22
3:D:401:COA:S1P	6:D:402:ACT:C	2.33	1.15
7:C:406:ACO:O4B	7:C:406:ACO:C1B	1.65	1.13
3:D:401:COA:HS1	6:D:402:ACT:C	1.77	0.94
4:A:402:CL:CL	8:B:798:HOH:O	2.28	0.87
8:C:670:HOH:O	4:D:403:CL:CL	2.48	0.69
1:B:270:LEU:HD12	1:B:275:LEU:HB2	1.80	0.64
2:D:167:GLU:OE1	2:D:293:LYS:NZ	2.28	0.60
2:D:320:GLU:HG3	2:D:367:LEU:HB2	1.81	0.60
2:D:265:VAL:HG13	2:D:269:LYS:HB3	1.84	0.60
2:D:270:LEU:HD12	2:D:275:LEU:HB2	1.83	0.59
1:B:384:CYS:SG	8:B:746[B]:HOH:O	2.57	0.58
1:A:1:MET:HG3	1:A:308:HIS:CE1	2.38	0.58
2:C:2:SER:HB3	2:C:308:HIS:NE2	2.20	0.56
1:A:324:ALA:HB1	3:A:401[B]:COA:H22	1.89	0.55
1:B:177[B]:GLU:HG3	8:B:562:HOH:O	2.06	0.55
2:C:282:LEU:HD11	2:C:396[B]:GLU:HB2	1.89	0.54
2:C:270:LEU:HD12	2:C:275:LEU:HB2	1.90	0.54
7:C:406:ACO:O	8:C:501:HOH:O	2.18	0.53
1:A:132:LEU:HD21	2:C:141:GLN:HG3	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:161:MET:HG3	3:D:401:COA:H21	1.92	0.52
2:C:176:ARG:NH1	8:C:503:HOH:O	2.37	0.51
1:B:141:GLN:HG3	2:D:132:LEU:HD21	1.92	0.51
1:A:188:GLU:OE1	8:A:501:HOH:O	2.20	0.49
1:A:141:GLN:HG3	2:C:132:LEU:HD21	1.94	0.49
3:D:401:COA:H52A	3:D:401:COA:H8A	1.95	0.48
2:C:281:ILE:HG23	2:C:393:LEU:HD11	1.95	0.48
1:B:362:ARG:O	1:B:365[B]:THR:HG22	2.14	0.47
2:C:320:GLU:HG3	2:C:367:LEU:HB2	1.96	0.47
4:B:402:CL:CL	8:B:603:HOH:O	2.58	0.46
2:D:323:GLU:HB3	2:D:350:VAL:HG23	1.96	0.46
1:B:132:LEU:HD21	2:D:141:GLN:HG3	1.98	0.46
2:D:282:LEU:HD11	2:D:396:GLU:HB2	1.97	0.45
1:A:152:LEU:O	1:A:161:MET:HG2	2.17	0.45
1:B:56:PHE:O	1:B:116:ALA:HA	2.16	0.44
1:A:286:ASP:HB2	1:B:84[A]:ILE:HD13	1.99	0.44
1:B:320:GLU:HG3	1:B:367:LEU:HB2	1.99	0.44
2:C:229:ASN:HB3	7:C:406:ACO:H2A	1.99	0.44
2:D:214:LYS:HA	2:D:215:PRO:HD3	1.86	0.44
8:A:738:HOH:O	4:B:402:CL:CL	2.59	0.44
2:C:48:LYS:HB3	2:C:48:LYS:HE2	1.76	0.44
1:A:12:SER:HB2	1:A:365[B]:THR:HG22	2.00	0.44
1:A:320:GLU:HG3	1:A:367:LEU:HB2	1.99	0.44
2:D:323:GLU:CD	2:D:348:GLY:HA3	2.38	0.44
1:A:162:GLY:HA3	1:A:240:PHE:CZ	2.53	0.43
2:D:17:VAL:HG11	2:D:353:GLY:HA3	2.00	0.43
1:B:162:GLY:HA3	1:B:240:PHE:CZ	2.55	0.42
2:D:229:ASN:HB3	3:D:401:COA:H2A	2.00	0.42
2:D:298:PRO:HD3	2:D:384:CYS:HB3	2.01	0.42
1:A:148:MET:HB3	1:A:148:MET:HE2	1.93	0.42
1:A:38[B]:LYS:HE2	8:A:817:HOH:O	2.20	0.42
2:C:17:VAL:HG11	2:C:353:GLY:HA3	2.02	0.42
2:D:249:ALA:HB3	2:D:250:PRO:HD3	2.02	0.41
2:D:1:MET:HG3	2:D:308:HIS:CE1	2.55	0.41
1:A:249:ALA:HB3	1:A:250:PRO:HD3	2.02	0.41
1:B:201:GLU:OE2	8:B:501:HOH:O	2.21	0.40
1:A:377:LYS:HA	1:A:377:LYS:HD3	1.83	0.40
2:D:299:ALA:HA	2:D:336:LEU:HD21	2.03	0.40
1:B:324:ALA:HB1	3:B:401[B]:COA:H22	2.03	0.40
2:C:173:GLY:HA2	8:C:703:HOH:O	2.22	0.40
2:D:265:VAL:HG12	2:D:266:SER:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/399 (100%)	395 (98%)	5 (1%)	1 (0%)	47	29
1	B	402/399 (101%)	393 (98%)	8 (2%)	1 (0%)	47	29
2	C	393/399 (98%)	385 (98%)	7 (2%)	1 (0%)	41	22
2	D	397/399 (100%)	382 (96%)	14 (4%)	1 (0%)	41	22
All	All	1593/1596 (100%)	1555 (98%)	34 (2%)	4 (0%)	41	22

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	91	VAL
1	B	91	VAL
2	C	91	VAL
2	D	91	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	298/297 (100%)	292 (98%)	6 (2%)	55	34
1	B	301/297 (101%)	300 (100%)	1 (0%)	92	89
2	C	294/298 (99%)	291 (99%)	3 (1%)	76	63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	287/298 (96%)	283 (99%)	4 (1%)	67	52
All	All	1180/1190 (99%)	1166 (99%)	14 (1%)	71	56

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	4	LEU
1	A	57	PHE
1	A	91	VAL
1	A	194	GLN
1	A	236	ILE
1	B	57	PHE
2	C	57	PHE
2	C	91	VAL
2	C	236	ILE
2	D	1	MET
2	D	57	PHE
2	D	207	GLN
2	D	254	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 4 are monoatomic and 10 are modelled with single atom - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	COA	D	401	-	41,50,50	3.98	8 (19%)	52,75,75	1.50	5 (9%)
6	ACT	D	402	2	1,2,3	4.73	1 (100%)	1,1,3	1.97	0
7	ACO	C	406	6	45,53,53	3.76	9 (20%)	56,79,79	1.91	5 (8%)
6	ACT	C	401	2,7	1,2,3	4.58	1 (100%)	1,1,3	1.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	COA	D	401	-	-	19/44/64/64	0/3/3/3
7	ACO	C	406	6	-	17/47/67/67	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	401	COA	O4B-C1B	17.28	1.65	1.41
7	C	406	ACO	O4B-C1B	17.17	1.65	1.41
7	C	406	ACO	C2B-C1B	-14.01	1.32	1.53
3	D	401	COA	C2B-C1B	-13.90	1.32	1.53
3	D	401	COA	O4B-C4B	-6.54	1.30	1.45
7	C	406	ACO	O4B-C4B	-6.36	1.30	1.45
3	D	401	COA	C9P-N8P	5.70	1.46	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	406	ACO	C5P-N4P	5.17	1.45	1.33
3	D	401	COA	C5P-N4P	5.16	1.45	1.33
6	D	402	ACT	O-C	4.73	1.40	1.20
6	C	401	ACT	O-C	4.58	1.40	1.20
7	C	406	ACO	C9P-N8P	4.31	1.43	1.33
7	C	406	ACO	C2A-N3A	3.66	1.38	1.32
3	D	401	COA	C2A-N3A	3.37	1.37	1.32
3	D	401	COA	O3B-C3B	-2.85	1.33	1.44
7	C	406	ACO	O3B-C3B	-2.69	1.34	1.44
7	C	406	ACO	C6A-N6A	2.52	1.43	1.34
3	D	401	COA	C6A-N6A	2.36	1.42	1.34
7	C	406	ACO	O2B-C2B	2.01	1.47	1.43

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	406	ACO	C5A-C6A-N6A	9.21	134.34	120.35
7	C	406	ACO	N6A-C6A-N1A	-6.36	105.37	118.57
7	C	406	ACO	N3A-C2A-N1A	-5.34	120.33	128.68
3	D	401	COA	N3A-C2A-N1A	-5.29	120.41	128.68
3	D	401	COA	C5A-C6A-N6A	5.03	127.99	120.35
7	C	406	ACO	C6P-C7P-N8P	-3.75	104.33	111.90
3	D	401	COA	N6A-C6A-N1A	-3.58	111.15	118.57
3	D	401	COA	C1B-N9A-C4A	-3.09	121.20	126.64
3	D	401	COA	P2A-O3A-P1A	-2.92	122.82	132.83
7	C	406	ACO	C2P-C3P-N4P	-2.25	107.68	112.42

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	401	COA	CCP-O6A-P2A-O3A
3	D	401	COA	CCP-O6A-P2A-O4A
3	D	401	COA	CCP-O6A-P2A-O5A
3	D	401	COA	CDP-CBP-CCP-O6A
3	D	401	COA	CEP-CBP-CCP-O6A
3	D	401	COA	CAP-CBP-CCP-O6A
3	D	401	COA	OAP-CAP-CBP-CCP
3	D	401	COA	C9P-CAP-CBP-CCP
3	D	401	COA	OAP-CAP-CBP-CDP
3	D	401	COA	C2P-C3P-N4P-C5P
3	D	401	COA	S1P-C2P-C3P-N4P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	C	406	ACO	C5B-O5B-P1A-O1A
7	C	406	ACO	CAP-CBP-CCP-O6A
7	C	406	ACO	OAP-CAP-CBP-CCP
7	C	406	ACO	C9P-CAP-CBP-CCP
7	C	406	ACO	OAP-CAP-CBP-CEP
7	C	406	ACO	S1P-C2P-C3P-N4P
7	C	406	ACO	O-C-S1P-C2P
7	C	406	ACO	CH3-C-S1P-C2P
7	C	406	ACO	O4B-C4B-C5B-O5B
7	C	406	ACO	CDP-CBP-CCP-O6A
7	C	406	ACO	CEP-CBP-CCP-O6A
3	D	401	COA	OAP-CAP-CBP-CEP
7	C	406	ACO	OAP-CAP-CBP-CDP
7	C	406	ACO	C3B-C4B-C5B-O5B
3	D	401	COA	C9P-CAP-CBP-CDP
7	C	406	ACO	C9P-CAP-CBP-CEP
3	D	401	COA	C5P-C6P-C7P-N8P
3	D	401	COA	O4B-C4B-C5B-O5B
3	D	401	COA	C3B-O3B-P3B-O7A
7	C	406	ACO	C3B-O3B-P3B-O7A
3	D	401	COA	C9P-CAP-CBP-CEP
7	C	406	ACO	C9P-CAP-CBP-CDP
3	D	401	COA	C3B-O3B-P3B-O9A
3	D	401	COA	C5B-O5B-P1A-O1A
7	C	406	ACO	CCP-O6A-P2A-O4A


There are no ring outliers.

3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	401	COA	6	0
6	D	402	ACT	2	0
7	C	406	ACO	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	398/399 (99%)	0.45	16 (4%) 38 45	5, 11, 26, 52	0
1	B	396/399 (99%)	0.46	18 (4%) 33 39	5, 10, 26, 54	0
2	C	394/399 (98%)	0.72	28 (7%) 16 21	11, 20, 38, 55	0
2	D	398/399 (99%)	1.02	57 (14%) 2 3	13, 25, 44, 57	0
All	All	1586/1596 (99%)	0.66	119 (7%) 14 19	5, 16, 38, 57	0

All (119) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	213	GLY	10.1
1	B	215	PRO	9.6
1	B	211	PHE	9.6
1	A	2	SER	8.9
2	D	211	PHE	8.9
1	A	211	PHE	7.5
2	C	215	PRO	7.3
2	D	2	SER	7.3
2	C	209	PRO	7.0
1	A	3	SER	7.0
1	A	4	LEU	6.9
1	B	0	GLY	6.7
2	D	3	SER	6.6
2	D	244	SER	6.5
2	D	212	ARG	6.3
2	C	210	GLY	6.1
1	B	2	SER	6.1
1	A	0	GLY	5.7
1	A	1	MET	5.6
2	C	3	SER	5.6
1	B	1	MET	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	212	ARG	5.4
2	D	209	PRO	5.4
1	B	214	LYS	5.2
2	C	208	LEU	5.1
2	D	1	MET	5.0
2	C	216	ASP	4.9
2	D	242	PRO	4.9
1	A	209	PRO	4.8
2	C	1	MET	4.6
2	D	235	ALA	4.5
2	C	243	GLY	4.5
1	B	216	ASP	4.4
1	B	3	SER	4.1
2	D	210	GLY	4.1
2	C	2	SER	4.1
2	C	241	ILE	4.1
2	C	242	PRO	4.1
2	D	243	GLY	4.1
2	C	217	VAL	4.0
2	C	207	GLN	3.9
2	D	398	LEU	3.9
1	B	210	GLY	3.9
2	D	241	ILE	3.9
2	D	236	ILE	3.8
1	B	4	LEU	3.7
1	B	209	PRO	3.6
2	D	314	ASP	3.6
2	D	274	ASN	3.6
2	D	349	ALA	3.5
2	D	96	LEU	3.4
2	D	0	GLY	3.4
2	D	240	PHE	3.4
2	C	236	ILE	3.4
2	D	246	THR	3.3
2	C	363	ILE	3.3
2	D	174	PHE	3.2
2	D	238	PRO	3.1
2	C	218	THR	3.0
2	D	4	LEU	3.0
2	D	216	ASP	3.0
2	C	235	ALA	3.0
1	B	242	PRO	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	240	PHE	2.9
2	D	229	ASN	2.9
2	C	247	VAL	2.9
2	D	239	ALA	2.8
2	D	336	LEU	2.8
2	D	245	GLY	2.8
2	C	245	GLY	2.7
2	D	233	LEU	2.7
2	C	45	ASP	2.7
2	D	276	LYS	2.7
2	C	244	SER	2.6
1	A	214	LYS	2.6
2	D	383	ILE	2.6
2	D	324	ALA	2.6
2	D	142	SER	2.6
1	A	363	ILE	2.5
2	C	352	ILE	2.5
2	D	207	GLN	2.5
2	D	99	ILE	2.5
2	D	363	ILE	2.5
2	C	398	LEU	2.5
2	C	156	GLY	2.5
2	D	328	VAL	2.4
2	D	155	ALA	2.4
1	B	138	TYR	2.4
2	D	271	LYS	2.4
1	B	217	VAL	2.4
2	D	214	LYS	2.4
2	D	338	ILE	2.4
1	A	210	GLY	2.4
2	D	93	ALA	2.4
2	D	44	VAL	2.3
2	D	208	LEU	2.3
2	D	100	ILE	2.3
2	C	4	LEU	2.3
1	B	244	SER	2.3
2	D	234	ARG	2.2
2	D	364	LEU	2.2
1	A	99	ILE	2.2
2	C	134	THR	2.2
2	C	314	ASP	2.2
1	A	45	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	243	GLY	2.1
2	D	47	LEU	2.1
2	D	84[A]	ILE	2.1
1	A	276	LYS	2.1
2	D	262	VAL	2.1
2	D	45	ASP	2.1
2	D	173	GLY	2.1
1	B	311	VAL	2.1
2	D	131[A]	ASN	2.1
2	D	356	ILE	2.1
2	D	325	PHE	2.0
1	A	364	LEU	2.0
1	B	352	ILE	2.0
2	D	118	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SCY	B	92[A]	9/10	0.92	0.14	5,5,14,14	3
1	SCY	A	92[A]	9/10	0.94	0.15	5,6,12,14	3

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	COA	D	401	48/48	0.49	0.29	38,57,73,75	48
7	ACO	C	406	51/51	0.58	0.28	29,63,69,71	51

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	COA	B	401[B]	48/48	0.69	0.23	9,33,54,55	48
5	NH4	C	404	1/1	0.70	0.18	21,21,21,21	1
5	NH4	C	405	1/1	0.77	0.27	38,38,38,38	0
3	COA	A	401[B]	48/48	0.79	0.18	14,27,46,49	48
5	NH4	D	405	1/1	0.86	0.14	31,31,31,31	0
5	NH4	A	404	1/1	0.90	0.12	21,21,21,21	0
6	ACT	C	401	3/4	0.90	0.24	19,19,21,26	3
5	NH4	B	404	1/1	0.90	0.13	18,18,18,18	0
6	ACT	D	402	3/4	0.91	0.29	19,19,19,21	3
5	NH4	B	405	1/1	0.91	0.17	32,32,32,32	0
5	NH4	D	404	1/1	0.94	0.15	17,17,17,17	0
4	CL	C	402	1/1	0.95	0.09	25,25,25,25	1
4	CL	B	402	1/1	0.95	0.13	6,6,6,6	1
5	NH4	C	403	1/1	0.98	0.16	14,14,14,14	0
4	CL	A	402	1/1	0.98	0.07	10,10,10,10	1
4	CL	D	403	1/1	0.98	0.10	23,23,23,23	1
5	NH4	B	403	1/1	0.99	0.21	5,5,5,5	0
5	NH4	A	403	1/1	0.99	0.19	8,8,8,8	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around COA D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ACO C 406:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.