

Full wwPDB X-ray Structure Validation Report (i)

Oct 30, 2023 - 01:19 PM JST

PDB ID	:	5AZI
Title	:	Crystal structure of glycerol kinase from Trypanosoma brucei gambiense com-
		plexed with 4NP
Authors	:	Balogun, E.O.; Inaoka, D.K.; Shiba, T.; Tokuoka, S.M.; Tokumasu, F.;
		Sakamoto, K.; Michels, P.A.M.; Harada, S.; Kita, K.
Deposited on	:	2015-10-08
Resolution	:	2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613(2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	518	.% 81%	16%	•••
1	С	518	.%	11%	••
2	В	518	3% 82%	16%	••
2	D	518	81%	16%	••



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 16014 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Glycerol kinase.

Mol	Chain	Residues		At	\mathbf{oms}			ZeroOcc	AltConf	Trace
1	А	513	Total 3951	C 2493	N 694	0 731	S 33	0	0	0
1	С	513	Total 3951	C 2493	N 694	0 731	S 33	0	0	0

Chain	hain Residue Modelled		Actual	Comment	Reference
А	-5	GLY	-	expression tag	UNP D3KVM3
А	-4	ILE	-	expression tag	UNP D3KVM3
А	-3	ASP	-	expression tag	UNP D3KVM3
А	-2	PRO	-	expression tag	UNP D3KVM3
А	-1	PHE	-	expression tag	UNP D3KVM3
А	0	THR	-	expression tag	UNP D3KVM3
С	-5	GLY	-	expression tag	UNP D3KVM3
С	-4	ILE	-	expression tag	UNP D3KVM3
С	-3	ASP	-	expression tag	UNP D3KVM3
С	-2	PRO	-	expression tag	UNP D3KVM3
С	-1	PHE	-	expression tag	UNP D3KVM3
С	0	THR	-	expression tag	UNP D3KVM3

There are 12 discrepancies between the modelled and reference sequences:

• Molecule 2 is a protein called Glycerol kinase.

Mol	Chain	Residues		A	Atoms	5			ZeroOcc	AltConf	Trace
2	В	513	Total 3955	C 2493	N 694	0 734	Р 1	S 33	0	0	0
2	D	513	Total 3955	C 2493	N 694	0 734	Р 1	S 33	0	0	0

There are 12 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
В	-5	GLY	-	expression tag	UNP D3KVM3
В	-4	ILE	-	expression tag	UNP D3KVM3
В	-3	ASP	-	expression tag	UNP D3KVM3
В	-2	PRO	-	expression tag	UNP D3KVM3
В	-1	PHE	-	expression tag	UNP D3KVM3
В	0	THR	-	expression tag	UNP D3KVM3
D	-5	GLY	-	expression tag	UNP D3KVM3
D	-4	ILE	-	expression tag	UNP D3KVM3
D	-3	ASP	-	expression tag	UNP D3KVM3
D	-2	PRO	-	expression tag	UNP D3KVM3
D	-1	PHE	-	expression tag	UNP D3KVM3
D	0	THR	-	expression tag	UNP D3KVM3

• Molecule 3 is 4-NITROPHENYL PHOSPHATE (three-letter code: 4NP) (formula: $C_6H_6NO_6P$).



Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	
3	Δ	1	Total	С	Ν	0	Р	0	0	
5	Л	I	14	6	1	6	1	0	0	
2	С	1	Total	С	Ν	0	Р	0	0	
5	U		14	6	1	6	1	0		

• Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
4	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	47	$\begin{array}{cc} \text{Total} & \text{O} \\ 47 & 47 \end{array}$	0	0
5	В	24	Total O 24 24	0	0
5	С	49	Total O 49 49	0	0
5	D	30	$\begin{array}{cc} \text{Total} & \text{O} \\ 30 & 30 \end{array}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Glycerol kinase



• Molecule 2: Glycerol kinase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	63.67Å 120.25Å 154.59Å	Deperitor
a, b, c, α , β , γ	90.00° 89.96° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	20.00 - 2.45	Depositor
Resolution (A)	19.85 - 2.45	EDS
% Data completeness	84.8 (20.00-2.45)	Depositor
(in resolution range)	84.7 (19.85-2.45)	EDS
R _{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$6.08 (at 2.44 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
P. P.	0.196 , 0.260	Depositor
n, n_{free}	0.201 , 0.261	DCC
R_{free} test set	3627 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	37.6	Xtriage
Anisotropy	0.180	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.36, 24.3	EDS
L-test for twinning ²	$< L >=0.50, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.480 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	16014	wwPDB-VP
Average B, all atoms $(Å^2)$	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.23% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, TPO, $4\mathrm{NP}$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles	
IVI01	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.50	0/4032	0.69	1/5456~(0.0%)
1	С	0.50	0/4032	0.68	0/5456
2	В	0.47	0/4024	0.68	0/5443
2	D	0.47	0/4024	0.67	0/5443
All	All	0.49	0/16112	0.68	1/21798~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	С	0	1
2	В	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	24	ARG	NE-CZ-NH1	5.75	123.17	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	В	316	ALA	Peptide
1	С	345	ARG	Sidechain



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3951	0	3963	47	0
1	С	3951	0	3963	22	0
2	В	3955	0	3962	39	0
2	D	3955	0	3962	33	0
3	А	14	0	4	0	0
3	С	14	0	4	0	0
4	А	6	0	8	0	0
4	В	6	0	8	0	0
4	С	6	0	8	0	0
4	D	6	0	8	0	0
5	А	47	0	0	1	0
5	В	24	0	0	0	0
5	С	49	0	0	0	0
5	D	30	0	0	0	0
All	All	16014	0	15890	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:224:ASN:HD22	1:A:302:GLN:H	1.26	0.84
2:D:364:ALA:HB1	2:D:365:PRO:CD	2.15	0.77
1:C:364:ALA:HB1	1:C:365:PRO:CD	2.15	0.77
2:B:364:ALA:HB1	2:B:365:PRO:CD	2.16	0.76
1:A:364:ALA:HB1	1:A:365:PRO:CD	2.19	0.72
1:A:341:GLU:OE2	1:A:345:ARG:NH2	2.24	0.71
1:A:364:ALA:HB1	1:A:365:PRO:HD3	1.73	0.70
1:A:274:TYR:HB3	1:A:423:LEU:HB2	1.72	0.70
2:B:324:VAL:HG21	2:B:423:LEU:HD21	1.74	0.70
2:B:364:ALA:HB1	2:B:365:PRO:HD3	1.72	0.70
2:B:419:VAL:HG21	2:B:430:MET:SD	2.32	0.69
2:D:269:GLU:OE1	2:D:418:ARG:NH2	2.26	0.67
2:B:224:ASN:HD22	2:B:302:GLN:H	1.43	0.66



	louis page	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:374:THR:CG2	1:A:507:THR:HG22	2.26	0.65	
2:D:364:ALA:HB1	2:D:365:PRO:HD3	1.78	0.64	
1:A:336:HIS:CE1	1:A:338:THR:HG1	2.14	0.64	
1:A:372:ARG:O	1:A:374:THR:HG22	1.97	0.64	
2:D:15:ARG:NH2	2:D:448:GLU:OE2	2.31	0.63	
2:D:224:ASN:HD22	2:D:302:GLN:H	1.47	0.63	
2:D:419:VAL:HG21	2:D:430:MET:SD	2.39	0.61	
2:B:372:ARG:O	2:B:374:THR:HG22	2.00	0.61	
1:A:272:ASN:HB2	1:A:280:LEU:HD12	1.82	0.60	
1:A:374:THR:HG21	1:A:507:THR:HG22	1.83	0.60	
1:C:364:ALA:HB1	1:C:365:PRO:HD3	1.85	0.59	
1:A:15:ARG:HD3	1:A:30:GLN:NE2	2.18	0.59	
2:D:15:ARG:HH22	2:D:448:GLU:CD	2.05	0.59	
2:B:337:ILE:H	2:B:337:ILE:HD13	1.67	0.59	
1:C:224:ASN:HD22	1:C:302:GLN:H	1.50	0.58	
2:B:364:ALA:CB	2:B:365:PRO:CD	2.80	0.58	
2:D:414:LEU:HD23	2:D:439:VAL:HG21	1.84	0.58	
2:D:364:ALA:CB	2:D:365:PRO:CD	2.81	0.57	
1:C:364:ALA:CB	1:C:365:PRO:CD	2.83	0.57	
2:B:374:THR:CG2	2:B:507:THR:HG22	2.34	0.57	
1:A:233:THR:O	1:A:239:ALA:HB2	2.05	0.57	
1:C:274:TYR:HB3	1:C:423:LEU:HB2	1.86	0.57	
1:A:17:ILE:HD13	1:A:448:GLU:HG2	1.87	0.56	
1:A:364:ALA:CB	1:A:365:PRO:CD	2.84	0.56	
2:B:374:THR:HG21	2:B:507:THR:HA	1.87	0.56	
2:B:17:ILE:HD13	2:B:28:VAL:HG23	1.87	0.55	
2:B:62:ILE:HG21	2:B:241:ALA:HB1	1.87	0.55	
1:A:226:GLU:O	1:A:249:MET:HA	2.06	0.55	
1:A:90:TRP:HA	1:A:98:LEU:HD22	1.87	0.55	
2:D:17:ILE:HD13	2:D:28:VAL:HG23	1.88	0.55	
2:D:502:GLU:HA	2:D:505:LYS:HD3	1.89	0.55	
1:C:17:ILE:HG12	1:C:28:VAL:HG23	1.89	0.55	
1:C:65:LEU:HD13	1:C:72:PHE:CG	2.42	0.54	
2:D:91:ASP:OD1	2:D:94:THR:HG23	2.07	0.54	
1:A:96:GLU:HG3	1:A:97:PRO:HD2	1.90	0.54	
1:C:364:ALA:HB1	1:C:365:PRO:HD2	1.90	0.54	
1:A:23:GLN:HE22	1:A:475:SER:HB2	1.73	0.54	
1:C:233:THR:O	1:C:239:ALA:HB2	2.08	0.53	
1:C:341:GLU:OE2	1:C:345:ARG:NH2	2.41	0.53	
1:C:141:ALA:HB3	1:C:193:THR:HA	1.91	0.52	
2:B:1:MET:HE3	2:B:1:MET:HA	1.91	0.52	



	lo uo pugom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:370:SER:HA	1:A:510:ALA:HB3	1.92	0.52	
2:D:446:MET:SD	2:D:448:GLU:HB3	2.50	0.52	
1:A:171:THR:HG21	1:A:219:PRO:HG3	1.92	0.52	
2:D:433:GLN:HG2	2:D:441:ILE:HD11	1.92	0.52	
2:D:16:PHE:CD2	2:D:58:MET:HA	2.45	0.52	
1:C:110:TYR:O	1:C:113:THR:HB	2.10	0.51	
1:A:141:ALA:HB3	1:A:193:THR:HA	1.93	0.51	
1:A:224:ASN:ND2	1:A:302:GLN:H	2.03	0.51	
2:B:1:MET:HE1	2:B:21:GLU:CG	2.41	0.51	
2:B:358:ALA:HB2	2:B:362:LEU:HD13	1.92	0.51	
1:A:374:THR:HG21	1:A:507:THR:HA	1.93	0.50	
2:D:358:ALA:HB2	2:D:362:LEU:HD13	1.94	0.50	
2:B:374:THR:HG23	2:B:507:THR:HG22	1.93	0.50	
1:A:266:GLU:O	1:A:269:GLU:HG3	2.11	0.49	
1:C:278:CYS:HB2	1:C:317:ILE:HB	1.94	0.49	
1:A:15:ARG:NH1	5:A:701:HOH:O	2.44	0.49	
2:D:280:LEU:HD11	2:D:417:LEU:HD11	1.95	0.49	
2:B:1:MET:SD	2:B:20:ASP:HB2	2.54	0.48	
1:A:15:ARG:HD3	1:A:30:GLN:HE21	1.79	0.48	
2:D:372:ARG:O	2:D:374:THR:OG1	2.30	0.48	
2:B:112:ILE:O	2:B:116:VAL:HG23	2.14	0.47	
2:D:273:THR:HG23	2:D:420:ASP:OD2	2.14	0.47	
2:B:278:CYS:SG	2:B:320:ALA:HB3	2.53	0.47	
1:C:376:VAL:HG12	2:D:374:THR:HG23	1.96	0.47	
2:D:83:GLN:O	2:D:83:GLN:HG3	2.14	0.47	
1:A:287:GLU:OE2	1:A:289:ARG:NE	2.48	0.47	
1:A:44:GLU:HG2	1:A:100:TYR:HB3	1.96	0.47	
1:C:90:TRP:HA	1:C:98:LEU:HD22	1.95	0.46	
1:C:171:THR:HG21	1:C:219:PRO:HG3	1.96	0.46	
2:B:71:SER:O	2:B:72:PHE:C	2.54	0.46	
2:B:233:THR:O	2:B:239:ALA:HB2	2.16	0.46	
1:A:272:ASN:HD21	1:A:278:CYS:HB3	1.81	0.45	
2:B:429:LEU:O	2:B:433:GLN:HB2	2.17	0.45	
2:B:367:TRP:CG	2:B:367:TRP:O	2.70	0.44	
2:B:81:THR:HA	2:B:252:ILE:O	2.17	0.44	
1:A:201:ARG:HD3	1:A:309:CYS:SG	2.57	0.44	
2:D:99:CYS:SG	2:D:148:MET:HE3	2.58	0.44	
2:B:183:PHE:HZ	2:B:217:THR:O	2.00	0.44	
1:A:262:ASN:HB3	1:A:418:ARG:HG3	1.99	0.44	
1:A:289:ARG:HD3	1:A:410:ALA:HA	2.00	0.43	
1:A:108:ARG:HD3	1:A:147:TRP:CE2	2.54	0.43	



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:233:THR:OG1	1:A:234:ASP:N	2.52	0.43	
1:A:271:LYS:HD2	1:A:271:LYS:C	2.38	0.43	
2:B:1:MET:HA	2:B:1:MET:CE	2.48	0.43	
2:D:90:TRP:HA	2:D:98:LEU:HD22	1.99	0.43	
1:A:225:SER:O	1:A:226:GLU:HB3	2.17	0.43	
2:D:284:VAL:HG11	2:D:313:LEU:HD12	1.99	0.43	
2:D:447:HIS:O	2:D:449:THR:N	2.46	0.43	
1:C:108:ARG:HD3	1:C:147:TRP:CZ2	2.54	0.43	
1:A:419:VAL:HG21	1:A:430:MET:SD	2.59	0.43	
1:A:89:ALA:HB2	1:A:148:MET:CE	2.49	0.43	
2:B:16:PHE:CD2	2:B:58:MET:HA	2.54	0.43	
1:A:336:HIS:CE1	1:A:338:THR:OG1	2.72	0.42	
2:D:324:VAL:HG21	2:D:423:LEU:HD21	2.00	0.42	
1:C:171:THR:HG21	1:C:219:PRO:CG	2.50	0.42	
2:B:142:ALA:O	2:B:145:MET:HB2	2.19	0.42	
2:D:183:PHE:HZ	2:D:217:THR:O	2.03	0.42	
1:A:27:SER:HB2	1:A:65:LEU:HG	2.01	0.42	
2:B:318:ALA:HB2	2:B:363:LEU:CD1	2.50	0.42	
1:C:15:ARG:CG	1:C:30:GLN:HE21	2.33	0.42	
1:C:91:ASP:OD2	1:C:161:ARG:NH2	2.53	0.42	
1:A:235:GLU:O	1:A:236:CYS:SG	2.75	0.42	
2:B:157:ASP:OD1	2:B:161:ARG:NH1	2.52	0.42	
2:B:1:MET:HE2	2:B:2:LYS:N	2.35	0.41	
1:A:252:ILE:HG23	1:A:257:SER:HB2	2.02	0.41	
2:D:186:ASP:OD2	2:D:188:THR:OG1	2.24	0.41	
2:B:212:LYS:HG3	2:B:212:LYS:O	2.20	0.41	
2:D:429:LEU:O	2:D:433:GLN:HB2	2.21	0.41	
2:B:17:ILE:CD1	2:B:28:VAL:HG23	2.50	0.41	
2:B:81:THR:OG1	2:B:254:ASP:HA	2.21	0.41	
2:D:197:ASP:O	2:D:201:ARG:N	2.53	0.41	
2:D:142:ALA:O	2:D:145:MET:HB2	2.19	0.41	
2:D:201:ARG:HH11	2:D:302:GLN:NE2	2.19	0.41	
1:A:65:LEU:HD13	1:A:72:PHE:CG	2.55	0.41	
1:A:445:SER:OG	1:A:480:SER:O	2.38	0.41	
2:B:198:LEU:HD22	2:B:311:TYR:HE1	1.86	0.41	
2:B:273:THR:HG23	2:B:420:ASP:OD1	2.20	0.41	
1:A:102:PRO:HB2	1:A:144:LYS:HD3	2.03	0.40	
2:B:48:MET:O	2:B:52:ARG:HG3	2.22	0.40	
1:C:509:TRP:CD1	2:D:377:GLY:HA2	2.55	0.40	
1:A:374:THR:HG23	1:A:507:THR:HG22	2.02	0.40	
1:A:433:GLN:HG3	1:A:441:ILE:HD11	2.03	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:342:LYS:HA	2:B:342:LYS:HE3	2.03	0.40
2:B:348:PRO:HG2	2:B:351:GLN:HE21	1.86	0.40
1:C:326:TRP:CH2	1:C:331:MET:HG3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	511/518~(99%)	480 (94%)	30 (6%)	1 (0%)	47	57
1	С	511/518~(99%)	482 (94%)	28~(6%)	1 (0%)	47	57
2	В	510/518~(98%)	482 (94%)	24 (5%)	4 (1%)	19	22
2	D	510/518~(98%)	476 (93%)	31 (6%)	3 (1%)	25	29
All	All	2042/2072 (99%)	1920 (94%)	113 (6%)	9 (0%)	34	41

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	В	448	GLU
2	D	448	GLU
1	А	364	ALA
2	В	364	ALA
1	С	364	ALA
2	D	364	ALA
2	В	367	TRP
2	D	348	PRO
2	В	208	CYS



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	420/425~(99%)	389~(93%)	31 (7%)	13 16
1	С	420/425~(99%)	391~(93%)	29 (7%)	15 18
2	В	419/424~(99%)	386~(92%)	33~(8%)	12 14
2	D	419/424~(99%)	377~(90%)	42 (10%)	7 7
All	All	1678/1698~(99%)	1543 (92%)	135 (8%)	12 14

All (135) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	9	GLN
1	А	24	ARG
1	А	65	LEU
1	А	71	SER
1	А	73	ARG
1	А	113	THR
1	А	146	ARG
1	А	160	ARG
1	А	173	LEU
1	А	177	LEU
1	А	204	SER
1	А	233	THR
1	А	244	GLU
1	А	271	LYS
1	А	280	LEU
1	А	317	ILE
1	А	336	HIS
1	А	337	ILE
1	А	342	LYS
1	А	362	LEU
1	А	366	TYR
1	А	374	THR
1	A	415	SER
1	А	418	ARG



Mol	Chain	Res	Type
1	А	442	LEU
1	А	445	SER
1	А	447	HIS
1	А	483	THR
1	А	491	MET
1	А	501	ARG
1	А	511	LYS
2	В	1	MET
2	В	9	GLN
2	В	65	LEU
2	В	66	ARG
2	В	73	ARG
2	В	94	THR
2	В	96	GLU
2	В	98	LEU
2	В	113	THR
2	В	129	SER
2	В	173	LEU
2	В	174	MET
2	В	177	LEU
2	В	198	LEU
2	В	199	ARG
2	В	271	LYS
2	В	305	ARG
2	В	317	ILE
2	В	329	ARG
2	В	335	SER
2	В	337	ILE
2	В	338	THR
2	В	342	LYS
2	В	347	VAL
2	В	374	THR
2	В	399	LEU
2	В	416	SER
2	В	418	ARG
2	В	445	SER
2	В	447	HIS
2	В	489	SER
2	В	491	MET
2	В	501	ARG
1	С	9	GLN
1	С	22	ARG



Mol	Chain	Res	Type
1	С	65	LEU
1	С	66	ARG
1	С	73	ARG
1	С	93	VAL
1	С	96	GLU
1	С	137	SER
1	С	146	ARG
1	С	157	ASP
1	С	160	ARG
1	С	173	LEU
1	С	177	LEU
1	С	178	SER
1	С	199	ARG
1	С	271	LYS
1	С	276	THR
1	С	305	ARG
1	С	329	ARG
1	С	336	HIS
1	С	355	PHE
1	С	360	SER
1	С	362	LEU
1	С	366	TYR
1	С	412	LEU
1	С	476	ARG
1	С	483	THR
1	С	489	SER
1	С	491	MET
2	D	9	GLN
2	D	56	LYS
2	D	65	LEU
2	D	66	ARG
2	D	73	ARG
2	D	74	LYS
2	D	92	ARG
2	D	94	THR
2	D	96	GLU
2	D	98	LEU
2	D	113	THR
2	D	114	LYS
2	D	127	PHE
2	D	130	LYS
2	D	160	ARG



Mol	Chain	Res	Type
2	D	173	LEU
2	D	177	LEU
2	D	198	LEU
2	D	216	GLU
2	D	234	ASP
2	D	244	GLU
2	D	245	ARG
2	D	271	LYS
2	D	317	ILE
2	D	336	HIS
2	D	337	ILE
2	D	342	LYS
2	D	345	ARG
2	D	346	SER
2	D	362	LEU
2	D	366	TYR
2	D	399	LEU
2	D	412	LEU
2	D	413	ASN
2	D	433	GLN
2	D	442	LEU
2	D	447	HIS
2	D	466	THR
2	D	480	SER
2	D	483	THR
2	D	491	MET
2	D	501	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	23	GLN
1	А	30	GLN
1	А	36	HIS
1	А	224	ASN
1	А	272	ASN
1	А	302	GLN
2	В	23	GLN
2	В	30	GLN
2	В	224	ASN
2	В	302	GLN
2	В	351	GLN



Mol	Chain	Res	Type
1	С	23	GLN
1	С	30	GLN
1	С	36	HIS
1	С	224	ASN
1	С	272	ASN
1	С	336	HIS
2	D	23	GLN
2	D	151	ASN
2	D	224	ASN
2	D	302	GLN
2	D	351	GLN
2	D	413	ASN
2	D	433	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tinle	Bond lengths			B	ond ang	les
1VIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
2	TPO	В	276	2	8,10,11	1.25	1 (12%)	10,14,16	1.52	2 (20%)
2	TPO	D	276	2	8,10,11	1.46	1 (12%)	10,14,16	1.48	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPO	В	276	2	-	4/9/11/13	-
2	TPO	D	276	2	-	4/9/11/13	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	D	276	TPO	P-OG1	3.63	1.66	1.59
2	В	276	TPO	P-OG1	3.09	1.65	1.59

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	276	TPO	CG2-CB-CA	-3.48	106.30	113.16
2	D	276	TPO	CG2-CB-CA	-3.19	106.87	113.16
2	D	276	TPO	P-OG1-CB	2.34	130.28	123.21
2	В	276	TPO	P-OG1-CB	2.01	129.28	123.21

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	В	276	TPO	N-CA-CB-OG1
2	В	276	TPO	C-CA-CB-CG2
2	D	276	TPO	N-CA-CB-OG1
2	D	276	TPO	CB-OG1-P-O1P
2	В	276	TPO	N-CA-CB-CG2
2	D	276	TPO	C-CA-CB-CG2
2	В	276	TPO	CB-OG1-P-O1P
2	D	276	TPO	CB-OG1-P-O3P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

6 ligands are modelled in this entry.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mal Trung Chain Bag		Tink	Bond lengths			Bond angles			
Moi Type Chain	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
4	GOL	А	602	-	$5,\!5,\!5$	0.47	0	$5,\!5,\!5$	0.27	0
3	4NP	А	601	-	13,14,14	1.09	2(15%)	18,20,20	1.00	0
4	GOL	D	601	-	$5,\!5,\!5$	0.36	0	$5,\!5,\!5$	0.68	0
4	GOL	С	602	-	$5,\!5,\!5$	0.49	0	$5,\!5,\!5$	0.35	0
4	GOL	В	601	-	$5,\!5,\!5$	0.36	0	$5,\!5,\!5$	0.56	0
3	4NP	С	601	-	13,14,14	1.13	2 (15%)	18,20,20	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	А	602	-	-	2/4/4/4	-
3	4NP	А	601	-	-	2/7/9/9	0/1/1/1
4	GOL	D	601	-	-	3/4/4/4	-
4	GOL	С	602	-	-	0/4/4/4	-
4	GOL	В	601	-	-	2/4/4/4	-
3	4NP	С	601	-	-	2/7/9/9	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	С	601	4NP	P-01	2.54	1.63	1.59
3	А	601	4NP	C4-N	-2.43	1.39	1.45
3	С	601	4NP	C4-N	-2.10	1.40	1.45
3	А	601	4NP	P-01	2.08	1.62	1.59

There are no bond angle outliers.

There are no chirality outliers.

All (11) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	А	601	4NP	C3-C4-N-O6
3	А	601	4NP	C5-C4-N-O6
3	С	601	4NP	C3-C4-N-O6
3	С	601	4NP	C5-C4-N-O6
4	А	602	GOL	C1-C2-C3-O3
4	В	601	GOL	C1-C2-C3-O3
4	D	601	GOL	C1-C2-C3-O3
4	D	601	GOL	O2-C2-C3-O3
4	В	601	GOL	O2-C2-C3-O3
4	А	602	GOL	O2-C2-C3-O3
4	D	601	GOL	O1-C1-C2-C3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.





6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	513/518~(99%)	-0.09	4 (0%) 86 86	19, 37, 63, 79	1 (0%)
1	С	513/518~(99%)	-0.11	4 (0%) 86 86	18, 37, 61, 80	1 (0%)
2	В	512/518~(98%)	0.09	13 (2%) 57 53	19, 48, 73, 100	1 (0%)
2	D	512/518~(98%)	0.07	20 (3%) 39 36	21, 48, 75, 96	1 (0%)
All	All	2050/2072~(98%)	-0.01	41 (2%) 65 62	18, 41, 70, 100	4 (0%)

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	В	318	ALA	6.8
2	D	318	ALA	5.5
2	В	488	GLY	5.2
2	В	319	CYS	4.6
1	А	367	TRP	4.0
2	В	118	ALA	3.6
2	В	423	LEU	3.5
2	D	364	ALA	3.5
2	D	491	MET	3.5
2	В	179	GLY	3.2
2	D	118	ALA	3.0
2	В	491	MET	3.0
2	D	423	LEU	3.0
2	D	179	GLY	3.0
2	В	421	GLY	2.9
1	А	158	ALA	2.8
1	С	367	TRP	2.7
2	В	447	HIS	2.7
2	В	367	TRP	2.7
2	В	413	ASN	2.6
2	D	122	GLY	2.6



Mol	Chain	Res	Type	RSRZ
2	D	274	TYR	2.5
2	D	319	CYS	2.5
2	D	338	THR	2.5
1	С	481	TRP	2.4
2	D	275	GLY	2.4
2	D	421	GLY	2.3
2	В	490	ALA	2.3
2	D	367	TRP	2.3
2	D	422	GLY	2.3
1	С	479	ASN	2.2
2	D	420	ASP	2.2
2	D	294	GLY	2.2
1	С	305	ARG	2.2
2	D	158	ALA	2.1
1	А	111	ASP	2.1
1	A	479	ASN	2.1
2	D	440	ASP	2.1
2	D	342	LYS	2.1
2	В	122	GLY	2.1
2	D	209	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	TPO	В	276	11/12	0.91	0.12	$44,\!51,\!55,\!57$	0
2	TPO	D	276	11/12	0.91	0.12	45,50,51,51	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,



5	А	ΖI	

Mol	Type	Chain	\mathbf{Res}	Atoms	RSCC	RSR	$\operatorname{B-factors}(\operatorname{\AA}^2)$	Q < 0.9
3	4NP	С	601	14/14	0.78	0.24	90,95,101,101	0
3	4NP	А	601	14/14	0.86	0.21	73,88,99,100	0
4	GOL	С	602	6/6	0.89	0.26	44,45,46,46	0
4	GOL	А	602	6/6	0.96	0.16	40,42,45,48	0
4	GOL	В	601	6/6	0.97	0.13	24,26,28,30	0
4	GOL	D	601	6/6	0.99	0.12	24,26,27,27	0

median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

6.5 Other polymers (i)

There are no such residues in this entry.

