



# Full wwPDB X-ray Structure Validation Report i

Jun 16, 2024 – 05:44 AM EDT

PDB ID : 2C7B  
Title : The Crystal Structure of EstE1, a New Thermophilic and Thermostable Carboxylesterase Cloned from a Metagenomic Library  
Authors : Byun, J.-S.; Rhee, J.-K.; Kim, D.-U.; Oh, J.-W.; Cho, H.-S.  
Deposited on : 2005-11-21  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .



## 2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 4607 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBOXYLESTERASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	295	Total	C	N	O	S	Se	12	0	1
			2248	1436	388	419	1	4			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	86	Total	O	0	0
			86	86		
2	B	52	Total	O	0	0
			52	52		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CARBOXYLESTERASE



- Molecule 1: CARBOXYLESTERASE



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	73.71Å 73.71Å 234.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 28.97 – 2.10	Depositor EDS
% Data completeness (in resolution range)	76.1 (20.00-2.30) 98.5 (28.97-2.10)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	3.76 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
$R$ , $R_{free}$	0.234 , 0.261 0.329 , 0.324	Depositor DCC
$R_{free}$ test set	1907 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	17.5	Xtriage
Anisotropy	0.441	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 30.9	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.80	EDS
Total number of atoms	4607	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	8.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.62% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.59	1/2294 (0.0%)	0.95	3/3114 (0.1%)
1	B	0.99	14/2267 (0.6%)	1.48	27/3077 (0.9%)
All	All	0.82	15/4561 (0.3%)	1.25	30/6191 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	115	ALA	C-N	21.80	1.75	1.34
1	B	203	THR	C-N	-11.89	1.06	1.34
1	B	114	LEU	C-N	9.98	1.56	1.34
1	B	98	ARG	C-N	-9.69	1.11	1.34
1	B	120	PHE	C-N	7.26	1.48	1.34
1	B	49	ARG	C-N	-5.87	1.20	1.34
1	B	99	LEU	C-N	5.79	1.47	1.34
1	B	258	GLU	C-N	5.73	1.47	1.34
1	B	45	ILE	C-N	-5.70	1.21	1.34
1	B	154	SER	C-N	-5.67	1.21	1.34
1	B	41	VAL	C-N	-5.42	1.21	1.34
1	A	121	PRO	CA-CB	-5.41	1.42	1.53
1	B	279	MSE	CG-SE	-5.37	1.77	1.95
1	B	144	ASP	C-N	-5.36	1.24	1.34
1	B	194	SER	C-N	-5.31	1.21	1.34

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	116	PRO	CA-N-CD	-33.87	64.08	111.50
1	B	121	PRO	CA-N-CD	-32.45	66.07	111.50
1	A	120	PHE	C-N-CD	-23.48	68.93	120.60
1	B	203	THR	O-C-N	-14.45	99.57	122.70
1	A	120	PHE	C-N-CA	13.16	177.27	122.00
1	B	115	ALA	O-C-N	12.53	144.91	121.10
1	B	115	ALA	CA-C-N	-11.95	83.64	117.10
1	B	204	THR	O-C-N	10.44	139.41	122.70
1	B	115	ALA	C-N-CA	10.38	165.61	122.00
1	B	46	ALA	O-C-N	-9.46	107.57	122.70
1	B	203	THR	CA-C-N	8.47	135.84	117.20
1	B	204	THR	CA-C-N	-8.31	98.91	117.20
1	B	116	PRO	N-CA-CB	8.07	112.99	103.30
1	B	46	ALA	CA-C-N	7.69	134.12	117.20
1	B	114	LEU	C-N-CA	-7.40	103.21	121.70
1	B	41	VAL	N-CA-C	-7.33	91.20	111.00
1	B	204	THR	C-N-CA	7.20	139.70	121.70
1	B	45	ILE	C-N-CA	7.15	139.57	121.70
1	B	121	PRO	CA-CB-CG	-6.91	90.88	104.00
1	B	115	ALA	C-N-CD	-6.86	105.50	120.60
1	B	95	ILE	O-C-N	-6.28	112.65	122.70
1	B	94	HIS	O-C-N	6.21	132.64	122.70
1	B	41	VAL	CB-CA-C	-6.08	99.84	111.40
1	B	99	LEU	O-C-N	5.70	131.82	122.70
1	B	45	ILE	CA-C-N	-5.55	104.98	117.20
1	B	120	PHE	C-N-CD	-5.54	108.42	120.60
1	B	182	TYR	CA-CB-CG	5.48	123.81	113.40
1	B	202	GLU	CA-CB-CG	5.44	125.37	113.40
1	A	294	ARG	NE-CZ-NH1	5.39	123.00	120.30
1	B	116	PRO	CA-CB-CG	-5.08	94.36	104.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	203	THR	Mainchain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2248	0	2251	86	0
1	B	2221	0	2214	146	1
2	A	86	0	0	3	0
2	B	52	0	0	2	0
All	All	4607	0	4465	227	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:ALA:C	1:B:116:PRO:N	1.75	1.37
1:B:243:ALA:HB3	1:B:264:MSE:HE1	1.37	1.07
1:B:115:ALA:CA	1:B:116:PRO:N	2.20	1.03
1:B:264:MSE:HE2	1:B:271:ALA:HB2	1.39	1.02
1:A:265:LYS:HZ1	1:A:271:ALA:N	1.59	1.01
1:B:116:PRO:HD3	1:B:117:GLU:OE2	1.62	0.99
1:B:264:MSE:CE	1:B:271:ALA:HB2	1.92	0.99
1:B:192:THR:HG22	1:B:195:LEU:H	1.26	0.98
1:B:41:VAL:HG22	1:B:43:GLU:HG2	1.46	0.95
1:A:265:LYS:NZ	1:A:271:ALA:H	1.66	0.94
1:B:32:GLU:O	1:B:36:LEU:HB2	1.69	0.93
1:A:260:TYR:HE2	1:A:264:MSE:HE2	1.34	0.92
1:A:68:LYS:HE3	1:A:73:LEU:HD21	1.49	0.92
1:A:29:GLN:HG2	1:A:33:GLN:NE2	1.88	0.88
1:B:104:ASP:HB2	1:B:305:ARG:HH21	1.39	0.87
1:B:50:ASP:OD1	1:B:63:ARG:HD3	1.76	0.85
1:A:260:TYR:CE2	1:A:264:MSE:HE2	2.14	0.82
1:A:29:GLN:HG2	1:A:33:GLN:HE22	1.42	0.82
1:B:120:PHE:CE1	1:B:121:PRO:HD2	2.15	0.81
1:B:42:GLN:O	1:B:44:PRO:HD3	1.80	0.81
1:B:309:GLN:HA	1:B:309:GLN:NE2	1.96	0.79
1:B:120:PHE:O	1:B:121:PRO:HG2	1.81	0.79
1:B:91:THR:HG22	1:B:92:HIS:ND1	1.98	0.78
1:B:118:TYR:HB3	1:B:122:THR:HG21	1.64	0.77
1:A:52:HIS:ND1	2:A:2018:HOH:O	2.11	0.77
1:A:260:TYR:HE2	1:A:264:MSE:CE	1.97	0.77
1:A:91:THR:HG22	1:A:92:HIS:ND1	2.01	0.76
1:B:46:ALA:HB3	1:B:66:PHE:O	1.86	0.76

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:TYR:CE2	1:A:264:MSE:CE	2.69	0.76
1:A:265:LYS:HZ1	1:A:271:ALA:H	0.81	0.75
1:B:49:ARG:HB3	1:B:64:VAL:HG13	1.68	0.75
1:B:192:THR:HG21	1:B:255:ASP:HB2	1.69	0.75
1:B:264:MSE:HE2	1:B:271:ALA:CB	2.15	0.74
1:B:21:ALA:HB1	1:B:25:GLU:CG	2.17	0.73
1:B:41:VAL:CG2	1:B:43:GLU:HG2	2.19	0.73
1:A:265:LYS:NZ	1:A:271:ALA:N	2.31	0.72
1:A:220:LYS:HG3	1:A:221:ARG:N	2.03	0.72
1:B:39:ALA:O	1:B:40:ALA:HB2	1.89	0.71
1:A:189:GLY:O	1:A:191:PRO:HD3	1.90	0.71
1:B:115:ALA:C	1:B:116:PRO:CD	2.60	0.71
1:B:115:ALA:CB	1:B:116:PRO:N	2.55	0.70
1:B:115:ALA:HB1	1:B:116:PRO:N	2.06	0.69
1:B:120:PHE:O	1:B:121:PRO:CG	2.41	0.69
1:B:63:ARG:HG2	1:B:65:TYR:CZ	2.29	0.68
1:A:68:LYS:CE	1:A:73:LEU:HD21	2.22	0.68
1:A:17:LEU:O	1:A:18:SER:HB2	1.93	0.67
1:B:88:SER:OG	1:B:90:GLU:HG2	1.95	0.66
1:B:41:VAL:CG1	1:B:41:VAL:O	2.42	0.66
1:B:208:ILE:HA	1:B:211:MSE:CE	2.26	0.66
1:B:35:ARG:HG2	1:B:36:LEU:N	2.10	0.66
1:B:120:PHE:CD1	1:B:121:PRO:HD2	2.31	0.66
1:A:91:THR:CG2	1:A:92:HIS:ND1	2.59	0.65
1:B:115:ALA:HA	1:B:116:PRO:N	2.11	0.65
1:B:189:GLY:O	1:B:191:PRO:HD3	1.98	0.64
1:A:52:HIS:CE1	2:A:2018:HOH:O	2.50	0.64
1:B:120:PHE:CZ	1:B:121:PRO:HD2	2.32	0.64
1:A:34:SER:O	1:A:37:LEU:HB2	1.97	0.64
1:B:21:ALA:HB1	1:B:25:GLU:CD	2.18	0.64
1:B:85:VAL:HG13	1:B:115:ALA:O	1.98	0.64
1:B:208:ILE:HA	1:B:211:MSE:HE2	1.80	0.64
1:A:51:VAL:CG2	1:A:62:ALA:HB3	2.28	0.63
1:B:104:ASP:HB2	1:B:305:ARG:NH2	2.12	0.63
1:B:95:ILE:HD11	1:B:285:SER:HA	1.81	0.63
1:B:41:VAL:O	1:B:41:VAL:HG13	1.99	0.62
1:A:190:VAL:HB	1:B:190:VAL:HG11	1.81	0.62
1:B:91:THR:CG2	1:B:92:HIS:ND1	2.62	0.62
1:A:172:GLU:C	1:A:173:LYS:HD3	2.20	0.62
1:B:180:LEU:HB2	1:B:245:VAL:HG22	1.82	0.62
1:B:43:GLU:OE2	1:B:287:TYR:OH	2.11	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:VAL:HG11	1:B:190:VAL:HB	1.83	0.61
1:B:284:VAL:O	1:B:287:TYR:HB3	2.01	0.60
1:A:294:ARG:HH11	1:A:294:ARG:CG	2.14	0.60
1:A:43:GLU:OE1	1:A:101:ARG:NH1	2.34	0.60
1:A:208:ILE:HA	1:A:211:MSE:HE3	1.84	0.59
1:B:133:TRP:HA	1:B:136:ASP:OD1	2.03	0.59
1:A:221:ARG:O	1:A:223:GLU:N	2.36	0.58
1:B:30:VAL:HA	1:B:33:GLN:OE1	2.03	0.58
1:B:21:ALA:HB1	1:B:25:GLU:HG3	1.85	0.58
1:B:279:MSE:SE	1:B:292:ALA:HB3	2.54	0.58
1:B:84:PHE:O	1:B:115:ALA:N	2.37	0.58
1:B:93:ASP:O	1:B:97:ARG:HG3	2.04	0.58
1:B:192:THR:HG22	1:B:195:LEU:N	2.08	0.58
1:A:294:ARG:HH11	1:A:294:ARG:HG3	1.69	0.57
1:B:255:ASP:O	1:B:259:LEU:HD12	2.04	0.57
1:B:265:LYS:HA	1:B:269:SER:O	2.04	0.57
1:A:248:ALA:HB3	1:A:251:ASP:HB2	1.87	0.56
1:B:43:GLU:CD	1:B:287:TYR:HH	2.06	0.56
1:A:121:PRO:O	1:A:125:GLU:HG3	2.06	0.56
1:B:250:TYR:HE2	1:B:278:GLY:HA2	1.70	0.56
1:B:29:GLN:C	1:B:33:GLN:NE2	2.60	0.56
1:B:182:TYR:CE2	1:B:282:GLY:HA2	2.42	0.55
1:B:228:PHE:HB2	1:B:235:ALA:HB2	1.89	0.55
1:A:260:TYR:CE2	1:A:264:MSE:HE3	2.41	0.55
1:A:184:VAL:HG13	1:A:184:VAL:O	2.07	0.55
1:A:192:THR:OG1	1:A:195:LEU:HB2	2.07	0.55
1:A:116:PRO:HB3	1:A:217:GLN:HG3	1.89	0.54
1:A:213:TRP:HA	1:A:216:ARG:HG3	1.89	0.54
1:B:243:ALA:HB3	1:B:264:MSE:CE	2.26	0.54
1:A:51:VAL:HG22	1:A:62:ALA:HB3	1.89	0.53
1:B:39:ALA:O	1:B:40:ALA:CB	2.53	0.53
1:B:51:VAL:HG23	1:B:62:ALA:HB3	1.90	0.53
1:A:259:LEU:HD21	1:B:193:ALA:HA	1.90	0.53
1:B:248:ALA:HB3	1:B:251:ASP:HB2	1.91	0.53
1:A:29:GLN:CG	1:A:33:GLN:NE2	2.69	0.53
1:A:294:ARG:HH11	1:A:294:ARG:CB	2.21	0.52
1:B:49:ARG:HB3	1:B:64:VAL:CG1	2.37	0.52
1:A:294:ARG:CZ	2:A:2082:HOH:O	2.58	0.52
1:A:260:TYR:CD2	1:A:264:MSE:HE3	2.44	0.52
1:B:45:ILE:HD11	1:B:100:SER:HB3	1.91	0.52
1:A:89:ILE:HD11	1:A:111:ASP:HB2	1.92	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:43:GLU:OE1	1:B:101:ARG:NH2	2.43	0.52
1:B:286:PHE:C	1:B:288:PRO:HD2	2.30	0.52
1:B:43:GLU:OE2	1:B:98:ARG:HD2	2.09	0.52
1:A:221:ARG:O	1:A:224:GLU:HG3	2.10	0.51
1:A:168:ARG:HD3	1:A:240:LEU:HD13	1.90	0.51
1:B:21:ALA:HB1	1:B:25:GLU:OE2	2.09	0.51
1:B:162:VAL:HG12	1:B:166:LEU:HD22	1.91	0.51
1:A:29:GLN:CG	1:A:33:GLN:HE22	2.18	0.51
1:A:173:LYS:HD3	1:A:173:LYS:N	2.26	0.51
1:B:192:THR:CG2	1:B:255:ASP:HB2	2.37	0.50
1:B:256:GLU:HG2	2:B:2041:HOH:O	2.11	0.50
1:B:120:PHE:O	1:B:121:PRO:CB	2.59	0.50
1:B:131:LEU:HD22	1:B:163:VAL:CG1	2.42	0.50
1:A:265:LYS:NZ	1:A:265:LYS:HB2	2.26	0.50
1:B:186:ASN:ND2	1:B:188:THR:H	2.10	0.50
1:B:187:MSE:HE1	1:B:218:TYR:HD2	1.76	0.50
1:A:45:ILE:HG23	1:A:47:GLU:H	1.76	0.50
1:A:206:LEU:HD22	1:A:211:MSE:CG	2.42	0.50
1:B:279:MSE:HE2	1:B:279:MSE:HA	1.94	0.50
1:B:108:VAL:HG11	1:B:134:VAL:HG21	1.94	0.49
1:B:87:GLY:HA2	1:B:91:THR:HG21	1.93	0.49
1:B:147:ARG:NH2	1:B:310:PRO:HD3	2.27	0.49
1:A:162:VAL:HG22	1:A:232:PRO:HG3	1.94	0.49
1:B:120:PHE:CD1	1:B:121:PRO:CD	2.95	0.49
1:B:83:GLY:O	1:B:84:PHE:HB2	2.13	0.48
1:A:206:LEU:HD22	1:A:211:MSE:HG3	1.95	0.48
1:B:29:GLN:O	1:B:33:GLN:CD	2.51	0.48
1:B:231:SER:HB2	1:B:234:LEU:HD12	1.96	0.48
1:B:89:ILE:HG13	1:B:111:ASP:OD2	2.14	0.48
1:A:191:PRO:HG2	1:B:259:LEU:HD22	1.96	0.48
1:A:128:TYR:CE2	1:A:132:LYS:HE3	2.49	0.47
1:B:90:GLU:CD	1:B:90:GLU:H	2.16	0.47
1:A:93:ASP:O	1:A:97:ARG:HG3	2.13	0.47
1:B:177:LYS:HD3	1:B:307:GLY:HA3	1.97	0.47
1:B:154:SER:HA	1:B:182:TYR:O	2.14	0.47
1:B:51:VAL:CG2	1:B:62:ALA:HB3	2.44	0.47
1:B:250:TYR:CE2	1:B:278:GLY:HA2	2.49	0.47
1:B:70:ALA:HB3	1:B:73:LEU:HD21	1.96	0.47
1:B:116:PRO:HB3	1:B:217:GLN:OE1	2.14	0.47
1:B:108:VAL:HG22	1:B:108:VAL:O	2.15	0.47
1:B:209:GLU:H	1:B:209:GLU:CD	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:LYS:O	1:A:242:PRO:HD2	2.16	0.46
1:B:264:MSE:HE3	1:B:271:ALA:HB2	1.89	0.46
1:A:103:SER:O	1:A:104:ASP:HB2	2.15	0.46
1:B:208:ILE:HA	1:B:211:MSE:HE3	1.98	0.46
1:A:221:ARG:HA	1:A:222:PRO:HD2	1.68	0.46
1:B:243:ALA:CB	1:B:264:MSE:HE1	2.25	0.46
1:B:119:LYS:HD2	1:B:220:LYS:HD3	1.98	0.46
1:B:120:PHE:O	1:B:121:PRO:HB2	2.16	0.46
1:A:89:ILE:HG13	1:A:111:ASP:OD1	2.15	0.45
1:B:61:ARG:NH1	1:B:90:GLU:OE1	2.45	0.45
1:B:196:VAL:O	1:B:200:VAL:HG23	2.17	0.45
1:A:115:ALA:HB1	1:A:217:GLN:O	2.17	0.45
1:B:235:ALA:O	1:B:263:LYS:NZ	2.49	0.45
1:A:294:ARG:HG3	1:A:294:ARG:NH1	2.32	0.45
1:B:130:ALA:O	1:B:131:LEU:C	2.55	0.45
1:A:94:HIS:ND1	1:A:94:HIS:N	2.65	0.45
1:A:153:ASP:HA	1:A:181:ILE:O	2.17	0.45
1:A:98:ARG:HG3	1:A:98:ARG:HH11	1.81	0.45
1:B:150:VAL:HG23	1:B:150:VAL:O	2.17	0.45
1:A:17:LEU:O	1:A:18:SER:CB	2.65	0.44
1:A:189:GLY:O	1:A:191:PRO:CD	2.64	0.44
1:B:43:GLU:HG3	1:B:287:TYR:OH	2.18	0.44
1:B:165:ILE:HG23	1:B:168:ARG:NH2	2.32	0.44
1:B:177:LYS:HG3	1:B:178:GLN:N	2.32	0.44
1:A:75:ALA:HA	1:A:106:VAL:O	2.18	0.44
1:A:98:ARG:HG3	1:A:98:ARG:NH1	2.33	0.44
1:B:153:ASP:HA	1:B:181:ILE:O	2.17	0.44
1:A:118:TYR:HB3	1:A:122:THR:HG21	1.99	0.44
1:A:226:TYR:CE2	1:B:226:TYR:CE2	3.05	0.44
1:B:309:GLN:HA	1:B:309:GLN:HE21	1.78	0.44
1:B:120:PHE:CD1	1:B:121:PRO:N	2.86	0.44
1:B:192:THR:HB	1:B:195:LEU:HB2	2.00	0.44
1:A:212:VAL:O	1:A:216:ARG:HG2	2.17	0.43
1:B:133:TRP:NE1	1:B:137:ARG:HD3	2.33	0.43
1:A:170:SER:OG	1:A:172:GLU:HG3	2.17	0.43
1:B:137:ARG:O	1:B:140:GLU:HB2	2.18	0.43
1:B:284:VAL:HG13	1:B:297:LEU:HG	2.01	0.43
1:B:104:ASP:CB	1:B:305:ARG:HH21	2.21	0.43
1:A:159:LEU:O	1:A:163:VAL:HG23	2.18	0.43
1:B:206:LEU:HG	1:B:281:HIS:CD2	2.54	0.43
1:A:237:LEU:HA	1:A:240:LEU:CD2	2.48	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287:TYR:CD1	1:B:288:PRO:N	2.87	0.43
1:A:63:ARG:NH2	1:A:90:GLU:OE1	2.46	0.42
1:B:166:LEU:HD12	1:B:166:LEU:HA	1.82	0.42
1:B:192:THR:HG23	1:B:193:ALA:N	2.34	0.42
1:A:121:PRO:HD2	1:A:122:THR:H	1.84	0.42
1:A:265:LYS:HZ3	1:A:271:ALA:HB3	1.84	0.42
1:A:228:PHE:HB2	1:A:235:ALA:HB2	2.02	0.42
1:B:178:GLN:CG	1:B:243:ALA:HB2	2.49	0.42
1:B:22:SER:O	1:B:25:GLU:HG2	2.20	0.42
1:B:155:ALA:O	1:B:159:LEU:HG	2.19	0.42
1:B:309:GLN:NE2	1:B:309:GLN:CA	2.67	0.42
1:B:34:SER:O	1:B:38:THR:HG23	2.20	0.41
1:B:41:VAL:CG2	1:B:43:GLU:CG	2.95	0.41
1:A:63:ARG:HB2	1:A:89:ILE:HG21	2.01	0.41
1:A:53:ILE:HA	1:A:54:PRO:HD3	1.88	0.41
1:B:33:GLN:O	1:B:37:LEU:HG	2.19	0.41
1:B:121:PRO:O	1:B:125:GLU:N	2.51	0.41
1:A:84:PHE:CE1	1:A:155:ALA:HB1	2.55	0.41
1:A:162:VAL:CG2	1:A:232:PRO:HG3	2.50	0.41
1:B:48:THR:HA	1:B:64:VAL:O	2.19	0.41
1:A:38:THR:HG22	1:A:94:HIS:ND1	2.36	0.41
1:B:29:GLN:O	1:B:33:GLN:NE2	2.54	0.41
1:B:162:VAL:HG21	1:B:229:LYS:O	2.21	0.41
1:B:168:ARG:NH1	1:B:238:GLY:O	2.50	0.41
1:B:285:SER:HB2	2:B:2024:HOH:O	2.21	0.41
1:B:309:GLN:HE21	1:B:309:GLN:CA	2.33	0.41
1:A:144:ASP:HA	1:A:145:PRO:HD2	1.84	0.40
1:A:286:PHE:C	1:A:288:PRO:CD	2.90	0.40
1:B:192:THR:CG2	1:B:193:ALA:N	2.84	0.40
1:B:61:ARG:HG2	1:B:89:ILE:HD12	2.03	0.40
1:B:63:ARG:HG2	1:B:65:TYR:CE2	2.56	0.40
1:B:45:ILE:CD1	1:B:100:SER:HB3	2.50	0.40
1:B:254:ARG:HD2	1:B:275:ARG:NE	2.37	0.40
1:A:26:LEU:HD12	1:A:26:LEU:HA	1.81	0.40
1:B:192:THR:HG22	1:B:194:SER:N	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:139:ASP:N	1:B:221:ARG:NH2[6_455]	1.63	0.57

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	293/311 (94%)	280 (96%)	9 (3%)	4 (1%)	11 11
1	B	289/311 (93%)	262 (91%)	21 (7%)	6 (2%)	7 5
All	All	582/622 (94%)	542 (93%)	30 (5%)	10 (2%)	9 8

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	121	PRO
1	A	222	PRO
1	B	40	ALA
1	B	41	VAL
1	B	46	ALA
1	B	116	PRO
1	B	121	PRO
1	A	18	SER
1	B	188	THR
1	A	190	VAL

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	233/244 (96%)	204 (88%)	29 (12%)	4 5
1	B	230/244 (94%)	195 (85%)	35 (15%)	3 2
All	All	463/488 (95%)	399 (86%)	64 (14%)	3 3

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	SER
1	A	45	ILE
1	A	47	GLU
1	A	49	ARG
1	A	56	SER
1	A	63	ARG
1	A	91	THR
1	A	94	HIS
1	A	108	VAL
1	A	173	LYS
1	A	182	TYR
1	A	195	LEU
1	A	202	GLU
1	A	205	SER
1	A	206	LEU
1	A	209	GLU
1	A	216	ARG
1	A	217	GLN
1	A	220	LYS
1	A	221	ARG
1	A	223	GLU
1	A	240	LEU
1	A	244	LEU
1	A	259	LEU
1	A	265	LYS
1	A	287	TYR
1	A	294	ARG
1	A	297	LEU
1	A	305	ARG
1	B	34	SER
1	B	35	ARG
1	B	36	LEU
1	B	45	ILE
1	B	56	SER
1	B	63	ARG
1	B	64	VAL
1	B	90	GLU
1	B	91	THR
1	B	99	LEU
1	B	104	ASP
1	B	108	VAL
1	B	111	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	121	PRO
1	B	132	LYS
1	B	136	ASP
1	B	139	ASP
1	B	146	ASP
1	B	166	LEU
1	B	170	SER
1	B	180	LEU
1	B	181	ILE
1	B	182	TYR
1	B	192	THR
1	B	195	LEU
1	B	196	VAL
1	B	204	THR
1	B	206	LEU
1	B	219	LEU
1	B	221	ARG
1	B	223	GLU
1	B	244	LEU
1	B	259	LEU
1	B	274	VAL
1	B	285	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	GLN
1	A	33	GLN
1	A	309	GLN
1	B	186	ASN
1	B	309	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	3

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	115:ALA	C	116:PRO	N	1.75
1	B	98:ARG	C	99:LEU	N	1.11
1	B	203:THR	C	204:THR	N	1.06

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.5 Other polymers [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.