



## Full wwPDB EM Validation Report ⓘ

Jan 11, 2024 – 03:39 PM EST

PDB ID : 8DEE  
EMDB ID : EMD-27391  
Title : Asymmetric Unit of Western Equine Encephalitis Virus  
Authors : Pletnev, S.; Verardi, R.; Roedegeer, M.; Kwong, P.  
Deposited on : 2022-06-20  
Resolution : 3.40 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	439	
1	F	439	
1	J	439	
1	N	439	
2	B	418	
2	G	418	
2	K	418	
2	O	418	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	E	259	 15% 51% 8% 41%
3	I	259	 5% 49% 9% 41%
3	M	259	 18% 50% 8% 41%
3	R	259	 9% 49% 10% 41%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 30716 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein E1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	439	3324	2110	562	631	21	0	0
1	F	439	3324	2110	562	631	21	0	0
1	J	439	3324	2110	562	631	21	0	0
1	N	439	3324	2110	562	631	21	0	0

- Molecule 2 is a protein called Spike glycoprotein E2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	408	3181	2021	560	579	21	0	0
2	G	408	3181	2021	560	579	21	0	0
2	K	408	3181	2021	560	579	21	0	0
2	O	408	3181	2021	560	579	21	0	0


- Molecule 3 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	E	153	1174	736	209	224	5	0	0
3	I	153	1174	736	209	224	5	0	0
3	M	153	1174	736	209	224	5	0	0
3	R	153	1174	736	209	224	5	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Spike glycoprotein E1





- Molecule 1: Spike glycoprotein E1




- Molecule 1: Spike glycoprotein E1





- Molecule 1: Spike glycoprotein E1





• Molecule 2: Spike glycoprotein E2




• Molecule 2: Spike glycoprotein E2




• Molecule 2: Spike glycoprotein E2




• Molecule 2: Spike glycoprotein E2




• Molecule 2: Spike glycoprotein E2




• Molecule 3: Capsid protein




• Molecule 3: Capsid protein




• Molecule 3: Capsid protein





• Molecule 3: Capsid protein





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	953400	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	43.5	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	1.209	Depositor
Minimum map value	-0.497	Depositor
Average map value	0.007	Depositor
Map value standard deviation	0.025	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	796.8, 796.8, 796.8	wwPDB
Map dimensions	640, 640, 640	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.245, 1.245, 1.245	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/3406	0.56	1/4646 (0.0%)
1	F	0.27	0/3406	0.56	0/4646
1	J	0.27	0/3406	0.56	0/4646
1	N	0.27	0/3406	0.55	0/4646
2	B	0.26	0/3273	0.56	0/4457
2	G	0.26	0/3273	0.57	1/4457 (0.0%)
2	K	0.27	0/3273	0.57	0/4457
2	O	0.27	0/3273	0.59	2/4457 (0.0%)
3	E	0.28	0/1200	0.59	0/1625
3	I	0.27	0/1200	0.59	0/1625
3	M	0.34	0/1200	0.77	3/1625 (0.2%)
3	R	0.29	0/1200	0.65	0/1625
All	All	0.27	0/31516	0.58	7/42912 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	201	PRO	CA-N-CD	-10.44	96.89	111.50
3	M	253	PRO	CA-N-CD	-9.32	98.45	111.50
1	A	8	PRO	CA-N-CD	-8.68	99.34	111.50
3	M	134	PRO	CA-N-CD	-8.35	99.81	111.50
2	O	63	ASP	CB-CG-OD1	6.76	124.38	118.30
2	O	28	CYS	CA-CB-SG	6.10	124.97	114.00
2	G	39	ASP	CB-CG-OD1	5.86	123.57	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	62	CYS	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3324	0	3274	38	0
1	F	3324	0	3274	18	0
1	J	3324	0	3276	30	0
1	N	3324	0	3274	28	0
2	B	3181	0	3128	16	0
2	G	3181	0	3128	23	0
2	K	3181	0	3128	26	0
2	O	3181	0	3128	24	0
3	E	1174	0	1153	12	0
3	I	1174	0	1153	14	0
3	M	1174	0	1153	14	0
3	R	1174	0	1153	13	0
All	All	30716	0	30222	237	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (237) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:363:ALA:HB3	1:A:378:ALA:HB3	1.52	0.89
1:J:303:VAL:HG11	1:J:378:ALA:HB2	1.55	0.88
3:M:200:VAL:HG22	3:M:201:PRO:HD3	1.63	0.80
2:O:23:ARG:O	2:O:23:ARG:NH1	2.15	0.79
1:J:360:SER:OG	1:J:362:GLN:O	2.05	0.75
1:F:42:THR:HG22	1:F:124:VAL:HG12	1.69	0.75
2:G:396:ARG:NH2	2:G:420:CYS:SG	2.60	0.75
2:B:75:ASP:OD1	2:B:233:LYS:NZ	2.22	0.73

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:94:CYS:SG	1:F:95:PHE:N	2.62	0.73
1:A:362:GLN:OE1	1:A:404:LYS:N	2.23	0.72
1:F:10:VAL:HG11	1:F:13:ILE:HD12	1.71	0.71
2:B:219:LYS:NZ	2:B:220:MET:O	2.22	0.70
2:B:24:HIS:O	2:G:95:ARG:NH2	2.24	0.70
1:N:129:LEU:HD23	1:N:148:VAL:HG11	1.73	0.70
1:J:381:LYS:NZ	2:K:350:ASP:OD1	2.24	0.70
1:J:383:PRO:O	2:K:346:SER:OG	2.07	0.70
3:E:169:LYS:NZ	3:R:231:GLU:OE2	2.24	0.69
3:I:191:VAL:HG12	3:I:200:VAL:HG12	1.75	0.69
1:J:44:LYS:NZ	1:J:206:SER:O	2.26	0.69
3:I:216:ASP:OD2	3:I:220:ARG:NH2	2.26	0.68
1:J:292:GLU:O	1:J:324:ARG:NH2	2.26	0.68
1:A:67:GLU:N	1:A:67:GLU:OE1	2.27	0.68
2:K:71:SER:OG	2:K:73:ASP:OD1	2.11	0.67
2:B:41:SER:OG	2:B:43:ASP:OD1	2.11	0.67
1:N:16:LYS:NZ	1:N:339:LEU:O	2.28	0.66
1:J:310:ALA:HB3	1:J:388:ILE:HD12	1.79	0.65
1:N:50:ARG:NH1	1:N:241:GLU:OE2	2.29	0.65
3:R:210:SER:OG	3:R:259:TRP:O	2.12	0.65
2:G:75:ASP:OD1	2:G:233:LYS:NZ	2.31	0.64
1:J:302:THR:OG1	1:J:317:THR:OG1	2.16	0.64
3:E:124:ALA:HB1	3:E:131:LEU:HD11	1.80	0.63
1:A:24:TYR:OH	1:A:289:ARG:NH2	2.32	0.63
2:O:18:PHE:N	2:O:245:ASP:OD1	2.31	0.63
1:A:362:GLN:NE2	1:A:402:VAL:O	2.32	0.63
1:N:94:CYS:HA	2:O:230:ILE:HD11	1.80	0.63
1:A:395:ASP:OD2	1:A:396:GLN:N	2.31	0.62
3:E:191:VAL:HG12	3:E:200:VAL:HG12	1.82	0.62
2:O:356:HIS:NE2	2:O:357:GLU:OE2	2.32	0.62
2:G:277:PRO:HB3	2:G:290:LEU:HD23	1.82	0.62
3:M:238:SER:HB2	3:M:252:THR:HG22	1.82	0.62
3:I:209:ASP:OD1	3:I:212:ARG:NH2	2.33	0.61
2:K:173:ARG:NH2	2:K:251:ASP:OD2	2.32	0.61
2:O:57:ASN:OD1	2:O:61:THR:N	2.33	0.61
1:A:386:HIS:HD1	2:B:346:SER:HG	1.48	0.61
3:M:132:MET:SD	3:M:132:MET:N	2.74	0.61
1:J:321:LYS:CE	1:J:349:VAL:HG22	2.33	0.59
2:K:41:SER:OG	2:K:43:ASP:OD1	2.18	0.59
3:E:216:ASP:N	3:E:220:ARG:O	2.36	0.58
1:N:339:LEU:HG	1:N:354:LEU:HD21	1.85	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:195:MET:SD	1:J:204:GLN:NE2	2.75	0.58
1:N:195:MET:O	1:N:216:ARG:NH1	2.37	0.58
1:F:10:VAL:CG1	1:F:13:ILE:HD12	2.33	0.58
2:G:403:TYR:HD1	2:G:411:VAL:HG22	1.67	0.58
1:A:10:VAL:HG11	1:A:13:ILE:HD12	1.85	0.58
3:I:176:THR:OG1	3:I:220:ARG:NH1	2.35	0.57
3:E:216:ASP:OD1	3:E:220:ARG:NH2	2.37	0.57
2:B:31:PRO:O	2:B:51:SER:OG	2.21	0.57
1:J:21:ARG:NH1	1:J:284:ASP:OD1	2.37	0.57
2:B:362:TYR:O	2:B:370:THR:OG1	2.21	0.57
3:R:176:THR:OG1	3:R:220:ARG:NH2	2.36	0.57
3:I:117:ASN:O	3:I:119:GLN:NE2	2.37	0.56
1:A:44:LYS:NZ	1:A:206:SER:O	2.39	0.56
2:B:277:PRO:HB3	2:B:290:LEU:HD23	1.87	0.56
3:I:160:GLU:N	3:I:160:GLU:OE1	2.39	0.56
3:E:119:GLN:OE1	3:I:167:ASN:ND2	2.38	0.56
2:G:71:SER:OG	2:G:73:ASP:OD2	2.16	0.56
3:I:243:ASN:OD1	3:I:244:GLN:N	2.38	0.56
1:J:13:ILE:HD11	1:J:391:PRO:HG2	1.88	0.55
2:K:54:PHE:CE1	2:K:104:LEU:HD11	2.40	0.55
2:G:204:CYS:HB3	2:G:229:CYS:HA	1.87	0.55
2:G:41:SER:OG	2:G:43:ASP:OD1	2.21	0.55
2:G:203:GLU:HB3	2:G:211:THR:HG23	1.88	0.55
3:R:111:THR:HG22	3:R:123:TYR:HD2	1.71	0.55
1:J:296:ILE:HD12	1:J:299:VAL:HB	1.89	0.55
3:M:216:ASP:N	3:M:220:ARG:O	2.40	0.55
1:A:302:THR:HG1	1:A:317:THR:HG1	1.54	0.54
1:J:321:LYS:HE3	1:J:349:VAL:HG13	1.90	0.54
3:I:225:VAL:HA	3:I:239:VAL:HG12	1.90	0.54
2:G:58:GLN:N	2:G:80:GLU:OE1	2.40	0.54
3:M:115:MET:N	3:M:115:MET:SD	2.80	0.54
1:N:84:VAL:HG23	1:N:86:PRO:HD3	1.89	0.54
1:J:296:ILE:HD13	1:J:369:LEU:HD22	1.90	0.54
3:R:185:ASN:N	3:R:215:LEU:O	2.41	0.54
2:G:184:GLU:OE1	2:G:217:ARG:NH2	2.41	0.54
1:N:117:ASP:OD1	1:N:180:ARG:NH1	2.40	0.54
2:B:24:HIS:O	2:B:25:SER:OG	2.22	0.54
2:K:277:PRO:HB3	2:K:290:LEU:HD23	1.90	0.54
1:A:259:CYS:SG	1:A:268:ALA:HB1	2.48	0.53
3:R:121:ASN:ND2	3:R:138:GLU:O	2.41	0.53
1:J:385:ASP:OD1	1:J:386:HIS:N	2.42	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:K:54:PHE:CD1	2:K:104:LEU:HD11	2.43	0.53
3:E:253:PRO:O	3:E:256:SER:OG	2.15	0.53
1:A:10:VAL:CG1	1:A:13:ILE:HD12	2.39	0.53
1:A:44:LYS:HA	1:A:122:LEU:HD23	1.91	0.52
1:J:182:GLY:HA2	1:J:263:VAL:HG21	1.90	0.52
1:N:96:CYS:O	1:N:100:ASN:ND2	2.42	0.52
1:J:321:LYS:HE2	1:J:349:VAL:HG22	1.90	0.52
1:N:292:GLU:O	1:N:324:ARG:NH1	2.42	0.52
2:O:75:ASP:OD1	2:O:233:LYS:NZ	2.42	0.52
2:G:18:PHE:N	2:G:245:ASP:OD2	2.40	0.52
3:I:119:GLN:OE1	3:M:167:ASN:ND2	2.43	0.52
3:R:225:VAL:HA	3:R:239:VAL:HG12	1.90	0.52
1:J:3:HIS:ND1	1:J:19:VAL:HG12	2.26	0.51
1:A:159:LEU:HD11	1:A:280:ILE:HD11	1.93	0.51
1:N:231:VAL:HG23	1:N:231:VAL:O	2.10	0.51
3:R:192:GLN:OE1	3:R:199:THR:HG22	2.11	0.51
1:A:72:SER:O	1:A:72:SER:OG	2.20	0.51
1:F:390:GLU:OE2	1:F:393:LYS:NZ	2.37	0.51
2:O:171:MET:CG	2:O:258:LEU:HD23	2.41	0.50
3:R:121:ASN:OD1	3:R:121:ASN:N	2.43	0.50
1:F:94:CYS:O	2:G:230:ILE:HD11	2.11	0.50
3:M:231:GLU:OE2	3:M:233:THR:OG1	2.27	0.50
1:N:149:ASN:ND2	1:N:152:THR:OG1	2.45	0.50
2:B:88:ILE:HD11	2:B:104:LEU:HD23	1.94	0.50
3:E:241:THR:OG1	3:E:251:ASP:OD2	2.18	0.50
2:O:31:PRO:O	2:O:51:SER:OG	2.29	0.49
2:O:43:ASP:OD1	2:O:157:VAL:HG22	2.12	0.49
3:M:173:LEU:HD23	3:M:221:VAL:CG2	2.42	0.49
1:A:47:VAL:HG21	1:A:208:LEU:HD22	1.94	0.49
2:K:182:TYR:OH	2:K:233:LYS:NZ	2.46	0.49
1:N:129:LEU:O	1:N:148:VAL:HG12	2.13	0.49
1:A:297:LEU:O	1:A:372:LYS:NZ	2.46	0.49
1:N:37:GLU:N	1:N:37:GLU:OE1	2.46	0.48
1:F:30:GLU:OE1	1:F:136:VAL:HG12	2.14	0.48
2:O:75:ASP:OD1	2:O:198:LYS:NZ	2.46	0.48
1:F:395:ASP:OD1	1:F:396:GLN:N	2.47	0.48
2:G:31:PRO:O	2:G:51:SER:OG	2.31	0.48
1:A:303:VAL:HG11	1:A:378:ALA:HB2	1.95	0.48
2:K:31:PRO:O	2:K:51:SER:OG	2.31	0.48
2:G:409:ALA:O	2:G:411:VAL:HG23	2.14	0.48
3:E:210:SER:OG	3:E:259:TRP:O	2.32	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:388:ILE:HD11	2:K:344:GLN:NE2	2.29	0.48
2:K:166:ALA:HB2	2:K:263:ARG:HA	1.96	0.48
1:A:156:SER:OG	1:A:157:ARG:NH1	2.47	0.48
1:N:255:ALA:O	2:O:301:ARG:NH1	2.45	0.47
1:A:299:VAL:HG13	1:A:374:THR:HG21	1.96	0.47
3:E:180:PRO:O	3:E:184:TYR:OH	2.24	0.47
1:A:8:PRO:O	1:A:10:VAL:N	2.47	0.47
1:F:55:ILE:HD13	1:F:106:ALA:HB2	1.95	0.47
1:J:401:ALA:O	2:K:362:TYR:OH	2.31	0.47
1:A:341:GLU:OE2	1:A:341:GLU:N	2.45	0.47
1:J:152:THR:HG23	1:N:193:GLY:O	2.15	0.47
1:N:362:GLN:N	1:N:362:GLN:OE1	2.44	0.47
3:E:121:ASN:ND2	3:E:138:GLU:O	2.48	0.47
2:O:403:TYR:HD2	2:O:411:VAL:HG22	1.79	0.47
2:B:318:THR:OG1	2:B:319:SER:N	2.48	0.47
1:F:362:GLN:NE2	1:F:379:GLU:OE2	2.48	0.47
3:R:167:ASN:OD1	3:R:167:ASN:N	2.47	0.47
2:O:346:SER:O	2:O:346:SER:OG	2.26	0.47
3:R:151:LEU:HD12	3:R:160:GLU:HB2	1.95	0.47
2:B:345:GLU:OE1	2:B:365:ARG:NE	2.48	0.47
2:K:305:LEU:HD12	2:K:305:LEU:O	2.15	0.47
2:O:181:SER:O	2:O:193:LYS:NZ	2.48	0.47
2:K:76:HIS:O	2:K:76:HIS:ND1	2.48	0.46
2:O:171:MET:HG2	2:O:258:LEU:HD23	1.96	0.46
3:M:212:ARG:O	3:M:225:VAL:HG12	2.15	0.46
2:G:115:THR:HG22	2:G:128:THR:HG23	1.98	0.46
1:N:53:THR:HG23	1:N:53:THR:O	2.14	0.46
1:A:8:PRO:O	1:A:8:PRO:HD2	2.15	0.46
3:M:201:PRO:HD2	3:M:201:PRO:O	2.15	0.46
1:A:183:LEU:HD22	1:A:250:PRO:HG3	1.98	0.46
2:K:115:THR:HG22	2:K:128:THR:HG23	1.98	0.46
1:N:297:LEU:N	1:N:321:LYS:O	2.48	0.46
1:A:98:SER:OG	1:A:99:GLU:N	2.50	0.45
1:N:296:ILE:HD12	1:N:299:VAL:CG1	2.47	0.45
2:B:130:GLU:OE2	2:G:294:ARG:NH1	2.50	0.45
1:F:31:ILE:HG23	1:F:135:ILE:HG12	1.98	0.45
2:K:318:THR:OG1	2:K:319:SER:N	2.50	0.45
2:O:22:CYS:HB2	2:O:28:CYS:HB2	1.75	0.45
1:A:296:ILE:HG22	1:A:322:ALA:HB2	2.00	0.44
1:J:296:ILE:HG22	1:J:322:ALA:HB2	1.98	0.44
1:N:53:THR:HA	1:N:108:VAL:HG12	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:238:SER:CB	3:M:252:THR:HG22	2.45	0.44
2:O:277:PRO:HB3	2:O:290:LEU:HD23	1.99	0.44
2:K:88:ILE:HD11	2:K:104:LEU:HD23	1.99	0.44
1:F:122:LEU:HD11	1:F:179:ILE:HD12	2.00	0.44
1:J:413:LEU:HD13	2:K:377:VAL:HG11	2.00	0.44
3:M:134:PRO:HD2	3:M:134:PRO:O	2.17	0.44
1:A:257:PHE:HZ	2:B:305:LEU:HD23	1.83	0.43
2:G:34:ILE:HD11	2:G:116:VAL:HG12	1.98	0.43
1:J:322:ALA:N	1:J:348:ALA:O	2.45	0.43
2:G:396:ARG:NH2	2:G:420:CYS:HG	2.16	0.43
1:N:3:HIS:CG	1:N:19:VAL:HG12	2.52	0.43
1:N:72:SER:O	1:N:72:SER:OG	2.35	0.43
2:O:306:ARG:NH2	2:O:308:ASP:OD1	2.52	0.43
1:A:231:VAL:HG13	1:A:231:VAL:O	2.19	0.43
3:E:131:LEU:HD22	3:E:146:LEU:HD22	2.00	0.43
1:J:99:GLU:O	1:J:99:GLU:HG2	2.19	0.43
2:K:81:ASP:OD2	2:K:85:LYS:NZ	2.38	0.43
2:G:169:ILE:HG23	2:G:260:ILE:HD11	2.00	0.43
1:A:148:VAL:HG11	1:A:166:ILE:HG12	1.99	0.43
3:M:121:ASN:ND2	3:M:138:GLU:O	2.48	0.43
2:O:97:LEU:HD21	2:O:160:HIS:ND1	2.33	0.43
1:F:115:THR:HG23	1:F:116:ILE:HG12	2.00	0.43
1:F:13:ILE:HD13	1:F:393:LYS:HA	2.01	0.43
1:A:104:SER:OG	1:A:231:VAL:HG23	2.19	0.43
1:A:43:ASN:OD1	1:A:43:ASN:N	2.51	0.42
3:I:229:ALA:HB2	3:I:256:SER:HA	2.00	0.42
3:R:202:ARG:NH1	3:R:230:ASN:OD1	2.53	0.42
3:I:173:LEU:HD12	3:I:173:LEU:H	1.84	0.42
2:B:190:VAL:HG23	2:B:220:MET:HB2	2.01	0.42
3:I:253:PRO:O	3:I:256:SER:OG	2.26	0.42
1:J:105:GLU:OE1	2:K:248:ARG:NH2	2.44	0.42
1:N:93:GLN:HG2	2:O:247:ILE:HD12	2.02	0.42
1:N:309:SER:OG	1:N:310:ALA:N	2.53	0.42
2:O:166:ALA:HB3	2:O:260:ILE:HB	2.02	0.42
2:G:229:CYS:O	2:G:230:ILE:HD13	2.20	0.42
1:J:148:VAL:O	1:J:148:VAL:HG12	2.19	0.42
2:K:104:LEU:HD12	2:K:104:LEU:N	2.35	0.42
2:K:345:GLU:OE1	2:K:365:ARG:NE	2.53	0.42
2:B:267:THR:OG1	2:B:268:VAL:N	2.51	0.42
1:N:51:PHE:HB3	1:N:203:ILE:HD13	2.01	0.42
1:N:176:LYS:NZ	1:N:189:PHE:O	2.39	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:243:TRP:O	1:F:247:SER:N	2.53	0.42
2:G:267:THR:OG1	2:G:268:VAL:N	2.53	0.41
1:J:179:ILE:HG12	1:J:184:VAL:HG22	2.01	0.41
1:A:243:TRP:O	1:A:247:SER:N	2.54	0.41
1:F:14:PRO:HA	1:F:32:THR:HG22	2.02	0.41
2:K:400:LEU:O	2:K:404:ALA:N	2.53	0.41
1:N:97:ASP:OD1	1:N:97:ASP:N	2.53	0.41
2:O:88:ILE:HD11	2:O:104:LEU:HD23	2.02	0.41
1:F:47:VAL:HG21	1:F:208:LEU:HD22	2.02	0.41
1:J:116:ILE:HD12	2:K:264:LEU:O	2.21	0.41
2:O:300:THR:OG1	2:O:310:THR:OG1	2.26	0.41
1:F:246:ASN:OD1	1:F:246:ASN:N	2.54	0.41
2:O:202:TYR:OH	2:O:214:VAL:HG13	2.21	0.41
1:A:13:ILE:HG23	1:A:393:LYS:HG2	2.02	0.41
1:A:179:ILE:HG12	1:A:184:VAL:HG22	2.03	0.41
3:M:167:ASN:OD1	3:M:167:ASN:N	2.53	0.41
3:R:216:ASP:OD2	3:R:220:ARG:NH1	2.53	0.41
1:A:155:SER:OG	1:A:160:LYS:NZ	2.48	0.40
2:G:318:THR:OG1	2:G:319:SER:N	2.54	0.40
3:I:192:GLN:OE1	3:I:193:TYR:N	2.54	0.40
1:A:62:CYS:O	1:A:100:ASN:ND2	2.54	0.40
1:A:97:ASP:N	1:A:97:ASP:OD1	2.54	0.40
2:K:39:ASP:OD2	2:K:131:LYS:NZ	2.54	0.40
1:A:82:GLY:O	1:A:84:VAL:HG13	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	437/439 (100%)	416 (95%)	19 (4%)	2 (0%)	29 61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	437/439 (100%)	410 (94%)	27 (6%)	0	100	100
1	J	437/439 (100%)	410 (94%)	27 (6%)	0	100	100
1	N	437/439 (100%)	416 (95%)	21 (5%)	0	100	100
2	B	406/418 (97%)	389 (96%)	16 (4%)	1 (0%)	47	78
2	G	406/418 (97%)	386 (95%)	20 (5%)	0	100	100
2	K	406/418 (97%)	387 (95%)	18 (4%)	1 (0%)	47	78
2	O	406/418 (97%)	389 (96%)	16 (4%)	1 (0%)	47	78
3	E	151/259 (58%)	146 (97%)	5 (3%)	0	100	100
3	I	151/259 (58%)	147 (97%)	4 (3%)	0	100	100
3	M	151/259 (58%)	146 (97%)	5 (3%)	0	100	100
3	R	151/259 (58%)	149 (99%)	2 (1%)	0	100	100
All	All	3976/4464 (89%)	3791 (95%)	180 (4%)	5 (0%)	54	82

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	25	SER
2	K	25	SER
2	O	25	SER
1	A	9	ASN
1	A	157	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	369/369 (100%)	355 (96%)	14 (4%)	33	61
1	F	369/369 (100%)	354 (96%)	15 (4%)	30	59
1	J	369/369 (100%)	357 (97%)	12 (3%)	38	66
1	N	369/369 (100%)	359 (97%)	10 (3%)	44	70

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	348/358 (97%)	345 (99%)	3 (1%)	78	90
2	G	348/358 (97%)	341 (98%)	7 (2%)	55	77
2	K	348/358 (97%)	340 (98%)	8 (2%)	50	74
2	O	348/358 (97%)	334 (96%)	14 (4%)	31	60
3	E	125/223 (56%)	121 (97%)	4 (3%)	39	67
3	I	125/223 (56%)	119 (95%)	6 (5%)	25	56
3	M	125/223 (56%)	121 (97%)	4 (3%)	39	67
3	R	125/223 (56%)	118 (94%)	7 (6%)	21	51
All	All	3368/3800 (89%)	3264 (97%)	104 (3%)	43	68

All (104) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	ARG
1	A	30	GLU
1	A	68	CYS
1	A	72	SER
1	A	156	SER
1	A	158	ASP
1	A	170	PHE
1	A	174	ASP
1	A	220	ARG
1	A	230	HIS
1	A	259	CYS
1	A	293	SER
1	A	345	HIS
1	A	368	SER
2	B	163	GLU
2	B	239	TRP
2	B	399	CYS
3	E	119	GLN
3	E	168	MET
3	E	202	ARG
3	E	215	LEU
1	F	30	GLU
1	F	145	ASP
1	F	160	LYS
1	F	170	PHE
1	F	171	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	F	246	ASN
1	F	300	SER
1	F	305	ASP
1	F	359	SER
1	F	364	ASN
1	F	368	SER
1	F	372	LYS
1	F	406	SER
1	F	407	TRP
1	F	433	MET
2	G	79	LYS
2	G	91	SER
2	G	105	LEU
2	G	145	PHE
2	G	208	ASP
2	G	330	GLU
2	G	400	LEU
3	I	171	ASP
3	I	173	LEU
3	I	175	TYR
3	I	192	GLN
3	I	199	THR
3	I	250	LYS
1	J	1	PHE
1	J	2	GLU
1	J	72	SER
1	J	96	CYS
1	J	117	ASP
1	J	171	SER
1	J	206	SER
1	J	259	CYS
1	J	279	SER
1	J	284	ASP
1	J	300	SER
1	J	372	LYS
2	K	63	ASP
2	K	107	GLN
2	K	160	HIS
2	K	162	LYS
2	K	208	ASP
2	K	221	ASN
2	K	248	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	K	354	TRP
3	M	112	PHE
3	M	145	GLN
3	M	171	ASP
3	M	202	ARG
1	N	49	CYS
1	N	100	ASN
1	N	192	TYR
1	N	230	HIS
1	N	267	ARG
1	N	279	SER
1	N	316	LEU
1	N	357	SER
1	N	368	SER
1	N	414	PHE
2	O	19	CYS
2	O	28	CYS
2	O	43	ASP
2	O	71	SER
2	O	81	ASP
2	O	135	ARG
2	O	202	TYR
2	O	208	ASP
2	O	245	ASP
2	O	255	GLN
2	O	305	LEU
2	O	326	ARG
2	O	345	GLU
2	O	394	LYS
3	R	112	PHE
3	R	115	MET
3	R	132	MET
3	R	156	MET
3	R	175	TYR
3	R	192	GLN
3	R	197	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
2	K	255	GLN
2	O	255	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-27391. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 320




Y Index: 320




Z Index: 320


### 6.2.2 Raw map



X Index: 320



Y Index: 320




Z Index: 320

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 343




Y Index: 462




Z Index: 480


### 6.3.2 Raw map



X Index: 404



Y Index: 461




Z Index: 481


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)


### 6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_27391\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3055 nm<sup>3</sup>; this corresponds to an approximate mass of 2760 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.294 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.294  $\text{\AA}^{-1}$



## 8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.40	-	-
Author-provided FSC curve	3.33	3.60	3.36
Unmasked-calculated*	5.84	8.78	6.26

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.84 differs from the reported value 3.4 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-27391 and PDB model 8DEE. Per-residue inclusion information can be found in section 3 on page 5.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).



























## 9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8420	 0.4590
A	 0.8860	 0.4980
B	 0.8900	 0.4800
E	 0.5830	 0.2990
F	 0.9060	 0.5140
G	 0.8980	 0.4930
I	 0.6830	 0.3820
J	 0.8790	 0.4840
K	 0.8810	 0.4690
M	 0.5370	 0.3120
N	 0.8690	 0.4730
O	 0.8650	 0.4400
R	 0.6200	 0.3400

