



# Full wwPDB X-ray Structure Validation Report i

Jun 2, 2022 – 06:04 PM JST

PDB ID : 6IV4  
Title : Crystal structure of a bacterial Bestrophin homolog from Klebsiella pneumoniae with a mutation W252F  
Authors : Kittredge, A.; Chen, S.; Yang, T.  
Deposited on : 2018-12-02  
Resolution : 3.14 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.28.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.28.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION

The reported resolution of this entry is 3.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1626 (3.18-3.10)
Clashscore	141614	1735 (3.18-3.10)
Ramachandran outliers	138981	1677 (3.18-3.10)
Sidechain outliers	138945	1677 (3.18-3.10)
RSRZ outliers	127900	1588 (3.18-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ZN	C	303	-	-	-	X
2	ZN	D	301	-	-	-	X

## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 10504 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bestrophin homolog.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	0	0	0
			2108	1366	356	377	9			
1	B	263	Total	C	N	O	S	0	0	0
			2094	1359	353	374	8			
1	C	267	Total	C	N	O	S	0	0	0
			2080	1344	353	374	9			
1	D	267	Total	C	N	O	S	0	0	0
			2099	1359	354	377	9			
1	E	267	Total	C	N	O	S	0	0	0
			2110	1366	358	377	9			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	ASN	-	expression tag	UNP W1ELP7
A	0	ALA	-	expression tag	UNP W1ELP7
A	252	PHE	TRP	engineered mutation	UNP W1ELP7
B	-1	ASN	-	expression tag	UNP W1ELP7
B	0	ALA	-	expression tag	UNP W1ELP7
B	252	PHE	TRP	engineered mutation	UNP W1ELP7
C	-1	ASN	-	expression tag	UNP W1ELP7
C	0	ALA	-	expression tag	UNP W1ELP7
C	252	PHE	TRP	engineered mutation	UNP W1ELP7
D	-1	ASN	-	expression tag	UNP W1ELP7
D	0	ALA	-	expression tag	UNP W1ELP7
D	252	PHE	TRP	engineered mutation	UNP W1ELP7
E	-1	ASN	-	expression tag	UNP W1ELP7
E	0	ALA	-	expression tag	UNP W1ELP7
E	252	PHE	TRP	engineered mutation	UNP W1ELP7


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total Zn 3 3	0	0
2	B	2	Total Zn 2 2	0	0
2	C	3	Total Zn 3 3	0	0
2	D	3	Total Zn 3 3	0	0
2	E	2	Total Zn 2 2	0	0



### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bestrophin homolog



- Molecule 1: Bestrophin homolog



- Molecule 1: Bestrophin homolog






- Molecule 1: Bestrophin homolog



- Molecule 1: Bestrophin homolog



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	104.01 Å    154.19 Å    161.74 Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	61.93 – 3.14 87.48 – 3.14	Depositor EDS
% Data completeness (in resolution range)	98.6 (61.93-3.14) 98.6 (87.48-3.14)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.30 (at 3.13 Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
$R$ , $R_{free}$	0.237 , 0.295 0.246 , 0.293	Depositor DCC
$R_{free}$ test set	4558 reflections (10.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	104.2	Xtriage
Anisotropy	0.381	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.26 , 48.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.016 for -h,l,k	Xtriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	10504	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	97.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.55	0/2153	0.74	1/2931 (0.0%)
1	B	0.59	3/2139 (0.1%)	0.74	2/2912 (0.1%)
1	C	0.51	2/2121 (0.1%)	0.68	2/2888 (0.1%)
1	D	0.51	0/2143	0.72	4/2919 (0.1%)
1	E	0.61	2/2154 (0.1%)	0.73	1/2932 (0.0%)
All	All	0.56	7/10710 (0.1%)	0.72	10/14582 (0.1%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	191	GLU	CG-CD	10.82	1.68	1.51
1	E	191	GLU	CB-CG	9.97	1.71	1.52
1	C	191	GLU	CG-CD	9.48	1.66	1.51
1	B	191	GLU	CG-CD	8.75	1.65	1.51
1	C	191	GLU	CB-CG	7.56	1.66	1.52
1	B	258	GLU	CD-OE1	-5.80	1.19	1.25
1	B	258	GLU	CD-OE2	-5.37	1.19	1.25

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	206	PRO	N-CA-C	-8.27	90.61	112.10
1	E	191	GLU	OE1-CD-OE2	-8.14	113.53	123.30
1	C	191	GLU	OE1-CD-OE2	-8.10	113.58	123.30
1	D	203	ALA	O-C-N	7.21	134.24	122.70
1	A	208	PRO	N-CA-CB	-6.75	95.18	102.60
1	C	111	HIS	CB-CA-C	-5.75	98.89	110.40
1	B	46	GLU	CB-CA-C	5.75	121.90	110.40
1	B	258	GLU	CB-CG-CD	5.20	128.24	114.20
1	D	203	ALA	CA-C-N	-5.09	106.01	117.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	D	78	ARG	CB-CA-C	-5.06	100.28	110.40

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2108	0	2142	66	0
1	B	2094	0	2137	84	0
1	C	2080	0	2108	63	0
1	D	2099	0	2125	92	0
1	E	2110	0	2148	70	0
2	A	3	0	0	0	0
2	B	2	0	0	0	0
2	C	3	0	0	0	0
2	D	3	0	0	0	0
2	E	2	0	0	0	0
All	All	10504	0	10660	327	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (327) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance ( $\text{\AA}$ )	Clash overlap ( $\text{\AA}$ )
1:B:46:GLU:OE2	1:B:51:HIS:CE1	1.72	1.41
1:D:201:ARG:CA	1:D:204:THR:OG1	1.65	1.40
1:D:266:ALA:HB3	1:D:269:ASP:OD2	1.20	1.28
1:D:201:ARG:C	1:D:204:THR:OG1	1.86	1.12
1:D:201:ARG:HA	1:D:204:THR:OG1	1.38	1.10
1:B:45:TYR:O	1:B:49:GLY:O	1.73	1.07
1:D:266:ALA:CB	1:D:269:ASP:OD2	2.05	1.04
1:E:236:TYR:O	1:E:239:PRO:HD2	1.59	1.03
1:B:206:PRO:HB3	1:B:209:PHE:HD2	1.18	1.02

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:ARG:CG	1:A:111:HIS:HE2	1.74	0.99
1:B:206:PRO:HB3	1:B:209:PHE:CD2	1.97	0.99
1:D:81:GLU:OE2	1:D:201:ARG:NH2	1.94	0.98
1:B:46:GLU:OE2	1:B:51:HIS:HE1	1.17	0.97
1:B:208:PRO:HG2	1:D:259:LEU:CD2	1.96	0.95
1:A:101:ARG:HG3	1:A:111:HIS:HE2	1.29	0.95
1:C:268:ASN:HA	1:D:208:PRO:HG2	1.47	0.95
1:B:208:PRO:HG2	1:D:259:LEU:HD21	1.49	0.93
1:B:207:VAL:HG12	1:D:79:PHE:HE1	1.42	0.84
1:C:68:LEU:HD23	1:C:215:LEU:HD13	1.60	0.84
1:B:206:PRO:CB	1:B:209:PHE:HD2	1.92	0.83
1:B:109:ASP:OD1	1:B:112:ARG:NH2	2.12	0.82
1:A:101:ARG:CG	1:A:111:HIS:NE2	2.43	0.81
1:B:46:GLU:OE2	1:B:51:HIS:NE2	2.13	0.81
1:D:201:ARG:HA	1:D:204:THR:CB	2.10	0.81
1:E:236:TYR:O	1:E:238:THR:N	2.14	0.80
1:B:233:ASP:C	1:B:234:LEU:HD23	2.03	0.79
1:B:206:PRO:CB	1:B:209:PHE:CD2	2.64	0.79
1:D:68:LEU:HD23	1:D:215:LEU:HD13	1.67	0.77
1:B:71:ARG:NH2	1:B:253:ASP:OD1	2.17	0.77
1:D:276:CYS:HA	1:D:279:ILE:HD12	1.68	0.76
1:B:90:LEU:HD13	1:B:279:ILE:HG12	1.68	0.76
1:C:83:ARG:NH1	1:D:204:THR:O	2.15	0.75
1:A:101:ARG:HG3	1:A:111:HIS:NE2	2.02	0.74
1:A:101:ARG:HG2	1:A:111:HIS:HE2	1.50	0.74
1:B:41:SER:O	1:B:45:TYR:HE1	1.72	0.72
1:C:150:ILE:HA	1:C:159:ARG:HG2	1.71	0.72
1:A:101:ARG:HG2	1:A:111:HIS:NE2	2.04	0.72
1:B:233:ASP:O	1:B:234:LEU:HD23	1.90	0.71
1:E:64:ILE:HD11	1:E:218:THR:HG22	1.73	0.71
1:A:33:LEU:C	1:A:33:LEU:HD23	2.13	0.69
1:D:266:ALA:HB3	1:D:269:ASP:CG	2.12	0.69
1:E:81:GLU:OE2	1:E:201:ARG:NH2	2.21	0.68
1:D:104:LEU:HB3	1:D:107:GLU:HG3	1.75	0.68
1:E:94:ARG:NH2	1:E:282:ASN:OD1	2.25	0.68
1:B:207:VAL:HG12	1:D:79:PHE:CE1	2.28	0.68
1:B:68:LEU:HD23	1:B:215:LEU:HD13	1.75	0.67
1:D:278:THR:O	1:D:282:ASN:ND2	2.28	0.67
1:B:108:HIS:CE1	1:B:111:HIS:ND1	2.63	0.67
1:E:236:TYR:C	1:E:238:THR:H	1.98	0.67
1:D:201:ARG:O	1:D:204:THR:OG1	2.13	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:GLU:HA	1:A:147:VAL:HB	1.78	0.65
1:E:71:ARG:NH1	1:E:212:THR:OG1	2.29	0.65
1:D:97:VAL:HG21	1:D:283:LEU:HD22	1.79	0.65
1:B:208:PRO:HG2	1:D:259:LEU:HD23	1.77	0.65
1:D:71:ARG:NH2	1:D:253:ASP:OD1	2.31	0.63
1:B:278:THR:O	1:B:282:ASN:ND2	2.29	0.63
1:E:146:ARG:NH1	1:E:149:GLU:OE1	2.31	0.63
1:D:211:TYR:CZ	1:D:215:LEU:HG	2.32	0.63
1:C:91:ILE:HD11	1:D:197:GLY:HA3	1.81	0.63
1:A:50:ILE:HG21	1:B:236:TYR:HB2	1.81	0.62
1:D:108:HIS:HA	1:D:111:HIS:CG	2.33	0.62
1:D:108:HIS:CD2	1:D:111:HIS:ND1	2.67	0.62
1:D:137:ASP:OD1	1:D:140:ARG:NH2	2.27	0.62
1:C:89:VAL:HG23	1:C:195:VAL:HG11	1.81	0.62
1:C:209:PHE:HA	1:C:212:THR:HB	1.81	0.62
1:C:207:VAL:O	1:C:209:PHE:N	2.29	0.62
1:C:99:GLN:NE2	1:D:186:ASP:OD2	2.33	0.62
1:A:30:LEU:O	1:A:34:MET:HG2	2.00	0.61
1:A:230:LEU:HB3	1:A:234:LEU:HD12	1.82	0.61
1:E:38:ALA:HB2	1:E:228:PHE:HD1	1.65	0.61
1:D:78:ARG:HH11	1:D:78:ARG:CG	2.13	0.61
1:B:46:GLU:CD	1:B:51:HIS:CE1	2.68	0.61
1:C:91:ILE:HD13	1:D:194:HIS:HA	1.82	0.61
1:A:99:GLN:NE2	1:E:186:ASP:OD2	2.31	0.61
1:E:150:ILE:HD13	1:E:160:ILE:HG12	1.82	0.61
1:E:271:PRO:HB2	1:E:274:ALA:HB3	1.83	0.60
1:A:108:HIS:HA	1:A:111:HIS:HB2	1.83	0.60
1:B:46:GLU:CD	1:B:51:HIS:NE2	2.54	0.60
1:D:53:THR:O	1:D:56:PRO:HD2	2.01	0.60
1:D:146:ARG:NH1	1:D:149:GLU:OE1	2.34	0.60
1:E:271:PRO:O	1:E:273:ASN:N	2.34	0.60
1:C:37:ILE:O	1:C:41:SER:OG	2.12	0.60
1:D:203:ALA:C	1:D:205:THR:H	2.03	0.60
1:E:117:TYR:OH	1:E:146:ARG:HG2	2.02	0.59
1:A:98:ARG:NH2	1:E:190:ASP:OD1	2.35	0.59
1:A:156:PRO:O	1:A:160:ILE:HG13	2.02	0.59
1:B:109:ASP:O	1:B:113:ARG:HG3	2.02	0.59
1:A:71:ARG:HH11	1:A:212:THR:HG23	1.68	0.58
1:B:200:GLU:O	1:B:204:THR:HB	2.03	0.58
1:D:39:ILE:HD13	1:D:236:TYR:HD1	1.67	0.58
1:A:235:HIS:CD2	1:E:49:GLY:HA3	2.39	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:ILE:CD1	1:A:236:TYR:HA	2.34	0.57
1:C:104:LEU:HD21	1:C:176:LYS:O	2.03	0.57
1:D:78:ARG:HH11	1:D:78:ARG:HG3	1.70	0.57
1:C:81:GLU:OE2	1:C:201:ARG:NH2	2.36	0.57
1:E:154:SER:HB2	1:E:155:MET:SD	2.45	0.57
1:B:108:HIS:CD2	1:B:111:HIS:CE1	2.93	0.57
1:E:236:TYR:C	1:E:238:THR:N	2.54	0.57
1:D:150:ILE:HD13	1:D:160:ILE:HG12	1.87	0.57
1:D:68:LEU:O	1:D:72:ASN:HB2	2.04	0.56
1:B:135:THR:HG23	1:B:151:LEU:HD11	1.88	0.56
1:B:216:GLN:HG3	1:B:253:ASP:OD2	2.06	0.56
1:D:207:VAL:O	1:D:209:PHE:N	2.39	0.56
1:B:108:HIS:HA	1:B:111:HIS:CG	2.41	0.55
1:D:135:THR:HG23	1:D:151:LEU:HD11	1.88	0.55
1:A:96:LEU:HD23	1:A:118:LEU:HD11	1.88	0.55
1:A:107:GLU:O	1:A:109:ASP:N	2.39	0.55
1:B:194:HIS:CE1	1:D:191:GLU:OE2	2.59	0.55
1:C:69:GLY:HA3	1:D:70:PHE:CE2	2.42	0.55
1:D:28:LEU:HD11	1:D:247:TYR:HD1	1.72	0.55
1:C:78:ARG:HH12	1:C:205:THR:CB	2.19	0.55
1:B:194:HIS:HE1	1:D:191:GLU:OE2	1.89	0.55
1:B:42:TYR:HA	1:B:45:TYR:CE1	2.42	0.54
1:E:38:ALA:HB2	1:E:228:PHE:CD1	2.41	0.54
1:B:75:SER:HB3	1:B:260:GLU:HG3	1.88	0.54
1:A:222:PHE:O	1:A:226:LEU:HB2	2.07	0.54
1:B:194:HIS:HE1	1:D:191:GLU:CD	2.10	0.54
1:A:76:TYR:O	1:A:80:VAL:HG23	2.07	0.54
1:B:41:SER:O	1:B:45:TYR:CE1	2.59	0.54
1:C:166:ASN:OD1	1:E:102:ASN:ND2	2.40	0.54
1:A:83:ARG:HH12	1:E:204:THR:HG1	1.52	0.54
1:A:224:THR:O	1:A:227:PRO:HD2	2.09	0.53
1:A:80:VAL:O	1:A:84:ASN:ND2	2.39	0.53
1:A:235:HIS:HB3	1:E:49:GLY:O	2.08	0.53
1:E:129:LEU:HD13	1:E:263:PHE:CD2	2.43	0.53
1:A:117:TYR:OH	1:A:146:ARG:HD3	2.09	0.53
1:C:35:SER:HB3	1:C:227:PRO:HB3	1.90	0.53
1:E:89:VAL:HG22	1:E:195:VAL:HG11	1.90	0.53
1:E:43:GLN:O	1:E:46:GLU:HG2	2.08	0.53
1:C:186:ASP:OD1	1:E:98:ARG:NH1	2.30	0.53
1:C:230:LEU:HB3	1:C:234:LEU:HD12	1.91	0.53
1:A:71:ARG:NH1	1:A:212:THR:HG23	2.23	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:147:VAL:O	1:C:151:LEU:HG	2.09	0.53
1:E:44:TRP:O	1:E:47:GLN:HB3	2.09	0.53
1:C:71:ARG:NH1	1:C:212:THR:HG23	2.24	0.52
1:D:187:ASN:HB2	1:D:188:LYS:HE2	1.90	0.52
1:B:120:ALA:O	1:B:124:SER:HB2	2.10	0.52
1:D:271:PRO:O	1:D:275:MET:HG3	2.09	0.52
1:D:271:PRO:HD2	1:D:275:MET:HE3	1.91	0.52
1:C:91:ILE:HG21	1:D:194:HIS:ND1	2.24	0.52
1:A:101:ARG:CG	1:A:111:HIS:CE1	2.93	0.52
1:D:39:ILE:HD13	1:D:236:TYR:CD1	2.45	0.52
1:B:60:LEU:HD13	1:D:245:ILE:HG12	1.92	0.52
1:D:281:ARG:O	1:D:285:ASP:HB2	2.10	0.52
1:C:135:THR:HG23	1:C:151:LEU:HD11	1.92	0.51
1:B:234:LEU:HD23	1:B:234:LEU:N	2.23	0.51
1:E:93:GLU:OE1	1:E:118:LEU:HB3	2.10	0.51
1:B:108:HIS:ND1	1:B:111:HIS:ND1	2.58	0.51
1:D:104:LEU:HD21	1:D:176:LYS:O	2.11	0.51
1:D:115:VAL:HG21	1:D:287:THR:HG21	1.91	0.51
1:B:108:HIS:NE2	1:B:111:HIS:CE1	2.79	0.51
1:C:159:ARG:O	1:C:163:LEU:HG	2.10	0.51
1:D:139:ARG:HE	1:D:147:VAL:HG11	1.75	0.51
1:B:206:PRO:CB	1:B:209:PHE:CE2	2.94	0.51
1:A:45:TYR:C	1:A:47:GLN:H	2.15	0.50
1:C:246:SER:O	1:C:250:LEU:HG	2.11	0.50
1:E:104:LEU:HD21	1:E:176:LYS:O	2.10	0.50
1:A:244:PHE:CZ	1:E:221:LEU:HD23	2.47	0.50
1:C:97:VAL:HG21	1:C:283:LEU:HD22	1.93	0.50
1:C:182:TYR:HE2	1:E:103:ILE:HD11	1.77	0.50
1:E:221:LEU:HG	1:E:225:LEU:HD13	1.92	0.50
1:C:194:HIS:HA	1:E:91:ILE:HD13	1.94	0.49
1:D:78:ARG:CG	1:D:78:ARG:NH1	2.73	0.49
1:B:235:HIS:O	1:B:238:THR:OG1	2.19	0.49
1:D:68:LEU:CD2	1:D:215:LEU:HD13	2.42	0.49
1:D:108:HIS:CD2	1:D:111:HIS:CE1	3.01	0.49
1:C:24:ILE:O	1:C:27:ARG:N	2.46	0.49
1:E:55:ALA:HB3	1:E:56:PRO:HD3	1.95	0.49
1:A:89:VAL:HG22	1:A:195:VAL:HG11	1.94	0.49
1:E:100:LEU:HD11	1:E:114:ILE:HD13	1.95	0.49
1:A:39:ILE:HD11	1:A:235:HIS:O	2.12	0.49
1:B:121:PHE:CE2	1:B:192:LEU:HD22	2.48	0.49
1:C:43:GLN:C	1:C:45:TYR:H	2.17	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:ARG:NH2	1:A:253:ASP:OD1	2.35	0.48
1:A:244:PHE:CE1	1:E:221:LEU:HD23	2.48	0.48
1:C:188:LYS:NZ	1:C:191:GLU:OE2	2.45	0.48
1:A:101:ARG:HD2	1:A:111:HIS:HE1	1.78	0.48
1:E:104:LEU:CD1	1:E:171:LEU:HD13	2.44	0.48
1:E:241:VAL:O	1:E:245:ILE:HG13	2.13	0.48
1:A:235:HIS:CG	1:E:49:GLY:HA3	2.49	0.48
1:C:162:LEU:HD21	1:E:101:ARG:HH21	1.79	0.48
1:B:146:ARG:HA	1:B:146:ARG:HD3	1.53	0.48
1:D:139:ARG:HG2	1:D:147:VAL:HG21	1.94	0.48
1:D:203:ALA:C	1:D:205:THR:N	2.66	0.48
1:D:252:PHE:O	1:D:255:LEU:HB3	2.14	0.48
1:B:209:PHE:CD1	1:B:209:PHE:C	2.88	0.47
1:B:266:ALA:HB3	1:B:269:ASP:OD2	2.15	0.47
1:C:168:ILE:HG22	1:C:182:TYR:CD1	2.49	0.47
1:B:187:ASN:O	1:B:190:ASP:HB2	2.13	0.47
1:C:193:ALA:O	1:C:196:LEU:HB3	2.15	0.47
1:B:42:TYR:C	1:B:44:TRP:H	2.18	0.47
1:B:215:LEU:HD23	1:B:215:LEU:HA	1.67	0.47
1:B:156:PRO:O	1:B:160:ILE:HG13	2.14	0.47
1:D:42:TYR:HA	1:D:45:TYR:CD1	2.49	0.47
1:B:74:ALA:O	1:B:77:SER:HB2	2.13	0.47
1:C:81:GLU:O	1:C:85:LEU:HG	2.15	0.47
1:A:209:PHE:HD2	1:A:209:PHE:O	1.98	0.47
1:A:245:ILE:HG12	1:E:60:LEU:HD13	1.95	0.47
1:A:42:TYR:O	1:A:45:TYR:HB2	2.15	0.47
1:B:87:GLY:O	1:B:91:ILE:HG13	2.14	0.47
1:B:215:LEU:HD23	1:B:218:THR:HB	1.96	0.47
1:C:107:GLU:H	1:C:107:GLU:HG2	1.63	0.47
1:E:87:GLY:O	1:E:91:ILE:HG13	2.14	0.47
1:A:207:VAL:HG12	1:B:83:ARG:NH2	2.30	0.47
1:B:100:LEU:HD11	1:B:114:ILE:HG21	1.97	0.47
1:E:79:PHE:HD1	1:E:262:PRO:HB3	1.80	0.47
1:A:252:PHE:O	1:A:255:LEU:HB2	2.15	0.47
1:C:162:LEU:HD21	1:E:101:ARG:NH2	2.29	0.47
1:C:150:ILE:HG22	1:C:151:LEU:HD23	1.96	0.46
1:D:69:GLY:O	1:D:73:SER:HB2	2.15	0.46
1:B:81:GLU:OE2	1:B:201:ARG:NH1	2.22	0.46
1:C:60:LEU:HD21	1:E:244:PHE:CE2	2.50	0.46
1:B:190:ASP:O	1:B:194:HIS:HD2	1.98	0.46
1:C:115:VAL:HG21	1:C:287:THR:HG21	1.97	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:ILE:HD11	1:B:180:ILE:HD12	1.97	0.46
1:C:60:LEU:HD23	1:C:222:PHE:HD1	1.81	0.46
1:C:168:ILE:HG22	1:C:182:TYR:HD1	1.79	0.46
1:D:230:LEU:HB3	1:D:234:LEU:HD12	1.97	0.46
1:A:39:ILE:HD11	1:A:236:TYR:HA	1.97	0.46
1:E:208:PRO:HG2	1:E:211:TYR:H	1.80	0.46
1:D:139:ARG:HG2	1:D:147:VAL:HG11	1.98	0.46
1:D:209:PHE:O	1:D:212:THR:HG22	2.15	0.46
1:B:45:TYR:OH	1:B:228:PHE:HD1	1.99	0.46
1:C:95:THR:O	1:C:99:GLN:HG3	2.16	0.46
1:E:96:LEU:HD23	1:E:118:LEU:HD21	1.98	0.46
1:E:85:LEU:HD23	1:E:85:LEU:HA	1.78	0.45
1:B:75:SER:CB	1:B:260:GLU:HG3	2.45	0.45
1:A:188:LYS:HA	1:A:188:LYS:HD3	1.81	0.45
1:B:208:PRO:CG	1:D:259:LEU:HD21	2.34	0.45
1:E:196:LEU:O	1:E:200:GLU:HG3	2.16	0.45
1:C:42:TYR:CZ	1:C:232:GLY:HA2	2.51	0.45
1:C:205:THR:C	1:C:207:VAL:H	2.20	0.45
1:A:55:ALA:HB3	1:A:56:PRO:HD3	1.98	0.45
1:A:83:ARG:NH1	1:E:204:THR:OG1	2.35	0.45
1:A:111:HIS:CE1	1:A:287:THR:HG22	2.52	0.45
1:D:96:LEU:HD23	1:D:118:LEU:HD11	1.99	0.45
1:A:180:ILE:HD13	1:A:180:ILE:HA	1.77	0.45
1:A:236:TYR:HD2	1:E:48:LEU:HB3	1.81	0.45
1:E:53:THR:HB	1:E:56:PRO:HD2	1.98	0.45
1:D:86:TRP:O	1:D:87:GLY:C	2.50	0.44
1:A:33:LEU:C	1:A:33:LEU:CD2	2.85	0.44
1:A:94:ARG:NH2	1:A:282:ASN:OD1	2.42	0.44
1:D:155:MET:SD	1:D:155:MET:N	2.91	0.44
1:D:126:LYS:HE3	1:D:273:ASN:ND2	2.32	0.44
1:D:206:PRO:HD2	1:D:206:PRO:O	2.17	0.44
1:E:71:ARG:NH2	1:E:253:ASP:OD1	2.50	0.44
1:B:108:HIS:CG	1:B:111:HIS:ND1	2.86	0.44
1:A:108:HIS:CA	1:A:111:HIS:HB2	2.46	0.44
1:A:129:LEU:HD13	1:A:263:PHE:CD1	2.53	0.44
1:A:89:VAL:CG2	1:A:195:VAL:HG11	2.48	0.44
1:C:208:PRO:C	1:C:210:ALA:H	2.21	0.44
1:B:194:HIS:HE1	1:D:191:GLU:OE1	2.01	0.43
1:C:111:HIS:O	1:C:114:ILE:N	2.46	0.43
1:A:180:ILE:HD12	1:A:180:ILE:HG23	1.73	0.43
1:B:50:ILE:HA	1:D:237:MET:HG2	1.99	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:191:GLU:O	1:C:195:VAL:HG23	2.17	0.43
1:B:207:VAL:O	1:B:207:VAL:HG23	2.17	0.43
1:D:188:LYS:HA	1:D:188:LYS:HD3	1.89	0.43
1:E:104:LEU:HD12	1:E:171:LEU:HD13	2.01	0.43
1:E:252:PHE:O	1:E:255:LEU:HB3	2.18	0.43
1:C:190:ASP:C	1:C:192:LEU:N	2.71	0.43
1:D:115:VAL:HG21	1:D:287:THR:CG2	2.48	0.43
1:D:144:GLU:O	1:D:148:THR:HG23	2.19	0.43
1:E:212:THR:HG21	1:E:260:GLU:OE1	2.18	0.43
1:A:194:HIS:HA	1:B:91:ILE:HG21	2.00	0.43
1:B:97:VAL:HG21	1:B:283:LEU:HD22	1.99	0.43
1:C:28:LEU:HD22	1:C:243:VAL:HG23	2.00	0.43
1:C:78:ARG:HE	1:C:78:ARG:HB3	1.63	0.43
1:E:236:TYR:O	1:E:237:MET:C	2.49	0.43
1:B:72:ASN:OD1	1:B:256:ALA:HB2	2.18	0.43
1:C:205:THR:O	1:C:207:VAL:N	2.47	0.43
1:C:52:LEU:HD23	1:C:52:LEU:HA	1.86	0.43
1:B:42:TYR:O	1:B:44:TRP:N	2.52	0.42
1:E:278:THR:HA	1:E:281:ARG:HE	1.84	0.42
1:C:61:GLY:HA3	1:D:59:LEU:HD11	2.00	0.42
1:D:205:THR:HA	1:D:206:PRO:HD3	1.85	0.42
1:B:213:LEU:HD13	1:B:213:LEU:HA	1.84	0.42
1:E:100:LEU:HD23	1:E:100:LEU:HA	1.89	0.42
1:D:108:HIS:CG	1:D:111:HIS:ND1	2.87	0.42
1:D:162:LEU:HD12	1:D:162:LEU:HA	1.90	0.42
1:A:165:GLY:HA3	1:B:102:ASN:OD1	2.19	0.42
1:B:206:PRO:HG2	1:B:209:PHE:HE2	1.84	0.42
1:B:255:LEU:HD12	1:B:255:LEU:HA	1.74	0.42
1:D:140:ARG:HG2	1:D:141:LEU:HG	2.01	0.42
1:E:129:LEU:HD13	1:E:263:PHE:CE2	2.55	0.42
1:A:50:ILE:CG2	1:B:236:TYR:HB2	2.48	0.42
1:B:168:ILE:HG22	1:B:182:TYR:CD1	2.54	0.42
1:E:42:TYR:CE2	1:E:232:GLY:HA2	2.54	0.42
1:B:88:THR:HA	1:B:91:ILE:HD12	2.00	0.42
1:C:54:VAL:O	1:C:57:PHE:N	2.52	0.42
1:D:111:HIS:N	1:D:111:HIS:CD2	2.88	0.42
1:B:150:ILE:HA	1:B:159:ARG:HG2	2.01	0.42
1:D:90:LEU:HG	1:D:94:ARG:NH1	2.35	0.42
1:E:215:LEU:O	1:E:219:VAL:HG23	2.19	0.42
1:C:211:TYR:O	1:C:215:LEU:N	2.43	0.42
1:B:53:THR:O	1:B:56:PRO:HD2	2.20	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:203:ALA:O	1:D:205:THR:N	2.38	0.41
1:A:76:TYR:CE2	1:A:80:VAL:HG21	2.56	0.41
1:C:255:LEU:HD12	1:C:255:LEU:HA	1.79	0.41
1:D:130:ARG:NH2	1:D:272:LEU:HB2	2.35	0.41
1:B:108:HIS:HA	1:B:111:HIS:CD2	2.55	0.41
1:C:141:LEU:O	1:C:142:LEU:HD23	2.20	0.41
1:E:207:VAL:HB	1:E:208:PRO:HD3	2.01	0.41
1:E:211:TYR:CE2	1:E:215:LEU:HD12	2.55	0.41
1:A:101:ARG:HD2	1:A:111:HIS:CE1	2.55	0.41
1:B:76:TYR:CE2	1:B:80:VAL:HG21	2.55	0.41
1:E:174:ALA:HB3	1:E:176:LYS:HG3	2.02	0.41
1:A:194:HIS:HE1	1:B:191:GLU:OE2	2.03	0.41
1:D:32:VAL:O	1:D:36:ILE:HG12	2.20	0.41
1:C:254:SER:O	1:C:258:GLU:HG3	2.21	0.41
1:C:85:LEU:HB3	1:C:195:VAL:HG13	2.01	0.41
1:C:98:ARG:HG3	1:D:162:LEU:HD12	2.02	0.41
1:E:79:PHE:CD1	1:E:262:PRO:HB3	2.55	0.41
1:C:213:LEU:HD12	1:C:213:LEU:HA	1.71	0.41
1:D:50:ILE:HG13	1:D:50:ILE:O	2.20	0.41
1:A:83:ARG:NH1	1:E:204:THR:HG1	2.17	0.40
1:B:62:ILE:O	1:B:66:ILE:HG13	2.20	0.40
1:E:70:PHE:O	1:E:73:SER:HB3	2.21	0.40
1:A:104:LEU:HB3	1:A:107:GLU:HG2	2.01	0.40
1:A:168:ILE:HG23	1:A:168:ILE:HD12	1.82	0.40
1:C:191:GLU:CD	1:D:194:HIS:HE2	2.17	0.40
1:D:108:HIS:HA	1:D:111:HIS:CD2	2.56	0.40
1:D:121:PHE:CE2	1:D:192:LEU:HD22	2.56	0.40
1:D:60:LEU:HD23	1:D:222:PHE:HD1	1.87	0.40
1:E:128:GLN:HE22	1:E:196:LEU:HD11	1.86	0.40
1:E:188:LYS:HA	1:E:188:LYS:HD3	1.89	0.40
1:A:205:THR:N	1:A:206:PRO:CD	2.84	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles

#### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	265/296 (90%)	241 (91%)	22 (8%)	2 (1%)	19 53
1	B	261/296 (88%)	245 (94%)	13 (5%)	3 (1%)	14 45
1	C	265/296 (90%)	239 (90%)	21 (8%)	5 (2%)	8 31
1	D	265/296 (90%)	238 (90%)	20 (8%)	7 (3%)	5 24
1	E	265/296 (90%)	240 (91%)	18 (7%)	7 (3%)	5 24
All	All	1321/1480 (89%)	1203 (91%)	94 (7%)	24 (2%)	8 33

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	210	ALA
1	B	208	PRO
1	D	208	PRO
1	B	50	ILE
1	E	237	MET
1	A	208	PRO
1	B	43	GLN
1	C	209	PHE
1	C	255	LEU
1	E	48	LEU
1	C	44	TRP
1	D	204	THR
1	D	262	PRO
1	E	43	GLN
1	E	49	GLY
1	E	272	LEU
1	C	207	VAL
1	D	174	ALA
1	E	210	ALA
1	D	206	PRO
1	D	258	GLU
1	C	208	PRO
1	E	207	VAL
1	D	205	THR

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	228/259 (88%)	221 (97%)	7 (3%)	40 69
1	B	228/259 (88%)	218 (96%)	10 (4%)	28 59
1	C	222/259 (86%)	213 (96%)	9 (4%)	30 61
1	D	226/259 (87%)	217 (96%)	9 (4%)	31 62
1	E	228/259 (88%)	223 (98%)	5 (2%)	52 77
All	All	1132/1295 (87%)	1092 (96%)	40 (4%)	36 67

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ILE
1	A	111	HIS
1	A	207	VAL
1	A	208	PRO
1	A	209	PHE
1	A	215	LEU
1	A	237	MET
1	B	48	LEU
1	B	73	SER
1	B	77	SER
1	B	101	ARG
1	B	124	SER
1	B	208	PRO
1	B	215	LEU
1	B	235	HIS
1	B	244	PHE
1	B	257	GLU
1	C	45	TYR
1	C	71	ARG
1	C	73	SER
1	C	83	ARG
1	C	107	GLU
1	C	108	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	112	ARG
1	C	126	LYS
1	C	244	PHE
1	D	44	TRP
1	D	78	ARG
1	D	204	THR
1	D	207	VAL
1	D	208	PRO
1	D	215	LEU
1	D	233	ASP
1	D	244	PHE
1	D	285	ASP
1	E	26	PHE
1	E	47	GLN
1	E	146	ARG
1	E	155	MET
1	E	282	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	235	HIS
1	B	51	HIS
1	B	194	HIS
1	B	268	ASN
1	D	108	HIS
1	D	273	ASN
1	E	102	ASN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 13 ligands modelled in this entry, 13 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	267/296 (90%)	0.64	36 (13%) 3   1	68, 90, 119, 160	0
1	B	263/296 (88%)	0.04	14 (5%) 26   12	70, 91, 128, 162	0
1	C	267/296 (90%)	-0.00	13 (4%) 29   14	72, 105, 134, 152	0
1	D	267/296 (90%)	-0.19	11 (4%) 37   19	74, 99, 130, 158	0
1	E	267/296 (90%)	0.10	10 (3%) 41   22	66, 88, 118, 139	0
All	All	1331/1480 (89%)	0.12	84 (6%) 20   9	66, 95, 130, 162	0

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	207	VAL	6.1
1	A	239	PRO	5.8
1	A	240	PHE	5.1
1	E	209	PHE	4.8
1	B	26	PHE	4.8
1	A	31	ASN	4.7
1	C	207	VAL	4.7
1	A	222	PHE	4.6
1	C	210	ALA	4.5
1	D	230	LEU	4.5
1	A	32	VAL	4.4
1	A	241	VAL	4.2
1	D	145	GLU	4.2
1	C	199	CYS	3.9
1	B	27	ARG	3.9
1	A	93	GLU	3.7
1	C	208	PRO	3.5
1	A	225	LEU	3.5
1	A	142	LEU	3.4
1	A	224	THR	3.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	29	LEU	3.3
1	C	158	ASN	3.2
1	A	226	LEU	3.2
1	D	57	PHE	3.2
1	A	117	TYR	3.2
1	A	33	LEU	3.2
1	C	200	GLU	3.2
1	A	145	GLU	3.1
1	E	56	PRO	3.1
1	B	236	TYR	3.1
1	E	57	PHE	3.0
1	A	114	ILE	3.0
1	B	25	ILE	3.0
1	B	40	ILE	3.0
1	E	58	SER	3.0
1	A	57	PHE	3.0
1	B	220	TYR	2.9
1	E	94	ARG	2.9
1	E	53	THR	2.8
1	B	43	GLN	2.7
1	D	52	LEU	2.7
1	A	192	LEU	2.7
1	A	242	SER	2.7
1	C	198	GLY	2.7
1	A	221	LEU	2.6
1	C	58	SER	2.6
1	A	195	VAL	2.6
1	D	226	LEU	2.5
1	A	26	PHE	2.5
1	C	56	PRO	2.5
1	B	53	THR	2.5
1	B	86	TRP	2.5
1	B	24	ILE	2.5
1	B	209	PHE	2.4
1	C	196	LEU	2.4
1	D	228	PHE	2.4
1	D	229	ALA	2.4
1	A	223	CYS	2.4
1	E	52	LEU	2.3
1	A	27	ARG	2.3
1	A	30	LEU	2.3
1	A	244	PHE	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	243	VAL	2.2
1	A	90	LEU	2.2
1	A	92	ALA	2.2
1	E	55	ALA	2.2
1	A	219	VAL	2.2
1	A	218	THR	2.2
1	A	28	LEU	2.1
1	C	54	VAL	2.1
1	A	29	LEU	2.1
1	A	118	LEU	2.1
1	A	143	PRO	2.1
1	A	215	LEU	2.1
1	D	55	ALA	2.1
1	A	25	ILE	2.1
1	B	230	LEU	2.0
1	D	35	SER	2.0
1	C	272	LEU	2.0
1	C	109	ASP	2.0
1	D	54	VAL	2.0
1	B	52	LEU	2.0
1	D	56	PRO	2.0
1	E	145	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZN	D	302	1/1	0.12	0.15	112,112,112,112	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZN	A	303	1/1	0.23	0.21	95,95,95,95	0
2	ZN	D	301	1/1	0.46	0.47	90,90,90,90	0
2	ZN	E	301	1/1	0.58	0.32	111,111,111,111	0
2	ZN	C	303	1/1	0.59	0.49	110,110,110,110	0
2	ZN	E	302	1/1	0.72	0.18	93,93,93,93	0
2	ZN	B	302	1/1	0.80	0.34	79,79,79,79	0
2	ZN	A	302	1/1	0.83	0.11	90,90,90,90	0
2	ZN	C	301	1/1	0.85	0.16	89,89,89,89	0
2	ZN	B	301	1/1	0.85	0.12	93,93,93,93	0
2	ZN	A	301	1/1	0.89	0.25	82,82,82,82	0
2	ZN	C	302	1/1	0.91	0.24	84,84,84,84	0
2	ZN	D	303	1/1	0.95	0.09	114,114,114,114	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.