



Full wwPDB EM Validation Report ⓘ

Dec 10, 2022 – 10:32 am GMT

PDB ID : 4USN
EMDB ID : EMD-2706
Title : The structure of the immature HIV-1 capsid in intact virus particles at sub-nm resolution
Authors : Schur, F.K.M.; Hagen, W.J.H.; Rumlova, M.; Ruml, T.; Mueller, B.; Kraeuslich, H.-G.; Briggs, J.A.G.
Deposited on : 2014-07-11
Resolution : 8.80 Å (reported)
Based on initial models : 1L6N, 3DS2

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 8.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	210	
1	B	210	
1	C	210	
1	D	210	
1	E	210	
1	F	210	
1	G	210	
1	H	210	
1	I	210	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	J	210	
1	K	210	
1	L	210	
1	M	210	
1	N	210	
1	O	210	
1	P	210	
1	Q	210	
1	R	210	

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 22662 atoms, of which 7542 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called P24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
1	A	210	1259	420	419	210	210	0	0
1	B	210	1259	420	419	210	210	0	0
1	C	210	1259	420	419	210	210	0	0
1	D	210	1259	420	419	210	210	0	0
1	E	210	1259	420	419	210	210	0	0
1	F	210	1259	420	419	210	210	0	0
1	G	210	1259	420	419	210	210	0	0
1	H	210	1259	420	419	210	210	0	0
1	I	210	1259	420	419	210	210	0	0
1	J	210	1259	420	419	210	210	0	0
1	K	210	1259	420	419	210	210	0	0
1	L	210	1259	420	419	210	210	0	0
1	M	210	1259	420	419	210	210	0	0
1	N	210	1259	420	419	210	210	0	0
1	O	210	1259	420	419	210	210	0	0
1	P	210	1259	420	419	210	210	0	0
1	Q	210	1259	420	419	210	210	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
1	R	210	1259	420	419	210	210	0	0

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	207	GLU	ASP	conflict	UNP Q9IVM8
A	301	ALA	TYR	conflict	UNP Q9IVM8
A	340	GLY	ALA	conflict	UNP Q9IVM8
B	207	GLU	ASP	conflict	UNP Q9IVM8
B	301	ALA	TYR	conflict	UNP Q9IVM8
B	340	GLY	ALA	conflict	UNP Q9IVM8
C	207	GLU	ASP	conflict	UNP Q9IVM8
C	301	ALA	TYR	conflict	UNP Q9IVM8
C	340	GLY	ALA	conflict	UNP Q9IVM8
D	207	GLU	ASP	conflict	UNP Q9IVM8
D	301	ALA	TYR	conflict	UNP Q9IVM8
D	340	GLY	ALA	conflict	UNP Q9IVM8
E	207	GLU	ASP	conflict	UNP Q9IVM8
E	301	ALA	TYR	conflict	UNP Q9IVM8
E	340	GLY	ALA	conflict	UNP Q9IVM8
F	207	GLU	ASP	conflict	UNP Q9IVM8
F	301	ALA	TYR	conflict	UNP Q9IVM8
F	340	GLY	ALA	conflict	UNP Q9IVM8
G	207	GLU	ASP	conflict	UNP Q9IVM8
G	301	ALA	TYR	conflict	UNP Q9IVM8
G	340	GLY	ALA	conflict	UNP Q9IVM8
H	207	GLU	ASP	conflict	UNP Q9IVM8
H	301	ALA	TYR	conflict	UNP Q9IVM8
H	340	GLY	ALA	conflict	UNP Q9IVM8
I	207	GLU	ASP	conflict	UNP Q9IVM8
I	301	ALA	TYR	conflict	UNP Q9IVM8
I	340	GLY	ALA	conflict	UNP Q9IVM8
J	207	GLU	ASP	conflict	UNP Q9IVM8
J	301	ALA	TYR	conflict	UNP Q9IVM8
J	340	GLY	ALA	conflict	UNP Q9IVM8
K	207	GLU	ASP	conflict	UNP Q9IVM8
K	301	ALA	TYR	conflict	UNP Q9IVM8
K	340	GLY	ALA	conflict	UNP Q9IVM8
L	207	GLU	ASP	conflict	UNP Q9IVM8
L	301	ALA	TYR	conflict	UNP Q9IVM8
L	340	GLY	ALA	conflict	UNP Q9IVM8

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	207	GLU	ASP	conflict	UNP Q9IVM8
M	301	ALA	TYR	conflict	UNP Q9IVM8
M	340	GLY	ALA	conflict	UNP Q9IVM8
N	207	GLU	ASP	conflict	UNP Q9IVM8
N	301	ALA	TYR	conflict	UNP Q9IVM8
N	340	GLY	ALA	conflict	UNP Q9IVM8
O	207	GLU	ASP	conflict	UNP Q9IVM8
O	301	ALA	TYR	conflict	UNP Q9IVM8
O	340	GLY	ALA	conflict	UNP Q9IVM8
P	207	GLU	ASP	conflict	UNP Q9IVM8
P	301	ALA	TYR	conflict	UNP Q9IVM8
P	340	GLY	ALA	conflict	UNP Q9IVM8
Q	207	GLU	ASP	conflict	UNP Q9IVM8
Q	301	ALA	TYR	conflict	UNP Q9IVM8
Q	340	GLY	ALA	conflict	UNP Q9IVM8
R	207	GLU	ASP	conflict	UNP Q9IVM8
R	301	ALA	TYR	conflict	UNP Q9IVM8
R	340	GLY	ALA	conflict	UNP Q9IVM8


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: P24



- Molecule 1: P24




- Molecule 1: P24





- Molecule 1: P24









• Molecule 1: P24





• Molecule 1: P24




• Molecule 1: P24






• Molecule 1: P24










• Molecule 1: P24





• Molecule 1: P24





• Molecule 1: P24





• Molecule 1: P24




• Molecule 1: P24





• Molecule 1: P24





• Molecule 1: P24




• Molecule 1: P24






• Molecule 1: P24





• Molecule 1: P24



4 Experimental information

Property	Value	Source
EM reconstruction method	TOMOGRAPHY	Depositor
Imposed symmetry	POINT, C6	Depositor
Number of tilted images used	Not provided	
Resolution determination method	Not provided	
CTF correction method	PHASE FLIPPING OF INDIVIDUAL TILTS	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	42000	Depositor
Image detector	GATAN MULTISCAN	Depositor
Maximum voxel value	0.870	Depositor
Minimum voxel value	-0.726	Depositor
Average voxel value	-0.004	Depositor
Voxel value standard deviation	0.098	Depositor
Recommended contour level	0.27	Depositor
Tomogram size (\AA)	283.5, 283.5, 283.5	wwPDB
Tomogram dimensions	140, 140, 140	wwPDB
Tomogram angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Grid spacing (\AA)	2.025, 2.025, 2.025	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.98	7/839 (0.8%)	1.74	9/1047 (0.9%)
1	B	1.96	3/839 (0.4%)	1.73	9/1047 (0.9%)
1	C	1.95	3/839 (0.4%)	1.67	4/1047 (0.4%)
1	D	1.95	4/839 (0.5%)	1.67	11/1047 (1.1%)
1	E	1.98	11/839 (1.3%)	1.66	8/1047 (0.8%)
1	F	1.98	6/839 (0.7%)	1.64	6/1047 (0.6%)
1	G	1.91	5/839 (0.6%)	1.63	4/1047 (0.4%)
1	H	1.91	6/839 (0.7%)	1.71	9/1047 (0.9%)
1	I	1.89	2/839 (0.2%)	1.67	7/1047 (0.7%)
1	J	1.84	4/839 (0.5%)	1.71	11/1047 (1.1%)
1	K	1.84	5/839 (0.6%)	1.66	5/1047 (0.5%)
1	L	1.83	4/839 (0.5%)	1.68	10/1047 (1.0%)
1	M	1.94	7/839 (0.8%)	1.65	8/1047 (0.8%)
1	N	1.91	3/839 (0.4%)	1.71	8/1047 (0.8%)
1	O	1.91	2/839 (0.2%)	1.66	5/1047 (0.5%)
1	P	1.90	2/839 (0.2%)	1.68	8/1047 (0.8%)
1	Q	1.91	6/839 (0.7%)	1.61	4/1047 (0.4%)
1	R	1.94	5/839 (0.6%)	1.69	5/1047 (0.5%)
All	All	1.92	85/15102 (0.6%)	1.68	131/18846 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9
1	B	0	6
1	C	0	6
1	D	0	12
1	E	0	2
1	F	0	9
1	G	0	3

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	14
1	I	0	5
1	J	0	12
1	K	0	5
1	L	0	6
1	M	0	5
1	N	0	5
1	O	0	6
1	P	0	5
1	Q	0	2
1	R	0	6
All	All	0	118

All (85) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	185	ASN	CA-C	-6.31	1.36	1.52
1	F	295	ASP	CA-C	-6.24	1.36	1.52
1	D	328	PRO	CA-C	-6.23	1.40	1.52
1	L	238	GLY	CA-C	-6.18	1.42	1.51
1	A	328	PRO	CA-C	-6.15	1.40	1.52
1	J	248	GLY	CA-C	-6.11	1.42	1.51
1	Q	295	ASP	CA-C	-6.09	1.37	1.52
1	Q	314	LYS	CA-C	-6.05	1.37	1.52
1	K	300	PHE	N-CA	-6.01	1.34	1.46
1	K	328	PRO	CA-C	-5.97	1.41	1.52
1	C	297	VAL	CA-C	-5.96	1.37	1.52
1	G	318	THR	CA-C	-5.89	1.37	1.52
1	B	299	ARG	CA-C	-5.88	1.37	1.52
1	L	289	PRO	CA-C	-5.80	1.41	1.52
1	Q	314	LYS	N-CA	-5.80	1.34	1.46
1	H	300	PHE	N-CA	-5.71	1.34	1.46
1	E	211	GLU	CA-C	-5.69	1.38	1.52
1	M	295	ASP	N-CA	-5.58	1.35	1.46
1	C	248	GLY	CA-C	-5.58	1.43	1.51
1	K	295	ASP	N-CA	-5.56	1.35	1.46
1	A	299	ARG	CA-C	-5.55	1.38	1.52
1	C	211	GLU	CA-C	-5.55	1.38	1.52
1	A	302	LYS	CA-C	-5.50	1.38	1.52
1	R	248	GLY	CA-C	-5.49	1.43	1.51
1	F	299	ARG	CA-C	-5.48	1.38	1.52
1	J	185	ASN	CA-C	-5.48	1.38	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	248	GLY	CA-C	-5.47	1.43	1.51
1	M	295	ASP	CA-C	-5.47	1.38	1.52
1	F	328	PRO	CA-C	-5.46	1.42	1.52
1	N	185	ASN	CA-C	-5.42	1.38	1.52
1	N	248	GLY	CA-C	-5.42	1.43	1.51
1	E	238	GLY	CA-C	-5.40	1.43	1.51
1	D	295	ASP	CA-C	-5.40	1.39	1.52
1	N	289	PRO	CA-C	-5.38	1.42	1.52
1	E	332	THR	CA-C	-5.36	1.39	1.52
1	E	300	PHE	N-CA	-5.35	1.35	1.46
1	O	328	PRO	CA-C	-5.35	1.42	1.52
1	M	300	PHE	N-CA	-5.34	1.35	1.46
1	R	185	ASN	CA-C	-5.34	1.39	1.52
1	H	287	GLN	N-CA	-5.33	1.35	1.46
1	A	317	MET	CA-C	-5.32	1.39	1.52
1	E	299	ARG	CA-C	-5.30	1.39	1.52
1	H	303	THR	CA-C	-5.28	1.39	1.52
1	A	276	MET	CA-C	-5.28	1.39	1.52
1	J	217	PRO	CA-C	-5.28	1.42	1.52
1	R	313	VAL	N-CA	-5.25	1.35	1.46
1	K	233	GLY	CA-C	-5.25	1.43	1.51
1	A	332	THR	CA-C	-5.24	1.39	1.52
1	D	313	VAL	CA-C	-5.24	1.39	1.52
1	R	272	LYS	CA-C	-5.23	1.39	1.52
1	L	313	VAL	N-CA	-5.22	1.35	1.46
1	O	295	ASP	CA-C	-5.22	1.39	1.52
1	B	211	GLU	CA-C	-5.20	1.39	1.52
1	P	181	PRO	CA-C	-5.17	1.42	1.52
1	E	296	TYR	CA-C	-5.17	1.39	1.52
1	H	299	ARG	CA-C	-5.17	1.39	1.52
1	H	313	VAL	N-CA	-5.17	1.36	1.46
1	F	287	GLN	N-CA	-5.17	1.36	1.46
1	H	272	LYS	N-CA	-5.15	1.36	1.46
1	J	271	ASN	CA-C	-5.15	1.39	1.52
1	Q	343	LEU	N-CA	-5.14	1.36	1.46
1	E	314	LYS	CA-C	-5.13	1.39	1.52
1	P	314	LYS	CA-C	-5.12	1.39	1.52
1	F	295	ASP	N-CA	-5.12	1.36	1.46
1	D	211	GLU	CA-C	-5.11	1.39	1.52
1	M	314	LYS	N-CA	-5.11	1.36	1.46
1	I	295	ASP	CA-C	-5.11	1.39	1.52
1	K	314	LYS	CA-C	-5.10	1.39	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	Q	294	ARG	N-CA	-5.10	1.36	1.46
1	G	316	TRP	CA-C	-5.10	1.39	1.52
1	I	297	VAL	CA-C	-5.10	1.39	1.52
1	M	296	TYR	CA-C	-5.09	1.39	1.52
1	E	267	ILE	CA-C	-5.09	1.39	1.52
1	F	248	GLY	CA-C	-5.08	1.43	1.51
1	A	300	PHE	N-CA	-5.08	1.36	1.46
1	R	314	LYS	CA-C	-5.08	1.39	1.52
1	G	314	LYS	N-CA	-5.07	1.36	1.46
1	E	295	ASP	CA-C	-5.07	1.39	1.52
1	Q	328	PRO	CA-C	-5.07	1.42	1.52
1	G	328	PRO	CA-C	-5.04	1.42	1.52
1	M	269	GLY	CA-C	-5.04	1.43	1.51
1	B	328	PRO	CA-C	-5.03	1.42	1.52
1	E	314	LYS	N-CA	-5.02	1.36	1.46
1	M	297	VAL	N-CA	-5.01	1.36	1.46
1	G	296	TYR	N-CA	-5.00	1.36	1.46

All (131) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	242	THR	CA-C-N	-8.27	99.01	117.20
1	A	289	PRO	N-CA-C	-7.78	91.86	112.10
1	J	166	PRO	N-CA-C	7.57	131.77	112.10
1	L	166	PRO	N-CA-C	7.45	131.46	112.10
1	D	351	GLN	N-CA-C	-7.17	91.64	111.00
1	Q	313	VAL	CA-C-N	-7.13	101.51	117.20
1	H	163	ALA	N-CA-C	6.98	129.84	111.00
1	I	278	SER	N-CA-C	-6.97	92.17	111.00
1	I	277	TYR	N-CA-C	-6.93	92.29	111.00
1	R	253	ASN	N-CA-C	-6.66	93.01	111.00
1	I	277	TYR	CA-C-N	-6.64	102.60	117.20
1	P	309	ALA	N-CA-C	6.63	128.91	111.00
1	P	270	LEU	C-N-CA	6.46	137.85	121.70
1	A	351	GLN	N-CA-C	-6.45	93.58	111.00
1	J	288	GLY	N-CA-C	-6.43	97.02	113.10
1	N	177	GLU	N-CA-C	-6.42	93.66	111.00
1	J	279	PRO	CA-C-N	6.38	131.23	117.20
1	M	294	ARG	C-N-CA	6.36	137.59	121.70
1	B	169	ILE	CA-C-N	6.34	134.84	117.10
1	P	217	PRO	N-CA-C	-6.29	95.73	112.10
1	P	351	GLN	N-CA-C	6.18	127.68	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	343	LEU	N-CA-C	6.17	127.66	111.00
1	A	309	ALA	N-CA-C	6.12	127.53	111.00
1	J	279	PRO	C-N-CA	6.12	136.99	121.70
1	B	162	LYS	C-N-CA	6.06	136.84	121.70
1	E	287	GLN	C-N-CA	6.06	135.02	122.30
1	O	228	MET	C-N-CA	6.02	136.75	121.70
1	H	162	LYS	C-N-CA	5.99	136.68	121.70
1	F	286	ARG	N-CA-C	-5.96	94.92	111.00
1	A	338	GLY	N-CA-C	-5.95	98.23	113.10
1	H	270	LEU	CA-C-O	5.92	132.54	120.10
1	K	294	ARG	C-N-CA	5.92	136.51	121.70
1	J	343	LEU	N-CA-C	5.89	126.90	111.00
1	R	341	ALA	C-N-CA	5.88	136.39	121.70
1	D	314	LYS	C-N-CA	-5.86	107.04	121.70
1	E	144	HIS	N-CA-C	-5.86	95.19	111.00
1	E	166	PRO	N-CA-C	5.82	127.23	112.10
1	C	351	GLN	N-CA-C	-5.81	95.30	111.00
1	G	279	PRO	C-N-CA	5.76	136.09	121.70
1	M	177	GLU	C-N-CA	5.75	134.36	122.30
1	A	166	PRO	C-N-CA	5.74	136.04	121.70
1	E	313	VAL	CA-C-N	-5.73	104.59	117.20
1	N	163	ALA	N-CA-C	5.72	126.44	111.00
1	D	270	LEU	N-CA-C	5.66	126.27	111.00
1	N	238	GLY	CA-C-N	-5.64	104.78	117.20
1	N	144	HIS	C-N-CA	5.62	135.74	121.70
1	L	166	PRO	CA-C-N	5.61	129.54	117.20
1	K	167	GLU	C-N-CA	5.60	135.70	121.70
1	L	233	GLY	N-CA-C	5.60	127.10	113.10
1	D	307	GLU	C-N-CA	5.58	135.65	121.70
1	F	242	THR	N-CA-C	-5.58	95.95	111.00
1	L	261	ILE	CA-C-N	-5.57	104.96	117.20
1	A	270	LEU	C-N-CA	5.56	135.61	121.70
1	O	278	SER	N-CA-C	-5.56	96.00	111.00
1	D	227	GLN	C-N-CA	5.55	135.57	121.70
1	B	314	LYS	C-N-CA	-5.54	107.85	121.70
1	G	178	GLY	C-N-CA	5.54	135.56	121.70
1	Q	279	PRO	C-N-CA	5.53	135.53	121.70
1	B	256	ILE	N-CA-C	-5.53	96.07	111.00
1	M	265	TRP	CA-C-O	5.53	131.70	120.10
1	C	169	ILE	CA-C-N	5.51	132.54	117.10
1	O	169	ILE	CA-C-N	5.51	132.53	117.10
1	C	268	LEU	C-N-CA	-5.49	110.77	122.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	238	GLY	C-N-CA	5.47	135.38	121.70
1	G	306	ALA	N-CA-C	5.46	125.76	111.00
1	D	283	LEU	C-N-CA	5.46	135.35	121.70
1	J	327	ASN	CA-C-N	5.44	132.33	117.10
1	H	270	LEU	C-N-CA	5.44	135.29	121.70
1	G	169	ILE	CA-C-N	5.42	132.28	117.10
1	M	308	GLN	N-CA-C	5.42	125.62	111.00
1	D	253	ASN	N-CA-C	-5.38	96.48	111.00
1	E	313	VAL	O-C-N	5.36	131.28	122.70
1	A	195	GLN	CA-C-N	-5.36	105.41	117.20
1	L	218	VAL	C-N-CA	5.35	135.07	121.70
1	M	227	GLN	CA-C-N	-5.35	105.44	117.20
1	L	256	ILE	N-CA-C	-5.34	96.58	111.00
1	D	338	GLY	N-CA-C	-5.33	99.78	113.10
1	F	252	HIS	N-CA-C	-5.32	96.64	111.00
1	B	169	ILE	N-CA-C	5.31	125.34	111.00
1	H	241	SER	N-CA-C	-5.31	96.67	111.00
1	M	339	PRO	N-CA-C	5.31	125.91	112.10
1	B	159	VAL	O-C-N	-5.30	114.22	122.70
1	K	270	LEU	N-CA-C	5.30	125.31	111.00
1	R	252	HIS	N-CA-C	-5.30	96.69	111.00
1	C	314	LYS	C-N-CA	-5.29	108.47	121.70
1	P	146	ALA	C-N-CA	5.28	134.91	121.70
1	M	306	ALA	N-CA-C	5.28	125.25	111.00
1	F	314	LYS	C-N-CA	-5.28	108.51	121.70
1	D	289	PRO	N-CA-C	-5.27	98.39	112.10
1	I	194	HIS	C-N-CA	5.27	134.89	121.70
1	Q	162	LYS	CA-C-N	-5.25	105.65	117.20
1	L	292	PRO	CA-C-N	-5.25	105.65	117.20
1	D	340	GLY	N-CA-C	-5.25	99.98	113.10
1	L	226	GLY	N-CA-C	-5.24	100.00	113.10
1	B	194	HIS	C-N-CA	5.23	134.77	121.70
1	I	238	GLY	C-N-CA	5.21	134.74	121.70
1	L	343	LEU	N-CA-C	5.21	125.08	111.00
1	B	270	LEU	N-CA-C	5.21	125.08	111.00
1	N	309	ALA	N-CA-C	5.19	125.01	111.00
1	A	253	ASN	N-CA-C	-5.18	97.00	111.00
1	F	256	ILE	N-CA-C	-5.17	97.05	111.00
1	J	261	ILE	CA-C-N	-5.16	105.86	117.20
1	P	163	ALA	N-CA-C	5.15	124.92	111.00
1	J	285	ILE	N-CA-C	-5.15	97.09	111.00
1	P	279	PRO	O-C-N	-5.15	114.46	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	253	ASN	N-CA-C	-5.14	97.12	111.00
1	A	283	LEU	C-N-CA	5.14	134.54	121.70
1	I	338	GLY	N-CA-C	-5.13	100.26	113.10
1	L	167	GLU	N-CA-C	5.13	124.85	111.00
1	F	253	ASN	N-CA-C	-5.12	97.16	111.00
1	R	338	GLY	N-CA-C	-5.12	100.30	113.10
1	K	341	ALA	C-N-CA	5.12	134.49	121.70
1	H	279	PRO	CA-C-N	5.11	128.44	117.20
1	D	275	ARG	O-C-N	-5.09	114.56	122.70
1	H	268	LEU	CA-C-N	5.09	126.38	116.20
1	J	243	LEU	N-CA-C	5.09	124.73	111.00
1	N	247	ILE	C-N-CA	5.08	132.98	122.30
1	M	338	GLY	N-CA-C	-5.08	100.40	113.10
1	H	266	ILE	CA-C-N	-5.07	106.06	117.20
1	E	169	ILE	CA-C-N	5.05	131.25	117.10
1	Q	265	TRP	CA-C-O	5.05	130.70	120.10
1	B	351	GLN	N-CA-C	-5.04	97.38	111.00
1	N	279	PRO	CA-C-N	5.04	128.29	117.20
1	J	167	GLU	N-CA-C	5.04	124.61	111.00
1	O	253	ASN	N-CA-C	-5.03	97.42	111.00
1	P	266	ILE	CA-C-N	-5.03	106.14	117.20
1	O	339	PRO	N-CA-C	5.02	125.16	112.10
1	R	147	ILE	N-CA-C	5.02	124.55	111.00
1	E	270	LEU	C-N-CA	5.00	134.21	121.70
1	E	338	GLY	N-CA-C	-5.00	100.59	113.10
1	K	308	GLN	N-CA-C	5.00	124.50	111.00

There are no chirality outliers.

All (118) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	269	GLY	Mainchain
1	A	277	TYR	Mainchain
1	A	279	PRO	Peptide
1	A	284	ASP	Mainchain
1	A	288	GLY	Mainchain
1	A	325	ASN	Mainchain
1	A	343	LEU	Mainchain,Peptide
1	A	350	CYS	Mainchain
1	B	269	GLY	Mainchain
1	B	279	PRO	Peptide
1	B	293	PHE	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	343	LEU	Mainchain,Peptide
1	B	350	CYS	Mainchain
1	C	255	PRO	Mainchain
1	C	269	GLY	Mainchain
1	C	279	PRO	Peptide
1	C	343	LEU	Mainchain,Peptide
1	C	350	CYS	Mainchain
1	D	161	GLU	Mainchain,Peptide
1	D	167	GLU	Mainchain
1	D	168	VAL	Mainchain
1	D	181	PRO	Mainchain
1	D	242	THR	Mainchain
1	D	269	GLY	Mainchain
1	D	279	PRO	Peptide
1	D	325	ASN	Mainchain
1	D	343	LEU	Mainchain,Peptide
1	D	350	CYS	Mainchain
1	E	279	PRO	Peptide
1	E	343	LEU	Mainchain
1	F	143	VAL	Mainchain
1	F	161	GLU	Mainchain,Peptide
1	F	168	VAL	Mainchain
1	F	277	TYR	Mainchain
1	F	279	PRO	Peptide
1	F	284	ASP	Mainchain
1	F	292	PRO	Mainchain
1	F	350	CYS	Mainchain
1	G	279	PRO	Peptide
1	G	317	MET	Mainchain,Peptide
1	H	175	LEU	Mainchain
1	H	181	PRO	Mainchain
1	H	228	MET	Mainchain,Peptide
1	H	242	THR	Mainchain,Peptide
1	H	269	GLY	Mainchain
1	H	279	PRO	Peptide
1	H	293	PHE	Mainchain
1	H	310	SER	Mainchain,Peptide
1	H	326	ALA	Mainchain
1	H	342	THR	Mainchain,Peptide
1	I	161	GLU	Mainchain
1	I	176	SER	Mainchain
1	I	277	TYR	Mainchain,Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	I	279	PRO	Peptide
1	J	168	VAL	Mainchain,Peptide
1	J	175	LEU	Mainchain
1	J	240	THR	Mainchain
1	J	242	THR	Mainchain,Peptide
1	J	279	PRO	Peptide
1	J	290	LYS	Mainchain
1	J	291	GLU	Mainchain
1	J	310	SER	Mainchain,Peptide
1	J	321	LEU	Mainchain
1	K	161	GLU	Mainchain,Peptide
1	K	162	LYS	Mainchain
1	K	269	GLY	Mainchain
1	K	279	PRO	Peptide
1	L	168	VAL	Mainchain
1	L	216	HIS	Mainchain
1	L	226	GLY	Mainchain
1	L	279	PRO	Peptide
1	L	284	ASP	Mainchain
1	L	321	LEU	Mainchain
1	M	167	GLU	Mainchain
1	M	176	SER	Mainchain,Peptide
1	M	279	PRO	Peptide
1	M	342	THR	Mainchain
1	N	240	THR	Mainchain,Peptide
1	N	279	PRO	Peptide
1	N	291	GLU	Mainchain
1	N	342	THR	Mainchain
1	O	161	GLU	Mainchain
1	O	176	SER	Mainchain
1	O	227	GLN	Mainchain
1	O	279	PRO	Peptide
1	O	343	LEU	Mainchain,Peptide
1	P	269	GLY	Mainchain
1	P	279	PRO	Peptide
1	P	309	ALA	Peptide
1	P	310	SER	Mainchain
1	P	326	ALA	Mainchain
1	Q	279	PRO	Peptide
1	Q	343	LEU	Mainchain
1	R	227	GLN	Mainchain
1	R	242	THR	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	R	279	PRO	Peptide
1	R	310	SER	Mainchain,Peptide
1	R	321	LEU	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	840	419	218	8	0
1	B	840	419	218	5	0
1	C	840	419	219	1	0
1	D	840	419	217	4	0
1	E	840	419	218	7	0
1	F	840	419	219	3	0
1	G	840	419	219	6	0
1	H	840	419	218	4	0
1	I	840	419	219	4	0
1	J	840	419	219	3	0
1	K	840	419	217	6	0
1	L	840	419	219	2	0
1	M	840	419	218	6	0
1	N	840	419	219	3	0
1	O	840	419	219	3	0
1	P	840	419	218	5	0
1	Q	840	419	219	6	0
1	R	840	419	219	5	0
All	All	15120	7542	3932	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:179:ALA:O	1:F:259:GLY:HA3	2.08	0.54
1:Q:179:ALA:O	1:Q:259:GLY:HA2	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:181:PRO:O	1:R:185:ASN:N	2.45	0.50
1:G:175:LEU:C	1:G:177:GLU:H	2.17	0.48
1:H:303:THR:O	1:H:307:GLU:N	2.46	0.48
1:P:181:PRO:O	1:P:185:ASN:N	2.43	0.48
1:R:185:ASN:O	1:R:189:ASN:N	2.46	0.47
1:L:185:ASN:O	1:L:189:ASN:N	2.48	0.47
1:P:212:TRP:O	1:P:216:HIS:N	2.48	0.47
1:O:187:MET:O	1:O:191:VAL:N	2.48	0.46
1:Q:179:ALA:C	1:Q:259:GLY:HA2	2.36	0.46
1:A:166:PRO:C	1:A:168:VAL:H	2.17	0.45
1:I:180:THR:CA	1:I:259:GLY:HA3	2.47	0.45
1:M:293:PHE:C	1:M:296:TYR:H	2.20	0.45
1:K:273:ILE:O	1:K:277:TYR:N	2.49	0.45
1:B:272:LYS:O	1:B:276:MET:N	2.50	0.45
1:F:157:LYS:O	1:F:161:GLU:N	2.49	0.45
1:G:297:VAL:O	1:G:301:ALA:N	2.49	0.45
1:R:212:TRP:O	1:R:216:HIS:N	2.50	0.45
1:D:272:LYS:O	1:D:276:MET:N	2.50	0.44
1:O:176:SER:C	1:O:178:GLY:H	2.19	0.44
1:A:311:GLN:O	1:A:312:GLU:C	2.55	0.44
1:M:297:VAL:O	1:M:301:ALA:N	2.51	0.44
1:K:316:TRP:O	1:K:317:MET:C	2.54	0.44
1:K:340:GLY:C	1:K:342:THR:H	2.20	0.43
1:K:300:PHE:O	1:K:304:LEU:N	2.46	0.43
1:B:185:ASN:O	1:B:189:ASN:N	2.51	0.43
1:I:282:ILE:C	1:I:284:ASP:H	2.19	0.43
1:L:212:TRP:O	1:L:216:HIS:N	2.51	0.43
1:H:212:TRP:O	1:H:216:HIS:N	2.51	0.43
1:G:293:PHE:C	1:G:296:TYR:H	2.22	0.43
1:H:295:ASP:O	1:H:299:ARG:N	2.50	0.43
1:Q:316:TRP:O	1:Q:317:MET:C	2.54	0.43
1:I:316:TRP:O	1:I:317:MET:C	2.55	0.43
1:N:212:TRP:O	1:N:216:HIS:N	2.52	0.43
1:P:300:PHE:O	1:P:304:LEU:N	2.48	0.43
1:K:212:TRP:O	1:K:216:HIS:N	2.52	0.43
1:P:347:MET:O	1:P:351:GLN:N	2.52	0.42
1:A:333:ILE:O	1:A:337:LEU:N	2.53	0.42
1:K:297:VAL:O	1:K:301:ALA:N	2.49	0.42
1:M:316:TRP:O	1:M:317:MET:C	2.55	0.42
1:E:284:ASP:C	1:E:286:ARG:H	2.22	0.42
1:J:293:PHE:O	1:J:296:TYR:N	2.52	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:172:PHE:O	1:Q:176:SER:N	2.52	0.42
1:Q:187:MET:O	1:Q:191:VAL:N	2.53	0.42
1:A:149:PRO:O	1:A:153:ASN:N	2.52	0.42
1:D:316:TRP:O	1:D:317:MET:C	2.56	0.42
1:E:153:ASN:O	1:E:157:LYS:N	2.53	0.42
1:G:212:TRP:O	1:G:216:HIS:N	2.53	0.42
1:M:170:PRO:O	1:M:174:ALA:N	2.51	0.42
1:F:153:ASN:O	1:F:157:LYS:N	2.53	0.42
1:B:303:THR:O	1:B:307:GLU:N	2.53	0.42
1:N:181:PRO:O	1:N:185:ASN:N	2.45	0.42
1:N:185:ASN:O	1:N:189:ASN:N	2.52	0.42
1:A:287:GLN:H	1:A:326:ALA:CA	2.33	0.41
1:H:181:PRO:O	1:H:185:ASN:N	2.45	0.41
1:J:288:GLY:O	1:J:289:PRO:O	2.38	0.41
1:D:246:GLN:O	1:D:249:TRP:N	2.53	0.41
1:C:233:GLY:O	1:C:237:ALA:N	2.53	0.41
1:A:246:GLN:O	1:A:249:TRP:N	2.53	0.41
1:E:159:VAL:O	1:E:163:ALA:N	2.53	0.41
1:E:295:ASP:O	1:E:299:ARG:N	2.53	0.41
1:G:300:PHE:O	1:G:304:LEU:N	2.48	0.41
1:B:159:VAL:O	1:B:163:ALA:N	2.53	0.41
1:J:212:TRP:O	1:J:216:HIS:N	2.54	0.41
1:M:300:PHE:O	1:M:304:LEU:N	2.48	0.41
1:G:284:ASP:C	1:G:286:ARG:H	2.24	0.41
1:I:180:THR:C	1:I:259:GLY:HA3	2.41	0.41
1:A:153:ASN:O	1:A:157:LYS:N	2.54	0.41
1:E:185:ASN:O	1:E:189:ASN:N	2.54	0.41
1:A:259:GLY:O	1:A:263:LYS:N	2.54	0.40
1:O:316:TRP:O	1:O:317:MET:C	2.56	0.40
1:Q:212:TRP:O	1:Q:216:HIS:N	2.53	0.40
1:R:333:ILE:O	1:R:337:LEU:N	2.54	0.40
1:B:316:TRP:O	1:B:317:MET:C	2.57	0.40
1:M:212:TRP:O	1:M:216:HIS:N	2.54	0.40
1:P:333:ILE:O	1:P:337:LEU:N	2.53	0.40
1:D:172:PHE:O	1:D:176:SER:N	2.55	0.40
1:E:149:PRO:O	1:E:153:ASN:N	2.52	0.40
1:E:333:ILE:O	1:E:337:LEU:N	2.54	0.40
1:R:229:ARG:O	1:R:230:GLU:C	2.60	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	208/210 (99%)	168 (81%)	20 (10%)	20 (10%)	0	10
1	B	208/210 (99%)	170 (82%)	23 (11%)	15 (7%)	1	14
1	C	208/210 (99%)	167 (80%)	24 (12%)	17 (8%)	1	12
1	D	208/210 (99%)	169 (81%)	19 (9%)	20 (10%)	0	10
1	E	208/210 (99%)	169 (81%)	22 (11%)	17 (8%)	1	12
1	F	208/210 (99%)	170 (82%)	25 (12%)	13 (6%)	1	17
1	G	208/210 (99%)	176 (85%)	21 (10%)	11 (5%)	2	19
1	H	208/210 (99%)	174 (84%)	17 (8%)	17 (8%)	1	12
1	I	208/210 (99%)	169 (81%)	24 (12%)	15 (7%)	1	14
1	J	208/210 (99%)	173 (83%)	17 (8%)	18 (9%)	1	11
1	K	208/210 (99%)	171 (82%)	18 (9%)	19 (9%)	1	11
1	L	208/210 (99%)	173 (83%)	20 (10%)	15 (7%)	1	14
1	M	208/210 (99%)	176 (85%)	17 (8%)	15 (7%)	1	14
1	N	208/210 (99%)	179 (86%)	20 (10%)	9 (4%)	2	22
1	O	208/210 (99%)	168 (81%)	28 (14%)	12 (6%)	1	18
1	P	208/210 (99%)	177 (85%)	13 (6%)	18 (9%)	1	11
1	Q	208/210 (99%)	178 (86%)	15 (7%)	15 (7%)	1	14
1	R	208/210 (99%)	177 (85%)	11 (5%)	20 (10%)	0	10
All	All	3744/3780 (99%)	3104 (83%)	354 (10%)	286 (8%)	2	13

All (286) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	144	HIS
1	A	147	ILE
1	A	167	GLU
1	A	179	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	225	PRO
1	A	227	GLN
1	A	279	PRO
1	A	280	THR
1	A	288	GLY
1	A	289	PRO
1	A	308	GLN
1	A	309	ALA
1	B	144	HIS
1	B	179	ALA
1	B	218	VAL
1	B	225	PRO
1	B	279	PRO
1	B	280	THR
1	B	281	SER
1	C	147	ILE
1	C	225	PRO
1	C	226	GLY
1	C	229	ARG
1	C	255	PRO
1	C	279	PRO
1	C	280	THR
1	C	281	SER
1	C	286	ARG
1	D	147	ILE
1	D	225	PRO
1	D	228	MET
1	D	240	THR
1	D	279	PRO
1	D	280	THR
1	D	308	GLN
1	E	167	GLU
1	E	216	HIS
1	E	218	VAL
1	E	225	PRO
1	E	239	THR
1	E	280	THR
1	E	289	PRO
1	F	279	PRO
1	F	280	THR
1	F	289	PRO
1	G	179	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	257	PRO
1	G	279	PRO
1	G	280	THR
1	G	326	ALA
1	H	147	ILE
1	H	217	PRO
1	H	229	ARG
1	H	289	PRO
1	H	309	ALA
1	H	323	VAL
1	H	339	PRO
1	I	225	PRO
1	I	226	GLY
1	I	279	PRO
1	I	280	THR
1	I	281	SER
1	I	309	ALA
1	J	144	HIS
1	J	179	ALA
1	J	216	HIS
1	J	279	PRO
1	J	289	PRO
1	K	146	ALA
1	K	216	HIS
1	K	279	PRO
1	K	280	THR
1	K	281	SER
1	K	289	PRO
1	K	292	PRO
1	L	147	ILE
1	L	166	PRO
1	L	179	ALA
1	L	220	ALA
1	L	229	ARG
1	L	289	PRO
1	M	225	PRO
1	M	279	PRO
1	M	280	THR
1	M	292	PRO
1	N	147	ILE
1	N	229	ARG
1	N	231	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	N	279	PRO
1	N	289	PRO
1	N	309	ALA
1	O	225	PRO
1	O	228	MET
1	O	229	ARG
1	O	276	MET
1	O	279	PRO
1	O	280	THR
1	O	309	ALA
1	P	147	ILE
1	P	164	PHE
1	P	165	SER
1	P	166	PRO
1	P	217	PRO
1	P	279	PRO
1	P	289	PRO
1	P	308	GLN
1	P	309	ALA
1	Q	225	PRO
1	Q	228	MET
1	Q	279	PRO
1	Q	280	THR
1	Q	309	ALA
1	R	145	GLN
1	R	147	ILE
1	R	165	SER
1	R	166	PRO
1	R	179	ALA
1	R	217	PRO
1	R	220	ALA
1	R	222	PRO
1	R	289	PRO
1	A	226	GLY
1	A	281	SER
1	A	326	ALA
1	B	226	GLY
1	B	227	GLN
1	B	289	PRO
1	B	326	ALA
1	C	145	GLN
1	C	167	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	217	PRO
1	D	220	ALA
1	D	226	GLY
1	D	281	SER
1	D	288	GLY
1	D	289	PRO
1	E	147	ILE
1	E	230	GLU
1	E	288	GLY
1	F	144	HIS
1	F	179	ALA
1	F	241	SER
1	G	229	ARG
1	G	285	ILE
1	H	144	HIS
1	H	179	ALA
1	H	252	HIS
1	H	279	PRO
1	H	280	THR
1	I	288	GLY
1	J	147	ILE
1	J	220	ALA
1	J	228	MET
1	J	229	ARG
1	K	177	GLU
1	K	228	MET
1	K	310	SER
1	K	342	THR
1	L	225	PRO
1	L	341	ALA
1	M	257	PRO
1	N	310	SER
1	O	193	GLY
1	O	226	GLY
1	P	218	VAL
1	P	226	GLY
1	Q	177	GLU
1	Q	229	ARG
1	Q	288	GLY
1	Q	289	PRO
1	R	178	GLY
1	R	221	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	229	ARG
1	R	279	PRO
1	A	222	PRO
1	A	310	SER
1	B	166	PRO
1	C	227	GLN
1	C	289	PRO
1	D	179	ALA
1	D	231	PRO
1	D	310	SER
1	E	229	ARG
1	F	177	GLU
1	F	229	ARG
1	F	281	SER
1	F	292	PRO
1	F	339	PRO
1	G	240	THR
1	G	292	PRO
1	H	292	PRO
1	I	220	ALA
1	I	231	PRO
1	I	255	PRO
1	J	225	PRO
1	J	255	PRO
1	J	340	GLY
1	K	229	ARG
1	L	279	PRO
1	L	340	GLY
1	M	143	VAL
1	M	228	MET
1	M	252	HIS
1	O	231	PRO
1	O	339	PRO
1	P	143	VAL
1	P	257	PRO
1	P	291	GLU
1	Q	167	GLU
1	Q	239	THR
1	R	167	GLU
1	R	255	PRO
1	R	310	SER
1	A	229	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	147	ILE
1	B	229	ARG
1	C	179	ALA
1	C	230	GLU
1	C	257	PRO
1	E	341	ALA
1	G	230	GLU
1	H	192	GLY
1	H	256	ILE
1	I	192	GLY
1	I	240	THR
1	J	166	PRO
1	J	276	MET
1	K	241	SER
1	K	257	PRO
1	L	276	MET
1	M	178	GLY
1	M	310	SER
1	M	339	PRO
1	P	254	PRO
1	Q	257	PRO
1	R	254	PRO
1	R	292	PRO
1	A	257	PRO
1	D	180	THR
1	E	231	PRO
1	F	217	PRO
1	G	167	GLU
1	H	167	GLU
1	I	167	GLU
1	I	285	ILE
1	J	281	SER
1	J	310	SER
1	K	227	GLN
1	K	255	PRO
1	L	255	PRO
1	L	257	PRO
1	M	230	GLU
1	M	323	VAL
1	N	341	ALA
1	P	216	HIS
1	P	310	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	P	339	PRO
1	Q	227	GLN
1	Q	240	THR
1	A	339	PRO
1	E	193	GLY
1	E	217	PRO
1	E	257	PRO
1	J	291	GLU
1	K	143	VAL
1	K	256	ILE
1	L	143	VAL
1	L	232	ARG
1	M	218	VAL
1	M	220	ALA
1	O	218	VAL
1	B	285	ILE
1	D	230	GLU
1	D	257	PRO
1	E	285	ILE
1	D	193	GLY
1	F	147	ILE
1	I	289	PRO
1	J	230	GLU
1	K	339	PRO
1	R	223	ILE
1	H	230	GLU
1	N	230	GLU
1	Q	230	GLU
1	R	216	HIS
1	D	218	VAL

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.


5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Tomogram visualisation [i](#)


This section contains visualisations of the EMDB entry EMD-2706. These allow visual inspection of the internal detail of the tomogram and identification of artifacts.

6.1 Orthogonal projections [i](#)



The images above show the tomogram projected in three orthogonal directions.

6.2 Central slices [i](#)



The images above show central slices of the tomogram in three orthogonal directions.


6.3 Largest variance slices [i](#)



X Index: 69



Y Index: 52



Z Index: 62

The images above show the largest variance slices of the tomogram in three orthogonal directions.


6.4 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Tomogram analysis [i](#)

This section contains the results of statistical analysis of the tomogram.

7.1 Voxel-value distribution [i](#)



The voxel-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic.


8 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-2706 and PDB model 4USN. Per-residue inclusion information can be found in section 3 on page 7.

8.1 Map-model overlay [i](#)

This section was not generated.

8.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

8.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.







































8.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

8.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.27) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7979	 0.3140
A	 0.8107	 0.3180
B	 0.8036	 0.3190
C	 0.8083	 0.3240
D	 0.7988	 0.3240
E	 0.8155	 0.3200
F	 0.8012	 0.3220
G	 0.8119	 0.3180
H	 0.7786	 0.3070
I	 0.8024	 0.3130
J	 0.7810	 0.3080
K	 0.8012	 0.3150
L	 0.7738	 0.2990
M	 0.8095	 0.3230
N	 0.7881	 0.3080
O	 0.8083	 0.3120
P	 0.7798	 0.3020
Q	 0.7940	 0.3140
R	 0.7833	 0.3050

