

# Full wwPDB X-ray Structure Validation Report (i)

#### Dec 18, 2023 – 09:14 AM EST

PDB ID	:	1VHK
Title	:	Crystal structure of an hypothetical protein
Authors	:	Structural GenomiX
Deposited on	:	2003-12-01
Resolution	:	2.60  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
wiethc	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality o	of chair	1	
1	А	268	<b>4%</b> 57%		25%	5% 12%
1	В	268	<u>6%</u> 50%	19%	·	27%
1	С	268	% <b>5</b> 3%		32%	6% 9%
1	D	268	4%	16%	•	34%



#### $1 \mathrm{VHK}$

# 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 6788 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
1	Δ	235	Total	С	Ν	0	$\mathbf{S}$	Se	0	0	0
1	Π	200	1847	1168	314	355	6	4	0		U
1	В	106	Total	С	Ν	Ο	$\mathbf{S}$	Se	0	0	0
1	D	190	1534	975	262	289	6	2	0	0	0
1	С	244	Total	$\mathbf{C}$	Ν	Ο	$\mathbf{S}$	Se	0	1	0
1		244	1923	1216	331	366	6	4			
1	Л	D 178	Total	С	Ν	0	S	Se	0	0	0
I D	1/0	1397	886	241	264	4	2	0	U	0	

• Molecule 1 is a protein called Hypothetical protein yqeU.

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-1	MSE	-	cloning artifact	UNP P54461
А	0	SER	-	cloning artifact	UNP P54461
А	1	LEU	-	cloning artifact	UNP P54461
А	33	MSE	MET	modified residue	UNP P54461
А	35	MSE	MET	modified residue	UNP P54461
А	152	MSE	MET	modified residue	UNP P54461
А	164	MSE	MET	modified residue	UNP P54461
А	257	GLU	-	cloning artifact	UNP P54461
А	258	GLY	-	cloning artifact	UNP P54461
А	259	GLY	-	cloning artifact	UNP P54461
А	260	SER	-	cloning artifact	UNP P54461
А	261	HIS	-	cloning artifact	UNP P54461
А	262	HIS	-	cloning artifact	UNP P54461
А	263	HIS	-	cloning artifact	UNP P54461
А	264	HIS	-	cloning artifact	UNP P54461
А	265	HIS	-	cloning artifact	UNP P54461
А	266	HIS	-	cloning artifact	UNP P54461
В	-1	MSE	-	cloning artifact	UNP P54461
В	0	SER	-	cloning artifact	UNP P54461
В	1	LEU	-	cloning artifact	UNP P54461
В	33	MSE	MET	modified residue	UNP P54461



mment	Reference
ied residue	UNP P54461
ied residue	UNP P54461
ied residue	UNP P54461
ng artifact	UNP P54461
	TIME DELLOS

Continued from previous page...ChainResidueModelledActual

Chain	Residue	Modelled	Actual	Comment	Reference
В	35	MSE	MET	modified residue	UNP P54461
В	152	MSE	MET	modified residue	UNP P54461
В	164	MSE	MET	modified residue	UNP P54461
В	257	GLU	-	cloning artifact	UNP P54461
В	258	GLY	-	cloning artifact	UNP P54461
В	259	GLY	-	cloning artifact	UNP P54461
В	260	SER	-	cloning artifact	UNP P54461
В	261	HIS	-	cloning artifact	UNP P54461
В	262	HIS	-	cloning artifact	UNP P54461
В	263	HIS	-	cloning artifact	UNP P54461
В	264	HIS	-	cloning artifact	UNP P54461
В	265	HIS	-	cloning artifact	UNP P54461
В	266	HIS	-	cloning artifact	UNP P54461
С	-1	MSE	-	cloning artifact	UNP P54461
С	0	SER	-	cloning artifact	UNP P54461
С	1	LEU	-	cloning artifact	UNP P54461
С	33	MSE	MET	modified residue	UNP P54461
С	35	MSE	MET	modified residue	UNP P54461
С	152	MSE	MET	modified residue	UNP P54461
С	164	MSE	MET	modified residue	UNP P54461
С	257	GLU	-	cloning artifact	UNP P54461
С	258	GLY	-	cloning artifact	UNP P54461
С	259	GLY	-	cloning artifact	UNP P54461
С	260	SER	-	cloning artifact	UNP P54461
С	261	HIS	-	cloning artifact	UNP P54461
С	262	HIS	-	cloning artifact	UNP P54461
С	263	HIS	-	cloning artifact	UNP P54461
С	264	HIS	-	cloning artifact	UNP P54461
C	265	HIS	-	cloning artifact	UNP P54461
C	266	HIS	-	cloning artifact	UNP P54461
D	-1	MSE	-	cloning artifact	UNP P54461
D	0	SER	-	cloning artifact	UNP P54461
D	1	LEU	-	cloning artifact	UNP P54461
D	33	MSE	MET	modified residue	UNP P54461
D	35	MSE	MET	modified residue	UNP P54461
D	152	MSE	MET	modified residue	UNP P54461
D	164	MSE	MET	modified residue	UNP P54461
D	257	GLU	-	cloning artifact	UNP P54461
D	258	GLY	-	cloning artifact	UNP P54461
D	259	GLY	-	cloning artifact	UNP P54461
D	260	SER	-	cloning artifact	UNP $P5\overline{4461}$
D	261	HIS	-	cloning artifact	UNP P54461



	- $        -$							
Chain	Residue	Modelled	Actual	Comment	Reference			
D	262	HIS	-	cloning artifact	UNP P54461			
D	263	HIS	-	cloning artifact	UNP P54461			
D	264	HIS	-	cloning artifact	UNP P54461			
D	265	HIS	-	cloning artifact	UNP P54461			
D	266	HIS	-	cloning artifact	UNP P54461			

Continued from previous page...

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	21	Total O 21 21	0	0
2	В	24	Total O 24 24	0	0
2	С	32	$\begin{array}{cc} \text{Total} & \text{O} \\ 32 & 32 \end{array}$	0	0
2	D	10	Total         O           10         10	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Hypothetical protein yqeU

# S187 S187 1188 1199 1193 1199 1193 1199 1193 1193 1193 1193 1193 1193 1193 1193 1193 1193 1193 1193 1193 1193 1193 1193 1193 1201 1201 1201 1201 1212 1215 1235 1235 1236 1236 1236 1237 1238 1236 1236 1237 1236 1236 1236 1237 1238 1238 1238 1239 1238 1236 1238 1237 1238 1238 1238 1239 1238 1239 1238 1239 1238 1239 1238 1239</t



• Molecule 1: Hypothetical protein yqeU





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	62.71Å 145.05Å 66.01Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $109.40^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	38.19 - 2.60	Depositor
Resolution (A)	38.19 - 2.60	EDS
% Data completeness	(Not available) (38.19-2.60)	Depositor
(in resolution range)	99.6 (38.19-2.60)	EDS
$R_{merge}$	0.11	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.62 (at 2.61 \text{\AA})$	Xtriage
Refinement program	REFMAC 4.0	Depositor
B B.	0.270 , $0.327$	Depositor
$n, n_{free}$	0.238 , $0.290$	DCC
$R_{free}$ test set	1684 reflections $(4.95%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	43.6	Xtriage
Anisotropy	0.133	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , $63.0$	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	6788	wwPDB-VP
Average B, all atoms $(Å^2)$	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.28% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		lengths	Bond angles		
		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.59	0/1874	1.03	3/2524~(0.1%)	
1	В	0.67	0/1557	1.08	5/2099~(0.2%)	
1	С	0.63	0/1956	1.07	6/2631~(0.2%)	
1	D	0.59	0/1418	0.98	1/1907~(0.1%)	
All	All	0.62	0/6805	1.04	15/9161~(0.2%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1
1	С	0	1
All	All	0	2

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	75	ARG	NE-CZ-NH1	-7.38	116.61	120.30
1	В	75	ARG	NE-CZ-NH1	6.96	123.78	120.30
1	С	230	ARG	NE-CZ-NH2	6.92	123.76	120.30
1	А	242	LEU	CA-CB-CG	6.27	129.71	115.30
1	С	47	ASP	CB-CG-OD2	6.09	123.78	118.30
1	С	252	LEU	CA-CB-CG	5.92	128.93	115.30
1	С	129	ARG	CD-NE-CZ	5.88	131.84	123.60
1	В	47	ASP	CB-CG-OD1	5.72	123.44	118.30
1	В	216	ARG	NE-CZ-NH2	-5.71	117.45	120.30
1	В	75	ARG	NE-CZ-NH2	-5.46	117.57	120.30
1	А	234	THR	CA-CB-CG2	-5.41	104.83	112.40
1	В	3	ARG	NE-CZ-NH1	-5.37	117.62	120.30



	J 1 1 $J$							
Mol	Chain	$\operatorname{Res}$	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$	
1	А	46	GLN	CA-CB-CG	5.24	124.93	113.40	
1	С	233	ARG	NE-CZ-NH2	5.19	122.89	120.30	
1	D	233	ARG	NE-CZ-NH1	-5.12	117.74	120.30	

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	81	VAL	Mainchain
1	С	201	ILE	Mainchain

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1847	0	1837	55	0
1	В	1534	0	1521	41	0
1	С	1923	0	1932	53	0
1	D	1397	0	1383	28	0
2	А	21	0	0	2	0
2	В	24	0	0	1	0
2	С	32	0	0	1	0
2	D	10	0	0	1	0
All	All	6788	0	6673	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
1:C:75:ARG:HG2	1:D:229:PRO:HB2	1.39	1.01	
1:A:57:SER:HB3	1:A:64:SER:HB2	1.46	0.94	
1:C:9:THR:HG22	1:C:12:GLN:H	1.40	0.84	
1:B:210:THR:HG22	1:B:213:GLU:H	1.42	0.83	



	A h C	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:B:6:ILE:HD11	1:B:43:CYS:HB3	1.61	0.83	
1:C:171:VAL:HG12	1:C:199:LEU:HD11	1.65	0.76	
1:A:210:THR:HG22	1:A:213:GLU:H	1.49	0.76	
1:C:170:CYS:SG	1:C:200:LEU:HD23	2.25	0.76	
1:A:35:MSE:HE2	1:A:39:ASP:HB3	1.66	0.76	
1:B:129:ARG:NH2	1:B:129:ARG:HB2	2.06	0.71	
1:A:78:PRO:HG2	1:A:249:THR:HB	1.73	0.71	
1:A:184:SER:HA	2:A:272:HOH:O	1.91	0.70	
1:C:58:VAL:HA	1:C:63:VAL:HG22	1.74	0.69	
1:A:171:VAL:HG13	1:A:199:LEU:HD11	1.74	0.68	
1:B:3:ARG:HH11	1:B:144:TYR:HD1	1.43	0.66	
1:C:4:TYR:HD2	1:C:25:GLU:HG3	1.59	0.66	
1:C:212:ALA:O	1:C:216:ARG:HG2	1.95	0.66	
1:A:152:MSE:HE1	1:A:163:ARG:NH2	2.11	0.66	
1:A:171:VAL:HG22	1:A:201:ILE:HG23	1.79	0.64	
1:D:195:LYS:HD2	1:D:253:ARG:NH2	2.12	0.64	
1:C:4:TYR:CD2	1:C:25:GLU:HG3	2.33	0.64	
1:C:16:ALA:HB1	1:C:17:PRO:HD2	1.80	0.64	
1:D:78:PRO:HG2	1:D:249:THR:HB	1.80	0.63	
1:B:94:GLU:HG3	2:B:272:HOH:O	1.98	0.63	
1:C:115:ARG:HD3	1:C:207:GLY:O	1.97	0.63	
1:B:150:ARG:NH2	1:B:152:MSE:HE2	2.14	0.62	
1:A:237:ALA:HB3	1:A:238:PRO:HD3	1.80	0.61	
1:C:220:GLN:HA	1:C:220:GLN:HE21	1.65	0.61	
1:A:16:ALA:HB1	1:A:17:PRO:CD	2.31	0.60	
1:A:30:VAL:O	1:A:34:ARG:HA	2.00	0.60	
1:C:93:LEU:HD12	1:C:132:TRP:CZ2	2.37	0.59	
1:C:185:ALA:O	1:C:189:ILE:HG23	2.01	0.59	
1:D:187:SER:O	1:D:191:SER:HB2	2.02	0.59	
1:A:185:ALA:HB3	1:A:225:CYS:SG	2.42	0.59	
1:B:129:ARG:HB2	1:B:129:ARG:HH21	1.66	0.59	
1:C:9:THR:CG2	1:C:12:GLN:H	2.13	0.59	
1:B:9:THR:OG1	1:B:10:LYS:N	2.36	0.58	
1:B:117:VAL:O	1:B:117:VAL:HG12	2.03	0.58	
1:D:3:ARG:HD3	1:D:141:GLU:HA	1.84	0.58	
1:D:190:VAL:HA	1:D:193:LEU:HD12	1.86	0.58	
1:B:87:LEU:HD23	1:B:112:GLN:HE21	1.68	0.58	
1:B:97:ILE:HD12	1:B:108:PHE:CG	2.38	0.57	
1:D:79:ILE:HD13	1:D:193:LEU:HD13	1.86	0.57	
1:A:26:VAL:HG21	1:A:61:ASP:HA	1.87	0.57	
1:D:93:LEU:HD23	1:D:132:TRP:CZ2	2.40	0.57	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:187:SER:O	1:B:191:SER:HB2	2.05	0.57	
1:B:3:ARG:NH1	1:B:50:GLU:OE1	2.37	0.56	
1:B:94:GLU:HG2	1:B:135:ILE:CD1	2.36	0.56	
1:B:129:ARG:HG3	1:B:130:GLU:N	2.21	0.55	
1:C:150:ARG:NH2	1:C:152:MSE:HE3	2.22	0.55	
1:D:77:LEU:HD21	1:D:246:SER:HB2	1.89	0.55	
1:B:161:LEU:HD22	1:B:220:GLN:HG3	1.89	0.55	
1:A:35:MSE:CE	1:A:39:ASP:HB3	2.37	0.55	
1:B:8:LEU:HD22	1:B:8:LEU:H	1.71	0.55	
1:C:211:GLU:O	1:C:215:GLU:HG3	2.08	0.54	
1:A:204:GLY:O	1:A:234:THR:HG22	2.08	0.54	
1:B:87:LEU:HG	1:B:118:VAL:HG11	1.88	0.54	
1:A:185:ALA:O	1:A:189:ILE:HG23	2.09	0.53	
1:B:220:GLN:O	1:B:221:ASP:HB2	2.08	0.53	
1:C:125:ALA:HB1	1:C:154:VAL:CG2	2.38	0.53	
1:A:59:SER:OG	1:A:60:LYS:N	2.41	0.53	
1:A:220:GLN:O	1:A:221:ASP:HB2	2.09	0.53	
1:A:240:TYR:HA	1:B:243:SER:OG	2.09	0.53	
1:C:210:THR:O	1:C:214:VAL:HG23	2.09	0.52	
1:A:210:THR:CG2	1:A:213:GLU:H	2.20	0.52	
1:D:109:ILE:HG12	1:D:152:MSE:SE	2.59	0.52	
1:A:3:ARG:HD3	1:A:141:GLU:HA	1.91	0.51	
1:C:220:GLN:O	1:C:221:ASP:HB2	2.10	0.51	
1:D:161:LEU:HD11	1:D:216:ARG:HD2	1.90	0.51	
1:C:220:GLN:HA	1:C:220:GLN:NE2	2.24	0.51	
1:B:93:LEU:HD23	1:B:132:TRP:CZ2	2.45	0.51	
1:A:205:PRO:HA	1:A:234:THR:HG21	1.93	0.51	
1:C:152:MSE:HE1	1:C:163:ARG:NH2	2.26	0.51	
1:D:161:LEU:O	1:D:165:GLN:NE2	2.44	0.50	
1:A:89:LYS:HZ1	1:A:117:VAL:HG11	1.75	0.50	
1:C:156:SER:OG	1:C:159:GLN:HG3	2.12	0.50	
1:D:195:LYS:N	1:D:195:LYS:HD3	2.27	0.50	
1:C:169:LYS:HD2	1:C:193:LEU:HD21	1.95	0.49	
1:D:237:ALA:HB3	1:D:238:PRO:HD3	1.94	0.49	
1:B:152:MSE:SE	1:B:163:ARG:NH2	2.96	0.49	
1:B:210:THR:CG2	1:B:213:GLU:H	2.18	0.49	
1:A:216:ARG:NH2	1:A:219:GLU:OE2	2.45	0.49	
1:B:109:ILE:HG12	1:B:152:MSE:SE	2.63	0.49	
1:C:120:LEU:O	1:C:120:LEU:HD23	2.12	0.49	
1:C:248:GLN:HB2	1:D:247:TYR:CE2	2.47	0.49	
1:C:50:GLU:OE1	1:C:75:ARG:NH1	2.46	0.48	



	A la C	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:A:89:LYS:HZ2	1:A:117:VAL:HG21	1.78	0.48	
1:C:218:THR:HA	1:C:222:GLY:O	2.12	0.48	
1:D:104:GLY:O	1:D:105:ALA:C	2.51	0.48	
1:C:168:ASP:OD1	1:C:197:SER:HB2	2.13	0.48	
1:C:237:ALA:HB3	1:C:238:PRO:HD3	1.96	0.48	
1:B:112:GLN:NE2	1:B:118:VAL:HG12	2.28	0.48	
1:A:248:GLN:NE2	1:B:247:TYR:OH	2.46	0.48	
1:B:3:ARG:HD2	1:B:144:TYR:CD1	2.48	0.48	
1:A:8:LEU:O	1:A:46:GLN:HG3	2.13	0.48	
1:A:52:LYS:HB2	1:A:52:LYS:HE2	1.63	0.48	
1:B:164:MSE:SE	1:B:217:LEU:HD23	2.64	0.48	
1:C:150:ARG:CZ	1:C:152:MSE:HE3	2.44	0.48	
1:A:101:THR:HG23	1:A:149:PRO:CG	2.44	0.47	
1:C:125:ALA:HB1	1:C:154:VAL:HG21	1.95	0.47	
1:B:247:TYR:HD1	1:B:251:LEU:HD12	1.80	0.47	
1:A:89:LYS:HZ2	1:A:117:VAL:CG2	2.28	0.47	
1:B:51:ALA:HB2	1:B:70:TRP:CE3	2.50	0.47	
1:C:238:PRO:O	1:C:242:LEU:HD22	2.15	0.47	
1:A:248:GLN:O	1:A:253:ARG:HG3	2.15	0.47	
1:B:246:SER:O	1:B:250:GLU:HB2	2.15	0.47	
1:C:158:GLN:O	1:C:162:GLN:HG3	2.15	0.47	
1:C:235:GLU:HG2	1:D:99:LYS:HE3	1.97	0.46	
1:A:152:MSE:HE1	1:A:163:ARG:CZ	2.45	0.46	
1:D:6:ILE:O	1:D:46:GLN:HG3	2.15	0.46	
1:C:80:LYS:HZ2	1:C:106:HIS:CE1	2.33	0.46	
1:D:147:GLU:HG2	1:D:148:VAL:N	2.30	0.46	
1:B:174:TYR:CE1	1:B:176:GLU:HG2	2.50	0.46	
1:D:92:LYS:HE3	1:D:206:GLU:OE1	2.17	0.45	
1:C:193:LEU:HA	1:C:194:PRO:HD3	1.77	0.45	
1:C:23:GLY:O	1:C:26:VAL:HG13	2.17	0.45	
1:C:186:PHE:O	1:C:190:VAL:HG23	2.17	0.45	
1:B:220:GLN:HE21	1:B:220:GLN:HA	1.81	0.45	
1:A:89:LYS:NZ	1:A:117:VAL:HG21	2.31	0.45	
1:C:143:SER:O	1:C:144:TYR:HB2	2.17	0.45	
1:A:171:VAL:CG2	1:A:201:ILE:HG23	2.47	0.44	
1:C:146:ASN:O	1:C:147:GLU:HG3	2.18	0.44	
1:A:129:ARG:HA	1:A:132:TRP:CE3	2.52	0.44	
1:B:111:PHE:CD2	1:B:160:LEU:HD22	2.53	0.44	
1:B:3:ARG:HA	1:B:42:ILE:O	2.18	0.44	
1:A:10:LYS:HG3	1:A:70:TRP:CH2	2.53	0.43	
1:B:129:ARG:HH12	1:B:151:VAL:HB	1.83	0.43	



	<b>A</b> + <b>O</b>	Interatomic	Clash		
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)		
1:C:6:ILE:HD12	1:C:21:ILE:HG12	2.01	0.43		
1:B:174:TYR:CE1	1:B:214:VAL:HG21	2.54	0.43		
1:A:89:LYS:HG2	1:A:206:GLU:OE2	2.18	0.43		
1:C:71:THR:O	1:C:72:ASN:HB2	2.18	0.43		
1:D:147:GLU:HG2	1:D:148:VAL:H	1.84	0.43		
1:C:127:LYS:HG3	1:C:128:LYS:N	2.32	0.43		
1:D:129:ARG:HH21	1:D:129:ARG:HG2	1.84	0.43		
1:A:78:PRO:HG2	1:A:249:THR:CB	2.46	0.42		
1:A:30:VAL:HG21	1:A:59:SER:O	2.18	0.42		
1:A:189:ILE:HD11	1:A:199:LEU:HD13	2.01	0.42		
1:A:210:THR:N	1:A:213:GLU:OE2	2.47	0.42		
1:C:155:HIS:NE2	1:C:163:ARG:HD2	2.34	0.42		
1:C:247:TYR:HD2	1:D:247:TYR:HD2	1.68	0.42		
1:D:220:GLN:HG3	2:D:270:HOH:O	2.20	0.42		
1:A:216:ARG:HD2	2:A:283:HOH:O	2.19	0.42		
1:A:19:PHE:CZ	1:A:65:CYS:HB2	2.55	0.42		
1:A:3:ARG:HG3	1:A:3:ARG:NH1	2.34	0.42		
1:A:25:GLU:OE1	1:A:137:LYS:NZ	2.50	0.42		
1:C:51:ALA:HB2	1:C:70:TRP:CE3	2.55	0.42		
1:A:86:GLY:O	1:A:87:LEU:C	2.59	0.42		
1:A:16:ALA:HB1	1:A:17:PRO:HD2	2.00	0.41		
1:B:7:GLU:O	1:B:46:GLN:NE2	2.53	0.41		
1:C:129:ARG:HE	1:C:129:ARG:HB3	1.59	0.41		
1:D:129:ARG:NH2	1:D:153:ASP:OD1	2.53	0.41		
1:A:56:GLN:HE21	1:A:56:GLN:HB2	1.62	0.41		
1:A:193:LEU:HA	1:A:194:PRO:HD3	1.79	0.41		
1:C:99:LYS:HB2	1:C:239:LEU:HD11	2.03	0.41		
1:C:56:GLN:HE21	1:C:56:GLN:HB2	1.62	0.41		
1:C:231:ILE:HD13	1:C:231:ILE:HA	1.84	0.41		
1:A:84:ALA:HA	1:A:109:ILE:O	2.21	0.41		
1:A:75:ARG:HD3	1:B:229:PRO:O	2.20	0.41		
1:C:2:GLN:NE2	2:C:278:HOH:O	2.53	0.41		
1:C:204:GLY:HA3	1:C:209:LEU:HG	2.03	0.41		
1:D:50:GLU:OE1	1:D:75:ARG:NH1	2.53	0.41		
1:A:3:ARG:NH2	1:A:50:GLU:OE1	2.48	0.41		
1:C:78:PRO:HD2	1:C:249:THR:CG2	2.51	0.41		
1:A:212:ALA:O	1:A:216:ARG:HG2	2.21	0.40		
1:B:101:THR:HG23	1:B:149:PRO:HG3	2.03	0.40		
1:A:215:GLU:O	1:A:219:GLU:HG2	2.21	0.40		
1:D:216:ARG:HE	1:D:216:ARG:HB2	1.74	0.40		
1:A:210:THR:HG23	1:A:212:ALA:H	1.86	0.40		



e entendada ji ente precedado pargenti					
Atom 1	Atom 2	Interatomic	Clash		
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)		
1:B:77:LEU:HD23	1:B:250:GLU:OE1	2.21	0.40		
1:D:95:TRP:HE3	1:D:235:GLU:HG3	1.86	0.40		

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	229/268~(85%)	217~(95%)	12~(5%)	0	100	100
1	В	186/268~(69%)	178~(96%)	8 (4%)	0	100	100
1	С	241/268~(90%)	228~(95%)	12~(5%)	1 (0%)	34	57
1	D	168/268~(63%)	160~(95%)	8~(5%)	0	100	100
All	All	824/1072 (77%)	783~(95%)	40 (5%)	1 (0%)	51	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	61	ASP

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	202/227~(89%)	177~(88%)	25~(12%)	4 8



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	В	164/227~(72%)	149~(91%)	15~(9%)	9 18
1	С	210/227~(92%)	177 (84%)	33 (16%)	2 4
1	D	148/227~(65%)	138~(93%)	10 (7%)	16 32
All	All	724/908~(80%)	641 (88%)	83 (12%)	5 10

Continued from previous page...

All (83) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	8	LEU
1	А	26	VAL
1	А	55	LEU
1	А	59	SER
1	А	62	LYS
1	А	67	VAL
1	А	81	VAL
1	А	87	LEU
1	А	89	LYS
1	А	93	LEU
1	А	95	TRP
1	А	99	LYS
1	А	158	GLN
1	А	161	LEU
1	А	163	ARG
1	А	164	MSE
1	А	165	GLN
1	А	171	VAL
1	А	189	ILE
1	А	210	THR
1	А	216	ARG
1	А	218	THR
1	А	232	LEU
1	А	239	LEU
1	А	242	LEU
1	В	6	ILE
1	В	9	THR
1	В	66	LEU
1	В	68	ILE
1	В	87	LEU
1	В	99	LYS
1	В	118	VAL
1	В	129	ARG



Mol	Chain	Res	Type
1	В	131	ARG
1	В	150	ARG
1	В	176	GLU
1	В	191	SER
1	В	198	SER
1	В	210	THR
1	В	227	LEU
1	С	8	LEU
1	С	9	THR
1	С	15	GLU
1	С	26	VAL
1	С	36	ASN
1	С	47	ASP
1	С	52	LYS
1	С	56	GLN
1	С	59	SER
1	С	67	VAL
1	С	81	VAL
1	С	87	LEU
1	С	93	LEU
1	С	95	TRP
1	С	118	VAL
1	С	119	LYS
1	С	120	LEU
1	С	123	LYS
1	С	127	LYS
1	С	129	ARG
1	С	158	GLN
1	С	161	LEU
1	С	164	MSE
1	С	171	VAL
1	C	187	SER
1	С	189	ILE
1	C	192	SER
1	С	216	ARG
1	С	230	ARG
1	С	234	THR
1	С	239	LEU
1	С	242	LEU
1	С	249	THR
1	D	44	CYS
1	D	87	LEU



Continued from pretious page						
Mol	Chain	$\mathbf{Res}$	Type			
1	D	150	ARG			
1	D	154	VAL			
1	D	165	GLN			
1	D	189	ILE			
1	D	191	SER			
1	D	195	LYS			
1	D	227	LEU			
1	D	246	SER			

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	2	GLN
1	А	56	GLN
1	А	248	GLN
1	В	46	GLN
1	В	112	GLN
1	В	162	GLN
1	В	220	GLN
1	С	56	GLN
1	С	106	HIS
1	С	220	GLN
1	D	165	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

There are no ligands in this entry.



# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

# 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RS	$\mathbf{RZ}$ >	$\cdot 2$	$OWAB(Å^2)$	Q<0.9
1	А	231/268~(86%)	0.17	12 (5%)	27	21	17, 40, 76, 92	0
1	В	194/268~(72%)	0.26	17 (8%)	10	7	17, 34, 71, 92	0
1	С	240/268~(89%)	0.10	2 (0%)	86	84	21, 41, 61, 70	0
1	D	176/268~(65%)	0.28	10 (5%)	23	18	22, 45, 80, 91	0
All	All	841/1072 (78%)	0.19	41 (4%)	29	23	17, 40, 73, 92	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	41	ILE	5.2
1	В	66	LEU	5.1
1	В	65	CYS	4.6
1	D	47	ASP	4.2
1	В	43	CYS	3.8
1	В	53	CYS	3.7
1	D	45	SER	3.7
1	А	61	ASP	3.6
1	В	67	VAL	3.6
1	А	23	GLY	3.5
1	А	129	ARG	3.5
1	D	51	ALA	3.5
1	В	118	VAL	3.4
1	А	27	HIS	3.4
1	В	40	GLN	3.3
1	А	62	LYS	3.1
1	В	4	TYR	3.1
1	С	58	VAL	2.9
1	D	176	GLU	2.8
1	D	6	ILE	2.7
1	В	52	LYS	2.7



Mol	Chain	Res	Type	RSRZ
1	В	68	ILE	2.5
1	А	26	VAL	2.5
1	А	34	ARG	2.4
1	В	2	GLN	2.4
1	В	129	ARG	2.4
1	А	60	LYS	2.4
1	А	95	TRP	2.4
1	D	49	PHE	2.3
1	В	176	GLU	2.3
1	D	46	GLN	2.3
1	D	74	ASN	2.2
1	С	95	TRP	2.2
1	В	6	ILE	2.1
1	А	21	ILE	2.1
1	А	24	GLU	2.1
1	В	8	LEU	2.1
1	А	22	THR	2.1
1	D	162	GLN	2.0
1	В	69	GLU	2.0
1	D	130	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

There are no ligands in this entry.

#### 6.5 Other polymers (i)

There are no such residues in this entry.

