



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 09:43 am BST

PDB ID : 6CIK
Title : Pre-Reaction Complex, RAG1(E962Q)/2-intact/nicked 12/23RSS complex in Mn²⁺
Authors : Chuenchor, W.; Chen, X.; Kim, M.S.; Gellert, M.; Yang, W.
Deposited on : 2018-02-24
Resolution : 3.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1665 (3.20-3.12)
Clashscore	141614	1804 (3.20-3.12)
Ramachandran outliers	138981	1770 (3.20-3.12)
Sidechain outliers	138945	1769 (3.20-3.12)
RSRZ outliers	127900	1616 (3.20-3.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	625	
1	C	625	
2	B	359	
2	D	359	
3	N	163	
4	F	39	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	I	40	<p>20% 38% 48% 13%</p>
6	G	55	<p>15% 49% 38% 5% 7%</p>
7	J	15	<p>13% 33% 40% 7% 20%</p>
8	M	40	<p>10% 28% 65% 5%</p>

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 18735 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called V(D)J recombination-activating protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	607	Total	C	N	O	S	0	1	0
			4716	2971	826	885	34			
1	C	602	Total	C	N	O	S	0	1	0
			4711	2970	826	881	34			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	962	GLN	GLU	engineered mutation	UNP P15919
C	962	GLN	GLU	engineered mutation	UNP P15919

- Molecule 2 is a protein called V(D)J recombination-activating protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	341	Total	C	N	O	S	0	1	0
			2652	1695	450	490	17			
2	D	335	Total	C	N	O	S	0	1	0
			2569	1646	436	469	18			

- Molecule 3 is a protein called High mobility group protein B1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	N	90	Total	C	N	O	S	0	0	0
			552	350	98	102	2			

- Molecule 4 is a DNA chain called Intact 12RSS substrate reverse strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
4	F	35	Total	C	N	O	P	0	0	0
			723	345	129	214	35			

- Molecule 5 is a DNA chain called Intact 12RSS substrate forward strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
5	I	35	709	340	131	204	34	0	0	0

- Molecule 6 is a DNA chain called Nicked 23RSS intermediate reverse strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
6	G	51	1043	499	179	314	51	0	0	0

- Molecule 7 is a DNA chain called DNA (5'-D(*AP*TP*CP*TP*GP*GP*CP*CP*TP*GP*TP*CP*TP*TP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
7	J	12	244	117	39	76	12	0	0	0

- Molecule 8 is a DNA chain called Nicked 23RSS intermediate forward strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
8	M	39	805	381	162	223	39	0	0	0

- Molecule 9 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total Zn 1 1	0	0
9	C	1	Total Zn 1 1	0	0

- Molecule 10 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	1	Total Mn 1 1	0	0
10	C	1	Total Mn 1 1	0	0

- Molecule 11 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	2	Total O 2 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	B	1	Total O 1 1	0	0
11	C	2	Total O 2 2	0	0
11	D	1	Total O 1 1	0	0
11	G	1	Total O 1 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: V(D)J recombination-activating protein 1





- Molecule 1: V(D)J recombination-activating protein 1









• Molecule 2: V(D)J recombination-activating protein 2



• Molecule 2: V(D)J recombination-activating protein 2




• Molecule 3: High mobility group protein B1




• Molecule 4: Intact 12RSS substrate reverse strand




• Molecule 5: Intact 12RSS substrate forward strand




- Molecule 6: Nicked 23RSS intermediate reverse strand



- Molecule 7: DNA (5'-D(*AP*TP*CP*TP*GP*GP*CP*CP*TP*GP*TP*CP*TP*TP*A)-3')



- Molecule 8: Nicked 23RSS intermediate forward strand



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	156.42Å 123.15Å 186.33Å 90.00° 105.03° 90.00°	Depositor
Resolution (Å)	37.84 – 3.15 37.84 – 3.15	Depositor EDS
% Data completeness (in resolution range)	99.6 (37.84-3.15) 99.6 (37.84-3.15)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.85 (at 3.12Å)	Xtrriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.209 , 0.249 0.209 , 0.249	Depositor DCC
R_{free} test set	3047 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	104.9	Xtrriage
Anisotropy	0.340	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 68.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	18735	wwPDB-VP
Average B, all atoms (Å ²)	122.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/4815	0.65	0/6511
1	C	0.48	0/4809	0.66	1/6499 (0.0%)
2	B	0.47	0/2723	0.63	0/3697
2	D	0.42	0/2634	0.59	0/3573
3	N	0.37	0/562	0.52	0/770
4	F	0.89	0/810	1.07	1/1250 (0.1%)
5	I	0.90	1/795 (0.1%)	1.04	1/1223 (0.1%)
6	G	0.90	1/1166 (0.1%)	1.10	4/1798 (0.2%)
7	J	0.98	1/271 (0.4%)	1.05	0/416
8	M	1.05	2/907 (0.2%)	1.06	1/1395 (0.1%)
All	All	0.60	5/19492 (0.0%)	0.76	8/27132 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	M	17	DC	OP3-P	-10.32	1.48	1.61
8	M	21	DG	C3'-O3'	-7.28	1.34	1.44
6	G	37	DC	C3'-O3'	-6.38	1.35	1.44
5	I	20	DA	C3'-O3'	5.87	1.51	1.44
7	J	8	DC	C1'-N1	5.00	1.55	1.49

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	21	DG	O4'-C1'-N9	7.70	113.39	108.00
8	M	21	DG	O4'-C1'-N9	7.51	113.25	108.00
6	G	34	DT	O4'-C1'-N1	6.78	112.75	108.00
6	G	15	DG	O5'-P-OP2	-6.28	100.05	105.70
4	F	21	DT	O4'-C1'-N1	6.24	112.37	108.00
6	G	35	DC	O4'-C1'-N1	6.21	112.35	108.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	510	LEU	CB-CG-CD1	-5.94	100.90	111.00
6	G	34	DT	N3-C4-O4	5.01	122.91	119.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4716	0	4529	76	0
1	C	4711	0	4544	88	0
2	B	2652	0	2573	34	0
2	D	2569	0	2454	23	0
3	N	552	0	380	9	0
4	F	723	0	398	26	0
5	I	709	0	395	21	0
6	G	1043	0	580	22	0
7	J	244	0	138	10	0
8	M	805	0	435	25	0
9	A	1	0	0	0	0
9	C	1	0	0	0	0
10	A	1	0	0	0	0
10	C	1	0	0	0	0
11	A	2	0	0	0	0
11	B	1	0	0	0	0
11	C	2	0	0	0	0
11	D	1	0	0	0	0
11	G	1	0	0	1	0
All	All	18735	0	16426	305	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (305) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:12:DT:H2'	4:F:13:DA:C8	2.09	0.88
8:M:50:DA:H2'	8:M:51:DA:C8	2.20	0.75
8:M:38:DT:H2'	8:M:39:DG:C8	2.22	0.74
4:F:9:DT:H3	5:I:38:DA:H2	1.37	0.72
8:M:51:DA:H1'	8:M:52:DA:H5''	1.70	0.71
4:F:13:DA:H2''	4:F:14:DA:C8	2.25	0.71
5:I:31:DC:H2''	5:I:32:DC:H5''	1.73	0.69
6:G:19:DC:H2''	6:G:20:DA:C8	2.28	0.69
1:C:848[B]:ARG:NH1	7:J:15:DT:O2	2.26	0.69
5:I:32:DC:H2'	5:I:33:DT:H72	1.76	0.68
4:F:11:DT:H2'	4:F:12:DT:C6	2.28	0.68
1:A:977:ARG:HG3	1:A:986:ASP:OD1	1.95	0.66
1:C:962:GLN:NE2	11:G:101:HOH:O	2.30	0.65
5:I:14:DT:H2''	5:I:15:DT:C6	2.31	0.65
4:F:16:DG:H2''	4:F:17:DG:C8	2.32	0.64
8:M:52:DA:H2''	8:M:53:DA:C8	2.32	0.64
1:C:996:SER:O	1:C:1000:GLN:HG3	1.98	0.64
4:F:11:DT:H2'	4:F:12:DT:C5	2.33	0.64
1:A:811:GLU:OE2	1:A:875:ARG:NE	2.31	0.63
5:I:21:DG:H2''	5:I:22:DT:H72	1.80	0.62
8:M:45:DA:H2''	8:M:46:DG:H5'	1.80	0.62
7:J:16:DA:O3'	8:M:17:DC:H5''	1.99	0.62
2:B:41:CYS:HB2	2:B:59:PRO:HB3	1.81	0.62
1:C:489:LYS:NZ	4:F:20:DG:OP1	2.33	0.62
8:M:29:DA:H2''	8:M:30:DA:H8	1.64	0.62
2:D:228:ILE:O	2:D:230:PRO:HD3	1.99	0.61
1:A:898:PRO:HG3	1:A:947:ILE:HD13	1.82	0.61
1:A:620:VAL:HB	1:A:658:MET:HG2	1.81	0.61
4:F:36:DC:H2''	4:F:37:DA:C8	2.35	0.61
2:D:95:GLY:HA2	2:D:104:SER:O	2.00	0.61
6:G:35:DC:H2'	6:G:36:DA:C8	2.37	0.60
1:C:716:GLU:O	1:C:783:PRO:HG3	2.02	0.60
1:C:857:LEU:HD12	1:C:862:THR:HG21	1.84	0.60
5:I:15:DT:H2''	5:I:16:DA:N7	2.16	0.60
1:A:624:PHE:HD2	1:A:655:LEU:HD22	1.65	0.60
1:C:469:ALA:O	1:C:473:ASN:HB2	2.01	0.60
1:A:729:LEU:C	1:A:748:ARG:HG3	2.23	0.59
6:G:14:DG:H2'	6:G:15:DG:C8	2.37	0.59
1:A:703:ARG:NH2	1:A:950:ASP:OD1	2.23	0.58
8:M:29:DA:H2''	8:M:30:DA:C8	2.39	0.58
4:F:26:DC:H2''	4:F:27:DT:C6	2.39	0.58
5:I:32:DC:H2'	5:I:33:DT:C7	2.33	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:I:11:DG:H2''	5:I:12:DT:C6	2.40	0.57
6:G:30:DT:H1'	6:G:31:DG:H5'	1.87	0.57
1:A:624:PHE:CD2	1:A:655:LEU:HD22	2.39	0.57
1:C:744:HIS:HB2	1:C:941:ALA:HB1	1.86	0.57
4:F:11:DT:C6	4:F:12:DT:H72	2.39	0.57
1:C:586:TYR:HA	1:C:694:ILE:HD13	1.86	0.57
2:B:1:MET:HA	2:B:349:ARG:O	2.03	0.56
1:A:687:LEU:O	1:A:697:THR:HA	2.04	0.56
1:A:745:SER:HA	1:A:945:GLU:OE2	2.05	0.56
1:C:703:ARG:NH2	1:C:950:ASP:OD1	2.36	0.56
6:G:7:DT:H2'	6:G:8:DT:C6	2.40	0.56
4:F:27:DT:H2''	4:F:28:DG:C8	2.41	0.56
3:N:103:PHE:CE1	8:M:33:DA:H1'	2.41	0.55
1:A:678:GLU:HG3	2:B:169:THR:HG21	1.87	0.55
1:A:570:MET:HE1	1:A:641:PHE:CD2	2.41	0.55
1:A:634:GLY:HA3	1:A:636:GLN:OE1	2.06	0.55
1:A:545:VAL:HG23	2:B:316:ILE:HG22	1.88	0.55
2:D:283:LYS:HE2	2:D:314:SER:O	2.07	0.54
1:A:575:LEU:HA	1:A:578:MET:HE2	1.89	0.54
1:A:666:GLU:OE2	1:A:666:GLU:N	2.40	0.54
2:B:290:VAL:HG22	2:B:299:ILE:HG13	1.90	0.54
4:F:12:DT:H2''	4:F:13:DA:H5'	1.88	0.54
6:G:5:DT:H2''	6:G:6:DT:H5''	1.89	0.54
5:I:37:DC:H1'	5:I:38:DA:H5'	1.89	0.54
6:G:22:DA:H2''	6:G:23:DC:H5'	1.89	0.54
2:D:47[A]:HIS:NE2	2:D:49:ASP:OD2	2.39	0.53
8:M:22:DT:H2'	8:M:23:DG:C8	2.43	0.53
1:C:715:VAL:HB	1:C:785:ILE:HB	1.90	0.53
1:C:813:GLY:HA3	1:C:829:TRP:CD2	2.44	0.53
2:D:94:HIS:HD2	2:D:107:ILE:HG13	1.72	0.53
1:C:836:HIS:CB	1:C:869:LEU:HD11	2.39	0.53
1:A:552:THR:HB	1:A:659:LEU:O	2.09	0.53
2:D:166:GLN:N	2:D:166:GLN:OE1	2.42	0.53
4:F:8:DT:H2''	4:F:9:DT:H5''	1.91	0.53
8:M:54:DC:H2'	8:M:55:DC:C6	2.44	0.52
5:I:22:DT:H2'	5:I:23:DG:C8	2.44	0.52
1:A:552:THR:HG21	1:A:667:THR:HG21	1.90	0.52
3:N:133:TRP:O	3:N:136:THR:HG22	2.10	0.52
1:C:949:ARG:HG2	1:C:950:ASP:OD1	2.11	0.51
1:A:713:ARG:NH2	1:A:725:TYR:O	2.44	0.51
1:C:754:LEU:HD23	1:C:783:PRO:HD2	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:825:GLU:HG2	1:C:828:ARG:HH22	1.75	0.51
1:C:593:VAL:HG13	1:C:629:ILE:HG12	1.93	0.51
2:B:123:ARG:HG2	2:B:125:THR:HG23	1.93	0.51
1:C:482:HIS:HB2	1:C:500:LEU:HD11	1.92	0.51
1:A:730:CYS:O	1:A:748:ARG:NH1	2.43	0.51
6:G:16:DC:H2'	6:G:17:DT:C6	2.46	0.51
1:A:654:PRO:HG3	1:A:991:HIS:HB3	1.92	0.51
1:C:515:HIS:ND1	1:C:568:MET:HG3	2.25	0.51
1:C:711:LEU:O	1:C:715:VAL:HG22	2.11	0.51
1:C:826:ARG:HG2	1:C:829:TRP:CZ3	2.46	0.51
2:B:278:GLN:HG3	2:B:284:ARG:HB2	1.93	0.51
1:C:892:VAL:HG21	1:C:909:TYR:HD2	1.76	0.50
1:C:501:HIS:NE2	4:F:19:DT:OP2	2.45	0.50
8:M:34:DA:H2''	8:M:35:DG:O4'	2.12	0.50
1:C:886:TYR:OH	1:C:890:LYS:HD3	2.12	0.50
1:A:813:GLY:HA3	1:A:829:TRP:CE2	2.46	0.50
1:A:910:SER:O	1:A:914:GLN:HG3	2.11	0.50
2:B:36:TRP:NE1	2:B:99:PRO:HB2	2.27	0.50
1:C:673:SER:OG	1:C:674:PRO:HD3	2.11	0.50
1:A:515:HIS:ND1	1:A:568:MET:HG3	2.27	0.49
2:B:137:ARG:HG2	2:B:178:CYS:SG	2.53	0.49
1:C:534:ILE:HG21	1:C:985:GLU:HG3	1.93	0.49
5:I:25:DT:H2''	5:I:26:DA:C8	2.47	0.49
1:A:849:MET:HB2	4:F:34:DG:OP1	2.13	0.49
1:C:566:ALA:O	1:C:570:MET:HG2	2.11	0.49
1:C:850:ASN:HD21	1:C:852:ASN:HB2	1.78	0.49
8:M:17:DC:H2'	8:M:18:DA:C8	2.48	0.49
6:G:16:DC:H3'	6:G:17:DT:H72	1.95	0.49
1:C:624:PHE:HD1	1:C:655:LEU:HD22	1.77	0.49
1:C:605:VAL:HG11	1:C:968:PHE:CE2	2.48	0.49
1:C:997:LYS:O	1:C:1001:LYS:HG2	2.12	0.49
1:A:805:TYR:OH	1:A:830:GLN:NE2	2.46	0.49
2:D:78:CYS:HB3	2:D:142:ILE:O	2.13	0.49
1:A:547:GLU:OE1	2:B:159:ARG:NH1	2.42	0.49
1:A:898:PRO:HD2	1:A:951:GLY:O	2.13	0.49
2:D:1:MET:HA	2:D:349:ARG:O	2.12	0.49
6:G:42:DT:H2''	6:G:43:DA:C8	2.48	0.49
1:A:674:PRO:HG3	2:B:172:TRP:HB3	1.94	0.48
1:C:979:SER:HA	4:F:27:DT:H5'	1.95	0.48
5:I:27:DC:H2''	5:I:28:DA:C8	2.48	0.48
6:G:14:DG:H2''	6:G:15:DG:O5'	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:I:32:DC:H2''	5:I:33:DT:H5'	1.95	0.48
6:G:41:DG:H1'	6:G:42:DT:H5'	1.94	0.48
2:B:56:LYS:HD3	4:F:40:DC:OP2	2.14	0.48
1:C:850:ASN:ND2	1:C:852:ASN:H	2.11	0.48
6:G:22:DA:C2'	6:G:23:DC:H5'	2.44	0.48
7:J:7:DG:H1'	7:J:8:DC:H5'	1.96	0.48
1:A:741:LEU:HD12	1:A:741:LEU:HA	1.76	0.48
1:C:910:SER:O	1:C:914:GLN:HG3	2.14	0.48
8:M:20:DA:H2''	8:M:21:DG:O5'	2.13	0.48
1:A:746:ILE:HG13	1:A:945:GLU:OE1	2.14	0.48
1:C:740:ASN:O	1:C:744:HIS:HE1	1.97	0.48
2:B:78:CYS:HB3	2:B:142:ILE:O	2.14	0.48
7:J:5:DT:H2'	7:J:6:DG:C8	2.49	0.48
2:B:181:HIS:CD2	2:B:196:ILE:HG13	2.49	0.47
2:B:77:THR:HA	2:B:92:ILE:O	2.14	0.47
1:A:570:MET:HE1	1:A:641:PHE:CE2	2.49	0.47
1:A:969:ARG:HH12	4:F:30:DG:P	2.37	0.47
7:J:8:DC:H2''	7:J:9:DC:C5	2.50	0.47
1:C:536:ASP:OD2	1:C:538:LEU:HB2	2.14	0.47
2:B:200:LEU:HD11	2:B:236:ILE:HD11	1.97	0.47
2:B:231:ALA:HB2	2:B:257:SER:HB2	1.97	0.47
1:C:679:ARG:HA	1:C:682:MET:CE	2.45	0.47
1:A:711:LEU:HA	1:A:711:LEU:HD12	1.77	0.46
1:C:967:LEU:HD11	1:C:994:TYR:CE2	2.50	0.46
2:B:219:LEU:HD22	2:B:256:ILE:HG12	1.97	0.46
1:C:730:CYS:O	1:C:748:ARG:HD2	2.14	0.46
8:M:17:DC:H6	8:M:17:DC:H5'	1.80	0.46
2:B:6:VAL:HG21	2:B:347:THR:HG23	1.98	0.46
2:D:197:LEU:HD13	2:D:249:CYS:HB2	1.97	0.46
4:F:12:DT:H2'	4:F:13:DA:H8	1.74	0.46
1:A:622:PHE:CD1	1:A:675:LEU:HD13	2.51	0.46
1:A:750:HIS:CE1	1:A:783:PRO:HB2	2.50	0.46
2:B:142:ILE:HA	2:B:154:VAL:O	2.15	0.46
1:C:767:GLU:HB3	1:C:771:GLU:HB2	1.98	0.46
2:B:334:ASP:O	2:B:340:SER:N	2.48	0.46
1:C:770:GLU:H	1:C:770:GLU:CD	2.19	0.46
1:C:678:GLU:HG3	2:D:169:THR:HG21	1.98	0.46
1:C:674:PRO:HG3	2:D:172:TRP:HB3	1.97	0.46
1:C:545:VAL:HG13	2:D:280:GLU:OE2	2.16	0.46
5:I:33:DT:C2'	5:I:34:DT:H71	2.46	0.46
1:A:729:LEU:O	1:A:748:ARG:HG3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:849:MET:SD	1:A:850:ASN:N	2.86	0.45
2:D:94:HIS:CD2	2:D:107:ILE:HG13	2.52	0.45
4:F:35:DA:H1'	4:F:36:DC:H5'	1.97	0.45
1:A:653:LYS:HB3	1:A:992:TRP:CZ3	2.52	0.45
8:M:25:DT:H2''	8:M:26:DG:C8	2.52	0.45
1:A:801:ALA:HA	1:A:858:MET:HE3	1.97	0.45
2:B:154:VAL:HG11	2:B:216:VAL:HG21	1.99	0.45
1:C:719:GLU:HG3	1:C:778:GLY:O	2.15	0.45
8:M:39:DG:H2''	8:M:40:DA:H8	1.82	0.45
1:A:745:SER:O	1:A:747:THR:HG23	2.16	0.45
2:B:152:MET:HB2	2:B:240:LEU:HD11	1.99	0.45
4:F:12:DT:C2'	4:F:13:DA:H5'	2.46	0.45
3:N:123:GLY:O	3:N:127:LYS:HB2	2.17	0.45
1:A:792:ASP:HB3	1:A:957:ALA:HA	1.97	0.45
1:C:453:ALA:O	1:C:457:GLY:N	2.50	0.45
2:D:233:LEU:HG	2:D:252:LEU:HB2	1.99	0.45
1:C:668:LEU:HA	1:C:668:LEU:HD12	1.78	0.44
1:C:679:ARG:HA	1:C:682:MET:HE2	1.98	0.44
1:A:587:LEU:HD12	1:A:588:ASN:H	1.81	0.44
1:C:892:VAL:HG12	1:C:947:ILE:CD1	2.46	0.44
3:N:127:LYS:HG3	6:G:24:DT:H5''	1.99	0.44
1:C:725:TYR:OH	1:C:774:ASP:HA	2.18	0.44
4:F:13:DA:OP2	4:F:13:DA:H8	2.00	0.44
4:F:25:DA:C5	4:F:26:DC:C4	3.06	0.44
5:I:11:DG:H2'	5:I:12:DT:H72	2.00	0.44
7:J:6:DG:C2'	7:J:7:DG:C8	3.00	0.44
7:J:6:DG:H2'	7:J:7:DG:N7	2.32	0.44
1:C:443:ASN:ND2	6:G:17:DT:O4'	2.48	0.44
1:A:512:PRO:HG2	1:A:557:PHE:CE1	2.53	0.44
1:C:853:PHE:CE2	1:C:857:LEU:HD22	2.53	0.44
2:D:283:LYS:HG2	2:D:317:TRP:CZ2	2.53	0.44
5:I:15:DT:H2''	5:I:16:DA:C8	2.52	0.44
1:C:631:ILE:HG22	1:C:638:VAL:HG13	2.00	0.44
5:I:12:DT:H2''	5:I:13:DC:C6	2.53	0.44
1:A:605:VAL:O	1:A:605:VAL:HG12	2.18	0.44
1:C:701:ILE:HD13	1:C:701:ILE:HG21	1.74	0.44
6:G:22:DA:H2''	6:G:23:DC:OP1	2.18	0.44
5:I:33:DT:H2''	5:I:34:DT:H71	2.00	0.44
1:A:879:LEU:HD23	1:A:879:LEU:HA	1.76	0.44
2:B:105:ASP:HB3	2:B:136:PRO:HG3	1.99	0.44
3:N:142:GLN:N	3:N:143:PRO:HD2	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:605:VAL:HG12	1:C:972:ARG:NH2	2.32	0.43
1:C:886:TYR:CZ	1:C:890:LYS:HD3	2.53	0.43
5:I:12:DT:H2''	5:I:13:DC:H6	1.81	0.43
2:B:317:TRP:CD1	2:B:317:TRP:N	2.86	0.43
1:A:467:CYS:HB2	1:A:503:LEU:HD11	2.01	0.43
1:A:591:PHE:HB2	1:A:698:PHE:CD1	2.53	0.43
1:A:718:LEU:HD12	1:A:718:LEU:H	1.84	0.43
1:C:730:CYS:O	1:C:748:ARG:NH1	2.39	0.43
2:D:224:LEU:HA	2:D:224:LEU:HD12	1.76	0.43
1:C:445:HIS:CD2	8:M:42:DG:H4'	2.53	0.43
2:B:239:ASP:C	2:B:241:PRO:HD3	2.39	0.43
2:D:159:ARG:HB3	2:D:159:ARG:HE	1.67	0.43
1:A:969:ARG:NH1	4:F:30:DG:OP1	2.44	0.43
3:N:120:LEU:HD12	3:N:120:LEU:HA	1.63	0.43
3:N:152:LYS:O	3:N:156:GLU:HG2	2.19	0.43
1:A:794:LEU:O	1:A:798:ILE:HG13	2.19	0.43
1:A:846:ILE:HD12	1:A:848:ARG:O	2.19	0.43
1:C:713:ARG:NH1	1:C:725:TYR:O	2.52	0.43
1:C:873:GLU:HA	1:C:876:HIS:CG	2.53	0.43
5:I:11:DG:H2''	5:I:12:DT:H6	1.84	0.43
1:C:492:THR:O	1:C:494:ARG:HG3	2.18	0.43
3:N:122:ILE:HD13	8:M:36:DT:O2	2.18	0.43
3:N:126:ALA:HB2	8:M:35:DG:H21	1.84	0.43
1:A:536:ASP:OD1	1:A:538:LEU:HB2	2.18	0.43
1:A:688:THR:HA	1:A:696:ARG:O	2.18	0.43
2:B:97:LYS:HG2	2:B:103:LEU:HD21	2.01	0.43
1:A:512:PRO:HG2	1:A:557:PHE:CD1	2.54	0.43
8:M:32:DC:H2'	8:M:32:DC:H6	1.69	0.43
1:A:832:THR:HG22	1:A:869:LEU:HD13	2.01	0.42
1:C:761:ARG:HH21	2:D:106:LYS:HD3	1.84	0.42
6:G:7:DT:H2''	6:G:8:DT:O5'	2.18	0.42
1:A:719:GLU:OE2	1:A:723:SER:OG	2.26	0.42
1:A:823:LYS:HE3	1:A:827:LYS:HD2	2.01	0.42
1:C:729:LEU:HD11	1:C:789:PRO:O	2.19	0.42
1:C:745:SER:HA	1:C:945:GLU:OE2	2.18	0.42
5:I:13:DC:H2'	5:I:14:DT:H71	2.00	0.42
1:A:761:ARG:HH21	2:B:106:LYS:HD2	1.84	0.42
1:C:672:LEU:HD23	1:C:672:LEU:HA	1.61	0.42
1:C:519:TRP:CE2	1:C:687:LEU:HD13	2.54	0.42
1:C:898:PRO:HG3	1:C:947:ILE:HD13	2.02	0.42
1:A:455:MET:HE1	1:C:447:GLN:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:993:LEU:HA	1:C:993:LEU:HD23	1.85	0.42
4:F:13:DA:OP2	4:F:13:DA:H2'	2.20	0.42
6:G:7:DT:H3'	6:G:8:DT:H71	2.01	0.42
8:M:50:DA:H2''	8:M:51:DA:C5'	2.49	0.42
6:G:25:DT:H2'	6:G:25:DT:H6	1.70	0.42
1:C:563:LEU:HA	1:C:563:LEU:HD23	1.83	0.42
1:C:795:HIS:CD2	1:C:935:TYR:CZ	3.08	0.42
1:A:466:VAL:HG22	1:A:1002:PHE:CD1	2.55	0.42
1:A:760:TRP:HA	1:A:772:LEU:HD11	2.01	0.42
1:C:598:SER:HA	1:C:706:GLY:O	2.20	0.41
1:A:605:VAL:HG11	1:A:968:PHE:CE2	2.55	0.41
2:B:36:TRP:CE2	2:B:99:PRO:HB2	2.55	0.41
1:C:520:GLN:HA	1:C:521:PRO:HA	1.85	0.41
6:G:36:DA:H1'	6:G:37:DC:H5'	2.02	0.41
1:C:883:MET:O	1:C:887:LEU:HG	2.20	0.41
4:F:28:DG:H1'	4:F:29:DT:H5'	2.01	0.41
1:C:729:LEU:HD12	1:C:789:PRO:HG2	2.02	0.41
1:C:826:ARG:HA	1:C:829:TRP:CE3	2.56	0.41
1:A:887:LEU:HD23	1:A:887:LEU:HA	1.92	0.41
6:G:23:DC:H2'	6:G:23:DC:H6	1.74	0.41
6:G:37:DC:H2''	6:G:38:DT:C6	2.55	0.41
1:A:598:SER:HA	1:A:706:GLY:HA3	2.02	0.41
1:A:620:VAL:HB	1:A:658:MET:CG	2.50	0.41
1:A:752:GLU:O	1:A:756:ARG:HG3	2.21	0.41
2:B:16:GLN:HG3	2:B:17:PRO:O	2.21	0.41
2:D:77:THR:HA	2:D:92:ILE:O	2.19	0.41
7:J:16:DA:H2''	8:M:17:DC:C6	2.56	0.41
1:A:534:ILE:HD13	1:A:985:GLU:HB2	2.03	0.41
1:A:560:ASP:O	1:A:564:VAL:HG23	2.21	0.41
2:B:97:LYS:HG2	2:B:103:LEU:CD2	2.50	0.41
1:C:532:VAL:HG11	1:C:558:ARG:NH1	2.36	0.41
1:C:621:ARG:HG3	1:C:657:LEU:HD21	2.03	0.41
2:D:23:ASN:HA	2:D:23:ASN:HD22	1.71	0.41
1:A:630:THR:HG22	1:A:639:LYS:HA	2.03	0.41
1:C:603:GLY:O	1:C:618:LYS:HA	2.20	0.41
1:C:986:ASP:O	1:C:990:HIS:HB2	2.21	0.41
8:M:46:DG:H1'	8:M:47:DA:C8	2.56	0.41
1:A:492:THR:C	1:A:494:ARG:H	2.24	0.41
1:A:545:VAL:HG22	2:B:277:TYR:CZ	2.55	0.41
1:C:559:TYR:HA	1:C:655:LEU:HD11	2.03	0.41
2:D:262:ILE:HB	2:D:274:VAL:HG22	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:M:53:DA:H2''	8:M:54:DC:C6	2.55	0.41
1:C:624:PHE:O	1:C:653:LYS:N	2.49	0.40
1:C:659:LEU:HD23	1:C:659:LEU:HA	1.84	0.40
1:C:848[B]:ARG:HG3	7:J:16:DA:H4'	2.02	0.40
2:B:307:TRP:CE3	2:B:311:ILE:HG21	2.57	0.40
1:C:511:LEU:HD23	1:C:511:LEU:HA	1.92	0.40
2:D:231:ALA:HB2	2:D:257:SER:HB2	2.03	0.40
1:A:556:ARG:HD2	1:A:675:LEU:HD21	2.04	0.40
1:C:644:PRO:O	1:C:646:PRO:HD3	2.21	0.40
2:D:107:ILE:HD12	2:D:129:LEU:HD11	2.03	0.40
7:J:9:DC:H2'	7:J:9:DC:H6	1.72	0.40
2:B:197:LEU:HD13	2:B:249:CYS:HB2	2.04	0.40
1:C:791:ILE:HD12	1:C:791:ILE:HA	1.93	0.40
1:C:816:TYR:CD1	1:C:817:LYS:HG3	2.56	0.40
1:A:554:ALA:HB2	1:A:658:MET:HB2	2.04	0.40
1:A:575:LEU:HA	1:A:578:MET:CE	2.52	0.40
1:A:655:LEU:HD12	1:A:655:LEU:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	604/625 (97%)	588 (97%)	16 (3%)	0	100	100
1	C	597/625 (96%)	572 (96%)	25 (4%)	0	100	100
2	B	336/359 (94%)	326 (97%)	10 (3%)	0	100	100
2	D	326/359 (91%)	315 (97%)	11 (3%)	0	100	100
3	N	84/163 (52%)	77 (92%)	7 (8%)	0	100	100
All	All	1947/2131 (91%)	1878 (96%)	69 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	493/549 (90%)	474 (96%)	19 (4%)	32	64
1	C	495/549 (90%)	478 (97%)	17 (3%)	37	68
2	B	292/316 (92%)	287 (98%)	5 (2%)	60	82
2	D	274/316 (87%)	266 (97%)	8 (3%)	42	72
3	N	29/139 (21%)	24 (83%)	5 (17%)	2	9
All	All	1583/1869 (85%)	1529 (97%)	54 (3%)	37	68

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	473	ASN
1	A	486	ARG
1	A	504	ARG
1	A	552	THR
1	A	559	TYR
1	A	584	ASP
1	A	618	LYS
1	A	655	LEU
1	A	825	GLU
1	A	849	MET
1	A	850	ASN
1	A	895	SER
1	A	931	LYS
1	A	934	ASN
1	A	936	PHE
1	A	948	GLU
1	A	962	GLN
1	A	979	SER
1	A	984	MET
2	B	49	ASP
2	B	101	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	104	SER
2	B	205	SER
2	B	317	TRP
1	C	559	TYR
1	C	561	SER
1	C	633	HIS
1	C	636	GLN
1	C	655	LEU
1	C	656	CYS
1	C	680	GLU
1	C	741	LEU
1	C	745	SER
1	C	755	GLN
1	C	809	GLN
1	C	847	MET
1	C	859	THR
1	C	934	ASN
1	C	970	ARG
1	C	990	HIS
1	C	996	SER
2	D	49	ASP
2	D	97	LYS
2	D	101	ASN
2	D	114	CYS
2	D	205	SER
2	D	233	LEU
2	D	269	ASP
2	D	317	TRP
3	N	103	PHE
3	N	120	LEU
3	N	132	MET
3	N	136	THR
3	N	146	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	456	GLN
1	A	766	HIS
1	A	830	GLN
1	A	965	ASN
2	B	278	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	295	ASN
1	C	636	GLN
1	C	744	HIS
1	C	795	HIS
1	C	850	ASN
1	C	1006	HIS
2	D	23	ASN
2	D	101	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	607/625 (97%)	-0.08	8 (1%) 77 66	66, 99, 165, 187	0
1	C	602/625 (96%)	-0.08	6 (0%) 82 73	66, 100, 171, 196	0
2	B	341/359 (94%)	0.09	11 (3%) 47 30	65, 109, 147, 173	0
2	D	335/359 (93%)	0.17	11 (3%) 46 29	78, 126, 161, 183	0
3	N	90/163 (55%)	0.24	6 (6%) 17 9	129, 177, 229, 246	0
4	F	35/39 (89%)	0.07	5 (14%) 2 1	109, 149, 222, 227	0
5	I	35/40 (87%)	0.41	8 (22%) 0 0	100, 159, 216, 223	0
6	G	51/55 (92%)	0.28	8 (15%) 2 1	87, 146, 212, 220	0
7	J	12/15 (80%)	0.54	2 (16%) 1 1	141, 168, 212, 214	0
8	M	39/40 (97%)	-0.04	4 (10%) 6 3	81, 134, 211, 215	0
All	All	2147/2320 (92%)	0.02	69 (3%) 47 30	65, 113, 182, 246	0

All (69) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	I	39	DA	4.5
1	A	443	ASN	4.2
1	C	404	GLN	3.9
1	A	955	ALA	3.9
1	C	425	GLY	3.8
2	D	260	SER	3.8
5	I	38	DA	3.7
2	B	289	LEU	3.7
2	B	20	SER	3.5
2	D	256	ILE	3.4
6	G	8	DT	3.4
3	N	40	GLU	3.4
1	A	847	MET	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	424	GLY	3.2
4	F	10	DG	3.2
2	D	139	GLY	3.1
7	J	8	DC	3.1
6	G	7	DT	3.0
6	G	52	DC	3.0
2	D	152	MET	3.0
1	A	960	GLY	3.0
5	I	35	DA	3.0
4	F	11	DT	2.9
2	D	77	THR	2.8
2	B	77	THR	2.8
2	D	319	GLY	2.8
8	M	48	DC	2.8
6	G	48	DA	2.7
1	A	607	GLU	2.7
3	N	47	GLU	2.6
3	N	42	SER	2.6
1	A	961	ASN	2.6
2	D	320	SER	2.6
6	G	53	DA	2.6
4	F	9	DT	2.6
3	N	20	VAL	2.5
2	B	139	GLY	2.5
2	D	344	TYR	2.5
4	F	6	DT	2.4
4	F	40	DC	2.4
3	N	45	CYS	2.4
8	M	50	DA	2.4
3	N	23	CYS	2.4
5	I	36	DA	2.4
1	C	934	ASN	2.3
6	G	4	DG	2.3
8	M	49	DA	2.3
5	I	33	DT	2.3
5	I	37	DC	2.3
5	I	40	DA	2.3
2	B	76	ALA	2.2
2	B	8	VAL	2.2
2	B	300	SER	2.2
5	I	7	DG	2.2
1	A	841	MET	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
8	M	54	DC	2.2
6	G	3	DG	2.2
2	D	257	SER	2.2
1	C	426	ASP	2.1
2	B	231	ALA	2.1
2	D	48	PHE	2.1
6	G	9	DT	2.1
2	B	75	PRO	2.1
2	B	79	SER	2.1
7	J	5	DT	2.1
1	A	399	LEU	2.1
2	B	120	VAL	2.1
1	C	956	TRP	2.0
2	D	321	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
10	MN	A	1102	1/1	0.95	0.41	90,90,90,90	0
10	MN	C	1102	1/1	0.99	0.37	90,90,90,90	0
9	ZN	C	1101	1/1	0.99	0.17	90,90,90,90	0
9	ZN	A	1101	1/1	1.00	0.22	90,90,90,90	0

6.5 Other polymers [i](#)

There are no such residues in this entry.