



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 21, 2023 – 01:09 AM JST

PDB ID : 7E7T
Title : Crystal structure of RSL mutant in complex with sugar Ligand
Authors : Li, L.; Chen, G.S.
Deposited on : 2021-02-27
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	11647 (2.00-1.96)
Clashscore	141614	1014 (1.98-1.98)
Ramachandran outliers	138981	1006 (1.98-1.98)
Sidechain outliers	138945	1006 (1.98-1.98)
RSRZ outliers	127900	11410 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	272	 23% 85% 10% 5%
1	B	272	 22% 85% 11% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	R2F	A	301	-	-	-	X
2	R2F	A	302	-	-	-	X
2	R2F	A	303	-	-	-	X
2	R2F	B	301	-	-	-	X
2	R2F	B	302	-	-	-	X
2	R2F	B	303	-	-	-	X

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 4363 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fucose-binding lectin protein, Fucose-binding lectin protein, Fucose-binding lectin protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	259	1969	1241	331	391	6	0	0	0
1	B	260	1975	1244	332	393	6	0	0	0

There are 34 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	17	ALA	ARG	engineered mutation	UNP A0A0S4TLR1
A	88	SER	-	linker	UNP A0A0S4TLR1
A	89	SER	-	linker	UNP A0A0S4TLR1
A	90	THR	-	linker	UNP A0A0S4TLR1
A	91	VAL	-	linker	UNP A0A0S4TLR1
A	92	PRO	-	linker	UNP A0A0S4TLR1
A	93	GLY	-	linker	UNP A0A0S4TLR1
A	94	ASP	-	linker	UNP A0A0S4TLR1
A	108	ALA	ARG	engineered mutation	UNP A0A0S4TLR1
A	179	SER	-	linker	UNP A0A0S4TLR1
A	180	SER	-	linker	UNP A0A0S4TLR1
A	181	THR	-	linker	UNP A0A0S4TLR1
A	182	VAL	-	linker	UNP A0A0S4TLR1
A	183	PRO	-	linker	UNP A0A0S4TLR1
A	184	GLY	-	linker	UNP A0A0S4TLR1
A	185	ASP	-	linker	UNP A0A0S4TLR1
A	199	ALA	ARG	engineered mutation	UNP A0A0S4TLR1
B	17	ALA	ARG	engineered mutation	UNP A0A0S4TLR1
B	88	SER	-	linker	UNP A0A0S4TLR1
B	89	SER	-	linker	UNP A0A0S4TLR1
B	90	THR	-	linker	UNP A0A0S4TLR1
B	91	VAL	-	linker	UNP A0A0S4TLR1
B	92	PRO	-	linker	UNP A0A0S4TLR1
B	93	GLY	-	linker	UNP A0A0S4TLR1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	94	ASP	-	linker	UNP A0A0S4TLR1
B	108	ALA	ARG	engineered mutation	UNP A0A0S4TLR1
B	179	SER	-	linker	UNP A0A0S4TLR1
B	180	SER	-	linker	UNP A0A0S4TLR1
B	181	THR	-	linker	UNP A0A0S4TLR1
B	182	VAL	-	linker	UNP A0A0S4TLR1
B	183	PRO	-	linker	UNP A0A0S4TLR1
B	184	GLY	-	linker	UNP A0A0S4TLR1
B	185	ASP	-	linker	UNP A0A0S4TLR1
B	199	ALA	ARG	engineered mutation	UNP A0A0S4TLR1

- Molecule 2 is 2-[2-[4-[[[(2R,3S,4R,5S,6S)-6-methyl-3,4,5-tris(oxidanyl)oxan-2-yl]oxymethyl]-1,2,3-triazol-1-yl]ethoxy]ethyl 2-[3,6-bis(diethylamino)-9H-xanthen-9-yl]benzoate (three-letter code: R2F) (formula: C₄₁H₅₃N₅O₉) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
2	A	1	Total	C	N	O	0	0
			55	41	5	9		
2	A	1	Total	C	N	O	0	0
			55	41	5	9		
2	A	1	Total	C	N	O	0	0
			55	41	5	9		
2	B	1	Total	C	N	O	0	0
			55	41	5	9		
2	B	1	Total	C	N	O	0	0
			55	41	5	9		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	B	1	55	41	5	9	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	47	Total	O	0	0
			47	47		
3	B	42	Total	O	0	0
			42	42		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Fucose-binding lectin protein, Fucose-binding lectin protein, Fucose-binding lectin protein



- Molecule 1: Fucose-binding lectin protein, Fucose-binding lectin protein, Fucose-binding lectin protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	44.34Å 88.55Å 67.89Å 90.00° 93.83° 90.00°	Depositor
Resolution (Å)	67.74 – 1.98 67.74 – 1.98	Depositor EDS
% Data completeness (in resolution range)	88.8 (67.74-1.98) 88.9 (67.74-1.98)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 1.97Å)	Xtrriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.257 , 0.302 0.257 , 0.302	Depositor DCC
R_{free} test set	1628 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	29.7	Xtrriage
Anisotropy	0.171	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4363	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: R2F

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/2032	0.68	0/2794
1	B	0.45	0/2038	0.63	0/2802
All	All	0.47	0/4070	0.66	0/5596

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1969	0	1800	18	0
1	B	1975	0	1805	17	0
2	A	165	0	0	0	0
2	B	165	0	0	0	0
3	A	47	0	0	2	0
3	B	42	0	0	0	0
All	All	4363	0	3605	35	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:14:PRO:HG3	1:B:235:TRP:CE2	2.31	0.66
1:A:144:TRP:CE2	1:A:196:PRO:HG3	2.32	0.65
1:B:192:TRP:CG	1:B:241:ILE:HD13	2.35	0.61
1:B:73:GLU:HB2	1:B:86:TYR:HB3	1.88	0.55
1:B:163:THR:HG21	1:B:174:LYS:HE2	1.90	0.53
1:B:165:TRP:CH2	1:B:174:LYS:HE3	2.44	0.53
1:A:53:TRP:CZ2	1:A:105:PRO:HG3	2.46	0.51
1:B:144:TRP:CE2	1:B:196:PRO:HG3	2.45	0.51
1:A:10:TRP:CE2	1:A:15:SER:HB2	2.47	0.50
1:B:255:GLU:HB2	1:B:268:TYR:HB3	1.93	0.50
1:A:143:SER:HB2	1:A:150:ILE:HD11	1.94	0.49
1:B:115:GLY:HA2	1:B:137:ASP:OD1	2.12	0.49
1:A:97:ALA:HB1	1:A:141:VAL:HG12	1.94	0.49
1:A:6:ALA:HB1	1:A:50:VAL:HG12	1.95	0.48
1:A:14:PRO:HG3	1:A:235:TRP:CE2	2.49	0.48
1:B:153:ARG:HD2	1:B:164:GLU:OE2	2.15	0.46
1:A:34:LYS:HB2	1:A:34:LYS:HE2	1.47	0.46
1:B:53:TRP:CZ2	1:B:105:PRO:HG3	2.50	0.46
1:A:42:ASN:HB3	3:A:434:HOH:O	2.16	0.46
1:A:138:ASN:HB3	1:A:157:SER:HB2	1.99	0.45
1:B:6:ALA:HB1	1:B:50:VAL:HG12	1.97	0.45
1:A:202:THR:O	1:A:208:ILE:HA	2.16	0.45
1:B:246:TYR:CE1	1:B:255:GLU:HG3	2.52	0.44
1:B:151:HIS:ND1	1:B:168:ASP:OD1	2.33	0.43
1:A:190:THR:HA	3:A:403:HOH:O	2.18	0.43
1:A:101:TRP:CG	1:A:150:ILE:HD13	2.53	0.43
1:A:54:LEU:HD23	1:A:59:ILE:HA	2.00	0.43
1:B:53:TRP:CE2	1:B:105:PRO:HG3	2.53	0.42
1:A:53:TRP:CE2	1:A:105:PRO:HG3	2.55	0.42
1:A:138:ASN:HD21	1:A:187:THR:H	1.67	0.41
1:A:192:TRP:CG	1:A:241:ILE:HD13	2.56	0.41
1:B:111:THR:O	1:B:117:ILE:HA	2.21	0.41
1:B:202:THR:O	1:B:208:ILE:HA	2.20	0.41
1:B:25:LYS:HA	1:B:25:LYS:HD3	1.95	0.41
1:A:185:ASP:OD1	1:A:185:ASP:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	253/272 (93%)	241 (95%)	12 (5%)	0	100	100
1	B	254/272 (93%)	247 (97%)	7 (3%)	0	100	100
All	All	507/544 (93%)	488 (96%)	19 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	200/212 (94%)	200 (100%)	0	100	100
1	B	201/212 (95%)	201 (100%)	0	100	100
All	All	401/424 (95%)	401 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	R2F	B	301	-	60,60,60	1.80	7 (11%)	77,84,84	2.15	21 (27%)
2	R2F	A	301	-	60,60,60	1.63	6 (10%)	77,84,84	1.75	15 (19%)
2	R2F	A	302	-	60,60,60	1.82	7 (11%)	77,84,84	2.11	19 (24%)
2	R2F	B	302	-	60,60,60	1.64	6 (10%)	77,84,84	1.71	13 (16%)
2	R2F	B	303	-	60,60,60	1.66	6 (10%)	77,84,84	1.68	12 (15%)
2	R2F	A	303	-	60,60,60	1.65	6 (10%)	77,84,84	1.82	12 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	R2F	B	301	-	-	28/40/70/70	0/6/6/6
2	R2F	A	301	-	-	24/40/70/70	0/6/6/6
2	R2F	A	302	-	-	21/40/70/70	0/6/6/6
2	R2F	B	302	-	-	20/40/70/70	0/6/6/6
2	R2F	B	303	-	-	18/40/70/70	0/6/6/6
2	R2F	A	303	-	-	21/40/70/70	0/6/6/6

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	302	R2F	C2A-C2C	-8.05	1.38	1.52
2	B	301	R2F	C1C-C2C	-7.57	1.39	1.52
2	B	301	R2F	C2A-C2C	-7.40	1.39	1.52
2	B	303	R2F	C1C-C2C	-7.03	1.40	1.52
2	A	302	R2F	C1C-C2C	-7.01	1.40	1.52
2	A	303	R2F	C1C-C2C	-6.91	1.40	1.52
2	A	301	R2F	C1C-C2C	-6.52	1.41	1.52
2	B	303	R2F	C2A-C2C	-6.52	1.41	1.52
2	A	303	R2F	C2A-C2C	-6.40	1.41	1.52
2	A	301	R2F	C2A-C2C	-6.33	1.41	1.52
2	B	302	R2F	C2A-C2C	-6.27	1.41	1.52
2	B	302	R2F	C1C-C2C	-6.12	1.41	1.52
2	A	302	R2F	O1-C7P	5.20	1.46	1.33
2	B	301	R2F	O1-C7P	5.20	1.46	1.33
2	B	303	R2F	O1-C7P	5.08	1.46	1.33
2	B	302	R2F	O1-C7P	5.05	1.46	1.33
2	A	301	R2F	O1-C7P	5.05	1.46	1.33
2	A	303	R2F	O1-C7P	4.96	1.46	1.33
2	B	302	R2F	N1T-N2T	3.79	1.41	1.34
2	A	302	R2F	N1T-N2T	3.75	1.41	1.34
2	A	301	R2F	N1T-N2T	3.65	1.41	1.34
2	B	301	R2F	N1T-N2T	3.62	1.40	1.34
2	B	303	R2F	N1T-N2T	3.45	1.40	1.34
2	A	303	R2F	N1T-N2T	3.36	1.40	1.34
2	B	302	R2F	N2T-N3T	3.28	1.40	1.34
2	A	302	R2F	N2T-N3T	3.10	1.40	1.34
2	A	303	R2F	N2T-N3T	3.00	1.40	1.34
2	B	303	R2F	N2T-N3T	2.97	1.40	1.34
2	B	301	R2F	C4T-C5T	2.94	1.40	1.36
2	A	301	R2F	N2T-N3T	2.84	1.39	1.34
2	B	301	R2F	N2T-N3T	2.82	1.39	1.34
2	B	302	R2F	C4T-C5T	2.73	1.40	1.36
2	A	302	R2F	C4T-C5T	2.41	1.39	1.36
2	A	303	R2F	C4T-C5T	2.41	1.39	1.36
2	A	301	R2F	C4T-C5T	2.40	1.39	1.36
2	B	301	R2F	C2P-C2C	-2.36	1.50	1.53
2	A	302	R2F	C2P-C2C	-2.34	1.50	1.53
2	B	303	R2F	C4T-C5T	2.33	1.39	1.36

All (92) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	R2F	C1C-C2C-C2A	9.09	119.38	105.83
2	A	302	R2F	C1C-C2C-C2A	8.94	119.16	105.83
2	B	303	R2F	C1C-C2C-C2A	8.81	118.97	105.83
2	A	303	R2F	C1C-C2C-C2A	8.69	118.80	105.83
2	A	301	R2F	C1C-C2C-C2A	8.68	118.77	105.83
2	B	302	R2F	C1C-C2C-C2A	8.62	118.69	105.83
2	A	302	R2F	C3A-C2A-C2C	-6.18	116.33	126.14
2	A	303	R2F	O1-C7P-C1P	6.07	124.22	112.21
2	A	302	R2F	O1B-C1A-C6A	5.10	122.75	115.20
2	B	301	R2F	O1F-C1F-C2F	5.07	116.21	108.30
2	A	301	R2F	O1-C7P-C1P	5.02	122.14	112.21
2	B	301	R2F	C6C-C1C-C2C	-4.83	118.47	126.14
2	B	302	R2F	O1-C7P-C1P	4.65	121.41	112.21
2	B	301	R2F	O1-C7P-C1P	4.46	121.03	112.21
2	A	302	R2F	C2P-C2C-C1C	4.43	128.06	113.32
2	B	301	R2F	O1B-C4B-C3C	4.40	121.73	115.20
2	A	302	R2F	O1-C7P-C1P	4.33	120.78	112.21
2	B	303	R2F	C6C-C1C-C2C	-4.20	119.48	126.14
2	B	301	R2F	C3A-C2A-C2C	-4.16	119.54	126.14
2	B	301	R2F	O1B-C1A-C6A	4.03	121.18	115.20
2	B	301	R2F	C1-O1F-C1F	3.95	120.32	113.31
2	B	303	R2F	O1-C7P-C1P	3.90	119.93	112.21
2	A	303	R2F	C6C-C1C-C2C	-3.84	120.04	126.14
2	B	303	R2F	O1B-C4B-C3C	3.70	120.68	115.20
2	A	302	R2F	C1F-O5F-C5F	3.58	119.83	113.67
2	B	302	R2F	C1F-O5F-C5F	3.54	119.76	113.67
2	A	301	R2F	N1T-N2T-N3T	-3.53	104.65	107.31
2	A	302	R2F	N1T-N2T-N3T	-3.49	104.68	107.31
2	A	303	R2F	O1B-C4B-C3C	3.47	120.33	115.20
2	A	302	R2F	C4A-C5A-N1A	-3.37	116.73	121.38
2	A	302	R2F	C3A-C2A-C1A	3.37	121.55	117.75
2	B	302	R2F	N1T-N2T-N3T	-3.32	104.82	107.31
2	A	303	R2F	O1-C7P-O7P	-3.29	117.00	123.67
2	B	303	R2F	C2P-C2C-C2A	3.26	124.16	113.32
2	B	303	R2F	N1T-N2T-N3T	-3.18	104.92	107.31
2	A	302	R2F	C2-O1-C7P	3.13	123.02	116.43
2	B	301	R2F	C11-N1A-C5A	-3.07	116.85	121.39
2	A	302	R2F	C1-O1F-C1F	3.07	118.76	113.31
2	B	301	R2F	N1T-N2T-N3T	-3.06	105.01	107.31
2	B	302	R2F	O1-C7P-O7P	-2.99	117.60	123.67
2	A	303	R2F	C2P-C2C-C2A	2.94	123.09	113.32
2	A	302	R2F	C6C-C1C-C2C	-2.90	121.53	126.14
2	B	301	R2F	C4A-C5A-N1A	-2.87	117.42	121.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	302	R2F	C2P-C2C-C1C	2.86	122.84	113.32
2	B	302	R2F	C1-C5T-C4T	-2.84	123.08	128.45
2	A	301	R2F	C6C-C1C-C2C	-2.83	121.64	126.14
2	A	302	R2F	O1B-C4B-C3C	2.81	119.36	115.20
2	A	301	R2F	C3A-C2A-C2C	-2.77	121.74	126.14
2	A	302	R2F	C4B-C1C-C2C	-2.76	118.62	121.53
2	A	301	R2F	O1-C7P-O7P	-2.76	118.08	123.67
2	A	303	R2F	C3A-C2A-C2C	-2.69	121.88	126.14
2	A	303	R2F	O1B-C1A-C6A	2.68	119.17	115.20
2	A	302	R2F	O1B-C1A-C2A	-2.66	118.71	122.38
2	B	301	R2F	C6C-C1C-C4B	2.66	120.75	117.75
2	B	301	R2F	C11-N1A-C21	2.66	121.44	116.34
2	B	303	R2F	O1B-C1A-C6A	2.64	119.11	115.20
2	B	303	R2F	C3A-C2A-C2C	-2.63	121.97	126.14
2	A	303	R2F	N1T-N2T-N3T	-2.62	105.34	107.31
2	A	302	R2F	C1-C5T-C4T	-2.61	123.53	128.45
2	B	303	R2F	C2-O1-C7P	2.59	121.89	116.43
2	B	301	R2F	O5F-C1F-O1F	-2.56	103.92	109.97
2	A	302	R2F	O1-C7P-O7P	-2.55	118.50	123.67
2	B	301	R2F	C13-N1C-C4C	-2.55	117.62	121.39
2	A	301	R2F	C3C-C4C-N1C	-2.51	118.64	121.33
2	B	302	R2F	C6A-C5A-N1A	-2.50	118.64	121.33
2	A	301	R2F	O1B-C1A-C6A	2.50	118.90	115.20
2	B	301	R2F	C2P-C2C-C2A	2.49	121.59	113.32
2	B	302	R2F	C3A-C2A-C2C	-2.46	122.24	126.14
2	A	301	R2F	O1B-C4B-C3C	2.43	118.79	115.20
2	B	301	R2F	C3A-C2A-C1A	2.42	120.47	117.75
2	A	301	R2F	C2P-C2C-C2A	2.38	121.23	113.32
2	A	301	R2F	O4-C5-C6	2.37	118.93	109.92
2	B	301	R2F	C2-O1-C7P	2.35	121.39	116.43
2	A	303	R2F	C3P-C2P-C2C	-2.31	116.35	121.49
2	B	302	R2F	C1-O1F-C1F	2.30	117.39	113.31
2	A	303	R2F	C5C-C4C-N1C	-2.29	118.22	121.38
2	A	303	R2F	C2P-C1P-C7P	2.29	124.91	121.71
2	B	301	R2F	O1-C7P-O7P	-2.26	119.08	123.67
2	B	303	R2F	O1-C7P-O7P	-2.24	119.14	123.67
2	B	301	R2F	C13-N1C-C23	2.23	120.62	116.34
2	A	302	R2F	C6A-C1A-C2A	-2.20	118.54	121.85
2	A	301	R2F	C11-N1A-C21	2.19	120.55	116.34
2	B	303	R2F	C1A-C2A-C2C	-2.17	119.24	121.53
2	B	301	R2F	O1B-C4B-C1C	-2.14	119.42	122.38
2	B	303	R2F	O1B-C4B-C1C	-2.13	119.44	122.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	R2F	C13-N1C-C23	2.12	120.40	116.34
2	A	301	R2F	C4F-C3F-C2F	-2.11	107.13	110.82
2	B	302	R2F	C6C-C1C-C2C	-2.09	122.83	126.14
2	A	302	R2F	C11-N1A-C21	2.05	120.28	116.34
2	B	302	R2F	O1B-C1A-C6A	2.04	118.21	115.20
2	B	302	R2F	C3C-C4C-N1C	-2.01	119.17	121.33
2	A	301	R2F	C2P-C2C-C1C	2.01	120.00	113.32

There are no chirality outliers.

All (132) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	R2F	C3A-C2A-C2C-C2P
2	A	301	R2F	C3A-C2A-C2C-C1C
2	A	301	R2F	C6C-C1C-C2C-C2P
2	A	301	R2F	C6C-C1C-C2C-C2A
2	A	301	R2F	O4-C5-C6-N3T
2	A	302	R2F	O7P-C7P-O1-C2
2	A	302	R2F	C3A-C2A-C2C-C2P
2	A	302	R2F	C3A-C2A-C2C-C1C
2	A	302	R2F	C6C-C1C-C2C-C2P
2	A	302	R2F	C6C-C1C-C2C-C2A
2	A	302	R2F	O5F-C1F-O1F-C1
2	A	303	R2F	C3A-C2A-C2C-C2P
2	A	303	R2F	C3A-C2A-C2C-C1C
2	A	303	R2F	C6C-C1C-C2C-C2P
2	A	303	R2F	C6C-C1C-C2C-C2A
2	A	303	R2F	C5-C6-N3T-N2T
2	A	303	R2F	C5-C6-N3T-C4T
2	B	301	R2F	C3A-C2A-C2C-C2P
2	B	301	R2F	C3A-C2A-C2C-C1C
2	B	301	R2F	C6C-C1C-C2C-C2P
2	B	301	R2F	C6C-C1C-C2C-C2A
2	B	301	R2F	O4-C5-C6-N3T
2	B	301	R2F	C5-C6-N3T-N2T
2	B	301	R2F	C5-C6-N3T-C4T
2	B	301	R2F	O5F-C1F-O1F-C1
2	B	302	R2F	C3A-C2A-C2C-C2P
2	B	302	R2F	C3A-C2A-C2C-C1C
2	B	302	R2F	C6C-C1C-C2C-C2P
2	B	302	R2F	C6C-C1C-C2C-C2A
2	B	302	R2F	O4-C5-C6-N3T

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	302	R2F	O5F-C1F-O1F-C1
2	B	303	R2F	C3A-C2A-C2C-C2P
2	B	303	R2F	C3A-C2A-C2C-C1C
2	B	303	R2F	C6C-C1C-C2C-C2P
2	B	303	R2F	C6C-C1C-C2C-C2A
2	B	303	R2F	O4-C5-C6-N3T
2	A	302	R2F	C1P-C7P-O1-C2
2	A	303	R2F	C14-C13-N1C-C4C
2	B	301	R2F	C1P-C7P-O1-C2
2	A	302	R2F	C4A-C5A-N1A-C21
2	A	302	R2F	C4A-C5A-N1A-C11
2	A	302	R2F	C6A-C5A-N1A-C21
2	A	302	R2F	C6A-C5A-N1A-C11
2	A	303	R2F	C3C-C4C-N1C-C23
2	A	303	R2F	C5C-C4C-N1C-C23
2	A	301	R2F	O7P-C7P-O1-C2
2	A	301	R2F	C1P-C7P-O1-C2
2	A	303	R2F	C3C-C4C-N1C-C13
2	A	303	R2F	C5C-C4C-N1C-C13
2	B	301	R2F	O7P-C7P-O1-C2
2	B	301	R2F	C4A-C5A-N1A-C21
2	B	301	R2F	C6A-C5A-N1A-C11
2	B	303	R2F	C1P-C7P-O1-C2
2	B	301	R2F	C6A-C5A-N1A-C21
2	A	302	R2F	C5C-C4C-N1C-C23
2	B	303	R2F	O7P-C7P-O1-C2
2	A	302	R2F	C3C-C4C-N1C-C13
2	B	301	R2F	C4A-C5A-N1A-C11
2	A	302	R2F	C12-C11-N1A-C5A
2	A	301	R2F	C4A-C5A-N1A-C21
2	A	302	R2F	C3C-C4C-N1C-C23
2	A	302	R2F	C5C-C4C-N1C-C13
2	A	301	R2F	C6-C5-O4-C3
2	A	301	R2F	C6A-C5A-N1A-C21
2	A	301	R2F	C6A-C5A-N1A-C11
2	A	303	R2F	C4A-C5A-N1A-C11
2	B	303	R2F	C6A-C5A-N1A-C21
2	B	303	R2F	C4A-C5A-N1A-C11
2	A	301	R2F	C14-C13-N1C-C23
2	A	301	R2F	C4A-C5A-N1A-C11
2	A	303	R2F	C14-C13-N1C-C23
2	B	302	R2F	C5C-C4C-N1C-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	303	R2F	O1-C2-C3-O4
2	B	301	R2F	C14-C13-N1C-C23
2	B	302	R2F	C3C-C4C-N1C-C23
2	B	303	R2F	C4A-C5A-N1A-C21
2	B	301	R2F	C12-C11-N1A-C21
2	A	303	R2F	C6A-C5A-N1A-C11
2	B	301	R2F	O1-C2-C3-O4
2	B	303	R2F	C6A-C5A-N1A-C11
2	B	302	R2F	C5C-C4C-N1C-C23
2	A	301	R2F	C2-C3-O4-C5
2	B	302	R2F	C3C-C4C-N1C-C13
2	A	303	R2F	C6A-C5A-N1A-C21
2	A	302	R2F	C2-C3-O4-C5
2	A	302	R2F	C12-C11-N1A-C21
2	A	303	R2F	C4A-C5A-N1A-C21
2	B	301	R2F	C5C-C4C-N1C-C13
2	B	301	R2F	C14-C13-N1C-C4C
2	B	301	R2F	C12-C11-N1A-C5A
2	A	301	R2F	C3C-C4C-N1C-C23
2	B	301	R2F	C5C-C4C-N1C-C23
2	B	301	R2F	C3C-C4C-N1C-C23
2	A	301	R2F	C5C-C4C-N1C-C23
2	B	301	R2F	C3C-C4C-N1C-C13
2	A	303	R2F	C22-C21-N1A-C5A
2	A	301	R2F	C14-C13-N1C-C4C
2	B	302	R2F	C6A-C5A-N1A-C21
2	B	303	R2F	C22-C21-N1A-C5A
2	A	301	R2F	C5C-C4C-N1C-C13
2	B	302	R2F	C4A-C5A-N1A-C11
2	B	302	R2F	C4A-C5A-N1A-C21
2	A	301	R2F	C3C-C4C-N1C-C13
2	B	302	R2F	C6A-C5A-N1A-C11
2	A	303	R2F	C24-C23-N1C-C13
2	A	303	R2F	C24-C23-N1C-C4C
2	A	301	R2F	C12-C11-N1A-C5A
2	A	302	R2F	O1-C2-C3-O4
2	A	301	R2F	C5-C6-N3T-C4T
2	B	303	R2F	C5-C6-N3T-C4T
2	A	303	R2F	C22-C21-N1A-C11
2	B	303	R2F	C22-C21-N1A-C11
2	B	301	R2F	C2F-C1F-O1F-C1
2	A	302	R2F	O4-C5-C6-N3T

Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	A	301	R2F	C12-C11-N1A-C21
2	B	302	R2F	C14-C13-N1C-C4C
2	B	301	R2F	C6P-C1P-C7P-O1
2	B	302	R2F	C6P-C1P-C7P-O1
2	A	301	R2F	C1C-C2C-C2P-C1P
2	B	302	R2F	C14-C13-N1C-C23
2	B	302	R2F	C5-C6-N3T-N2T
2	A	301	R2F	O1-C2-C3-O4
2	B	301	R2F	C2P-C1P-C7P-O1
2	B	302	R2F	C2P-C1P-C7P-O1
2	A	302	R2F	C6-C5-O4-C3
2	B	303	R2F	C6-C5-O4-C3
2	B	303	R2F	C6P-C1P-C7P-O1
2	B	302	R2F	C6P-C1P-C7P-O7P
2	B	301	R2F	C6P-C1P-C7P-O7P
2	A	303	R2F	C1C-C2C-C2P-C1P
2	B	303	R2F	C1C-C2C-C2P-C1P
2	B	301	R2F	C6-C5-O4-C3


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	259/272 (95%)	1.49	63 (24%) 0 0	23, 34, 59, 82	0
1	B	260/272 (95%)	1.49	60 (23%) 0 0	24, 34, 59, 73	0
All	All	519/544 (95%)	1.49	123 (23%) 0 0	23, 34, 59, 82	0

All (123) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	103	THR	5.1
1	A	194	THR	4.7
1	A	237	VAL	4.6
1	B	146	VAL	4.5
1	B	194	THR	4.4
1	B	236	LEU	4.4
1	B	185	ASP	4.1
1	A	54	LEU	4.1
1	B	243	ILE	4.0
1	A	214	ASP	4.0
1	A	56	GLY	3.9
1	B	17	ALA	3.8
1	B	241	ILE	3.8
1	A	263	TRP	3.8
1	B	170	ASN	3.8
1	A	63	VAL	3.7
1	B	84	GLY	3.6
1	A	79	ASN	3.5
1	B	127	TRP	3.4
1	A	241	ILE	3.3
1	A	81	TRP	3.3
1	A	147	GLY	3.2
1	A	169	GLY	3.2
1	B	125	LYS	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	172	TRP	3.2
1	B	123	ASP	3.2
1	B	240	ALA	3.1
1	A	223	PHE	3.1
1	A	127	TRP	3.1
1	B	263	TRP	3.1
1	B	223	PHE	3.1
1	B	76	TRP	3.1
1	A	12	THR	3.1
1	B	3	VAL	3.1
1	A	36	TRP	3.0
1	B	268	TYR	3.0
1	A	205	ASN	3.0
1	A	1	SER	2.9
1	A	60	HIS	2.9
1	A	236	LEU	2.9
1	A	103	THR	2.9
1	A	78	GLY	2.9
1	B	235	TRP	2.8
1	A	131	ALA	2.8
1	A	146	VAL	2.8
1	B	246	TYR	2.7
1	B	184	GLY	2.7
1	A	61	ILE	2.6
1	B	260	GLY	2.6
1	A	76	TRP	2.6
1	B	36	TRP	2.6
1	A	3	VAL	2.6
1	B	25	LYS	2.6
1	B	12	THR	2.6
1	A	48	VAL	2.6
1	A	213	TRP	2.5
1	B	237	VAL	2.5
1	B	186	GLN	2.5
1	A	86	TYR	2.5
1	A	53	TRP	2.5
1	A	261	ASN	2.5
1	B	152	ILE	2.5
1	B	94	ASP	2.5
1	A	228	ASP	2.5
1	A	69	THR	2.5
1	B	228	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	145	LEU	2.4
1	A	77	ASP	2.4
1	A	243	ILE	2.4
1	B	150	ILE	2.4
1	A	136	GLY	2.4
1	A	269	THR	2.4
1	A	85	ALA	2.4
1	A	256	TRP	2.4
1	B	57	SER	2.4
1	B	261	ASN	2.4
1	B	195	VAL	2.4
1	B	192	TRP	2.3
1	B	202	THR	2.3
1	A	257	CYS	2.3
1	A	163	THR	2.3
1	B	162	THR	2.3
1	A	10	TRP	2.3
1	B	116	LYS	2.3
1	B	167	TRP	2.3
1	B	102	GLY	2.3
1	A	4	GLN	2.3
1	B	206	GLY	2.3
1	A	21	ALA	2.2
1	A	224	ASN	2.2
1	B	81	TRP	2.2
1	A	185	ASP	2.2
1	B	132	PHE	2.2
1	A	152	ILE	2.2
1	A	170	ASN	2.2
1	A	55	VAL	2.2
1	A	232	VAL	2.2
1	A	260	GLY	2.2
1	B	229	ASN	2.2
1	A	145	LEU	2.2
1	A	132	PHE	2.2
1	B	41	PHE	2.2
1	A	104	VAL	2.2
1	A	230	VAL	2.2
1	B	230	VAL	2.2
1	B	88	SER	2.1
1	A	93	GLY	2.1
1	B	177	TYR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	30	CYS	2.1
1	A	156	ALA	2.1
1	B	144	TRP	2.1
1	A	75	CYS	2.1
1	A	162	THR	2.1
1	B	151	HIS	2.1
1	B	63	VAL	2.1
1	B	109	VAL	2.1
1	B	169	GLY	2.1
1	B	1	SER	2.0
1	A	41	PHE	2.0
1	B	258	TRP	2.0
1	B	47	ASN	2.0
1	A	108	ALA	2.0
1	B	134	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
2	R2F	A	301	55/55	0.67	0.45	31,100,109,110	0
2	R2F	A	303	55/55	0.67	0.53	31,104,117,118	0
2	R2F	B	302	55/55	0.69	0.42	32,97,108,109	0
2	R2F	B	303	55/55	0.70	0.42	32,99,108,108	0
2	R2F	B	301	55/55	0.72	0.43	32,89,106,108	0
2	R2F	A	302	55/55	0.74	0.42	34,97,114,116	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around R2F A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around R2F B 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around R2F B 303:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around R2F B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.