



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 24, 2024 – 09:54 AM EDT

PDB ID : 3EJE
Title : Crystal Structure of P450BioI in complex with octadec-9Z-enoic acid ligated Acyl Carrier Protein
Authors : Cryle, M.J.; Schlichting, I.
Deposited on : 2008-09-18
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	6234 (2.10-2.10)
Clashscore	180529	6893 (2.10-2.10)
Ramachandran outliers	177936	6839 (2.10-2.10)
Sidechain outliers	177891	6840 (2.10-2.10)
RSRZ outliers	164620	6234 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	97	 75% 20%
1	C	97	 75% 5% 20%
1	E	97	 66% 12% 22%
1	G	97	 69% 8% 23%
2	B	404	 85% 8% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	404	 82% 13% 5%
2	F	404	 84% 10% 6%
2	H	404	 80% 14% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	HTG	H	417	-	X	-	-

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 15827 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	78	606	374	95	135	2	0	0	0
1	C	78	606	374	95	135	2	0	0	0
1	E	76	592	366	91	133	2	0	0	0
1	G	75	584	362	89	131	2	0	0	0

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP P0A6A8
A	2	SER	-	expression tag	UNP P0A6A8
A	3	SER	-	expression tag	UNP P0A6A8
A	4	HIS	-	expression tag	UNP P0A6A8
A	5	HIS	-	expression tag	UNP P0A6A8
A	6	HIS	-	expression tag	UNP P0A6A8
A	7	HIS	-	expression tag	UNP P0A6A8
A	8	HIS	-	expression tag	UNP P0A6A8
A	9	HIS	-	expression tag	UNP P0A6A8
A	10	SER	-	expression tag	UNP P0A6A8
A	11	SER	-	expression tag	UNP P0A6A8
A	12	GLY	-	expression tag	UNP P0A6A8
A	13	LEU	-	expression tag	UNP P0A6A8
A	14	VAL	-	expression tag	UNP P0A6A8
A	15	PRO	-	expression tag	UNP P0A6A8
A	16	ARG	-	expression tag	UNP P0A6A8
A	17	GLY	-	expression tag	UNP P0A6A8
A	18	SER	-	expression tag	UNP P0A6A8
A	19	HIS	-	expression tag	UNP P0A6A8
C	1	GLY	-	expression tag	UNP P0A6A8
C	2	SER	-	expression tag	UNP P0A6A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	3	SER	-	expression tag	UNP P0A6A8
C	4	HIS	-	expression tag	UNP P0A6A8
C	5	HIS	-	expression tag	UNP P0A6A8
C	6	HIS	-	expression tag	UNP P0A6A8
C	7	HIS	-	expression tag	UNP P0A6A8
C	8	HIS	-	expression tag	UNP P0A6A8
C	9	HIS	-	expression tag	UNP P0A6A8
C	10	SER	-	expression tag	UNP P0A6A8
C	11	SER	-	expression tag	UNP P0A6A8
C	12	GLY	-	expression tag	UNP P0A6A8
C	13	LEU	-	expression tag	UNP P0A6A8
C	14	VAL	-	expression tag	UNP P0A6A8
C	15	PRO	-	expression tag	UNP P0A6A8
C	16	ARG	-	expression tag	UNP P0A6A8
C	17	GLY	-	expression tag	UNP P0A6A8
C	18	SER	-	expression tag	UNP P0A6A8
C	19	HIS	-	expression tag	UNP P0A6A8
E	1	GLY	-	expression tag	UNP P0A6A8
E	2	SER	-	expression tag	UNP P0A6A8
E	3	SER	-	expression tag	UNP P0A6A8
E	4	HIS	-	expression tag	UNP P0A6A8
E	5	HIS	-	expression tag	UNP P0A6A8
E	6	HIS	-	expression tag	UNP P0A6A8
E	7	HIS	-	expression tag	UNP P0A6A8
E	8	HIS	-	expression tag	UNP P0A6A8
E	9	HIS	-	expression tag	UNP P0A6A8
E	10	SER	-	expression tag	UNP P0A6A8
E	11	SER	-	expression tag	UNP P0A6A8
E	12	GLY	-	expression tag	UNP P0A6A8
E	13	LEU	-	expression tag	UNP P0A6A8
E	14	VAL	-	expression tag	UNP P0A6A8
E	15	PRO	-	expression tag	UNP P0A6A8
E	16	ARG	-	expression tag	UNP P0A6A8
E	17	GLY	-	expression tag	UNP P0A6A8
E	18	SER	-	expression tag	UNP P0A6A8
E	19	HIS	-	expression tag	UNP P0A6A8
G	1	GLY	-	expression tag	UNP P0A6A8
G	2	SER	-	expression tag	UNP P0A6A8
G	3	SER	-	expression tag	UNP P0A6A8
G	4	HIS	-	expression tag	UNP P0A6A8
G	5	HIS	-	expression tag	UNP P0A6A8
G	6	HIS	-	expression tag	UNP P0A6A8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	7	HIS	-	expression tag	UNP P0A6A8
G	8	HIS	-	expression tag	UNP P0A6A8
G	9	HIS	-	expression tag	UNP P0A6A8
G	10	SER	-	expression tag	UNP P0A6A8
G	11	SER	-	expression tag	UNP P0A6A8
G	12	GLY	-	expression tag	UNP P0A6A8
G	13	LEU	-	expression tag	UNP P0A6A8
G	14	VAL	-	expression tag	UNP P0A6A8
G	15	PRO	-	expression tag	UNP P0A6A8
G	16	ARG	-	expression tag	UNP P0A6A8
G	17	GLY	-	expression tag	UNP P0A6A8
G	18	SER	-	expression tag	UNP P0A6A8
G	19	HIS	-	expression tag	UNP P0A6A8

- Molecule 2 is a protein called Biotin biosynthesis cytochrome P450-like enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	378	Total 3030	C 1931	N 525	O 560	S 14	0	0	0
2	D	385	Total 3082	C 1962	N 535	O 571	S 14	0	0	0
2	F	380	Total 3058	C 1948	N 528	O 567	S 15	0	2	0
2	H	383	Total 3068	C 1953	N 531	O 570	S 14	0	1	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	395	ALA	-	expression tag	UNP P53554
B	396	SER	-	expression tag	UNP P53554
B	397	TRP	-	expression tag	UNP P53554
B	398	SER	-	expression tag	UNP P53554
B	399	HIS	-	expression tag	UNP P53554
B	400	PRO	-	expression tag	UNP P53554
B	401	GLN	-	expression tag	UNP P53554
B	402	PHE	-	expression tag	UNP P53554
B	403	GLU	-	expression tag	UNP P53554
B	404	LYS	-	expression tag	UNP P53554
D	395	ALA	-	expression tag	UNP P53554
D	396	SER	-	expression tag	UNP P53554
D	397	TRP	-	expression tag	UNP P53554

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	398	SER	-	expression tag	UNP P53554
D	399	HIS	-	expression tag	UNP P53554
D	400	PRO	-	expression tag	UNP P53554
D	401	GLN	-	expression tag	UNP P53554
D	402	PHE	-	expression tag	UNP P53554
D	403	GLU	-	expression tag	UNP P53554
D	404	LYS	-	expression tag	UNP P53554
F	395	ALA	-	expression tag	UNP P53554
F	396	SER	-	expression tag	UNP P53554
F	397	TRP	-	expression tag	UNP P53554
F	398	SER	-	expression tag	UNP P53554
F	399	HIS	-	expression tag	UNP P53554
F	400	PRO	-	expression tag	UNP P53554
F	401	GLN	-	expression tag	UNP P53554
F	402	PHE	-	expression tag	UNP P53554
F	403	GLU	-	expression tag	UNP P53554
F	404	LYS	-	expression tag	UNP P53554
H	395	ALA	-	expression tag	UNP P53554
H	396	SER	-	expression tag	UNP P53554
H	397	TRP	-	expression tag	UNP P53554
H	398	SER	-	expression tag	UNP P53554
H	399	HIS	-	expression tag	UNP P53554
H	400	PRO	-	expression tag	UNP P53554
H	401	GLN	-	expression tag	UNP P53554
H	402	PHE	-	expression tag	UNP P53554
H	403	GLU	-	expression tag	UNP P53554
H	404	LYS	-	expression tag	UNP P53554

- Molecule 3 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonoxy)butanoyl]-beta-ta-alanyl}amino)ethyl] (9Z)-octadec-9-enethioate (three-letter code: ZMO) (formula: C₂₉H₅₅N₂O₈PS).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf		
			Total	C	N	O	P			S	
3	A	1	Total	38	27	2	7	1	1	0	0
3	C	1	Total	38	27	2	7	1	1	0	0
3	E	1	Total	38	27	2	7	1	1	0	0
3	G	1	Total	38	27	2	7	1	1	0	0

- Molecule 4 is heptyl 1-thio-beta-D-glucopyranoside (three-letter code: HTG) (formula: $C_{13}H_{26}O_5S$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O S 15 9 5 1	0	0
4	B	1	Total C S 6 5 1	0	0
4	C	1	Total C O S 12 6 5 1	0	0
4	D	1	Total C S 6 5 1	0	0
4	E	1	Total C O S 14 8 5 1	0	0
4	G	1	Total C O S 12 6 5 1	0	0
4	H	1	Total C S 6 5 1	0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C Fe N O 43 34 1 4 4	0	0
5	D	1	Total C Fe N O 43 34 1 4 4	0	0
5	F	1	Total C Fe N O 43 34 1 4 4	0	0
5	H	1	Total C Fe N O 43 34 1 4 4	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	54	Total O 54 54	0	0
6	B	178	Total O 178 178	0	0
6	C	42	Total O 42 42	0	0
6	D	130	Total O 130 130	0	0
6	E	49	Total O 49 49	0	0
6	F	174	Total O 174 174	0	0
6	G	32	Total O 32 32	0	0
6	H	147	Total O 147 147	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acyl carrier protein

Chain A: 75% 20%



- Molecule 1: Acyl carrier protein

Chain C: 75% 20%




- Molecule 1: Acyl carrier protein

Chain E: 66% 22%



- Molecule 1: Acyl carrier protein

Chain G: 69% 23%





- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain B: 85% 8% 6%





- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain D:  82% 13% 5%





- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain F:  84% 10% 6%



- Molecule 2: Biotin biosynthesis cytochrome P450-like enzyme

Chain H:  80% 14% 5%



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	61.20Å 92.00Å 108.00Å 109.30° 90.80° 90.10°	Depositor
Resolution (Å)	19.95 – 2.10 19.95 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.8 (19.95-2.10) 93.5 (19.95-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.61 (at 2.09Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.240 , 0.274 0.241 , 0.276	Depositor DCC
R_{free} test set	6295 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	29.3	Xtrriage
Anisotropy	0.044	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 25.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.187 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	15827	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZMO, HEM, HTG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.28	0/611	0.40	0/826
1	C	0.37	0/611	0.39	0/826
1	E	0.47	0/596	0.42	0/806
1	G	0.35	0/588	0.43	0/795
2	B	0.29	2/3096 (0.1%)	0.39	0/4196
2	D	0.26	0/3149	0.38	0/4267
2	F	0.26	0/3130	0.38	0/4241
2	H	0.26	0/3137	0.38	0/4252
All	All	0.29	2/14918 (0.0%)	0.39	0/20209

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	255	GLU	CD-OE1	-5.47	1.19	1.25
2	B	255	GLU	CD-OE2	-5.17	1.20	1.25

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	255	GLU	Peptide
2	B	256	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	606	0	578	3	0
1	C	606	0	578	3	0
1	E	592	0	568	8	0
1	G	584	0	562	4	0
2	B	3030	0	3034	22	0
2	D	3082	0	3080	40	0
2	F	3058	0	3061	27	0
2	H	3068	0	3073	42	0
3	A	38	0	44	3	0
3	C	38	0	44	2	0
3	E	38	0	44	2	0
3	G	38	0	44	6	0
4	A	15	0	15	0	0
4	B	6	0	8	4	0
4	C	12	0	11	0	0
4	D	6	0	8	0	0
4	E	14	0	13	0	0
4	G	12	0	11	0	0
4	H	6	0	8	1	0
5	B	43	0	30	4	0
5	D	43	0	30	1	0
5	F	43	0	30	2	0
5	H	43	0	30	3	0
6	A	54	0	0	1	0
6	B	178	0	0	0	0
6	C	42	0	0	0	0
6	D	130	0	0	2	0
6	E	49	0	0	0	0
6	F	174	0	0	2	0
6	G	32	0	0	0	0
6	H	147	0	0	2	0
All	All	15827	0	14904	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:260:LEU:HD23	2:H:362:LEU:CD1	1.96	0.96
2:D:370:LEU:HD21	2:D:375:TRP:HE1	1.29	0.95
2:H:260:LEU:HD23	2:H:362:LEU:HD11	1.54	0.89
2:H:94:LEU:HD22	2:H:219:LEU:HD13	1.57	0.84
2:D:90:ARG:O	2:D:94:LEU:HD23	1.81	0.79
2:F:258:LEU:HD23	2:F:258:LEU:O	1.84	0.76
2:H:260:LEU:CD2	2:H:362:LEU:CD1	2.65	0.74
2:D:370:LEU:HD21	2:D:375:TRP:NE1	2.02	0.73
2:F:393:PHE:HD1	2:F:394:GLU:HG2	1.54	0.71
3:G:99:ZMO:O35	3:G:99:ZMO:H30A	1.92	0.70
1:G:63:VAL:HG11	2:H:35:LYS:HE2	1.74	0.69
2:D:255:GLU:HG2	2:D:256:GLN:H	1.59	0.68
3:E:99:ZMO:H37	3:E:99:ZMO:O33	1.96	0.65
3:G:99:ZMO:H42A	3:G:99:ZMO:O1	1.96	0.65
2:D:242:LEU:HD22	5:D:405:HEM:HBB1	1.79	0.65
3:E:99:ZMO:O33	3:E:99:ZMO:C37	2.45	0.64
2:D:34:LEU:HD12	2:D:170:PHE:HB3	1.80	0.63
3:A:99:ZMO:C37	3:A:99:ZMO:O33	2.46	0.63
2:F:9:SER:O	2:F:13:LYS:HG2	1.98	0.63
2:H:235:GLY:HA2	5:H:405:HEM:CBB	2.29	0.62
2:H:52:LYS:HE2	2:H:339:HIS:NE2	2.14	0.62
2:H:255:GLU:HG2	2:H:256:GLN:H	1.64	0.62
2:D:52:LYS:HE2	2:D:339:HIS:NE2	2.16	0.61
2:H:260:LEU:CD2	2:H:362:LEU:HD12	2.28	0.61
2:B:326:ASP:OD1	2:B:328:THR:HG22	2.01	0.61
2:H:128:MET:HE1	2:H:134:PHE:HB2	1.84	0.59
3:A:99:ZMO:H42	2:B:168:ILE:HG22	1.85	0.58
2:H:9:SER:O	2:H:13:LYS:HG2	2.03	0.58
3:C:99:ZMO:O40	2:D:59:ARG:NH2	2.36	0.58
2:H:235:GLY:HA2	5:H:405:HEM:HBB2	1.85	0.58
2:D:286:ARG:NE	6:D:474:HOH:O	2.37	0.57
2:F:294:ILE:HD11	2:F:299:ILE:HD12	1.87	0.57
5:B:405:HEM:CMB	5:B:405:HEM:HBB2	2.35	0.57
2:D:257:LEU:O	2:D:261:ARG:HG3	2.04	0.57
2:F:255:GLU:HG2	2:F:256:GLN:H	1.70	0.57
1:C:63:VAL:HG11	2:D:35:LYS:HE2	1.88	0.56
1:E:92:ILE:O	1:E:93:ASN:HB2	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:279[A]:SER:OG	6:H:521:HOH:O	2.17	0.56
2:D:99:PHE:CE2	2:D:206:MET:HE1	2.41	0.56
2:D:261:ARG:NH2	2:D:365:MET:O	2.38	0.55
2:F:258:LEU:HD23	2:F:258:LEU:C	2.26	0.55
1:E:82:ILE:HG23	1:E:87:ALA:HB3	1.87	0.55
2:D:255:GLU:HG2	2:D:256:GLN:N	2.22	0.55
1:E:82:ILE:HG23	1:E:87:ALA:CB	2.37	0.55
2:H:255:GLU:HG2	2:H:256:GLN:N	2.21	0.55
2:B:108:GLN:N	2:B:109:PRO:HD2	2.22	0.55
2:B:250:LEU:HB3	2:B:257:LEU:HD13	1.89	0.54
2:B:30:LYS:HE2	4:B:417:HTG:H1'1	1.89	0.54
2:H:259:LYS:HD2	2:H:327:ILE:HD11	1.90	0.54
2:H:120:ASP:OD1	2:H:364:ARG:NH2	2.40	0.54
2:H:261:ARG:NH1	2:H:362:LEU:O	2.40	0.54
5:B:405:HEM:HBB2	5:B:405:HEM:HMB2	1.88	0.54
1:G:34:GLN:HG2	1:G:62:LEU:HG	1.91	0.53
2:B:30:LYS:HG3	4:B:417:HTG:H4'1	1.90	0.53
2:D:236:HIS:O	2:D:240:VAL:HG23	2.08	0.53
2:D:192:LYS:O	2:D:196:GLN:HG2	2.10	0.52
2:B:236:HIS:O	2:B:240:VAL:HG23	2.10	0.52
2:B:149:VAL:HG21	2:B:157:LEU:HD11	1.91	0.52
1:E:64:MET:SD	6:F:570:HOH:O	2.60	0.52
2:F:255:GLU:HG2	2:F:256:GLN:N	2.25	0.52
2:H:188:MET:HG3	2:H:192:LYS:HE3	1.93	0.51
2:D:52:LYS:HG3	2:D:339:HIS:HD2	1.75	0.51
2:D:286:ARG:CZ	6:D:474:HOH:O	2.57	0.51
2:H:149:VAL:HG21	2:H:157:LEU:HD11	1.91	0.51
2:H:236:HIS:O	2:H:240:VAL:HG23	2.10	0.51
2:H:294:ILE:HD11	2:H:299:ILE:HD12	1.91	0.51
2:H:192:LYS:O	2:H:196:GLN:HG2	2.11	0.51
2:F:192:LYS:O	2:F:196:GLN:HG2	2.11	0.50
2:F:371:ALA:O	2:F:372:ASP:C	2.49	0.50
6:A:125:HOH:O	2:B:64:GLU:HG3	2.11	0.50
2:D:52:LYS:HG3	2:D:339:HIS:CD2	2.47	0.49
2:F:242:LEU:HB2	5:F:405:HEM:HBB1	1.94	0.49
2:B:192:LYS:O	2:B:196:GLN:HG2	2.13	0.49
3:G:99:ZMO:O35	3:G:99:ZMO:C30	2.61	0.49
2:D:257:LEU:HD21	2:D:261:ARG:HH11	1.78	0.48
2:H:34:LEU:HD11	2:H:381:PHE:HE2	1.77	0.48
2:H:393:PHE:HD1	2:H:394:GLU:HG2	1.76	0.48
2:B:294:ILE:HD11	2:B:299:ILE:HD12	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:131:ILE:HD12	2:H:388:GLU:HA	1.95	0.48
1:E:63:VAL:HG11	2:F:35:LYS:HE2	1.96	0.48
2:H:136:PHE:HB3	2:H:137:PRO:HD3	1.96	0.47
2:B:38:GLY:HA2	4:B:417:HTG:H4'2	1.96	0.47
2:D:58:VAL:HG13	2:D:286:ARG:NH2	2.30	0.47
2:F:263:ASN:OD1	2:F:266:LEU:HG	2.14	0.47
2:F:53:ASP:HB3	2:F:56:PHE:HD2	1.79	0.47
2:B:235:GLY:HA2	5:B:405:HEM:CBB	2.45	0.47
2:D:55:ARG:HD3	2:F:200:ARG:CZ	2.44	0.47
2:D:59:ARG:NH1	2:D:304:GLN:OE1	2.47	0.47
2:F:136:PHE:HB3	2:F:137:PRO:HD3	1.97	0.47
2:H:80:MET:HA	2:H:83:GLN:HG2	1.95	0.47
2:D:147:ILE:HA	2:D:206:MET:HB3	1.98	0.46
2:D:108:GLN:HG3	2:D:356:ILE:HD11	1.98	0.46
2:F:174:ARG:HG3	6:F:570:HOH:O	2.14	0.46
2:H:110:TYR:HA	2:H:113:GLU:HG2	1.98	0.45
1:A:35:LEU:HD13	1:A:52:LEU:HB3	1.98	0.45
2:D:23:ARG:NH1	2:D:42:THR:O	2.49	0.45
2:D:79:MET:CE	2:D:230:LEU:HD13	2.45	0.45
2:H:363:GLN:HG3	6:H:548:HOH:O	2.16	0.45
2:B:351:ARG:HD3	2:D:331:PRO:HD3	1.98	0.45
2:D:367:SER:HB2	2:D:394:GLU:HB2	1.96	0.45
2:B:123:GLN:NE2	2:B:394:GLU:OE2	2.49	0.45
2:D:371:ALA:HB3	2:D:390:PRO:HB2	1.99	0.45
1:E:34:GLN:HG2	1:E:62:LEU:HG	1.98	0.44
2:F:236:HIS:O	2:F:240:VAL:HG23	2.17	0.44
2:B:108:GLN:HG3	2:B:356:ILE:HD11	1.99	0.44
2:H:192:LYS:HE2	2:H:222:GLU:HG2	2.00	0.44
1:G:74:ILE:HG12	1:G:91:TYR:CE2	2.52	0.44
2:F:259:LYS:O	2:F:263:ASN:ND2	2.50	0.44
2:F:108:GLN:HB3	2:F:109:PRO:HD3	2.00	0.44
2:F:256:GLN:H	2:F:256:GLN:HG2	1.65	0.44
1:E:44:ASN:O	1:E:86:GLN:N	2.50	0.43
2:B:38:GLY:N	4:B:417:HTG:H2'2	2.33	0.43
1:E:77:GLU:HG3	1:E:78:GLU:N	2.33	0.43
2:B:136:PHE:HE2	2:B:236:HIS:HD2	1.67	0.43
2:D:149:VAL:HG21	2:D:157:LEU:HD11	1.99	0.43
2:H:263:ASN:ND2	2:H:266:LEU:HG	2.33	0.43
2:H:28:ILE:HD12	2:H:295:CYS:HB3	1.99	0.43
2:H:128:MET:CE	2:H:134:PHE:HB2	2.48	0.43
2:D:108:GLN:HB3	2:D:109:PRO:HD3	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:44:TYR:CG	2:F:318:ILE:HG13	2.54	0.43
2:H:60:THR:HA	2:H:61:PRO:HD3	1.88	0.43
1:A:23:ILE:O	1:A:27:VAL:HG23	2.18	0.43
2:D:59:ARG:N	2:D:59:ARG:HD3	2.32	0.43
2:F:94:LEU:HD13	2:F:219:LEU:HD22	2.01	0.43
2:B:192:LYS:HE2	2:B:222:GLU:HG2	2.01	0.43
2:D:261:ARG:NH2	2:D:366:PRO:HA	2.34	0.43
5:F:405:HEM:CMC	5:F:405:HEM:HBC2	2.49	0.42
2:H:63:PRO:HB2	2:H:66:SER:HB2	2.01	0.42
2:F:108:GLN:HG3	2:F:356:ILE:HD11	2.01	0.42
2:H:52:LYS:HG3	2:H:339:HIS:CD2	2.55	0.42
2:H:147:ILE:HA	2:H:206:MET:HB3	2.02	0.42
2:D:79:MET:HE3	2:D:230:LEU:HD13	2.00	0.42
2:B:131:ILE:HD12	2:B:388:GLU:HA	2.02	0.42
1:C:88:ALA:O	1:C:92:ILE:HG12	2.20	0.42
2:D:315:ASP:HA	2:D:316:PRO:HD3	1.87	0.42
2:D:330:SER:HA	2:D:331:PRO:HA	1.87	0.42
1:G:35:LEU:HD13	1:G:52:LEU:HB3	2.02	0.42
5:B:405:HEM:HMB2	5:B:405:HEM:CBB	2.50	0.42
2:B:141:PHE:HA	2:B:154:ARG:HH11	1.85	0.41
1:C:35:LEU:HD13	1:C:52:LEU:HB3	2.02	0.41
2:D:60:THR:HA	2:D:61:PRO:HD3	1.87	0.41
2:H:11:PHE:CE2	4:H:417:HTG:H4'2	2.55	0.41
2:H:94:LEU:CD2	2:H:219:LEU:HD13	2.40	0.41
3:G:99:ZMO:H8A	3:G:99:ZMO:H5A	1.89	0.41
3:G:99:ZMO:H9	2:H:234:ALA:HB2	2.01	0.41
2:B:53:ASP:HB3	2:B:56:PHE:HD2	1.86	0.41
3:C:99:ZMO:O35	3:C:99:ZMO:H31	2.20	0.41
2:D:255:GLU:HG2	2:D:256:GLN:HG2	2.03	0.41
2:F:52:LYS:HG3	2:F:339:HIS:CD2	2.56	0.41
2:F:136:PHE:CZ	2:F:158:LYS:HG3	2.55	0.41
3:G:99:ZMO:H9	2:H:234:ALA:CB	2.51	0.41
2:F:80[A]:MET:HE1	2:F:92:ARG:HG3	2.03	0.41
1:A:74:ILE:H	1:A:74:ILE:HG12	1.70	0.40
3:A:99:ZMO:H8A	3:A:99:ZMO:H5A	1.91	0.40
2:D:123:GLN:OE1	2:D:364:ARG:NH1	2.55	0.40
2:F:136:PHE:HA	2:F:240:VAL:HG22	2.03	0.40
2:H:81:LEU:HD11	5:H:405:HEM:HBD1	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	76/97 (78%)	76 (100%)	0	0	100	100
1	C	76/97 (78%)	75 (99%)	1 (1%)	0	100	100
1	E	74/97 (76%)	74 (100%)	0	0	100	100
1	G	73/97 (75%)	72 (99%)	1 (1%)	0	100	100
2	B	372/404 (92%)	364 (98%)	8 (2%)	0	100	100
2	D	379/404 (94%)	370 (98%)	9 (2%)	0	100	100
2	F	376/404 (93%)	369 (98%)	7 (2%)	0	100	100
2	H	378/404 (94%)	371 (98%)	7 (2%)	0	100	100
All	All	1804/2004 (90%)	1771 (98%)	33 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	68/83 (82%)	67 (98%)	1 (2%)	60	67
1	C	68/83 (82%)	68 (100%)	0	100	100
1	E	67/83 (81%)	67 (100%)	0	100	100
1	G	66/83 (80%)	65 (98%)	1 (2%)	60	67
2	B	333/355 (94%)	327 (98%)	6 (2%)	54	61
2	D	338/355 (95%)	330 (98%)	8 (2%)	44	49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	F	337/355 (95%)	334 (99%)	3 (1%)	75	82
2	H	338/355 (95%)	334 (99%)	4 (1%)	67	74
All	All	1615/1752 (92%)	1592 (99%)	23 (1%)	62	70

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	ILE
2	B	59	ARG
2	B	113	GLU
2	B	136	PHE
2	B	255	GLU
2	B	256	GLN
2	B	375	TRP
2	D	10	GLU
2	D	59	ARG
2	D	129	GLU
2	D	219	LEU
2	D	249	CYS
2	D	364	ARG
2	D	375	TRP
2	D	384	ARG
2	F	59	ARG
2	F	263	ASN
2	F	375	TRP
1	G	82	ILE
2	H	59	ARG
2	H	364	ARG
2	H	375	TRP
2	H	384	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HTG	H	417	-	5,5,19	1.63	1 (20%)	4,4,24	1.23	1 (25%)
4	HTG	D	417	-	5,5,19	1.63	1 (20%)	4,4,24	1.20	0
4	HTG	E	100	-	14,14,19	2.27	2 (14%)	18,19,24	1.37	1 (5%)
4	HTG	G	100	-	11,12,19	0.30	0	15,17,24	0.71	0
5	HEM	H	405	2	42,50,50	1.96	8 (19%)	46,82,82	1.59	5 (10%)
4	HTG	B	417	-	5,5,19	1.65	1 (20%)	4,4,24	1.06	0
5	HEM	D	405	2	42,50,50	1.91	8 (19%)	46,82,82	1.65	8 (17%)
5	HEM	F	405	2	42,50,50	1.91	8 (19%)	46,82,82	1.56	5 (10%)
4	HTG	A	100	-	15,15,19	3.34	2 (13%)	19,20,24	1.20	1 (5%)
5	HEM	B	405	2	42,50,50	1.91	8 (19%)	46,82,82	1.60	8 (17%)
4	HTG	C	100	-	11,12,19	0.31	0	15,17,24	0.69	0
3	ZMO	A	99	1	32,37,40	2.10	6 (18%)	36,44,49	1.81	9 (25%)
3	ZMO	C	99	1	32,37,40	2.10	5 (15%)	36,44,49	1.76	8 (22%)
3	ZMO	E	99	1	32,37,40	2.10	6 (18%)	36,44,49	1.66	8 (22%)
3	ZMO	G	99	1	32,37,40	2.13	5 (15%)	36,44,49	1.81	9 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HTG	H	417	-	-	3/3/3/30	-
4	HTG	D	417	-	-	2/3/3/30	-
4	HTG	E	100	-	-	0/5/25/30	0/1/1/1
4	HTG	G	100	-	-	0/2/22/30	0/1/1/1
5	HEM	H	405	2	-	2/12/54/54	-
4	HTG	B	417	-	-	3/3/3/30	-
5	HEM	D	405	2	-	4/12/54/54	-
5	HEM	F	405	2	-	4/12/54/54	-
4	HTG	A	100	-	-	1/6/26/30	0/1/1/1
5	HEM	B	405	2	-	1/12/54/54	-
4	HTG	C	100	-	-	0/2/22/30	0/1/1/1
3	ZMO	A	99	1	-	20/42/44/47	-
3	ZMO	C	99	1	-	10/42/44/47	-
3	ZMO	E	99	1	-	14/42/44/47	-
3	ZMO	G	99	1	-	22/42/44/47	-

All (61) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	100	HTG	C1'-S1	-10.13	1.67	1.81
3	E	99	ZMO	O1-C1	7.98	1.33	1.21
4	A	100	HTG	C1-S1	-7.94	1.67	1.80
3	C	99	ZMO	O1-C1	7.92	1.33	1.21
3	G	99	ZMO	O1-C1	7.91	1.33	1.21
4	E	100	HTG	C1-S1	-7.90	1.67	1.80
3	A	99	ZMO	O1-C1	7.86	1.33	1.21
5	B	405	HEM	C3D-C2D	7.75	1.53	1.36
5	H	405	HEM	C3D-C2D	7.71	1.53	1.36
5	F	405	HEM	C3D-C2D	7.60	1.53	1.36
5	D	405	HEM	C3D-C2D	7.52	1.53	1.36
3	G	99	ZMO	O35-C34	5.40	1.33	1.23
3	A	99	ZMO	O35-C34	5.35	1.33	1.23
3	E	99	ZMO	O35-C34	5.31	1.33	1.23
3	G	99	ZMO	O40-C39	5.28	1.33	1.23
3	C	99	ZMO	O35-C34	5.25	1.33	1.23
3	C	99	ZMO	O40-C39	5.12	1.33	1.23
3	A	99	ZMO	O40-C39	5.11	1.33	1.23
3	E	99	ZMO	O40-C39	5.07	1.33	1.23
5	D	405	HEM	C3C-C2C	-4.52	1.34	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	405	HEM	C3C-C2C	-4.37	1.34	1.40
5	F	405	HEM	C3C-C2C	-4.36	1.34	1.40
5	B	405	HEM	C3C-C2C	-4.24	1.34	1.40
4	D	417	HTG	C1'-S1	-3.40	1.66	1.80
4	B	417	HTG	C1'-S1	-3.40	1.66	1.80
4	H	417	HTG	C1'-S1	-3.37	1.66	1.80
5	F	405	HEM	C3C-CAC	3.32	1.55	1.47
5	H	405	HEM	C3C-CAC	3.27	1.55	1.47
5	D	405	HEM	C3C-CAC	3.24	1.54	1.47
5	B	405	HEM	C3C-CAC	3.22	1.54	1.47
3	G	99	ZMO	C34-N36	-3.13	1.26	1.33
5	D	405	HEM	C3C-C4C	3.01	1.45	1.41
3	C	99	ZMO	C34-N36	-2.97	1.26	1.33
4	E	100	HTG	C1'-S1	-2.95	1.66	1.81
3	A	99	ZMO	C39-N41	-2.88	1.26	1.33
5	B	405	HEM	CAB-C3B	2.87	1.55	1.47
3	G	99	ZMO	C39-N41	-2.87	1.26	1.33
5	H	405	HEM	CAB-C3B	2.85	1.55	1.47
3	C	99	ZMO	C39-N41	-2.85	1.26	1.33
5	F	405	HEM	CAB-C3B	2.85	1.55	1.47
5	D	405	HEM	CAB-C3B	2.84	1.55	1.47
5	B	405	HEM	C3C-C4C	2.78	1.45	1.41
5	H	405	HEM	C3C-C4C	2.76	1.45	1.41
3	E	99	ZMO	C39-N41	-2.75	1.26	1.33
3	A	99	ZMO	C34-N36	-2.74	1.27	1.33
3	E	99	ZMO	C34-N36	-2.66	1.27	1.33
5	H	405	HEM	FE-NB	2.60	2.12	1.98
5	F	405	HEM	C3C-C4C	2.43	1.44	1.41
5	B	405	HEM	FE-ND	2.33	2.11	1.98
5	F	405	HEM	CMB-C2B	2.22	1.55	1.50
5	H	405	HEM	FE-ND	2.21	2.10	1.98
5	H	405	HEM	CMB-C2B	2.16	1.55	1.50
5	F	405	HEM	FE-ND	2.14	2.10	1.98
3	E	99	ZMO	C2-C1	2.11	1.53	1.50
5	D	405	HEM	FE-ND	2.09	2.09	1.98
5	D	405	HEM	CMB-C2B	2.09	1.55	1.50
5	B	405	HEM	CMD-C2D	2.08	1.55	1.50
5	B	405	HEM	CMB-C2B	2.06	1.55	1.50
5	F	405	HEM	CMD-C2D	2.05	1.55	1.50
3	A	99	ZMO	C2-C1	2.03	1.52	1.50
5	D	405	HEM	CMD-C2D	2.02	1.54	1.50

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	405	HEM	C4D-ND-C1D	5.48	111.69	105.21
4	E	100	HTG	C1'-S1-C1	5.13	109.97	100.16
5	B	405	HEM	C4D-ND-C1D	5.11	111.26	105.21
5	D	405	HEM	C4D-ND-C1D	5.11	111.26	105.21
5	F	405	HEM	C4D-ND-C1D	5.09	111.24	105.21
3	A	99	ZMO	C2-C1-S1	5.06	119.43	113.40
3	E	99	ZMO	C2-C1-S1	4.93	119.28	113.40
3	C	99	ZMO	C2-C1-S1	4.93	119.27	113.40
3	G	99	ZMO	C2-C1-S1	4.84	119.17	113.40
3	G	99	ZMO	O1-C1-C2	-4.41	118.89	123.98
4	A	100	HTG	C1'-S1-C1	4.17	109.45	100.45
3	A	99	ZMO	O1-C1-C2	-4.07	119.28	123.98
3	C	99	ZMO	O1-C1-C2	-3.80	119.60	123.98
5	H	405	HEM	C4C-CHD-C1D	3.79	127.56	122.56
3	C	99	ZMO	C43-C42-N41	-3.72	104.65	112.41
3	E	99	ZMO	O1-C1-C2	-3.68	119.73	123.98
5	F	405	HEM	C4C-CHD-C1D	3.68	127.41	122.56
3	G	99	ZMO	C38-C37-N36	-3.63	104.27	112.00
3	G	99	ZMO	C37-N36-C34	3.55	128.93	122.55
5	D	405	HEM	C4B-CHC-C1C	3.47	127.14	122.56
3	A	99	ZMO	C43-C42-N41	-3.42	105.27	112.41
5	B	405	HEM	C4C-CHD-C1D	3.39	127.03	122.56
3	A	99	ZMO	C37-N36-C34	3.23	128.36	122.55
3	C	99	ZMO	C37-N36-C34	3.09	128.09	122.55
3	G	99	ZMO	C43-C42-N41	-3.07	106.00	112.41
3	G	99	ZMO	O1-C1-S1	-3.06	118.78	122.68
5	D	405	HEM	C4C-CHD-C1D	3.04	126.57	122.56
3	C	99	ZMO	O1-C1-S1	-2.94	118.94	122.68
3	E	99	ZMO	C42-N41-C39	2.92	128.26	122.82
3	E	99	ZMO	O1-C1-S1	-2.86	119.04	122.68
3	A	99	ZMO	C43-S1-C1	2.82	110.19	101.84
5	B	405	HEM	C4B-CHC-C1C	2.77	126.21	122.56
3	A	99	ZMO	C38-C37-N36	-2.74	106.18	112.00
3	E	99	ZMO	C43-S1-C1	2.69	109.80	101.84
3	C	99	ZMO	C38-C37-N36	-2.68	106.30	112.00
3	A	99	ZMO	O1-C1-S1	-2.62	119.35	122.68
3	E	99	ZMO	C37-N36-C34	2.62	127.25	122.55
3	A	99	ZMO	C32-C34-N36	2.60	121.42	116.48
3	C	99	ZMO	C42-N41-C39	2.58	127.63	122.82
5	H	405	HEM	C4B-CHC-C1C	2.57	125.95	122.56
3	C	99	ZMO	C43-S1-C1	2.53	109.32	101.84
3	G	99	ZMO	C43-S1-C1	2.51	109.27	101.84
5	F	405	HEM	C4B-CHC-C1C	2.45	125.80	122.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	99	ZMO	C42-N41-C39	2.40	127.28	122.82
5	B	405	HEM	CMA-C3A-C4A	-2.32	125.06	128.46
5	H	405	HEM	C1B-NB-C4B	2.31	107.94	105.21
5	D	405	HEM	CHA-C4D-ND	2.31	127.23	124.37
3	G	99	ZMO	C42-N41-C39	2.30	127.11	122.82
3	E	99	ZMO	C32-C34-N36	2.28	120.81	116.48
5	D	405	HEM	C1B-NB-C4B	2.27	107.89	105.21
5	D	405	HEM	C3B-C2B-C1B	2.19	108.06	106.41
5	B	405	HEM	C1B-NB-C4B	2.19	107.80	105.21
3	E	99	ZMO	C38-C37-N36	-2.17	107.38	112.00
5	F	405	HEM	C1B-NB-C4B	2.16	107.77	105.21
5	B	405	HEM	C3B-C2B-C1B	2.16	108.03	106.41
4	H	417	HTG	C3'-C2'-C1'	-2.06	109.42	113.09
5	D	405	HEM	CMA-C3A-C4A	-2.04	125.47	128.46
5	H	405	HEM	CBA-CAA-C2A	-2.03	109.13	112.54
5	F	405	HEM	CMA-C3A-C4A	-2.02	125.50	128.46
3	G	99	ZMO	C30-C29-C32	2.02	112.21	108.77
5	B	405	HEM	C3B-C4B-NB	-2.01	108.03	109.47
5	B	405	HEM	CBA-CAA-C2A	-2.00	109.17	112.54
5	D	405	HEM	CMD-C2D-C1D	2.00	128.16	125.03

There are no chirality outliers.

All (86) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	99	ZMO	C28-C29-C32-O33
3	A	99	ZMO	C28-C29-C32-C34
3	A	99	ZMO	C30-C29-C32-O33
3	A	99	ZMO	C30-C29-C32-C34
3	A	99	ZMO	C32-C34-N36-C37
3	A	99	ZMO	C42-C43-S1-C1
3	A	99	ZMO	S1-C1-C2-C3
3	C	99	ZMO	O33-C32-C34-O35
3	C	99	ZMO	O1-C1-S1-C43
3	C	99	ZMO	C1-C2-C3-C4
3	E	99	ZMO	C28-C29-C32-O33
3	E	99	ZMO	C28-C29-C32-C34
3	E	99	ZMO	C31-C29-C32-O33
3	E	99	ZMO	C30-C29-C32-O33
3	E	99	ZMO	C30-C29-C32-C34
3	E	99	ZMO	C32-C34-N36-C37
3	E	99	ZMO	O1-C1-S1-C43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	G	99	ZMO	O27-C28-C29-C31
3	G	99	ZMO	O27-C28-C29-C30
3	G	99	ZMO	O27-C28-C29-C32
3	G	99	ZMO	C28-C29-C32-O33
3	G	99	ZMO	C28-C29-C32-C34
3	G	99	ZMO	C31-C29-C32-O33
3	G	99	ZMO	C31-C29-C32-C34
3	G	99	ZMO	C30-C29-C32-O33
3	G	99	ZMO	C30-C29-C32-C34
3	G	99	ZMO	O33-C32-C34-O35
3	G	99	ZMO	C42-C43-S1-C1
3	G	99	ZMO	O1-C1-S1-C43
4	A	100	HTG	C2'-C1'-S1-C1
4	D	417	HTG	S1-C1'-C2'-C3'
4	H	417	HTG	S1-C1'-C2'-C3'
3	A	99	ZMO	O35-C34-N36-C37
3	E	99	ZMO	O35-C34-N36-C37
3	C	99	ZMO	C6-C7-C8-C9
4	H	417	HTG	C1'-C2'-C3'-C4'
4	D	417	HTG	C1'-C2'-C3'-C4'
3	A	99	ZMO	C2-C3-C4-C5
3	E	99	ZMO	C5-C6-C7-C8
3	A	99	ZMO	C4-C5-C6-C7
3	C	99	ZMO	C3-C4-C5-C6
4	B	417	HTG	C1'-C2'-C3'-C4'
3	G	99	ZMO	C12-C13-C14-C15
3	C	99	ZMO	C2-C3-C4-C5
3	C	99	ZMO	C4-C5-C6-C7
3	G	99	ZMO	C2-C3-C4-C5
3	A	99	ZMO	C12-C13-C14-C15
3	G	99	ZMO	C11-C12-C13-C14
3	A	99	ZMO	C31-C29-C32-O33
3	E	99	ZMO	C2-C3-C4-C5
3	A	99	ZMO	N41-C42-C43-S1
3	E	99	ZMO	C4-C5-C6-C7
3	C	99	ZMO	O33-C32-C34-N36
3	G	99	ZMO	O33-C32-C34-N36
3	A	99	ZMO	O1-C1-S1-C43
3	G	99	ZMO	S1-C1-C2-C3
3	G	99	ZMO	O1-C1-C2-C3
3	C	99	ZMO	C2-C1-S1-C43
3	E	99	ZMO	C2-C1-S1-C43

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	D	405	HEM	C2B-C3B-CAB-CBB
5	F	405	HEM	C2B-C3B-CAB-CBB
5	H	405	HEM	C2B-C3B-CAB-CBB
3	E	99	ZMO	C31-C29-C32-C34
4	B	417	HTG	S1-C1'-C2'-C3'
3	G	99	ZMO	C9-C10-C11-C12
3	G	99	ZMO	C4-C5-C6-C7
3	G	99	ZMO	C29-C32-C34-O35
3	A	99	ZMO	C10-C11-C12-C13
5	H	405	HEM	C4B-C3B-CAB-CBB
3	G	99	ZMO	C29-C32-C34-N36
3	A	99	ZMO	C11-C12-C13-C14
3	A	99	ZMO	O1-C1-C2-C3
5	D	405	HEM	CAA-CBA-CGA-O2A
4	B	417	HTG	C2'-C3'-C4'-C5'
3	A	99	ZMO	C9-C10-C11-C12
3	E	99	ZMO	C9-C10-C11-C12
5	D	405	HEM	C4B-C3B-CAB-CBB
5	F	405	HEM	C4B-C3B-CAB-CBB
5	D	405	HEM	CAA-CBA-CGA-O1A
3	A	99	ZMO	C31-C29-C32-C34
3	C	99	ZMO	C9-C10-C11-C12
3	A	99	ZMO	C3-C4-C5-C6
5	F	405	HEM	CAD-CBD-CGD-O2D
4	H	417	HTG	C2'-C3'-C4'-C5'
5	B	405	HEM	CAD-CBD-CGD-O2D
5	F	405	HEM	CAD-CBD-CGD-O1D


There are no ring outliers.


10 monomers are involved in 28 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	417	HTG	1	0
5	H	405	HEM	3	0
4	B	417	HTG	4	0
5	D	405	HEM	1	0
5	F	405	HEM	2	0
5	B	405	HEM	4	0
3	A	99	ZMO	3	0
3	C	99	ZMO	2	0
3	E	99	ZMO	2	0
3	G	99	ZMO	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	78/97 (80%)	-1.40	0 100 100	26, 38, 56, 59	0
1	C	78/97 (80%)	-1.49	0 100 100	25, 36, 56, 59	0
1	E	76/97 (78%)	-1.45	0 100 100	26, 37, 56, 59	0
1	G	75/97 (77%)	-1.35	0 100 100	26, 40, 56, 59	0
2	B	378/404 (93%)	-1.48	0 100 100	18, 31, 45, 50	0
2	D	385/404 (95%)	-1.42	0 100 100	18, 32, 46, 54	0
2	F	380/404 (94%)	-1.48	0 100 100	15, 31, 46, 51	2 (0%)
2	H	383/404 (94%)	-1.47	0 100 100	15, 31, 46, 50	1 (0%)
All	All	1833/2004 (91%)	-1.46	0 100 100	15, 32, 47, 59	3 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	HTG	B	417	6/19	0.98	0.06	54,54,55,55	0
4	HTG	D	417	6/19	0.98	0.05	44,44,44,44	0
3	ZMO	E	99	38/41	0.99	0.03	26,31,34,35	0
3	ZMO	G	99	38/41	0.99	0.04	31,34,37,37	0
4	HTG	A	100	15/19	0.99	0.04	35,35,36,36	0
3	ZMO	A	99	38/41	0.99	0.03	28,32,35,36	0
4	HTG	C	100	12/19	0.99	0.03	39,40,41,41	0
3	ZMO	C	99	38/41	0.99	0.03	29,33,38,39	0
4	HTG	E	100	14/19	0.99	0.04	38,39,39,39	0
4	HTG	G	100	12/19	0.99	0.03	50,51,52,52	0
4	HTG	H	417	6/19	0.99	0.04	45,45,45,45	0
5	HEM	D	405	43/43	0.99	0.03	17,18,19,20	0
5	HEM	B	405	43/43	1.00	0.02	13,17,18,20	0
5	HEM	F	405	43/43	1.00	0.02	15,16,17,20	0
5	HEM	H	405	43/43	1.00	0.02	16,17,18,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around HTG D 417:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ZMO E 99:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZMO G 99:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)





Electron density around HTG A 100:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZMO A 99:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ZMO C 99:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HTG E 100:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around HEM D 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 405:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM F 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.