



# wwPDB EM Validation Summary Report ⓘ

Jul 12, 2023 – 01:18 PM JST

PDB ID : 8I9T  
EMDB ID : EMD-35283  
Title : Cryo-EM structure of a Chaetomium thermophilum pre-60S ribosomal subunit  
- State Dbp10-1  
Authors : Lau, B.; Huang, Z.; Beckmann, R.; Hurt, E.; Cheng, J.  
Deposited on : 2023-02-07  
Resolution : 3.60 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev50  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.34

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C1	3341	
2	C2	256	
3	C3	161	
4	CA	316	
5	CB	391	
6	CC	801	
7	CE	598	
8	CF	270	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	CG	184	41% 95%
10	CH	661	5% 71% 28%
11	CI	414	35% 65%
12	CJ	679	28% 56% 44%
13	CK	261	5% 85% 15%
14	CL	558	54% 69% 30%
15	CM	249	16% 75% 25%
15	LF	249	96%
16	CN	246	100%
17	CO	120	52% 48%
18	CP	751	6% 43% 57%
19	CQ	225	49% 50%
20	CR	237	70% 30%
21	CS	726	9% 12% 88%
22	CU	451	39% 61%
23	CX	203	28% 43% 57%
24	Cz	123	18% 57% 43%
25	Cb	732	55% 76% 23%
26	Ch	354	6% 19% 80%
27	LB	392	86% 13%
28	LC	365	99%
29	LE	200	84% 15%
30	LG	262	5% 74% 26%
31	LH	192	98%
32	LK	165	6% 87% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	LL	213	55% 45%
34	LM	142	94%
35	LN	203	90% 10%
36	LO	204	100%
37	LP	187	82% 18%
38	LQ	213	61% 39%
39	LS	174	99%
40	LT	160	12% 78% 21%
41	LV	139	96%
42	LX	156	13% 14% 86%
43	LY	138	97%
44	Le	131	100%
45	Lf	109	98%
46	Lh	935	13% 87%
47	Li	110	80% 20%
48	Lj	95	78% 22%
49	Lq	217	59% 93% 5%
50	Cc	282	5% 83% 16%
51	Cd	436	76% 22%
52	Ce	336	57% 42%
53	Cf	570	16% 83%
54	Cg	478	14% 49% 51%

## 2 Entry composition [i](#)

There are 56 unique types of molecules in this entry. The entry contains 133790 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (3341-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	C1	2132	45600	20357	8256	14855	2132	0	0

- Molecule 2 is a RNA chain called RNA (256-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	C2	158	3359	1502	593	1106	158	0	0

- Molecule 3 is a RNA chain called RNA (161-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	C3	98	2097	933	381	685	98	0	0

- Molecule 4 is a protein called Brix domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	CA	260	2144	1371	393	373	7	0	0

- Molecule 5 is a protein called Ribosome biogenesis protein C8F11.04.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	CB	260	2063	1322	367	371	3	0	0

- Molecule 6 is a protein called Ribosome biogenesis protein ERB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	CC	289	2388	1520	399	462	7	0	0

- Molecule 7 is a protein called RNA helicase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	CE	463	3673	2352	643	667	11	0	0

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CE	543	LYS	-	insertion	UNP G0RYU9
CE	544	SER	-	insertion	UNP G0RYU9
CE	545	PHE	-	insertion	UNP G0RYU9
CE	546	GLY	-	insertion	UNP G0RYU9
CE	547	PHE	-	insertion	UNP G0RYU9
CE	548	SER	-	insertion	UNP G0RYU9
CE	549	THR	-	insertion	UNP G0RYU9
CE	550	PRO	-	insertion	UNP G0RYU9
CE	551	PRO	-	insertion	UNP G0RYU9
CE	552	ARG	-	insertion	UNP G0RYU9
CE	553	VAL	-	insertion	UNP G0RYU9
CE	554	ASP	-	insertion	UNP G0RYU9
CE	555	ILE	-	insertion	UNP G0RYU9
CE	556	THR	-	insertion	UNP G0RYU9
CE	557	LEU	-	insertion	UNP G0RYU9
CE	558	SER	-	insertion	UNP G0RYU9
CE	559	ALA	-	insertion	UNP G0RYU9
CE	560	SER	-	insertion	UNP G0RYU9
CE	561	LEU	-	insertion	UNP G0RYU9
CE	562	SER	-	insertion	UNP G0RYU9
CE	563	ARG	-	insertion	UNP G0RYU9
CE	564	ASP	-	insertion	UNP G0RYU9
CE	565	LYS	-	insertion	UNP G0RYU9
CE	566	LYS	-	insertion	UNP G0RYU9
CE	567	PRO	-	insertion	UNP G0RYU9
CE	568	GLN	-	insertion	UNP G0RYU9
CE	569	GLY	-	insertion	UNP G0RYU9
CE	570	ARG	-	insertion	UNP G0RYU9
CE	571	ARG	-	insertion	UNP G0RYU9
CE	572	ALA	-	insertion	UNP G0RYU9
CE	573	TYR	-	insertion	UNP G0RYU9
CE	574	GLY	-	insertion	UNP G0RYU9
CE	575	SER	-	insertion	UNP G0RYU9
CE	576	GLN	-	insertion	UNP G0RYU9
CE	577	PRO	-	insertion	UNP G0RYU9
CE	578	ARG	-	insertion	UNP G0RYU9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
CE	579	GLN	-	insertion	UNP G0RYU9
CE	580	GLY	-	insertion	UNP G0RYU9
CE	581	GLY	-	insertion	UNP G0RYU9
CE	582	ARG	-	insertion	UNP G0RYU9
CE	583	TYR	-	insertion	UNP G0RYU9
CE	584	LYS	-	insertion	UNP G0RYU9

- Molecule 8 is a protein called Ribosome assembly factor mrt4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	CF	245	Total	C	N	O	S	0	0
			1945	1222	352	362	9		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CF	13	ILE	THR	conflict	UNP G0S616
CF	139	THR	PRO	conflict	UNP G0S616
CF	228	ASN	SER	conflict	UNP G0S616
CF	259	ILE	MET	conflict	UNP G0S616

- Molecule 9 is a protein called 60S ribosome subunit biogenesis protein NIP7.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	CG	177	Total	C	N	O	S	0	0
			1396	884	247	253	12		

- Molecule 10 is a protein called Nucleolar GTP-binding protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	CH	476	Total	C	N	O	S	0	0
			3851	2451	669	716	15		

- Molecule 11 is a protein called Putative RNA-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	CI	146	Total	C	N	O	S	0	0
			1196	763	224	204	5		

- Molecule 12 is a protein called Pescadillo homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	CJ	380	3109	2003	547	549	10	0	0

- Molecule 13 is a protein called Ribosome biogenesis protein NSA2 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	CK	222	1778	1113	349	312	4	0	0

- Molecule 14 is a protein called Putative GTP binding protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
14	CL	390	2173	1307	446	420	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CL	69	ARG	ILE	conflict	UNP G0SEW3

- Molecule 15 is a protein called 60S ribosomal protein l7-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	CM	187	1525	987	278	257	3	0	0
15	LF	240	1967	1264	368	332	3	0	0

- Molecule 16 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	CN	246	1856	1158	322	369	7	0	0

- Molecule 17 is a protein called DUF2423 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	CO	62	468	290	94	82	2	0	0

- Molecule 18 is a protein called RNA methyltransferase nop2-like protein.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	CP	324	2535	1618	445	457	15	0	0

- Molecule 19 is a protein called Ribosome biogenesis protein RLP24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	CQ	112	960	607	195	148	10	0	0

- Molecule 20 is a protein called Nucleolar protein 16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	CR	167	1354	827	278	247	2	0	0

- Molecule 21 is a protein called AdoMet-dependent rRNA methyltransferase SPB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	CS	90	734	463	124	145	2	0	0

- Molecule 22 is a protein called rRNA-processing protein EBP2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	CU	178	1415	876	265	271	3	0	0

- Molecule 23 is a protein called 60S ribosomal subunit-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	CX	88	701	435	128	135	3	0	0

- Molecule 24 is a protein called rRNA-processing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Cz	70	592	368	120	101	3	0	0

- Molecule 25 is a protein called ATP-dependent RNA helicase DBP10.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Cb	560	Total	C	N	O	S	0	0
			4397	2797	791	800	9		

- Molecule 26 is a protein called Ribosomal RNA-processing protein 15.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Ch	71	Total	C	N	O	S	0	0
			562	350	109	102	1		

- Molecule 27 is a protein called 60S ribosomal protein L3-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	LB	341	Total	C	N	O	S	0	0
			2708	1721	493	482	12		

- Molecule 28 is a protein called 60S ribosomal protein L4-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	LC	362	Total	C	N	O	S	0	0
			2752	1738	526	479	9		

- Molecule 29 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	LE	170	Total	C	N	O	S	0	0
			1338	861	241	233	3		

- Molecule 30 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	LG	195	Total	C	N	O	S	0	0
			1574	1015	285	269	5		

- Molecule 31 is a protein called 60S ribosomal protein l9-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	LH	190	Total	C	N	O	S	0	0
			1496	950	268	272	6		

There are 37 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	PHE	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	LYS	deletion	UNP G0S0E5
LH	?	-	PHE	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	ASN	deletion	UNP G0S0E5
LH	?	-	ASP	deletion	UNP G0S0E5
LH	?	-	TYR	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	PHE	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	GLU	deletion	UNP G0S0E5
LH	?	-	LYS	deletion	UNP G0S0E5
LH	?	-	LYS	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	SER	deletion	UNP G0S0E5
LH	?	-	SER	deletion	UNP G0S0E5
LH	?	-	LYS	deletion	UNP G0S0E5
LH	?	-	ILE	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	GLU	deletion	UNP G0S0E5
LH	?	-	LEU	deletion	UNP G0S0E5
LH	?	-	ASP	deletion	UNP G0S0E5
LH	?	-	ILE	deletion	UNP G0S0E5
LH	?	-	ASN	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5

- Molecule 32 is a protein called 60S ribosomal protein L12-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	LK	146	1112	701	203	206	2	0	0

- Molecule 33 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	LL	117	964	608	206	148	2	0	0

- Molecule 34 is a protein called 60S ribosomal protein L14-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	LM	137	1101	699	211	190	1	0	0

- Molecule 35 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	LN	183	1563	974	332	253	4	0	0

- Molecule 36 is a protein called 60S ribosomal protein L16-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	LO	204	1618	1039	306	267	6	0	0

- Molecule 37 is a protein called 60S ribosomal protein l17-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	LP	154	1212	758	233	218	3	0	0

- Molecule 38 is a protein called Ribosomal protein L18-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	LQ	129	1021	646	200	173	2	0	0

- Molecule 39 is a protein called 60S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	LS	174	1433	922	267	239	5	0	0

- Molecule 40 is a protein called 60S ribosomal protein l21-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	LT	126	Total	C	N	O	S	0	0
			1014	643	196	173	2		

- Molecule 41 is a protein called 60S ribosomal protein l23-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	LV	135	Total	C	N	O	S	0	0
			995	633	185	170	7		

- Molecule 42 is a protein called 60S ribosomal protein L25-like protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	LX	22	Total	C	N	O	0	0
			148	91	31	26		

- Molecule 43 is a protein called 60S ribosomal protein L26-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	LY	134	Total	C	N	O	S	0	0
			1065	664	215	184	2		

- Molecule 44 is a protein called 60S ribosomal protein L32-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Le	131	Total	C	N	O	S	0	0
			1055	663	213	172	7		

- Molecule 45 is a protein called 60S ribosomal protein l33-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Lf	108	Total	C	N	O	S	0	0
			862	546	171	144	1		

- Molecule 46 is a protein called dolichyl-diphosphooligosaccharide--protein glycotransferase.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	Lh	121	Total	C	N	O	0	0
			995	633	196	166		

- Molecule 47 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Li	88	Total	C	N	O	S	0	0
			731	449	162	119	1		

- Molecule 48 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Lj	74	Total	C	N	O	S	0	0
			595	365	132	93	5		

- Molecule 49 is a protein called Ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Lq	207	Total	C	N	O	S	0	0
			1600	1016	285	291	8		

- Molecule 50 is a protein called Ribosomal RNA-processing protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Cc	236	Total	C	N	O	S	0	0
			1898	1208	337	343	10		

- Molecule 51 is a protein called Brix domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Cd	342	Total	C	N	O	S	0	0
			2763	1743	533	483	4		

- Molecule 52 is a protein called Protein MAK16.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Ce	194	Total	C	N	O	S	0	0
			1609	1020	304	276	9		


- Molecule 53 is a protein called 60S ribosome biogenesis protein Rrp14.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Cf	98	Total	C	N	O	S	0	0
			845	517	173	154	1		

- Molecule 54 is a protein called Brix domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	Cg	233	1850	1168	348	324	10	0	0

- Molecule 55 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
55	CH	1	32	10	5	14	3	0


- Molecule 56 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
56	CQ	1	Total	Zn	0
			1	1	
56	Lj	1	Total	Zn	0
			1	1	
56	Ce	1	Total	Zn	0
			1	1	












• Molecule 2: RNA (256-MER)



• Molecule 3: RNA (161-MER)



• Molecule 4: Brix domain-containing protein


















- Molecule 15: 60S ribosomal protein l7-like protein




- Molecule 15: 60S ribosomal protein l7-like protein




- Molecule 16: Eukaryotic translation initiation factor 6



- Molecule 17: DUF2423 domain-containing protein



- Molecule 18: RNA methyltransferase nop2-like protein



















• Molecule 26: Ribosomal RNA-processing protein 15



• Molecule 27: 60S ribosomal protein L3-like protein









• Molecule 28: 60S ribosomal protein L4-like protein




• Molecule 29: 60S ribosomal protein L6





• Molecule 30: 60S ribosomal protein L8



• Molecule 31: 60S ribosomal protein 19-like protein





• Molecule 32: 60S ribosomal protein L12-like protein



• Molecule 33: 60S ribosomal protein L13







• Molecule 34: 60S ribosomal protein L14-like protein





• Molecule 35: Ribosomal protein L15




• Molecule 36: 60S ribosomal protein L16-like protein



• Molecule 37: 60S ribosomal protein l17-like protein




• Molecule 38: Ribosomal protein L18-like protein





• Molecule 39: 60S ribosomal protein L20







• Molecule 40: 60S ribosomal protein l21-like protein




• Molecule 41: 60S ribosomal protein l23-like protein



• Molecule 42: 60S ribosomal protein L25-like protein



• Molecule 43: 60S ribosomal protein L26-like protein




• Molecule 44: 60S ribosomal protein L32-like protein




• Molecule 45: 60S ribosomal protein l33-like protein

Chain Lf:  98%





- Molecule 46: dolichyl-diphosphooligosaccharide--protein glycotransferase

Chain Lh:  13% 87%




- Molecule 47: 60S ribosomal protein L36

Chain Li:  80% 20%





Molecule 48: Ribosomal protein L37





Molecule 49: Ribosomal protein



Molecule 50: Ribosomal RNA-processing protein 1




Molecule 51: Brix domain-containing protein









## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	52677	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	44	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.369	Depositor
Minimum map value	-0.177	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	438.9, 438.9, 438.9	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.045, 1.045, 1.045	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	C1	0.22	0/51017	0.83	33/79513 (0.0%)
2	C2	0.20	0/3754	0.78	0/5846
3	C3	0.22	0/2342	0.85	2/3649 (0.1%)
4	CA	0.28	0/2190	0.58	0/2940
5	CB	0.27	0/2109	0.57	0/2866
6	CC	0.26	0/2459	0.50	0/3350
7	CE	0.27	0/3743	0.55	1/5045 (0.0%)
8	CF	0.26	0/1982	0.56	1/2671 (0.0%)
9	CG	0.26	0/1422	0.56	0/1920
10	CH	0.29	0/3927	0.58	0/5307
11	CI	0.28	0/1225	0.61	0/1645
12	CJ	0.26	0/3189	0.53	0/4309
13	CK	0.27	0/1804	0.57	0/2417
14	CL	0.25	0/2178	0.49	0/2983
15	CM	0.26	0/1555	0.52	0/2091
15	LF	0.27	0/2004	0.52	0/2686
16	CN	0.25	0/1881	0.56	0/2560
17	CO	0.25	0/470	0.54	0/619
18	CP	0.28	0/2594	0.54	0/3514
19	CQ	0.28	0/981	0.64	0/1301
20	CR	0.25	0/1369	0.56	0/1828
21	CS	0.23	0/746	0.42	0/997
22	CU	0.27	0/1428	0.58	1/1910 (0.1%)
23	CX	0.28	0/705	0.53	0/938
24	Cz	0.28	0/598	0.58	0/785
25	Cb	0.26	0/4474	0.53	0/6037
26	Ch	0.30	0/563	0.69	1/746 (0.1%)
27	LB	0.27	0/2760	0.58	2/3701 (0.1%)
28	LC	0.26	0/2809	0.53	1/3787 (0.0%)
29	LE	0.27	0/1363	0.52	0/1833
30	LG	0.27	0/1597	0.55	0/2138
31	LH	0.26	0/1516	0.54	0/2038

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	LK	0.26	0/1124	0.57	0/1507
33	LL	0.24	0/983	0.62	0/1318
34	LM	0.28	0/1120	0.58	0/1507
35	LN	0.25	0/1595	0.59	0/2132
36	LO	0.27	0/1652	0.57	0/2215
37	LP	0.26	0/1231	0.59	0/1658
38	LQ	0.25	0/1033	0.59	0/1391
39	LS	0.26	0/1468	0.56	1/1975 (0.1%)
40	LT	0.24	0/1033	0.54	0/1389
41	LV	0.27	0/1013	0.52	0/1361
42	LX	0.23	0/148	0.38	0/194
43	LY	0.26	0/1079	0.57	0/1443
44	Le	0.24	0/1073	0.53	0/1431
45	Lf	0.26	0/883	0.55	0/1187
46	Lh	0.25	0/1006	0.57	0/1338
47	Li	0.27	0/738	0.63	0/971
48	Lj	0.25	0/606	0.60	0/803
49	Lq	0.25	0/1621	0.56	0/2180
50	Cc	0.25	0/1934	0.55	0/2614
51	Cd	0.30	0/2818	0.62	0/3786
52	Ce	0.28	0/1638	0.57	0/2196
53	Cf	0.33	0/851	0.74	2/1118 (0.2%)
54	Cg	0.26	0/1887	0.57	0/2544
All	All	0.25	0/141288	0.69	45/202228 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	CB	0	1
14	CL	0	1
30	LG	0	1
49	Lq	0	1
51	Cd	0	1
53	Cf	0	1
All	All	0	6

There are no bond length outliers.

The worst 5 of 45 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C1	1084	U	OP1-P-O3'	-10.82	81.39	105.20
1	C1	1050	C	N3-C2-O2	-10.36	114.65	121.90
1	C1	1084	U	OP2-P-O3'	-9.41	84.49	105.20
1	C1	3241	U	N3-C2-O2	-8.18	116.48	122.20
1	C1	1085	A	OP1-P-OP2	8.16	131.85	119.60

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	CB	103	ASP	Peptide
14	CL	223	HIS	Peptide
51	Cd	360	TYR	Peptide
30	LG	161	ASP	Peptide
49	Lq	60	ARG	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	CA	254/316 (80%)	230 (91%)	24 (9%)	0	100	100
5	CB	256/391 (66%)	237 (93%)	18 (7%)	1 (0%)	34	71
6	CC	283/801 (35%)	271 (96%)	12 (4%)	0	100	100
7	CE	459/598 (77%)	435 (95%)	24 (5%)	0	100	100
8	CF	243/270 (90%)	230 (95%)	12 (5%)	1 (0%)	34	71
9	CG	175/184 (95%)	167 (95%)	8 (5%)	0	100	100
10	CH	474/661 (72%)	446 (94%)	26 (6%)	2 (0%)	34	71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	CI	144/414 (35%)	133 (92%)	10 (7%)	1 (1%)	22	61
12	CJ	374/679 (55%)	363 (97%)	11 (3%)	0	100	100
13	CK	214/261 (82%)	208 (97%)	6 (3%)	0	100	100
14	CL	384/558 (69%)	347 (90%)	31 (8%)	6 (2%)	9	46
15	CM	183/249 (74%)	175 (96%)	8 (4%)	0	100	100
15	LF	238/249 (96%)	232 (98%)	5 (2%)	1 (0%)	34	71
16	CN	244/246 (99%)	234 (96%)	10 (4%)	0	100	100
17	CO	56/120 (47%)	56 (100%)	0	0	100	100
18	CP	322/751 (43%)	308 (96%)	14 (4%)	0	100	100
19	CQ	110/225 (49%)	103 (94%)	6 (6%)	1 (1%)	17	57
20	CR	159/237 (67%)	155 (98%)	4 (2%)	0	100	100
21	CS	86/726 (12%)	84 (98%)	2 (2%)	0	100	100
22	CU	174/451 (39%)	168 (97%)	6 (3%)	0	100	100
23	CX	86/203 (42%)	83 (96%)	3 (4%)	0	100	100
24	Cz	68/123 (55%)	68 (100%)	0	0	100	100
25	Cb	550/732 (75%)	527 (96%)	23 (4%)	0	100	100
26	Ch	69/354 (20%)	65 (94%)	4 (6%)	0	100	100
27	LB	337/392 (86%)	322 (96%)	15 (4%)	0	100	100
28	LC	360/365 (99%)	346 (96%)	14 (4%)	0	100	100
29	LE	166/200 (83%)	159 (96%)	6 (4%)	1 (1%)	25	64
30	LG	191/262 (73%)	179 (94%)	12 (6%)	0	100	100
31	LH	188/192 (98%)	180 (96%)	8 (4%)	0	100	100
32	LK	142/165 (86%)	131 (92%)	9 (6%)	2 (1%)	11	48
33	LL	115/213 (54%)	110 (96%)	5 (4%)	0	100	100
34	LM	135/142 (95%)	130 (96%)	5 (4%)	0	100	100
35	LN	179/203 (88%)	173 (97%)	6 (3%)	0	100	100
36	LO	202/204 (99%)	194 (96%)	8 (4%)	0	100	100
37	LP	150/187 (80%)	143 (95%)	7 (5%)	0	100	100
38	LQ	127/213 (60%)	121 (95%)	6 (5%)	0	100	100
39	LS	172/174 (99%)	164 (95%)	8 (5%)	0	100	100
40	LT	124/160 (78%)	116 (94%)	7 (6%)	1 (1%)	19	59

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	LV	133/139 (96%)	128 (96%)	5 (4%)	0	100	100
42	LX	20/156 (13%)	20 (100%)	0	0	100	100
43	LY	132/138 (96%)	125 (95%)	7 (5%)	0	100	100
44	Le	129/131 (98%)	126 (98%)	3 (2%)	0	100	100
45	Lf	106/109 (97%)	103 (97%)	2 (2%)	1 (1%)	17	57
46	Lh	119/935 (13%)	113 (95%)	6 (5%)	0	100	100
47	Li	86/110 (78%)	83 (96%)	3 (4%)	0	100	100
48	Lj	72/95 (76%)	69 (96%)	3 (4%)	0	100	100
49	Lq	205/217 (94%)	181 (88%)	23 (11%)	1 (0%)	29	68
50	Cc	232/282 (82%)	223 (96%)	9 (4%)	0	100	100
51	Cd	334/436 (77%)	314 (94%)	20 (6%)	0	100	100
52	Ce	192/336 (57%)	187 (97%)	4 (2%)	1 (0%)	29	68
53	Cf	96/570 (17%)	93 (97%)	3 (3%)	0	100	100
54	Cg	229/478 (48%)	218 (95%)	11 (5%)	0	100	100
All	All	10278/17003 (60%)	9776 (95%)	482 (5%)	20 (0%)	50	79

5 of 20 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	CB	104	PRO
11	CI	268	VAL
14	CL	224	ASP
14	CL	414	VAL
8	CF	238	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	CA	231/276 (84%)	231 (100%)	0	100	100
5	CB	222/329 (68%)	222 (100%)	0	100	100

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	CC	266/710 (38%)	265 (100%)	1 (0%)	91	97
7	CE	398/517 (77%)	397 (100%)	1 (0%)	92	97
8	CF	214/236 (91%)	214 (100%)	0	100	100
9	CG	150/155 (97%)	148 (99%)	2 (1%)	69	86
10	CH	424/575 (74%)	421 (99%)	3 (1%)	84	93
11	CI	121/336 (36%)	121 (100%)	0	100	100
12	CJ	332/579 (57%)	330 (99%)	2 (1%)	86	94
13	CK	189/225 (84%)	189 (100%)	0	100	100
14	CL	65/458 (14%)	65 (100%)	0	100	100
15	CM	161/215 (75%)	160 (99%)	1 (1%)	86	94
15	LF	206/215 (96%)	206 (100%)	0	100	100
16	CN	206/206 (100%)	206 (100%)	0	100	100
17	CO	48/99 (48%)	48 (100%)	0	100	100
18	CP	273/632 (43%)	273 (100%)	0	100	100
19	CQ	100/192 (52%)	100 (100%)	0	100	100
20	CR	144/206 (70%)	144 (100%)	0	100	100
21	CS	74/618 (12%)	74 (100%)	0	100	100
22	CU	149/376 (40%)	148 (99%)	1 (1%)	84	93
23	CX	76/172 (44%)	75 (99%)	1 (1%)	69	86
24	Cz	60/107 (56%)	60 (100%)	0	100	100
25	Cb	470/619 (76%)	469 (100%)	1 (0%)	93	98
26	Ch	58/291 (20%)	57 (98%)	1 (2%)	60	82
27	LB	290/331 (88%)	290 (100%)	0	100	100
28	LC	283/285 (99%)	282 (100%)	1 (0%)	91	97
29	LE	143/166 (86%)	143 (100%)	0	100	100
30	LG	167/222 (75%)	167 (100%)	0	100	100
31	LH	167/169 (99%)	166 (99%)	1 (1%)	86	94
32	LK	121/136 (89%)	120 (99%)	1 (1%)	81	91
33	LL	99/176 (56%)	99 (100%)	0	100	100
34	LM	115/117 (98%)	112 (97%)	3 (3%)	46	74
35	LN	164/180 (91%)	164 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	LO	163/163 (100%)	162 (99%)	1 (1%)	86	94
37	LP	125/152 (82%)	125 (100%)	0	100	100
38	LQ	110/178 (62%)	110 (100%)	0	100	100
39	LS	154/154 (100%)	153 (99%)	1 (1%)	86	94
40	LT	109/135 (81%)	108 (99%)	1 (1%)	78	90
41	LV	99/102 (97%)	97 (98%)	2 (2%)	55	79
42	LX	12/129 (9%)	12 (100%)	0	100	100
43	LY	117/119 (98%)	117 (100%)	0	100	100
44	Le	114/114 (100%)	114 (100%)	0	100	100
45	Lf	89/90 (99%)	89 (100%)	0	100	100
46	Lh	108/781 (14%)	107 (99%)	1 (1%)	78	90
47	Li	75/93 (81%)	75 (100%)	0	100	100
48	Lj	61/78 (78%)	61 (100%)	0	100	100
49	Lq	179/189 (95%)	176 (98%)	3 (2%)	60	82
50	Cc	204/244 (84%)	203 (100%)	1 (0%)	88	95
51	Cd	291/367 (79%)	282 (97%)	9 (3%)	40	71
52	Ce	173/297 (58%)	173 (100%)	0	100	100
53	Cf	88/482 (18%)	86 (98%)	2 (2%)	50	76
54	Cg	210/417 (50%)	210 (100%)	0	100	100
All	All	8667/14410 (60%)	8626 (100%)	41 (0%)	89	95

5 of 41 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
49	Lq	133	LYS
51	Cd	285	LEU
50	Cc	125	LYS
51	Cd	267	SER
51	Cd	398	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 38 such sidechains are listed below:

Mol	Chain	Res	Type
27	LB	274	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
49	Lq	27	ASN
27	LB	319	ASN
30	LG	140	ASN
54	Cg	216	HIS

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	C1	2116/3341 (63%)	485 (22%)	20 (0%)
2	C2	157/256 (61%)	36 (22%)	1 (0%)
3	C3	96/161 (59%)	32 (33%)	2 (2%)
All	All	2369/3758 (63%)	553 (23%)	23 (0%)

5 of 553 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	C1	6	A
1	C1	20	A
1	C1	26	A
1	C1	40	A
1	C1	43	A

5 of 23 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	C1	3204	G
1	C1	3281	U
1	C1	3257	U
1	C1	3296	G
1	C1	1223	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
55	GTP	CH	701	-	26,34,34	1.12	2 (7%)	32,54,54	1.49	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	GTP	CH	701	-	-	5/18/38/38	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
55	CH	701	GTP	C5-C6	-3.94	1.39	1.47
55	CH	701	GTP	C2-N3	2.19	1.38	1.33

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	CH	701	GTP	C5-C6-N1	3.17	119.55	113.95
55	CH	701	GTP	PA-O3A-PB	-3.09	122.24	132.83
55	CH	701	GTP	C8-N7-C5	2.96	108.62	102.99
55	CH	701	GTP	C3'-C2'-C1'	2.91	105.36	100.98
55	CH	701	GTP	C2-N1-C6	-2.82	119.91	125.10

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
55	CH	701	GTP	C5'-O5'-PA-O3A

*Continued on next page...*


Continued from previous page...

Mol	Chain	Res	Type	Atoms
55	CH	701	GTP	PB-O3A-PA-O2A
55	CH	701	GTP	C5'-O5'-PA-O2A
55	CH	701	GTP	C4'-C5'-O5'-PA
55	CH	701	GTP	PB-O3A-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-35283. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


### 6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 242




Y Index: 232




Z Index: 213


### 6.3.2 Raw map



X Index: 244



Y Index: 232




Z Index: 244


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1215  $\text{nm}^3$ ; this corresponds to an approximate mass of 1097 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of  $0.278 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	3.56	4.50	3.70
Unmasked-calculated*	4.66	8.69	5.21


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.66 differs from the reported value 3.6 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-35283 and PDB model 8I9T. Per-residue inclusion information can be found in section 3 on page 16.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary











































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7710	 0.3750
C1	 0.8860	 0.4120
C2	 0.8660	 0.4100
C3	 0.8870	 0.3110
CA	 0.8320	 0.4290
CB	 0.7210	 0.2920
CC	 0.5080	 0.2730
CE	 0.7810	 0.4020
CF	 0.7680	 0.3480
CG	 0.4980	 0.1520
CH	 0.7500	 0.3580
CI	 0.7680	 0.3200
CJ	 0.4140	 0.1510
CK	 0.7620	 0.3940
CL	 0.2490	 0.1870
CM	 0.5960	 0.2100
CN	 0.7580	 0.3560
CO	 0.8400	 0.4500
CP	 0.6230	 0.2460
CQ	 0.7690	 0.3300
CR	 0.8640	 0.4410
CS	 0.2770	 0.2040
CU	 0.7450	 0.3580
CX	 0.2990	 0.1810
Cb	 0.2540	 0.2280
Cc	 0.7800	 0.4090
Cd	 0.8460	 0.4460
Ce	 0.8800	 0.4780
Cf	 0.6630	 0.2310
Cg	 0.5090	 0.1830
Ch	 0.5000	 0.1270
Cz	 0.5370	 0.3050
LB	 0.8450	 0.4430
LC	 0.8980	 0.4990
LE	 0.8530	 0.4590



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
LF	 0.8750	 0.4740
LG	 0.7730	 0.4010
LH	 0.8640	 0.4640
LK	 0.6810	 0.2650
LL	 0.9130	 0.5060
LM	 0.8740	 0.4700
LN	 0.8910	 0.4970
LO	 0.8700	 0.4780
LP	 0.8100	 0.4370
LQ	 0.8580	 0.4800
LS	 0.8750	 0.4820
LT	 0.6560	 0.3130
LV	 0.7450	 0.3920
LX	 0.1760	 0.2040
LY	 0.8640	 0.4710
Le	 0.8850	 0.5080
Lf	 0.9050	 0.5060
Lh	 0.8100	 0.4000
Li	 0.8080	 0.4200
Lj	 0.9310	 0.5150
Lq	 0.3240	 0.1390