



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 10, 2024 – 10:42 PM EST

PDB ID : 2II5
Title : Crystal structure of a cubic core of the dihydrolipoamide acyltransferase (E2b) component in the branched-chain alpha-ketoacid dehydrogenase complex (BCKDC), Isobutyryl-Coenzyme A-bound form
Authors : Kato, M.; Wynn, R.M.; Chuang, J.L.; Brautigam, C.A.; Custorio, M.; Chuang, D.T.
Deposited on : 2006-09-27
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	262	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">2%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 2%, orange 2%, yellow 18%, green 69%, grey 11%);"></div> <div style="text-align: left;">69% 18% • 11%</div> </div>
1	B	262	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">6%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 6%, orange 6%, yellow 15%, green 72%, grey 11%);"></div> <div style="text-align: left;">72% 15% • 11%</div> </div>
1	C	262	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">4%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 4%, orange 4%, yellow 16%, green 72%, grey 11%);"></div> <div style="text-align: left;">72% 16% • 11%</div> </div>
1	D	262	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">4%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 4%, orange 4%, yellow 24%, green 65%, grey 11%);"></div> <div style="text-align: left;">65% 24% 11%</div> </div>
1	E	262	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">5%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red 5%, orange 5%, yellow 13%, green 74%, grey 11%);"></div> <div style="text-align: left;">74% 13% • 11%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	262	
1	G	262	
1	H	262	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	A	601	-	-	X	-
2	ACT	B	600	-	-	X	-
2	ACT	B	601	-	-	X	-
2	ACT	C	600	-	-	X	-
2	ACT	C	601	-	-	X	-
2	ACT	E	600	-	-	X	-
2	ACT	E	601	-	-	X	-
2	ACT	H	600	-	-	X	-
2	ACT	H	601	-	-	X	-
3	CL	A	803	-	-	X	-
3	CL	B	806	-	-	X	-
3	CL	E	804	-	-	X	-

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 14899 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	234	1803	1158	306	330	9	0	0	0
1	B	234	1803	1158	306	330	9	0	0	0
1	C	234	1803	1158	306	330	9	0	0	0
1	D	234	1803	1158	306	330	9	0	0	0
1	E	234	1803	1158	306	330	9	0	0	0
1	F	234	1803	1158	306	330	9	0	0	0
1	G	234	1803	1158	306	330	9	0	0	0
1	H	234	1803	1158	306	330	9	0	0	0

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	160	GLY	-	cloning artifact	UNP P11181
A	161	HIS	-	cloning artifact	UNP P11181
B	160	GLY	-	cloning artifact	UNP P11181
B	161	HIS	-	cloning artifact	UNP P11181
C	160	GLY	-	cloning artifact	UNP P11181
C	161	HIS	-	cloning artifact	UNP P11181
D	160	GLY	-	cloning artifact	UNP P11181
D	161	HIS	-	cloning artifact	UNP P11181
E	160	GLY	-	cloning artifact	UNP P11181
E	161	HIS	-	cloning artifact	UNP P11181
F	160	GLY	-	cloning artifact	UNP P11181
F	161	HIS	-	cloning artifact	UNP P11181

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	160	GLY	-	cloning artifact	UNP P11181
G	161	HIS	-	cloning artifact	UNP P11181
H	160	GLY	-	cloning artifact	UNP P11181
H	161	HIS	-	cloning artifact	UNP P11181

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	D	1	Total C O 4 2 2	0	0
2	E	1	Total C O 4 2 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	E	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	F	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	G	1	Total C O 4 2 2	0	0
2	H	1	Total C O 4 2 2	0	0
2	H	1	Total C O 4 2 2	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Cl 2 2	0	0
3	B	1	Total Cl 1 1	0	0
3	C	1	Total Cl 1 1	0	0
3	D	2	Total Cl 2 2	0	0
3	E	1	Total Cl 1 1	0	0
3	F	1	Total Cl 1 1	0	0
3	G	2	Total Cl 2 2	0	0
3	H	2	Total Cl 2 2	0	0

- Molecule 4 is ISOBUTYRYL-COENZYME A (three-letter code: CO6) (formula: C₂₅H₄₂N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	B	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	C	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	D	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	E	1	Total 40	C 16	N 6	O 15	P 3	0	0
4	F	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	G	1	Total 31	C 10	N 5	O 13	P 3	0	0
4	H	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	16	Total 16 16	O 0	0
5	B	19	Total 19 19	O 0	0
5	C	14	Total 14 14	O 0	0
5	D	19	Total 19 19	O 0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	E	20	Total O 20 20	0	0
5	F	17	Total O 17 17	0	0
5	G	10	Total O 10 10	0	0
5	H	27	Total O 27 27	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex



- Molecule 1: Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex




- Molecule 1: Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex








- Molecule 1: Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex



- Molecule 1: Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex




- Molecule 1: Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex





- Molecule 1: Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex





- Molecule 1: Lipoamide acyltransferase component of branched-chain alpha-keto acid dehydrogenase complex



4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	194.77Å 194.77Å 172.13Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.50 40.96 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.5 (50.00-2.50) 99.5 (40.96-2.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 2.51Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.196 , 0.251 0.196 , 0.246	Depositor DCC
R_{free} test set	4202 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	54.2	Xtrriage
Anisotropy	0.269	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.010 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14899	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, ACT, CO6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.96	0/1837	0.92	3/2481 (0.1%)
1	B	1.00	0/1837	0.90	3/2481 (0.1%)
1	C	0.93	1/1837 (0.1%)	0.87	3/2481 (0.1%)
1	D	0.91	0/1837	0.89	3/2481 (0.1%)
1	E	0.94	1/1837 (0.1%)	0.90	1/2481 (0.0%)
1	F	0.91	0/1837	0.88	2/2481 (0.1%)
1	G	0.88	0/1837	0.84	0/2481
1	H	0.97	1/1837 (0.1%)	0.92	3/2481 (0.1%)
All	All	0.94	3/14696 (0.0%)	0.89	18/19848 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	378	CYS	CB-SG	-6.39	1.71	1.82
1	H	218	CYS	CB-SG	-5.42	1.73	1.81
1	C	307	PHE	CE2-CZ	5.08	1.47	1.37

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	395	ASP	CB-CG-OD1	8.23	125.71	118.30
1	A	390	ASP	CB-CG-OD1	6.88	124.49	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	395	ASP	CB-CG-OD1	6.81	124.43	118.30
1	A	390	ASP	CB-CG-OD2	-6.21	112.71	118.30
1	D	395	ASP	CB-CG-OD2	-6.05	112.86	118.30
1	B	417	LEU	CA-CB-CG	5.81	128.65	115.30
1	C	258	LEU	CA-CB-CG	5.75	128.53	115.30
1	H	190	ASP	CB-CG-OD1	5.72	123.45	118.30
1	B	202	MET	CG-SD-CE	5.45	108.92	100.20
1	D	202	MET	CG-SD-CE	5.29	108.66	100.20
1	C	190	ASP	CB-CG-OD1	5.23	123.01	118.30
1	H	258	LEU	CB-CG-CD1	5.10	119.67	111.00
1	C	395	ASP	CB-CG-OD1	5.07	122.86	118.30
1	B	319	LEU	CA-CB-CG	5.07	126.95	115.30
1	F	362	LEU	CA-CB-CG	-5.05	103.68	115.30
1	F	202	MET	CG-SD-CE	5.04	108.27	100.20
1	H	319	LEU	CA-CB-CG	5.03	126.87	115.30
1	E	362	LEU	CA-CB-CG	-5.03	103.74	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	292	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1803	0	1859	31	0
1	B	1803	0	1859	27	0
1	C	1803	0	1859	30	0
1	D	1803	0	1859	35	0
1	E	1803	0	1859	21	0
1	F	1803	0	1859	33	0
1	G	1803	0	1859	28	0
1	H	1803	0	1859	21	0
2	A	8	0	6	2	0
2	B	8	0	6	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	8	0	6	2	0
2	D	8	0	6	0	0
2	E	8	0	6	3	0
2	F	8	0	6	1	0
2	G	8	0	6	0	0
2	H	8	0	6	3	0
3	A	2	0	0	2	0
3	B	1	0	0	2	0
3	C	1	0	0	1	0
3	D	2	0	0	1	0
3	E	1	0	0	2	0
3	F	1	0	0	1	0
3	G	2	0	0	1	0
3	H	2	0	0	1	0
4	A	31	0	11	1	0
4	B	31	0	11	0	0
4	C	31	0	11	1	0
4	D	31	0	11	2	0
4	E	40	0	21	1	0
4	F	31	0	11	1	0
4	G	31	0	11	2	0
4	H	31	0	11	0	0
5	A	16	0	0	0	0
5	B	19	0	0	1	0
5	C	14	0	0	1	0
5	D	19	0	0	0	0
5	E	20	0	0	1	0
5	F	17	0	0	2	0
5	G	10	0	0	2	0
5	H	27	0	0	0	0
All	All	14899	0	15018	235	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (235) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:600:ACT:H1	2:E:601:ACT:H3	1.39	1.02
1:F:198:PHE:HE2	1:F:199:HIS:CE1	1.81	0.97
4:F:500:CO6:O4A	4:F:500:CO6:H8	1.64	0.96

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:600:ACT:H1	2:A:601:ACT:H2	1.48	0.95
3:A:803:CL:CL	5:B:83:HOH:O	2.23	0.93
1:E:251:LEU:CD1	1:E:337:LEU:HD12	2.00	0.92
1:B:260:GLN:HG3	1:B:405:LEU:HD21	1.51	0.91
1:B:349:LYS:NZ	3:B:806:CL:CL	2.41	0.90
2:C:600:ACT:H1	2:C:601:ACT:H3	1.53	0.90
1:B:260:GLN:HG3	1:B:405:LEU:CD2	2.05	0.86
1:A:251:LEU:HD12	1:A:337:LEU:HD12	1.58	0.84
1:C:299:LYS:O	1:C:304:ARG:NH1	2.10	0.84
1:H:349:LYS:NZ	3:H:801:CL:CL	2.47	0.84
1:G:282:ASN:ND2	1:G:300:ASN:H	1.74	0.83
1:A:251:LEU:HD21	1:A:285:ILE:HD11	1.62	0.82
2:E:600:ACT:H1	2:E:601:ACT:CH3	2.10	0.81
1:C:289:THR:HG22	1:C:291:GLN:H	1.46	0.81
1:C:349:LYS:NZ	3:C:802:CL:CL	2.51	0.80
1:F:198:PHE:CE2	1:F:199:HIS:CE1	2.70	0.80
1:B:319:LEU:HB3	1:B:325:LEU:HD13	1.64	0.80
1:B:320:GLY:HA2	1:B:325:LEU:HD22	1.62	0.79
1:A:319:LEU:HB3	1:A:325:LEU:HD13	1.64	0.79
2:H:600:ACT:H3	2:H:601:ACT:H3	1.63	0.79
1:B:251:LEU:HD21	1:B:285:ILE:HD11	1.63	0.78
1:F:223:LEU:O	1:F:227:VAL:HG23	1.84	0.77
1:A:274:ASN:HD22	1:C:194:PRO:HA	1.50	0.77
1:A:349:LYS:NZ	3:A:803:CL:CL	2.54	0.77
1:D:227:VAL:HG21	1:D:381:GLN:HG2	1.65	0.77
1:G:282:ASN:HD22	1:G:300:ASN:H	1.32	0.77
1:C:393:ILE:HD12	1:C:394:ILE:HG13	1.66	0.76
1:F:393:ILE:CD1	1:F:394:ILE:HG13	2.16	0.76
1:F:264:LEU:HD23	1:F:394:ILE:HD13	1.68	0.75
1:H:191:ARG:NH1	1:H:193:GLU:OE2	2.21	0.73
1:F:393:ILE:HD12	1:F:394:ILE:HG13	1.67	0.73
1:C:198:PHE:HD2	1:C:198:PHE:N	1.86	0.72
1:C:289:THR:HG22	1:C:291:GLN:N	2.04	0.72
1:D:370:ARG:HG2	1:D:370:ARG:HH11	1.55	0.72
3:E:804:CL:CL	5:F:99:HOH:O	2.45	0.71
1:H:393:ILE:HD12	1:H:394:ILE:HG13	1.72	0.71
1:B:289:THR:HG22	1:B:291:GLN:H	1.55	0.70
1:G:416:MET:O	1:G:420:LEU:HG	1.92	0.70
1:F:251:LEU:HD12	1:F:337:LEU:HD12	1.74	0.69
1:C:198:PHE:N	1:C:198:PHE:CD2	2.53	0.69
1:E:349:LYS:NZ	3:E:804:CL:CL	2.63	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:414:ALA:O	1:C:417:LEU:HB2	1.93	0.68
1:A:274:ASN:ND2	1:C:194:PRO:HA	2.09	0.67
1:C:289:THR:C	1:C:291:GLN:H	1.97	0.67
1:A:229:LEU:HD13	1:F:414:ALA:HB1	1.77	0.66
1:A:320:GLY:HA2	1:A:325:LEU:HD22	1.78	0.66
1:B:197:GLY:O	1:B:200:LYS:HB2	1.96	0.66
2:C:600:ACT:CH3	2:C:601:ACT:H3	2.26	0.65
1:D:282:ASN:HD22	1:D:300:ASN:H	1.42	0.64
1:F:414:ALA:O	1:F:417:LEU:HB2	1.97	0.64
2:H:600:ACT:H3	2:H:601:ACT:CH3	2.27	0.64
1:D:282:ASN:ND2	1:D:300:ASN:H	1.96	0.64
1:B:289:THR:HG22	1:B:290:GLU:N	2.13	0.64
3:B:806:CL:CL	5:C:110:HOH:O	2.52	0.63
1:G:251:LEU:HD21	1:G:285:ILE:HD11	1.79	0.63
1:E:243:LYS:H	1:E:314:ASN:HD21	1.44	0.62
1:E:213:PRO:HG2	1:E:392:ARG:HG3	1.80	0.62
1:G:349:LYS:NZ	3:G:812:CL:CL	2.69	0.62
1:D:223:LEU:O	1:D:227:VAL:HG23	1.99	0.62
1:C:264:LEU:HD23	1:C:394:ILE:HD13	1.81	0.62
1:F:349:LYS:NZ	3:F:805:CL:CL	2.69	0.62
1:E:282:ASN:HD22	1:E:300:ASN:H	1.47	0.61
1:D:227:VAL:HG21	1:D:381:GLN:CG	2.30	0.61
1:A:229:LEU:CD1	1:F:414:ALA:HB1	2.31	0.61
4:C:500:CO6:H8	4:C:500:CO6:O4A	2.01	0.61
1:H:319:LEU:HB3	1:H:325:LEU:HD13	1.83	0.61
1:B:314:ASN:N	1:B:314:ASN:HD22	1.99	0.60
1:H:357:VAL:HG21	1:H:394:ILE:HD11	1.83	0.60
1:A:365:ILE:HG13	4:A:500:CO6:N1A	2.17	0.60
1:D:349:LYS:NZ	3:D:811:CL:CL	2.71	0.60
1:F:241:GLY:O	1:F:242:ILE:HD13	2.02	0.60
1:B:414:ALA:O	1:B:417:LEU:HB2	2.02	0.59
1:G:393:ILE:HD13	1:G:393:ILE:H	1.67	0.59
1:E:194:PRO:HA	1:F:274:ASN:HD22	1.66	0.59
1:E:416:MET:O	1:E:420:LEU:HG	2.03	0.59
1:B:305:SER:OG	1:B:308:GLU:HG3	2.02	0.59
1:G:223:LEU:HA	5:G:132:HOH:O	2.02	0.59
1:D:236:ILE:O	1:D:240:ARG:HG3	2.02	0.58
1:D:242:ILE:HG23	1:D:314:ASN:ND2	2.18	0.58
1:F:298:VAL:HG13	1:F:312:GLU:HG2	1.85	0.58
1:H:357:VAL:CG2	1:H:394:ILE:HD11	2.34	0.58
1:E:251:LEU:HD12	1:E:337:LEU:HD12	1.84	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:416:MET:O	1:F:420:LEU:HG	2.03	0.57
2:H:600:ACT:CH3	2:H:601:ACT:H3	2.31	0.57
1:F:251:LEU:CD1	1:F:337:LEU:HD12	2.34	0.57
1:H:267:SER:HB2	1:H:278:LYS:HE3	1.87	0.56
1:H:282:ASN:HD22	1:H:300:ASN:H	1.52	0.56
1:C:223:LEU:HD22	1:C:226:LEU:HD12	1.87	0.56
1:G:397:ALA:O	1:G:401:ARG:HG3	2.05	0.56
1:A:267:SER:OG	1:A:355:PRO:HB2	2.06	0.56
1:E:234:LYS:HB2	1:E:235:PRO:HD3	1.88	0.56
1:F:220:GLU:O	1:F:407:LYS:HE3	2.05	0.56
1:E:393:ILE:HD13	1:E:394:ILE:HG13	1.87	0.55
1:C:357:VAL:HG11	1:C:393:ILE:HD11	1.89	0.54
1:C:289:THR:C	1:C:291:GLN:N	2.61	0.54
1:D:370:ARG:HG2	1:D:370:ARG:NH1	2.22	0.54
1:B:289:THR:CG2	1:B:290:GLU:N	2.70	0.54
1:A:307:PHE:HB2	1:F:418:LEU:HD22	1.90	0.54
2:A:601:ACT:O	1:B:391:HIS:NE2	2.40	0.53
1:H:251:LEU:HD21	1:H:285:ILE:HD11	1.89	0.53
1:B:282:ASN:ND2	1:B:300:ASN:H	2.06	0.53
1:C:289:THR:CG2	1:C:290:GLU:N	2.71	0.53
1:E:339:ASN:HB3	4:E:500:CO6:H132	1.91	0.53
1:B:282:ASN:HD22	1:B:300:ASN:H	1.55	0.53
1:F:234:LYS:O	1:F:237:ALA:HB3	2.09	0.53
1:G:405:LEU:O	1:G:408:SER:HB2	2.08	0.53
1:B:213:PRO:HG2	1:B:392:ARG:HG3	1.92	0.53
1:G:251:LEU:CD1	1:G:337:LEU:HD12	2.38	0.52
1:B:250:PHE:CD2	1:B:362:LEU:HD13	2.45	0.51
4:G:500:CO6:H8	4:G:500:CO6:O4A	2.10	0.51
1:G:282:ASN:HD22	1:G:300:ASN:N	2.05	0.51
1:D:268:VAL:HG11	1:D:393:ILE:HG12	1.92	0.51
1:G:282:ASN:ND2	1:G:299:LYS:HA	2.26	0.51
1:H:282:ASN:ND2	1:H:300:ASN:H	2.08	0.51
2:B:600:ACT:H1	2:B:601:ACT:CH3	2.41	0.50
1:H:258:LEU:HG	1:H:265:ASN:HB2	1.93	0.50
1:C:258:LEU:HG	1:C:265:ASN:HB2	1.92	0.50
1:F:351:VAL:O	2:F:600:ACT:OXT	2.28	0.50
1:A:286:ALA:HB3	1:A:338:SER:HB2	1.94	0.49
1:B:314:ASN:HD22	1:B:314:ASN:H	1.60	0.49
1:D:213:PRO:HG2	1:D:392:ARG:HG3	1.94	0.49
1:E:251:LEU:HD11	1:E:337:LEU:HD12	1.88	0.49
1:F:251:LEU:HD21	1:F:285:ILE:HD11	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:234:LYS:HB2	1:A:235:PRO:HD3	1.94	0.49
1:A:243:LYS:H	1:A:314:ASN:HD21	1.61	0.49
1:D:242:ILE:HG13	1:D:307:PHE:CE1	2.48	0.49
1:A:268:VAL:HG13	1:A:272:CYS:HA	1.94	0.48
1:D:414:ALA:O	1:D:417:LEU:HB2	2.14	0.48
1:C:289:THR:HG22	1:C:290:GLU:N	2.28	0.48
1:C:282:ASN:HD22	1:C:300:ASN:H	1.61	0.48
1:G:365:ILE:HG13	4:G:500:CO6:N1A	2.29	0.48
1:H:242:ILE:HG23	1:H:314:ASN:ND2	2.29	0.48
4:D:500:CO6:P2A	4:D:500:CO6:H5'1	2.54	0.47
1:H:416:MET:O	1:H:420:LEU:HG	2.14	0.47
1:C:227:VAL:HG21	1:C:381:GLN:HG3	1.96	0.47
1:C:251:LEU:HD12	1:C:283:ILE:HG21	1.96	0.47
1:B:234:LYS:N	1:B:235:PRO:HD2	2.28	0.47
1:D:206:MET:HG3	1:E:391:HIS:O	2.13	0.47
1:D:257:GLY:HA2	1:D:405:LEU:HD23	1.96	0.47
1:H:270:GLU:HA	1:H:270:GLU:OE1	2.14	0.47
1:D:251:LEU:HD23	1:D:337:LEU:HD12	1.96	0.47
1:D:275:ILE:HD11	1:F:195:VAL:HG22	1.96	0.47
1:C:198:PHE:HD2	1:C:198:PHE:H	1.37	0.47
1:A:357:VAL:HB	1:A:394:ILE:HD11	1.97	0.47
1:A:229:LEU:O	1:A:229:LEU:HD12	2.16	0.46
1:B:340:ILE:HG12	1:B:362:LEU:O	2.15	0.46
1:G:234:LYS:HB2	1:G:235:PRO:HD3	1.98	0.46
1:G:322:ALA:O	1:G:324:GLN:HG2	2.16	0.46
1:A:192:THR:HG22	1:A:193:GLU:N	2.31	0.46
1:A:191:ARG:HD2	1:A:193:GLU:OE2	2.16	0.46
1:A:223:LEU:HD22	1:A:226:LEU:HD12	1.97	0.46
1:A:227:VAL:HG21	1:A:381:GLN:HG2	1.97	0.46
1:E:251:LEU:CD1	1:E:337:LEU:CD1	2.84	0.46
1:F:268:VAL:HG21	1:F:393:ILE:HG12	1.99	0.45
1:G:243:LYS:H	1:G:314:ASN:HD21	1.63	0.45
1:G:414:ALA:O	1:G:417:LEU:HB2	2.17	0.45
1:A:357:VAL:HG11	1:A:393:ILE:HD11	1.99	0.45
1:E:351:VAL:O	2:E:600:ACT:O	2.34	0.45
1:A:234:LYS:N	1:A:235:PRO:CD	2.79	0.45
1:F:393:ILE:HD13	1:F:394:ILE:HG13	1.94	0.45
1:A:289:THR:C	1:A:291:GLN:H	2.19	0.44
1:B:193:GLU:O	1:C:274:ASN:HA	2.18	0.44
1:B:215:PHE:HB2	1:B:391:HIS:HD2	1.82	0.44
2:B:600:ACT:CH3	2:B:601:ACT:H2	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:221:VAL:HG12	1:F:383:MET:O	2.18	0.44
1:H:268:VAL:HG21	1:H:393:ILE:HG12	2.00	0.44
1:D:234:LYS:O	1:D:235:PRO:C	2.56	0.44
1:G:251:LEU:HD12	1:G:251:LEU:HA	1.72	0.44
1:G:323:GLY:HA2	5:G:121:HOH:O	2.16	0.44
1:C:256:LEU:HB3	1:C:409:TYR:CE2	2.53	0.44
1:F:222:ASP:O	1:F:411:GLU:HG2	2.17	0.44
1:D:244:LEU:HD12	1:D:248:PRO:HG2	2.00	0.44
1:C:352:ILE:O	1:C:354:PRO:HD3	2.18	0.43
1:E:223:LEU:HA	5:E:106:HOH:O	2.17	0.43
1:F:349:LYS:O	1:F:349:LYS:HD3	2.18	0.43
1:G:282:ASN:HA	1:G:298:VAL:O	2.18	0.43
1:G:221:VAL:HG13	1:G:407:LYS:HG3	2.00	0.43
1:B:393:ILE:HD12	1:B:394:ILE:HG13	2.00	0.43
1:E:282:ASN:ND2	1:E:300:ASN:H	2.12	0.43
1:F:415:PHE:CD1	1:F:415:PHE:N	2.85	0.43
1:G:198:PHE:HD1	1:G:291:GLN:HB2	1.83	0.43
1:D:415:PHE:N	1:D:415:PHE:CD1	2.86	0.43
1:H:374:LYS:H	1:H:374:LYS:HD2	1.84	0.43
1:D:229:LEU:O	1:D:229:LEU:HD12	2.18	0.43
1:H:289:THR:C	1:H:291:GLN:H	2.22	0.43
1:A:417:LEU:O	1:A:418:LEU:C	2.57	0.43
1:B:357:VAL:HB	1:B:394:ILE:HD11	1.99	0.43
1:D:247:MET:O	1:D:251:LEU:HG	2.18	0.43
1:A:319:LEU:CB	1:A:325:LEU:HD13	2.42	0.42
1:A:415:PHE:N	1:A:415:PHE:CD1	2.87	0.42
1:D:284:GLY:HA2	1:D:297:ASN:HA	2.02	0.42
1:F:340:ILE:HD13	1:F:340:ILE:HG21	1.73	0.42
1:H:285:ILE:O	1:H:296:PRO:HD2	2.18	0.42
1:A:362:LEU:HD23	1:A:385:VAL:HG23	2.00	0.42
1:F:229:LEU:C	1:F:229:LEU:HD23	2.40	0.42
1:H:300:ASN:O	1:H:304:ARG:HG2	2.19	0.42
1:D:385:VAL:O	1:D:385:VAL:HG13	2.18	0.42
4:D:500:CO6:H5'1	4:D:500:CO6:O6A	2.20	0.42
1:D:270:GLU:OE1	1:D:270:GLU:HA	2.19	0.42
1:E:283:ILE:HA	1:E:335:PHE:O	2.20	0.42
1:C:299:LYS:HB2	1:C:304:ARG:HH12	1.84	0.42
1:C:198:PHE:HD1	1:C:291:GLN:HB3	1.85	0.42
1:C:282:ASN:ND2	1:C:299:LYS:HA	2.35	0.42
1:D:415:PHE:N	1:D:415:PHE:HD1	2.18	0.42
1:F:289:THR:C	1:F:291:GLN:N	2.72	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:196:LYS:O	1:H:199:HIS:HB2	2.20	0.42
1:E:289:THR:C	1:E:291:GLN:N	2.73	0.41
1:A:416:MET:O	1:A:420:LEU:HG	2.19	0.41
1:D:283:ILE:HA	1:D:335:PHE:O	2.20	0.41
1:E:251:LEU:HD12	1:E:251:LEU:HA	1.79	0.41
1:G:393:ILE:HD13	1:G:393:ILE:N	2.33	0.41
1:G:393:ILE:CD1	1:G:394:ILE:HD12	2.51	0.41
1:G:226:LEU:HD23	1:G:246:PHE:HD1	1.86	0.41
1:B:391:HIS:O	1:B:391:HIS:ND1	2.54	0.41
1:E:369:PRO:O	1:E:370:ARG:HG2	2.21	0.41
1:D:193:GLU:HA	1:D:194:PRO:HD2	1.91	0.41
1:D:224:THR:HA	1:D:381:GLN:HB2	2.03	0.41
1:F:346:THR:OG1	1:F:347:TYR:N	2.51	0.41
1:G:391:HIS:CE1	1:G:395:ASP:HA	2.56	0.41
1:C:198:PHE:CE2	1:C:199:HIS:CE1	3.09	0.41
1:D:322:ALA:CB	1:D:324:GLN:HG3	2.50	0.41
1:D:368:LEU:HA	1:D:369:PRO:HD3	1.88	0.41
1:F:384:ASN:HB2	5:F:17:HOH:O	2.20	0.41
1:G:282:ASN:HD22	1:G:299:LYS:HA	1.85	0.41
1:D:390:ASP:OD2	1:D:392:ARG:NH2	2.32	0.40
1:A:417:LEU:HD23	1:A:417:LEU:HA	1.95	0.40
1:D:280:SER:HB3	1:D:282:ASN:HD21	1.85	0.40
1:G:393:ILE:H	1:G:393:ILE:CD1	2.33	0.40
1:H:374:LYS:H	1:H:374:LYS:CD	2.35	0.40
1:D:280:SER:HB3	1:D:282:ASN:ND2	2.36	0.40
1:B:314:ASN:H	1:B:314:ASN:ND2	2.18	0.40
1:C:251:LEU:HD13	1:C:337:LEU:HD12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	232/262 (88%)	220 (95%)	12 (5%)	0	100	100
1	B	232/262 (88%)	222 (96%)	10 (4%)	0	100	100
1	C	232/262 (88%)	222 (96%)	9 (4%)	1 (0%)	34	54
1	D	232/262 (88%)	217 (94%)	15 (6%)	0	100	100
1	E	232/262 (88%)	223 (96%)	7 (3%)	2 (1%)	17	31
1	F	232/262 (88%)	218 (94%)	13 (6%)	1 (0%)	34	54
1	G	232/262 (88%)	218 (94%)	13 (6%)	1 (0%)	34	54
1	H	232/262 (88%)	224 (97%)	7 (3%)	1 (0%)	34	54
All	All	1856/2096 (88%)	1764 (95%)	86 (5%)	6 (0%)	41	61

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	290	GLU
1	F	272	CYS
1	G	239	ALA
1	H	290	GLU
1	E	194	PRO
1	E	290	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/222 (88%)	181 (92%)	15 (8%)	13	25
1	B	196/222 (88%)	178 (91%)	18 (9%)	9	18
1	C	196/222 (88%)	180 (92%)	16 (8%)	11	22
1	D	196/222 (88%)	178 (91%)	18 (9%)	9	18
1	E	196/222 (88%)	182 (93%)	14 (7%)	14	28
1	F	196/222 (88%)	186 (95%)	10 (5%)	24	45
1	G	196/222 (88%)	171 (87%)	25 (13%)	4	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	196/222 (88%)	183 (93%)	13 (7%)	16	32
All	All	1568/1776 (88%)	1439 (92%)	129 (8%)	11	22

All (129) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	189	LYS
1	A	226	LEU
1	A	236	ILE
1	A	267	SER
1	A	270	GLU
1	A	271	ASN
1	A	290	GLU
1	A	319	LEU
1	A	325	LEU
1	A	327	THR
1	A	328	ASN
1	A	330	LEU
1	A	353	LEU
1	A	393	ILE
1	A	412	ASN
1	B	198	PHE
1	B	221	VAL
1	B	226	LEU
1	B	229	LEU
1	B	234	LYS
1	B	278	LYS
1	B	291	GLN
1	B	294	ILE
1	B	314	ASN
1	B	319	LEU
1	B	325	LEU
1	B	330	LEU
1	B	331	ILE
1	B	353	LEU
1	B	374	LYS
1	B	393	ILE
1	B	418	LEU
1	B	421	LYS
1	C	198	PHE
1	C	226	LEU
1	C	234	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	243	LYS
1	C	251	LEU
1	C	258	LEU
1	C	267	SER
1	C	271	ASN
1	C	273	GLN
1	C	318	LYS
1	C	319	LEU
1	C	327	THR
1	C	330	LEU
1	C	353	LEU
1	C	362	LEU
1	C	399	VAL
1	D	198	PHE
1	D	204	LYS
1	D	225	GLU
1	D	226	LEU
1	D	258	LEU
1	D	287	MET
1	D	291	GLN
1	D	306	ILE
1	D	318	LYS
1	D	319	LEU
1	D	330	LEU
1	D	331	ILE
1	D	362	LEU
1	D	366	LYS
1	D	370	ARG
1	D	374	LYS
1	D	412	ASN
1	D	418	LEU
1	E	198	PHE
1	E	221	VAL
1	E	226	LEU
1	E	243	LYS
1	E	251	LEU
1	E	258	LEU
1	E	273	GLN
1	E	290	GLU
1	E	330	LEU
1	E	353	LEU
1	E	393	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	417	LEU
1	E	418	LEU
1	E	421	LYS
1	F	226	LEU
1	F	251	LEU
1	F	268	VAL
1	F	270	GLU
1	F	290	GLU
1	F	317	GLN
1	F	318	LYS
1	F	330	LEU
1	F	353	LEU
1	F	418	LEU
1	G	189	LYS
1	G	198	PHE
1	G	200	LYS
1	G	225	GLU
1	G	229	LEU
1	G	243	LYS
1	G	251	LEU
1	G	270	GLU
1	G	274	ASN
1	G	275	ILE
1	G	290	GLU
1	G	306	ILE
1	G	319	LEU
1	G	321	SER
1	G	327	THR
1	G	330	LEU
1	G	353	LEU
1	G	364	THR
1	G	393	ILE
1	G	399	VAL
1	G	408	SER
1	G	412	ASN
1	G	417	LEU
1	G	418	LEU
1	G	421	LYS
1	H	229	LEU
1	H	258	LEU
1	H	267	SER
1	H	271	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	278	LYS
1	H	317	GLN
1	H	319	LEU
1	H	325	LEU
1	H	330	LEU
1	H	340	ILE
1	H	374	LYS
1	H	417	LEU
1	H	418	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	274	ASN
1	A	291	GLN
1	A	314	ASN
1	A	328	ASN
1	A	381	GLN
1	B	282	ASN
1	B	314	ASN
1	B	381	GLN
1	C	271	ASN
1	C	282	ASN
1	D	282	ASN
1	D	314	ASN
1	E	282	ASN
1	E	314	ASN
1	F	274	ASN
1	G	282	ASN
1	G	314	ASN
1	G	372	ASN
1	G	381	GLN
1	G	384	ASN
1	H	274	ASN
1	H	282	ASN
1	H	314	ASN
1	H	381	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 12 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CO6	G	500	-	28,33,55	1.21	3 (10%)	35,52,82	1.64	3 (8%)
2	ACT	H	600	-	3,3,3	0.98	0	3,3,3	0.78	0
2	ACT	G	601	-	3,3,3	0.69	0	3,3,3	1.46	0
2	ACT	A	600	-	3,3,3	0.83	0	3,3,3	1.26	0
2	ACT	E	600	-	3,3,3	0.57	0	3,3,3	1.74	1 (33%)
4	CO6	A	500	-	28,33,55	1.31	4 (14%)	35,52,82	1.27	2 (5%)
4	CO6	E	500	-	35,42,55	1.95	3 (8%)	45,66,82	1.93	9 (20%)
4	CO6	H	500	-	28,33,55	1.18	3 (10%)	35,52,82	1.76	6 (17%)
2	ACT	C	600	-	3,3,3	0.73	0	3,3,3	1.07	0
2	ACT	H	601	-	3,3,3	1.13	0	3,3,3	0.87	0
4	CO6	C	500	-	28,33,55	1.14	3 (10%)	35,52,82	1.59	5 (14%)
2	ACT	C	601	-	3,3,3	0.94	0	3,3,3	2.04	2 (66%)
2	ACT	D	600	-	3,3,3	0.92	0	3,3,3	1.41	0
2	ACT	F	600	-	3,3,3	0.91	0	3,3,3	1.61	1 (33%)
2	ACT	B	600	-	3,3,3	0.62	0	3,3,3	1.79	1 (33%)
2	ACT	G	600	-	3,3,3	0.81	0	3,3,3	2.01	2 (66%)
4	CO6	F	500	-	28,33,55	1.23	2 (7%)	35,52,82	1.26	4 (11%)
2	ACT	B	601	-	3,3,3	0.61	0	3,3,3	1.47	0
2	ACT	A	601	-	3,3,3	0.67	0	3,3,3	2.53	2 (66%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CO6	B	500	-	28,33,55	1.20	3 (10%)	35,52,82	1.61	3 (8%)
2	ACT	F	601	-	3,3,3	0.72	0	3,3,3	1.08	0
2	ACT	E	601	-	3,3,3	1.07	0	3,3,3	2.12	2 (66%)
4	CO6	D	500	-	28,33,55	1.26	2 (7%)	35,52,82	1.42	3 (8%)
2	ACT	D	601	-	3,3,3	0.89	0	3,3,3	1.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CO6	C	500	-	-	11/17/37/71	0/3/3/3
4	CO6	F	500	-	-	1/17/37/71	0/3/3/3
4	CO6	B	500	-	-	5/17/37/71	0/3/3/3
4	CO6	A	500	-	-	4/17/37/71	0/3/3/3
4	CO6	E	500	-	-	10/33/54/71	0/3/3/3
4	CO6	G	500	-	-	2/17/37/71	0/3/3/3
4	CO6	D	500	-	-	9/17/37/71	0/3/3/3
4	CO6	H	500	-	-	5/17/37/71	0/3/3/3

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	500	CO6	O9P-C9P	9.75	1.42	1.23
4	F	500	CO6	C2A-N3A	4.43	1.39	1.32
4	D	500	CO6	C2A-N3A	4.30	1.39	1.32
4	A	500	CO6	C2A-N3A	4.09	1.38	1.32
4	E	500	CO6	C2A-N3A	3.96	1.38	1.32
4	G	500	CO6	C2A-N3A	3.90	1.38	1.32
4	B	500	CO6	C2A-N3A	3.60	1.37	1.32
4	H	500	CO6	C2A-N3A	3.55	1.37	1.32
4	C	500	CO6	C2A-N3A	3.35	1.37	1.32
4	A	500	CO6	C2A-N1A	2.77	1.39	1.33
4	D	500	CO6	C2A-N1A	2.65	1.38	1.33
4	A	500	CO6	P2A-O6A	2.63	1.65	1.54
4	B	500	CO6	P2A-O6A	2.63	1.65	1.54
4	F	500	CO6	C2A-N1A	2.54	1.38	1.33
4	C	500	CO6	C2A-N1A	2.35	1.38	1.33
4	G	500	CO6	P2A-O6A	2.33	1.63	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	500	CO6	C2A-N1A	2.32	1.38	1.33
4	H	500	CO6	C2A-N1A	2.31	1.38	1.33
4	H	500	CO6	P2A-O6A	2.28	1.63	1.54
4	G	500	CO6	C2A-N1A	2.26	1.38	1.33
4	B	500	CO6	C2A-N1A	2.15	1.37	1.33
4	A	500	CO6	C6A-N6A	2.09	1.41	1.34
4	C	500	CO6	P2A-O6A	2.08	1.62	1.54

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	500	CO6	N3A-C2A-N1A	-6.57	118.41	128.68
4	E	500	CO6	O9P-C9P-CAP	6.44	125.23	119.04
4	E	500	CO6	N3A-C2A-N1A	-6.41	118.66	128.68
4	H	500	CO6	N3A-C2A-N1A	-6.31	118.82	128.68
4	C	500	CO6	N3A-C2A-N1A	-6.29	118.85	128.68
4	B	500	CO6	N3A-C2A-N1A	-5.87	119.50	128.68
4	F	500	CO6	N3A-C2A-N1A	-5.56	119.98	128.68
4	A	500	CO6	N3A-C2A-N1A	-5.36	120.29	128.68
4	D	500	CO6	N3A-C2A-N1A	-5.35	120.32	128.68
4	E	500	CO6	O6A-CCP-CBP	4.40	117.63	110.55
4	B	500	CO6	P1A-O3A-P2A	-4.32	118.00	132.83
4	H	500	CO6	P1A-O3A-P2A	-4.12	118.70	132.83
4	B	500	CO6	O5A-P2A-O3A	3.86	117.57	104.64
4	G	500	CO6	P1A-O3A-P2A	-3.61	120.45	132.83
2	A	601	ACT	OXT-C-CH3	3.27	128.70	115.18
2	E	601	ACT	OXT-C-O	-2.92	111.29	122.05
2	A	601	ACT	OXT-C-O	-2.82	111.65	122.05
4	C	500	CO6	P1A-O3A-P2A	-2.73	123.45	132.83
4	E	500	CO6	C1B-N9A-C4A	-2.68	121.92	126.64
2	G	600	ACT	OXT-C-O	-2.68	112.16	122.05
2	C	601	ACT	OXT-C-O	-2.65	112.28	122.05
4	E	500	CO6	O9P-C9P-N8P	-2.60	118.49	123.00
4	C	500	CO6	C5A-C6A-N6A	-2.57	116.45	120.35
4	H	500	CO6	N6A-C6A-N1A	2.54	123.84	118.57
4	D	500	CO6	O3B-C3B-C4B	-2.50	101.04	110.08
4	H	500	CO6	O3B-C3B-C4B	-2.49	101.07	110.08
4	H	500	CO6	O3B-C3B-C2B	-2.49	102.66	111.68
2	E	600	ACT	OXT-C-CH3	2.40	125.11	115.18
4	E	500	CO6	CDP-CBP-CCP	-2.35	104.39	108.23
2	B	600	ACT	OXT-C-CH3	2.35	124.90	115.18
2	C	601	ACT	OXT-C-CH3	2.32	124.78	115.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	600	ACT	OXT-C-O	-2.29	113.61	122.05
4	H	500	CO6	O5A-P2A-O3A	2.24	112.13	104.64
4	A	500	CO6	O3B-C3B-C2B	-2.20	103.71	111.68
4	F	500	CO6	C5A-C6A-N6A	-2.20	117.01	120.35
4	C	500	CO6	C2A-N1A-C6A	2.20	122.51	118.75
4	F	500	CO6	C1B-N9A-C4A	-2.19	122.79	126.64
2	G	600	ACT	OXT-C-CH3	2.18	124.19	115.18
4	G	500	CO6	O3B-C3B-C4B	-2.18	102.21	110.08
4	E	500	CO6	C5B-C4B-C3B	-2.17	107.22	114.40
2	E	601	ACT	OXT-C-CH3	2.16	124.09	115.18
4	F	500	CO6	O5A-P2A-O3A	2.09	111.65	104.64
4	E	500	CO6	CBP-CAP-C9P	2.06	117.71	113.70
4	D	500	CO6	C3B-C2B-C1B	2.06	104.45	99.89
4	E	500	CO6	C2A-N1A-C6A	2.04	122.24	118.75
4	C	500	CO6	C3B-C2B-C1B	2.02	104.36	99.89

There are no chirality outliers.

All (47) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	500	CO6	P1A-O3A-P2A-O6A
4	B	500	CO6	P1A-O3A-P2A-O6A
4	C	500	CO6	C3B-C4B-C5B-O5B
4	C	500	CO6	O4B-C4B-C5B-O5B
4	C	500	CO6	C5B-O5B-P1A-O1A
4	C	500	CO6	C5B-O5B-P1A-O2A
4	D	500	CO6	C3B-O3B-P3B-O8A
4	D	500	CO6	C5B-O5B-P1A-O1A
4	D	500	CO6	C5B-O5B-P1A-O2A
4	D	500	CO6	C5B-O5B-P1A-O3A
4	D	500	CO6	P2A-O3A-P1A-O5B
4	D	500	CO6	P1A-O3A-P2A-O5A
4	E	500	CO6	CCP-O6A-P2A-O4A
4	E	500	CO6	CAP-CBP-CCP-O6A
4	E	500	CO6	C9P-CAP-CBP-CCP
4	G	500	CO6	C5B-O5B-P1A-O3A
4	H	500	CO6	C5B-O5B-P1A-O1A
4	H	500	CO6	C5B-O5B-P1A-O2A
4	E	500	CO6	C3B-C4B-C5B-O5B
4	D	500	CO6	C2B-C3B-O3B-P3B
4	E	500	CO6	O4B-C4B-C5B-O5B
4	H	500	CO6	C3B-C4B-C5B-O5B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	H	500	CO6	O4B-C4B-C5B-O5B
4	E	500	CO6	CDP-CBP-CCP-O6A
4	E	500	CO6	CEP-CBP-CCP-O6A
4	C	500	CO6	P2A-O3A-P1A-O5B
4	E	500	CO6	P1A-O3A-P2A-O6A
4	F	500	CO6	P2A-O3A-P1A-O5B
4	B	500	CO6	C3B-O3B-P3B-O7A
4	D	500	CO6	C3B-O3B-P3B-O7A
4	C	500	CO6	P1A-O3A-P2A-O4A
4	C	500	CO6	C3B-O3B-P3B-O9A
4	H	500	CO6	C5B-O5B-P1A-O3A
4	E	500	CO6	P1A-O3A-P2A-O4A
4	G	500	CO6	C5B-O5B-P1A-O2A
4	D	500	CO6	C4B-C3B-O3B-P3B
4	C	500	CO6	C4B-C5B-O5B-P1A
4	A	500	CO6	P1A-O3A-P2A-O5A
4	B	500	CO6	P1A-O3A-P2A-O5A
4	C	500	CO6	P1A-O3A-P2A-O5A
4	C	500	CO6	P1A-O3A-P2A-O6A
4	C	500	CO6	C5B-O5B-P1A-O3A
4	E	500	CO6	CCP-O6A-P2A-O3A
4	A	500	CO6	P2A-O3A-P1A-O1A
4	A	500	CO6	P2A-O3A-P1A-O2A
4	B	500	CO6	O4B-C4B-C5B-O5B
4	B	500	CO6	P1A-O3A-P2A-O4A

There are no ring outliers.

17 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	500	CO6	2	0
2	H	600	ACT	3	0
2	A	600	ACT	1	0
2	E	600	ACT	3	0
4	A	500	CO6	1	0
4	E	500	CO6	1	0
2	C	600	ACT	2	0
2	H	601	ACT	3	0
4	C	500	CO6	1	0
2	C	601	ACT	2	0
2	F	600	ACT	1	0
2	B	600	ACT	2	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	500	CO6	1	0
2	B	601	ACT	2	0
2	A	601	ACT	2	0
2	E	601	ACT	2	0
4	D	500	CO6	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	234/262 (89%)	-0.03	4 (1%) 70 72	34, 47, 69, 76	0
1	B	234/262 (89%)	0.08	16 (6%) 17 17	35, 44, 67, 74	0
1	C	234/262 (89%)	-0.00	10 (4%) 35 38	36, 48, 69, 79	0
1	D	234/262 (89%)	-0.01	11 (4%) 31 33	36, 47, 67, 77	0
1	E	234/262 (89%)	0.07	12 (5%) 28 29	35, 47, 71, 79	0
1	F	234/262 (89%)	0.17	16 (6%) 17 17	37, 49, 70, 76	0
1	G	234/262 (89%)	0.29	17 (7%) 15 15	43, 54, 74, 83	0
1	H	234/262 (89%)	-0.07	9 (3%) 40 43	32, 44, 68, 74	0
All	All	1872/2096 (89%)	0.06	95 (5%) 28 29	32, 48, 70, 83	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	188	GLY	5.2
1	G	373	GLU	4.9
1	E	198	PHE	4.8
1	G	198	PHE	4.7
1	G	291	GLN	4.1
1	D	188	GLY	4.1
1	F	238	PHE	3.9
1	D	189	LYS	3.7
1	B	386	SER	3.5
1	D	238	PHE	3.5
1	E	196	LYS	3.4
1	H	198	PHE	3.3
1	F	242	ILE	3.2
1	G	188	GLY	3.2
1	E	290	GLU	3.1
1	A	188	GLY	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	373	GLU	3.0
1	D	190	ASP	3.0
1	F	189	LYS	3.0
1	G	238	PHE	2.9
1	B	348	ALA	2.8
1	F	218	CYS	2.8
1	G	374	LYS	2.8
1	A	198	PHE	2.8
1	B	374	LYS	2.8
1	H	188	GLY	2.8
1	G	290	GLU	2.7
1	F	243	LYS	2.7
1	G	196	LYS	2.7
1	F	386	SER	2.7
1	E	348	ALA	2.7
1	G	242	ILE	2.7
1	E	373	GLU	2.7
1	H	196	LYS	2.6
1	E	218	CYS	2.6
1	D	218	CYS	2.6
1	D	242	ILE	2.6
1	B	347	TYR	2.6
1	A	348	ALA	2.5
1	C	196	LYS	2.5
1	G	318	LYS	2.5
1	C	238	PHE	2.5
1	A	386	SER	2.5
1	G	320	GLY	2.5
1	E	291	GLN	2.4
1	H	218	CYS	2.4
1	B	189	LYS	2.4
1	H	374	LYS	2.4
1	B	361	ALA	2.4
1	C	374	LYS	2.4
1	B	218	CYS	2.4
1	D	291	GLN	2.3
1	G	348	ALA	2.3
1	G	372	ASN	2.3
1	B	198	PHE	2.3
1	B	216	GLY	2.3
1	C	270	GLU	2.3
1	E	374	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	346	THR	2.3
1	E	347	TYR	2.3
1	B	238	PHE	2.3
1	D	348	ALA	2.3
1	H	238	PHE	2.3
1	C	218	CYS	2.3
1	E	386	SER	2.2
1	C	348	ALA	2.2
1	E	197	GLY	2.2
1	F	374	LYS	2.2
1	G	216	GLY	2.2
1	F	348	ALA	2.2
1	E	388	SER	2.2
1	F	385	VAL	2.2
1	F	360	GLY	2.2
1	C	347	TYR	2.1
1	F	290	GLU	2.1
1	F	234	LYS	2.1
1	D	386	SER	2.1
1	D	373	GLU	2.1
1	F	387	TRP	2.1
1	G	243	LYS	2.1
1	B	385	VAL	2.1
1	H	194	PRO	2.1
1	F	347	TYR	2.1
1	B	387	TRP	2.1
1	C	386	SER	2.0
1	F	361	ALA	2.0
1	C	217	TYR	2.0
1	C	198	PHE	2.0
1	D	198	PHE	2.0
1	B	271	ASN	2.0
1	B	388	SER	2.0
1	G	386	SER	2.0
1	H	386	SER	2.0
1	G	371	PHE	2.0
1	H	217	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	H	810	1/1	0.67	0.27	73,73,73,73	1
2	ACT	E	601	4/4	0.83	0.23	65,66,66,67	0
2	ACT	G	601	4/4	0.85	0.31	76,76,76,77	0
4	CO6	D	500	31/53	0.85	0.14	91,101,117,117	0
2	ACT	A	601	4/4	0.86	0.19	57,58,58,58	0
4	CO6	F	500	31/53	0.86	0.16	73,92,110,112	0
4	CO6	H	500	31/53	0.89	0.14	79,89,106,107	0
4	CO6	E	500	40/53	0.90	0.16	67,82,96,97	0
4	CO6	C	500	31/53	0.90	0.12	88,99,112,113	0
4	CO6	A	500	31/53	0.90	0.16	81,94,112,113	0
4	CO6	B	500	31/53	0.91	0.12	81,94,109,111	0
4	CO6	G	500	31/53	0.92	0.13	80,94,105,106	0
2	ACT	C	601	4/4	0.94	0.17	59,60,60,61	0
2	ACT	D	600	4/4	0.94	0.24	55,56,57,57	0
3	CL	G	807	1/1	0.94	0.39	91,91,91,91	1
2	ACT	B	601	4/4	0.95	0.17	51,53,54,54	0
2	ACT	H	601	4/4	0.95	0.13	46,47,47,48	0
3	CL	A	808	1/1	0.95	0.22	69,69,69,69	0
3	CL	B	806	1/1	0.95	0.24	69,69,69,69	0
3	CL	D	809	1/1	0.95	0.34	77,77,77,77	0
3	CL	D	811	1/1	0.96	0.23	67,67,67,67	0
3	CL	C	802	1/1	0.96	0.28	59,59,59,59	0
3	CL	H	801	1/1	0.96	0.27	66,66,66,66	0
3	CL	F	805	1/1	0.97	0.39	69,69,69,69	0
2	ACT	G	600	4/4	0.97	0.16	43,44,45,46	0
2	ACT	F	600	4/4	0.97	0.16	43,43,44,45	0
2	ACT	H	600	4/4	0.97	0.12	45,46,46,46	0
2	ACT	F	601	4/4	0.97	0.18	50,51,51,51	0
3	CL	A	803	1/1	0.97	0.27	65,65,65,65	0
2	ACT	C	600	4/4	0.98	0.11	45,46,46,46	0
2	ACT	D	601	4/4	0.98	0.15	49,49,49,49	0
2	ACT	E	600	4/4	0.98	0.11	43,44,44,44	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ACT	A	600	4/4	0.98	0.11	48,48,49,49	0
3	CL	E	804	1/1	0.99	0.26	62,62,62,62	0
3	CL	G	812	1/1	0.99	0.25	75,75,75,75	0
2	ACT	B	600	4/4	0.99	0.14	43,46,46,47	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around CO6 F 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO6 H 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO6 E 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO6 C 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CO6 A 500:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CO6 B 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.