



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 09:34 pm GMT

PDB ID : 3NLU  
Title : Structure of endothelial nitric oxide synthase heme domain complexed with N 1-{(3'R,4'R)-4'-[(6"-amino-4"-methylpyridin-2"-yl)methyl]pyrrolidin-3'-yl}-N 2-(3'-fluorophenethyl)ethane-1,2-diamine tetrahydrochloride  
Authors : Xue, F.; Li, H.; Fang, J.; Delker, S.L.; Poulos, T.L.; Silverman, R.B.  
Deposited on : 2010-06-21  
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1112 (2.68-2.64)
Clashscore	122126	1151 (2.68-2.64)
Ramachandran outliers	120053	1133 (2.68-2.64)
Sidechain outliers	120020	1133 (2.68-2.64)
RSRZ outliers	108989	1098 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	444	 % <span style="margin-left: 100px;">77%</span> <span style="margin-left: 100px;">12%</span> <span style="margin-left: 10px;">•</span> <span style="margin-left: 10px;">9%</span>
1	B	444	 % <span style="margin-left: 100px;">73%</span> <span style="margin-left: 100px;">17%</span> <span style="margin-left: 10px;">•</span> <span style="margin-left: 10px;">9%</span>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	3XB	B	800	-	-	X	-

## 2 Entry composition i

There are 9 unique types of molecules in this entry. The entry contains 6759 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	405	Total 3229	C 2052	N 569	O 592	S 16	0	1	0
1	B	403	Total 3218	C 2045	N 567	O 590	S 16	0	1	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	SEE REMARK 999	UNP P29473
B	100	ARG	CYS	SEE REMARK 999	UNP P29473

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	Fe	N	O		
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
2	B	1	43	34	1	4	4	0	0

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula:  $C_9H_{15}N_5O_3$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	17	9	5	3	0	0
3	B	1	17	9	5	3	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is 6-{{(3R,4R)-4-(2-{{2,2-difluoro-2-(3-fluorophenyl)ethyl}amino}ethoxy)pyrrolid

in-3-yl]methyl}-4-methylpyridin-2-amine (three-letter code: 3XB) (formula:  $C_{21}H_{27}F_3N_4O$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	A	1	Total	C	F	N	O	0	0
			29	21	3	4	1		
6	B	1	Total	C	F	N	O	0	0
			29	21	3	4	1		

- Molecule 7 is CACODYLIC ACID (three-letter code: CAD) (formula:  $C_2H_7AsO_2$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
7	A	1	Total	As	C	0	0
			3	1	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	As	C		
7	B	1	3	1	2	0	0

- Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
8	A	1	1	1	0	0

- Molecule 9 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
9	A	50	50	50	0	0
9	B	61	61	61	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric oxide synthase, endothelial



- Molecule 1: Nitric oxide synthase, endothelial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.98Å 107.02Å 156.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.39 – 2.65 37.39 – 2.65	Depositor EDS
% Data completeness (in resolution range)	97.3 (37.39-2.65) 97.3 (37.39-2.65)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	0.12	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.50 (at 2.65Å)	Xtrriage
Refinement program	CNS, REFMAC 5.5.0102	Depositor
R, $R_{free}$	0.186 , 0.254 0.191 , 0.256	Depositor DCC
$R_{free}$ test set	1381 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.9	Xtrriage
Anisotropy	0.251	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 32.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6759	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, H4B, 3XB, ACT, HEM, CAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.68	0/3319	0.74	0/4520
1	B	0.69	0/3307	0.72	0/4503
All	All	0.69	0/6626	0.73	0/9023

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3229	0	3133	38	0
1	B	3218	0	3122	48	0
2	A	43	0	30	8	0
2	B	43	0	30	4	0
3	A	17	0	15	1	0
3	B	17	0	15	1	0
4	A	4	0	3	0	0
5	A	6	0	8	1	0
5	B	6	0	8	1	0
6	A	29	0	27	5	0
6	B	29	0	27	9	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	3	0	0	2	0
7	B	3	0	0	0	0
8	A	1	0	0	0	0
9	A	50	0	0	0	0
9	B	61	0	0	3	0
All	All	6759	0	6418	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:384:CYS:SG	7:A:950:CAD:AS	2.58	1.21
2:B:500:HEM:HBA2	6:B:800:3XB:H3	1.30	1.07
1:B:363[A]:GLU:OE1	6:B:800:3XB:H16	1.56	1.04
1:A:476:ARG:HG3	1:A:476:ARG:HH11	1.36	0.90
1:A:360:MET:CE	1:A:362:THR:OG1	2.34	0.76
2:A:500:HEM:HBB2	2:A:500:HEM:HHC	1.70	0.74
2:B:500:HEM:CBA	6:B:800:3XB:H3	2.15	0.73
6:B:800:3XB:F6	6:B:800:3XB:H2	1.81	0.71
2:B:500:HEM:HBA2	6:B:800:3XB:C3	2.17	0.70
1:B:126:LEU:O	1:B:130:ARG:HG3	1.92	0.69
1:A:360:MET:HE2	1:A:362:THR:OG1	1.93	0.69
1:A:476:ARG:HH11	1:A:476:ARG:CG	2.05	0.68
1:B:281:TRP:HB2	1:B:304:LEU:HD21	1.77	0.66
2:A:500:HEM:CBB	2:A:500:HEM:HHC	2.28	0.63
1:B:223:ARG:HH11	1:B:223:ARG:HB2	1.64	0.62
1:B:423:HIS:O	1:B:427:VAL:HG23	2.01	0.61
1:B:325:PHE:HA	1:B:328:LEU:HD12	1.81	0.61
1:A:363[A]:GLU:OE1	6:A:800:3XB:H16	2.02	0.60
1:B:308:PRO:HD2	1:B:311:LEU:HD12	1.83	0.59
1:B:236:ARG:HD2	1:B:242:ASP:OD1	2.02	0.58
6:B:800:3XB:F6	6:B:800:3XB:C2	2.41	0.58
1:A:146:GLN:NE2	1:A:147:ALA:H	2.01	0.58
1:A:472:SER:HA	1:A:473:PRO:C	2.26	0.56
1:B:457:SER:HA	1:B:462:PHE:CG	2.41	0.56
1:A:69:LYS:HD3	1:A:69:LYS:O	2.07	0.55
1:A:476:ARG:HG3	1:A:476:ARG:NH1	2.16	0.55
2:A:500:HEM:HBA1	6:A:800:3XB:H3	1.88	0.55
1:A:355:PHE:CD1	2:A:500:HEM:HAC	2.42	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:172:LEU:HD11	1:B:232:VAL:HG11	1.90	0.52
3:A:600:H4B:O4	5:A:880:GOL:O2	2.28	0.52
1:A:384:CYS:CB	7:A:950:CAD:AS	3.18	0.51
1:A:458:LEU:HD21	1:B:401:ALA:HB2	1.92	0.51
1:A:388:ASP:OD1	1:A:390:ARG:HB2	2.11	0.51
1:B:367:ARG:O	1:B:371:ASP:HB2	2.11	0.51
1:B:378:LEU:HB2	9:B:1040:HOH:O	2.12	0.50
1:A:370:CYS:SG	1:A:378:LEU:HD13	2.52	0.50
2:A:500:HEM:HBB2	2:A:500:HEM:CHC	2.35	0.50
1:B:180:TRP:CE3	1:B:192:TRP:HA	2.47	0.50
1:B:236:ARG:HD3	1:B:351:SER:HB3	1.94	0.50
1:B:218:LYS:HD3	1:B:219:TYR:N	2.28	0.49
1:A:398:ASP:O	1:A:402:VAL:HG23	2.13	0.49
1:B:449:TRP:HA	3:B:600:H4B:N1	2.28	0.49
1:B:478:GLN:HB2	1:B:479:PRO:HD2	1.95	0.48
1:A:233:PHE:HB3	1:A:234:PRO:CD	2.43	0.48
1:A:184:PRO:CB	1:A:468:ASN:HD21	2.26	0.48
1:B:218:LYS:C	1:B:218:LYS:HD3	2.34	0.48
1:B:272:ILE:HG22	9:B:1034:HOH:O	2.13	0.48
1:B:370:CYS:SG	1:B:378:LEU:HD13	2.54	0.48
1:B:231:THR:O	1:B:353:ALA:HA	2.13	0.47
1:A:184:PRO:HB3	1:A:468:ASN:ND2	2.30	0.47
1:B:230:ILE:HG13	1:B:354:PRO:O	2.15	0.47
1:A:458:LEU:HD21	1:B:401:ALA:CB	2.45	0.47
2:A:500:HEM:C4B	6:A:800:3XB:H14	2.50	0.47
1:B:132:PHE:CE1	1:B:345:ILE:HG23	2.50	0.47
1:B:150:GLU:O	1:B:154:GLU:HG3	2.15	0.47
1:A:260:ASP:OD1	1:A:260:ASP:N	2.48	0.47
1:B:447:TRP:CZ2	1:B:451:VAL:HG21	2.49	0.46
1:B:447:TRP:CE2	1:B:451:VAL:HG21	2.51	0.46
1:B:233:PHE:HB3	1:B:234:PRO:CD	2.46	0.46
1:A:70:PHE:HB3	1:A:84:ASP:O	2.16	0.46
1:B:342:LEU:C	1:B:342:LEU:HD23	2.37	0.46
1:A:360:MET:HE3	1:A:362:THR:OG1	2.15	0.45
1:B:362:THR:HA	1:B:405:ASN:HD21	1.81	0.45
1:A:249:GLN:HB2	1:A:252:ARG:HG3	1.97	0.45
1:B:236:ARG:HD2	1:B:242:ASP:CG	2.36	0.45
1:A:467:VAL:HG13	1:B:102:LEU:CD1	2.47	0.45
1:A:249:GLN:HB2	1:A:252:ARG:CG	2.47	0.45
1:A:340:ASN:HD22	1:A:340:ASN:H	1.65	0.44
1:A:184:PRO:HB3	1:A:468:ASN:HD21	1.83	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:800:3XB:H2A	6:A:800:3XB:F5	2.07	0.44
1:B:363[B]:GLU:OE1	6:B:800:3XB:F6	2.26	0.44
1:B:319:HIS:NE2	1:B:403:GLU:OE1	2.47	0.43
1:A:355:PHE:CG	2:A:500:HEM:HAC	2.53	0.43
1:A:86:LEU:HD13	1:A:440:ARG:HB3	1.99	0.43
1:A:355:PHE:CD1	2:A:500:HEM:CAC	3.02	0.43
1:B:453:PRO:HD3	9:B:1038:HOH:O	2.18	0.43
1:B:189:ARG:O	1:B:192:TRP:HD1	2.02	0.42
1:B:337:ALA:HB2	1:B:356:SER:HB3	2.02	0.42
1:B:122:ALA:O	1:B:126:LEU:HB2	2.20	0.42
1:B:337:ALA:CB	1:B:356:SER:HB3	2.49	0.42
1:A:301:ALA:HB1	1:A:302:PRO:HD2	2.02	0.42
1:B:233:PHE:HB3	1:B:234:PRO:HD2	2.00	0.42
1:B:355:PHE:CD1	2:B:500:HEM:HAC	2.55	0.42
1:A:266:ASP:HA	1:A:267:PRO:HD3	1.88	0.42
1:A:231:THR:O	1:A:353:ALA:HA	2.20	0.42
5:B:880:GOL:H11	6:B:800:3XB:H5'A	2.02	0.42
1:B:281:TRP:CD1	1:B:292:PRO:HG3	2.54	0.42
1:A:67:GLY:HA3	1:A:83:TYR:CZ	2.55	0.41
1:B:72:ARG:HH11	1:B:72:ARG:HG2	1.85	0.41
6:A:800:3XB:H3AA	6:A:800:3XB:H4'	1.87	0.41
1:B:178:GLN:HE22	1:B:181:ARG:HH11	1.67	0.41
1:B:231:THR:O	1:B:354:PRO:HD2	2.20	0.41
1:B:253:TYR:CD2	1:B:288:PHE:HD1	2.38	0.41
6:B:800:3XB:H2	6:B:800:3XB:F5	2.09	0.41
1:A:141:LYS:HA	1:A:141:LYS:HD3	1.91	0.41
1:B:145:SER:O	1:B:149:GLU:HG2	2.20	0.41
1:A:236:ARG:HG2	1:A:242:ASP:OD1	2.21	0.40
1:A:480:ASP:HA	1:A:481:PRO:HD3	1.82	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/444 (90%)	380 (94%)	19 (5%)	3 (1%)	24	36
1	B	400/444 (90%)	382 (96%)	16 (4%)	2 (0%)	31	46
All	All	802/888 (90%)	762 (95%)	35 (4%)	5 (1%)	27	41

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	456	GLY
1	B	108	PRO
1	A	108	PRO
1	A	68	PRO
1	B	260	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	345/377 (92%)	323 (94%)	22 (6%)	19	30
1	B	344/377 (91%)	323 (94%)	21 (6%)	20	33
All	All	689/754 (91%)	646 (94%)	43 (6%)	20	32

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	LYS
1	A	72	ARG
1	A	100	ARG
1	A	102	LEU
1	A	123	GLU
1	A	125	LEU
1	A	194	LYS
1	A	226	LEU
1	A	260	ASP
1	A	282	THR
1	A	293	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	294	LEU
1	A	328	LEU
1	A	331	ARG
1	A	340	ASN
1	A	361	SER
1	A	390	ARG
1	A	398	ASP
1	A	416	LYS
1	A	421	ASP
1	A	468	ASN
1	A	476	ARG
1	B	92	GLN
1	B	100	ARG
1	B	102	LEU
1	B	105	LEU
1	B	109	ARG
1	B	123	GLU
1	B	146	GLN
1	B	207	GLN
1	B	218	LYS
1	B	223	ARG
1	B	225	ASN
1	B	257	ARG
1	B	260	ASP
1	B	262	SER
1	B	264	ARG
1	B	328	LEU
1	B	330	LEU
1	B	340	ASN
1	B	378	LEU
1	B	393	SER
1	B	398	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	146	GLN
1	A	166	HIS
1	A	235	GLN
1	A	340	ASN
1	A	376	ASN
1	A	468	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	146	GLN
1	B	178	GLN
1	B	191	GLN
1	B	222	ASN
1	B	225	ASN
1	B	340	ASN
1	B	376	ASN
1	B	405	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 1 is monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	500	1	27,50,50	2.10	6 (22%)	17,82,82	2.16	5 (29%)
3	H4B	A	600	-	15,18,18	0.94	0	11,26,26	2.43	5 (45%)
6	3XB	A	800	-	27,31,31	0.85	2 (7%)	33,43,43	1.70	8 (24%)
4	ACT	A	860	-	1,3,3	2.15	1 (100%)	0,3,3	0.00	-
5	GOL	A	880	-	5,5,5	0.46	0	5,5,5	0.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	CAD	A	950	-	0,2,4	0.00	-	0,1,6	0.00	-
2	HEM	B	500	1	27,50,50	2.24	6 (22%)	17,82,82	1.94	3 (17%)
3	H4B	B	600	-	15,18,18	0.93	0	11,26,26	2.46	4 (36%)
6	3XB	B	800	-	27,31,31	0.82	2 (7%)	33,43,43	1.60	6 (18%)
5	GOL	B	880	-	5,5,5	0.36	0	5,5,5	0.87	0
7	CAD	B	950	-	0,2,4	0.00	-	0,1,6	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	500	1	-	0/6/54/54	0/0/8/8
3	H4B	A	600	-	-	0/8/17/17	0/2/2/2
6	3XB	A	800	-	-	0/18/29/29	0/3/3/3
4	ACT	A	860	-	-	0/0/0/0	0/0/0/0
5	GOL	A	880	-	-	0/4/4/4	0/0/0/0
7	CAD	A	950	-	-	0/0/0/0	0/0/0/0
2	HEM	B	500	1	-	0/6/54/54	0/0/8/8
3	H4B	B	600	-	-	0/8/17/17	0/2/2/2
6	3XB	B	800	-	-	1/18/29/29	0/3/3/3
5	GOL	B	880	-	-	0/4/4/4	0/0/0/0
7	CAD	B	950	-	-	0/0/0/0	0/0/0/0

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	HEM	C3C-C2C	-5.08	1.33	1.40
2	B	500	HEM	C3C-C2C	-4.94	1.33	1.40
2	A	500	HEM	C3B-C2B	-4.94	1.33	1.40
2	B	500	HEM	C3B-C2B	-4.78	1.33	1.40
6	A	800	3XB	F5-C4	-2.36	1.32	1.37
6	B	800	3XB	F5-C4	-2.34	1.32	1.37
6	B	800	3XB	F6-C4	-2.17	1.32	1.37
6	A	800	3XB	F6-C4	-2.01	1.33	1.37
2	B	500	HEM	C1D-ND	2.01	1.40	1.36
4	A	860	ACT	CH3-C	2.15	1.51	1.48
2	A	500	HEM	C3C-CAC	2.87	1.53	1.47
2	A	500	HEM	CMA-C3A	2.97	1.57	1.51
2	B	500	HEM	C3C-CAC	3.00	1.53	1.47
2	A	500	HEM	C3B-CAB	3.20	1.54	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	HEM	C3B-CAB	3.59	1.55	1.47
2	A	500	HEM	C3D-C2D	4.56	1.51	1.37
2	B	500	HEM	C3D-C2D	5.56	1.54	1.37

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	HEM	CBD-CAD-C3D	-5.36	102.24	112.47
2	B	500	HEM	CBA-CAA-C2A	-5.21	102.52	112.48
3	A	600	H4B	N3-C2-N1	-4.32	118.56	125.43
2	A	500	HEM	CBA-CAA-C2A	-3.73	105.36	112.48
3	B	600	H4B	N3-C2-N1	-3.41	120.01	125.43
2	B	500	HEM	C1D-C2D-C3D	-3.23	104.75	107.00
6	A	800	3XB	C4A-C3A-C2A	-2.97	118.40	120.26
2	A	500	HEM	C1D-C2D-C3D	-2.84	105.02	107.00
2	B	500	HEM	CBD-CAD-C3D	-2.78	107.16	112.47
6	B	800	3XB	C2A-C7A-C4'	-2.66	106.06	115.35
6	A	800	3XB	C2A-C7A-C4'	-2.57	106.38	115.35
6	A	800	3XB	C14-C13-C12	-2.13	120.48	123.29
6	B	800	3XB	F5-C4-C11	-2.02	107.88	110.34
6	A	800	3XB	C8A-C4A-C3A	-2.00	118.04	120.96
6	A	800	3XB	C5'-C4'-C3'	2.36	106.40	103.40
2	A	500	HEM	CAA-CBA-CGA	2.51	116.95	112.66
3	A	600	H4B	C4-C4A-C8A	2.56	116.88	114.56
2	A	500	HEM	C4C-C3C-C2C	2.63	108.73	106.90
3	A	600	H4B	N2-C2-N1	2.64	121.39	117.25
6	B	800	3XB	C5'-C4'-C3'	2.86	107.04	103.40
6	B	800	3XB	C2-N2-C3	2.99	119.40	113.35
3	B	600	H4B	C2-N1-C8A	2.99	121.22	114.50
3	A	600	H4B	C2-N1-C8A	3.05	121.36	114.50
6	A	800	3XB	C2-N2-C3	3.21	119.84	113.35
3	B	600	H4B	C4-N3-C2	3.41	120.96	116.06
3	A	600	H4B	C4-N3-C2	3.58	121.20	116.06
6	A	800	3XB	C2'-N1'-C5'	3.61	113.76	105.33
6	B	800	3XB	C2'-N1'-C5'	3.67	113.89	105.33
6	A	800	3XB	C6A-N1A-C2A	4.14	121.08	118.17
6	B	800	3XB	C6A-N1A-C2A	4.14	121.08	118.17
3	B	600	H4B	C4-C4A-C8A	4.85	118.95	114.56

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	800	3XB	C4-C3-N2-C2

There are no ring outliers.

9 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	HEM	8	0
3	A	600	H4B	1	0
6	A	800	3XB	5	0
5	A	880	GOL	1	0
7	A	950	CAD	2	0
2	B	500	HEM	4	0
3	B	600	H4B	1	0
6	B	800	3XB	9	0
5	B	880	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	405/444 (91%)	-0.38	6 (1%) 73 70	16, 30, 55, 73	0
1	B	403/444 (90%)	-0.49	4 (0%) 82 82	15, 32, 55, 75	0
All	All	808/888 (90%)	-0.43	10 (1%) 79 78	15, 31, 56, 75	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	121	PRO	2.9
1	B	259	GLN	2.9
1	A	68	PRO	2.5
1	B	223	ARG	2.4
1	A	127	SER	2.4
1	A	239	GLY	2.3
1	B	109	ARG	2.3
1	B	121	PRO	2.2
1	A	259	GLN	2.1
1	A	160	ALA	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	3XB	B	800	29/29	0.87	0.22	43,49,52,57	0
6	3XB	A	800	29/29	0.89	0.28	44,54,56,56	0
5	GOL	A	880	6/6	0.90	0.28	46,50,52,53	0
5	GOL	B	880	6/6	0.92	0.20	51,54,55,57	0
4	ACT	A	860	4/4	0.94	0.17	34,34,35,36	0
3	H4B	B	600	17/17	0.97	0.12	27,30,32,32	0
3	H4B	A	600	17/17	0.98	0.17	23,26,30,31	0
7	CAD	A	950	3/5	0.98	0.09	59,59,59,60	0
2	HEM	A	500	43/43	0.98	0.17	15,21,32,35	0
2	HEM	B	500	43/43	0.98	0.11	13,21,33,36	0
8	ZN	A	900	1/1	0.99	0.07	25,25,25,25	0
7	CAD	B	950	3/5	0.99	0.07	59,59,60,61	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.