



## Full wwPDB EM Validation Report ⓘ

Nov 5, 2024 – 08:49 pm GMT

PDB ID : 7OYA  
EMDB ID : EMD-13111  
Title : Cryo-EM structure of the 1 hpf zebrafish embryo 80S ribosome  
Authors : Leesch, F.; Lorenzo-Orts, L.; Grishkovskaya, I.; Kandolf, S.; Belacic, K.; Meinhart, A.; Haselbach, D.; Pauli, A.  
Deposited on : 2021-06-24  
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	22	1939	
2	A2	308	
3	B2	267	
4	C2	280	
5	E2	263	
6	G2	249	
7	H2	194	
8	I2	208	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	J2	194	 92% 7%
10	L2	159	 85% 14%
11	N2	151	 97%
12	O2	151	 87% 12%
13	R2	134	 96% 5%
14	V2	81	 99%
15	W2	130	 99%
16	X2	143	 97%
17	Y2	132	 94% 6%
18	a2	115	 84% 15%
19	b2	84	 95%
20	e2	133	 38% 62%
21	D2	245	 88% 11% 7%
22	F2	204	 75% 23%
23	K2	166	 55% 43%
24	P2	145	 75% 23%
25	Q2	146	 95% 5%
26	U2	119	 82% 18% 5%
27	c2	69	 90% 10%
28	d2	56	 88% 12%
29	g2	317	 95% 15%
30	Z2	124	 55% 43%
31	T2	146	 94% 6%
32	S2	152	 89% 9%
33	i2	347	 10% 90%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Z1	136	99%
35	b1	64	77%
36	c1	117	79%
37	d1	123	86%
38	e1	135	93%
39	f1	110	97%
40	g1	117	89%
41	h1	123	95%
42	i1	105	92%
43	j1	97	88%
44	k1	70	99%
45	o1	106	96%
46	p1	92	98%
47	A1	257	95%
48	B1	403	98%
49	C1	375	91%
50	D1	296	96%
51	E1	265	76%
52	F1	246	90%
53	G1	266	77%
54	H1	192	99%
55	J1	178	93%
56	L1	211	93%
57	M1	139	96%
58	N1	204	98%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	O1	205	100%
60	P1	184	82% 17%
61	Q1	182	99%
62	R1	196	84% 15%
63	T1	160	98%
64	U1	141	67% 31%
65	V1	140	92% 8%
66	W1	157	38% 62%
67	X1	155	75% 25%
68	Y1	145	82% 16%
69	l1	51	96%
70	n1	25	96%
71	r1	138	86% 14%
72	l1	215	93% 7%
73	S1	176	99%
74	m1	128	39% 61%
75	a1	148	99%
76	51	4269	64% 14% 22%
77	71	120	94% 6%
78	81	158	16% 82% 18%
79	q1	392	13% 29% 70%
80	v2	858	13% 87%
81	11	155	81% 86% 11%
82	s1	109	13% 14% 84%

## 2 Entry composition [i](#)

There are 84 unique types of molecules in this entry. The entry contains 199905 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	22	1531	32731	14610	5931	10660	1530	0	0

- Molecule 2 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A2	210	1665	1061	290	305	9	0	0

- Molecule 3 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	B2	213	1730	1097	310	309	14	0	0

- Molecule 4 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	C2	215	1669	1080	286	294	9	0	0

- Molecule 5 is a protein called 40S ribosomal protein S4, X isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E2	261	2073	1322	385	357	9	0	0

- Molecule 6 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	G2	237	1925	1199	391	328	7	0	0

- Molecule 7 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	H2	186	1492	952	276	264	0	0

- Molecule 8 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	I2	188	1531	964	305	257	5	0	0

- Molecule 9 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	J2	180	1492	952	295	243	2	0	0

- Molecule 10 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	L2	136	1110	703	215	186	6	0	0

- Molecule 11 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	N2	149	1200	767	230	202	1	0	0

- Molecule 12 is a protein called Ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	O2	133	993	609	194	184	6	0	0

- Molecule 13 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	R2	130	1053	662	194	193	4	0	0

- Molecule 14 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	V2	81	623	384	116	119	4	0	0

- Molecule 15 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	W2	129	1034	659	193	176	6	0	0

- Molecule 16 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	X2	139	1083	684	215	181	3	0	0

- Molecule 17 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	Y2	124	1011	643	193	170	5	0	0

- Molecule 18 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	a2	98	782	486	161	130	5	0	0

- Molecule 19 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	b2	82	645	403	122	113	7	0	0

- Molecule 20 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
20	e2	50	399	244	88	67	0	0

- Molecule 21 is a protein called DNA-(apurinic or apyrimidinic site) lyase.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	D2	218	Total	C	N	O	S	0	0
			1668	1061	298	302	7		

- Molecule 22 is a protein called Ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	F2	157	Total	C	N	O	S	0	0
			1234	770	229	230	5		

- Molecule 23 is a protein called Ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	K2	94	Total	C	N	O	S	0	0
			771	506	132	128	5		

- Molecule 24 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	P2	112	Total	C	N	O	S	0	0
			927	589	170	161	7		

- Molecule 25 is a protein called Ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Q2	139	Total	C	N	O	S	0	0
			1104	703	207	191	3		

- Molecule 26 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	U2	97	Total	C	N	O	S	0	0
			754	473	139	138	4		

- Molecule 27 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	c2	62	Total	C	N	O	S	0	0
			482	293	95	92	2		

- Molecule 28 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	d2	49	Total	C	N	O	S	0	0
			406	255	83	63	5		

- Molecule 29 is a protein called Guanine nucleotide-binding protein subunit beta-2-like 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	g2	309	Total	C	N	O	S	0	0
			2388	1505	416	455	12		

- Molecule 30 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	Z2	71	Total	C	N	O	0	0
			566	365	103	98		

- Molecule 31 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	T2	137	Total	C	N	O	S	0	0
			1058	667	202	185	4		

- Molecule 32 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	S2	139	Total	C	N	O	S	0	0
			1139	716	226	196	1		

- Molecule 33 is a protein called Zgc:103482.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	i2	36	Total	C	N	O	S	0	0
			292	168	65	58	1		

- Molecule 34 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Z1	135	Total	C	N	O	S	0	0
			1105	714	208	179	4		

- Molecule 35 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b1	49	Total	C	N	O	S	0	0
			419	259	92	67	1		

- Molecule 36 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	c1	93	Total	C	N	O	S	0	0
			721	457	127	131	6		

- Molecule 37 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	d1	107	Total	C	N	O	S	0	0
			888	558	172	156	2		

- Molecule 38 is a protein called Ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	e1	125	Total	C	N	O	S	0	0
			1030	649	212	163	6		

- Molecule 39 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	f1	107	Total	C	N	O	S	0	0
			861	550	171	137	3		

- Molecule 40 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	g1	104	Total	C	N	O	S	0	0
			833	519	172	136	6		

- Molecule 41 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	h1	120	Total	C	N	O	S	0	0
			991	627	197	165	2		

- Molecule 42 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	i1	98	Total	C	N	O	S	0	0
			801	502	170	125	4		

- Molecule 43 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	j1	86	Total	C	N	O	S	0	0
			701	430	155	110	6		

- Molecule 44 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	k1	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 45 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	o1	102	Total	C	N	O	S	0	0
			840	526	172	136	6		

- Molecule 46 is a protein called Zgc:171772.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	p1	91	Total	C	N	O	S	0	0
			703	444	132	120	7		

- Molecule 47 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	A1	245	Total	C	N	O	S	0	0
			1879	1181	381	310	7		

- Molecule 48 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	B1	394	Total	C	N	O	S	0	0
			3181	2021	600	544	16		

- Molecule 49 is a protein called Ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	C1	348	Total	C	N	O	S	0	0
			2774	1741	551	464	18		

- Molecule 50 is a protein called Ribosomal protein L5b.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	D1	288	Total	C	N	O	S	0	0
			2337	1482	429	415	11		

- Molecule 51 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	E1	206	Total	C	N	O	S	0	0
			1672	1064	327	274	7		

- Molecule 52 is a protein called Ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	F1	222	Total	C	N	O	S	0	0
			1811	1160	346	298	7		

- Molecule 53 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	G1	207	Total	C	N	O	S	0	0
			1683	1076	322	281	4		

- Molecule 54 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	H1	190	Total	C	N	O	S	0	0
			1505	949	279	271	6		

- Molecule 55 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	J1	167	Total	C	N	O	S	0	0
			1348	854	254	235	5		

- Molecule 56 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	L1	197	Total	C	N	O	S	0	0
			1603	1003	335	260	5		

- Molecule 57 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	M1	134	Total	C	N	O	S	0	0
			1094	702	207	180	5		

- Molecule 58 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	N1	202	Total	C	N	O	S	0	0
			1689	1065	352	267	5		

- Molecule 59 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	O1	204	Total	C	N	O	S	0	0
			1662	1073	318	266	5		

- Molecule 60 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	P1	152	Total	C	N	O	S	0	0
			1235	770	243	213	9		

- Molecule 61 is a protein called Ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	Q1	180	Total	C	N	O	S	0	0
			1459	917	302	236	4		

- Molecule 62 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	R1	166	Total	C	N	O	S	0	0
			1381	856	300	215	10		

- Molecule 63 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	T1	157	1283	816	250	213	4	0	0

- Molecule 64 is a protein called Ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	U1	97	792	508	138	144	2	0	0

- Molecule 65 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	V1	129	970	613	182	170	5	0	0

- Molecule 66 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	W1	60	503	323	98	80	2	0	0

- Molecule 67 is a protein called Ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	X1	117	959	614	179	165	1	0	0

- Molecule 68 is a protein called ATPase H<sup>+</sup> transporting V0 subunit e1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	Y1	122	1024	643	209	169	3	0	0

- Molecule 69 is a protein called Ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	I1	49	434	275	97	61	1	0	0

- Molecule 70 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	n1	24	Total	C	N	O	S	0	0
			231	140	63	26	2		

- Molecule 71 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	r1	118	Total	C	N	O	S	0	0
			943	589	193	159	2		

- Molecule 72 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	l1	201	Total	C	N	O	S	0	0
			1630	1037	315	264	14		

- Molecule 73 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	S1	176	Total	C	N	O	S	0	0
			1457	934	284	230	9		

- Molecule 74 is a protein called 60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	m1	50	Total	C	N	O	S	0	0
			413	256	87	64	6		

- Molecule 75 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	a1	147	Total	C	N	O	S	0	0
			1164	740	233	188	3		

- Molecule 76 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	51	3321	Total	C	N	O	P	0	0
			71140	31690	12986	23144	3320		

- Molecule 77 is a RNA chain called 5S rRNA.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
77	71	120	2563	1145	465	834	119	0	0

- Molecule 78 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
78	81	158	3363	1501	600	1104	158	0	0

- Molecule 79 is a protein called Novel protein similar to human proliferation-associated 2G4 protein (PA2G4).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
79	q1	118	943	599	165	169	10	0	0

- Molecule 80 is a protein called Eukaryotic translation elongation factor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
80	v2	110	885	569	147	164	5	0	0

- Molecule 81 is a protein called Eukaryotic translation initiation factor 5A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
81	11	138	1055	656	183	205	11	0	0

- Molecule 82 is a protein called Dap1b.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
82	s1	17	139	87	29	22	1	0	0

- Molecule 83 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
83	a2	1	Total	Zn	0
			1	1	
83	d2	1	Total	Zn	0
			1	1	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		AltConf
83	g1	1	Total 1	Zn 1	0
83	j1	1	Total 1	Zn 1	0
83	o1	1	Total 1	Zn 1	0
83	p1	1	Total 1	Zn 1	0
83	m1	1	Total 1	Zn 1	0


- Molecule 84 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
84	b1	1	Total 1	Mg 1	0
84	A1	1	Total 1	Mg 1	0
84	B1	1	Total 1	Mg 1	0
84	V1	1	Total 1	Mg 1	0
84	S1	1	Total 1	Mg 1	0
84	m1	1	Total 1	Mg 1	0
84	51	186	Total 186	Mg 186	0
84	71	5	Total 5	Mg 5	0
84	81	5	Total 5	Mg 5	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 18S rRNA









• Molecule 2: 40S ribosomal protein SA




• Molecule 3: 40S ribosomal protein S3a



• Molecule 4: 40S ribosomal protein S2




• Molecule 5: 40S ribosomal protein S4, X isoform



- Molecule 6: 40S ribosomal protein S6

Chain G2:  94% 5%





- Molecule 7: 40S ribosomal protein S7

Chain H2:  5% 94%





- Molecule 8: 40S ribosomal protein S8

Chain I2:  89% 10%





- Molecule 9: 40S ribosomal protein S9

Chain J2:  92% 7%



- Molecule 10: 40S ribosomal protein S11

Chain L2:  85% 14%





- Molecule 11: 40S ribosomal protein S13

Chain N2:  97%



- Molecule 12: Ribosomal protein S14


Chain O2:  87% 12%



- Molecule 13: 40S ribosomal protein S17



- Molecule 14: 40S ribosomal protein S21




- Molecule 15: 40S ribosomal protein S15a





- Molecule 16: 40S ribosomal protein S23



- Molecule 17: 40S ribosomal protein S24




- Molecule 18: 40S ribosomal protein S26





- Molecule 19: 40S ribosomal protein S27










• Molecule 20: 40S ribosomal protein S30





• Molecule 21: DNA-(apurinic or apyrimidinic site) lyase




• Molecule 22: Ribosomal protein S5



• Molecule 23: Ribosomal protein S10




• Molecule 24: 40S ribosomal protein S15







• Molecule 25: Ribosomal protein S16





• Molecule 26: 40S ribosomal protein S20




• Molecule 27: 40S ribosomal protein S28



• Molecule 28: 40S ribosomal protein S29




• Molecule 29: Guanine nucleotide-binding protein subunit beta-2-like 1




• Molecule 30: 40S ribosomal protein S25












• Molecule 31: 40S ribosomal protein S19




• Molecule 32: 40S ribosomal protein S18





• Molecule 33: Zgc:103482




• Molecule 34: 60S ribosomal protein L27





• Molecule 35: 60S ribosomal protein L29




- Molecule 36: 60S ribosomal protein L30



- Molecule 37: 60S ribosomal protein L31





- Molecule 38: Ribosomal protein L32




- Molecule 39: 60S ribosomal protein L35a



- Molecule 40: 60S ribosomal protein L34




- Molecule 41: 60S ribosomal protein L35





- Molecule 42: 60S ribosomal protein L36

Chain i1:  92% 7%



- Molecule 43: Ribosomal protein L37

Chain j1:  88% 11%



- Molecule 44: 60S ribosomal protein L38

Chain k1:  99%




- Molecule 45: 60S ribosomal protein L36a

Chain o1:  96%




- Molecule 46: Zgc:171772

Chain p1:  98%




- Molecule 47: 60S ribosomal protein L8

Chain A1:  95% 5%




- Molecule 48: Ribosomal protein L3

Chain B1:  98%






- Molecule 49: Ribosomal protein L4




• Molecule 50: Ribosomal protein L5b






• Molecule 51: 60S ribosomal protein L6




• Molecule 52: Ribosomal protein L7



• Molecule 53: 60S ribosomal protein L7a




• Molecule 54: 60S ribosomal protein L9




• Molecule 55: 60S ribosomal protein L11







- Molecule 56: 60S ribosomal protein L13



- Molecule 57: 60S ribosomal protein L14





- Molecule 58: Ribosomal protein L15



- Molecule 59: 60S ribosomal protein L13a




- Molecule 60: 60S ribosomal protein L17




- Molecule 61: Ribosomal protein L18




- Molecule 62: 60S ribosomal protein L19






• Molecule 63: 60S ribosomal protein L21




• Molecule 64: Ribosomal protein L22





• Molecule 65: 60S ribosomal protein L23




• Molecule 66: 60S ribosomal protein L24




• Molecule 67: Ribosomal protein L23a



• Molecule 68: ATPase H<sup>+</sup> transporting V0 subunit e1





- Molecule 69: Ribosomal protein L39

Chain l1: 96%




- Molecule 70: 60S ribosomal protein L41

Chain n1: 96%




- Molecule 71: 60S ribosomal protein L28

Chain r1: 86% 14%



- Molecule 72: 60S ribosomal protein L10

Chain l1: 93% 7%





- Molecule 73: 60S ribosomal protein L18a

Chain S1: 99%




- Molecule 74: 60S ribosomal protein L40

Chain m1: 39% 61%




- Molecule 75: 60S ribosomal protein L27a

Chain a1:  99%



● Molecule 76: 28S rRNA

Chain 51:  64% 14% 22%















● Molecule 82: Dap1b



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	535633	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	43	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	8.712	Depositor
Minimum map value	-0.551	Depositor
Average map value	0.089	Depositor
Map value standard deviation	0.284	Depositor
Recommended contour level	0.9	Depositor
Map size (Å)	508.8, 508.8, 508.8	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 5CT, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	22	0.18	0/36607	0.71	5/57041 (0.0%)
2	A2	0.24	0/1703	0.39	0/2313
3	B2	0.23	0/1757	0.41	0/2353
4	C2	0.24	0/1705	0.41	0/2304
5	E2	0.24	0/2113	0.42	0/2842
6	G2	0.23	0/1948	0.40	0/2595
7	H2	0.23	0/1515	0.40	0/2033
8	I2	0.24	0/1558	0.40	0/2081
9	J2	0.23	0/1517	0.38	0/2028
10	L2	0.24	0/1130	0.43	0/1513
11	N2	0.22	0/1223	0.38	0/1644
12	O2	0.24	0/1006	0.44	0/1348
13	R2	0.23	0/1067	0.39	0/1433
14	V2	0.24	0/629	0.41	0/842
15	W2	0.24	0/1051	0.40	0/1406
16	X2	0.24	0/1100	0.42	0/1468
17	Y2	0.24	0/1027	0.42	0/1364
18	a2	0.24	0/795	0.40	0/1066
19	b2	0.23	0/658	0.42	0/884
20	e2	0.23	0/401	0.39	0/526
21	D2	0.24	0/1694	0.43	0/2286
22	F2	0.22	0/1247	0.38	0/1676
23	K2	0.23	0/793	0.38	0/1073
24	P2	0.24	0/943	0.39	0/1260
25	Q2	0.24	0/1121	0.40	0/1501
26	U2	0.23	0/763	0.42	0/1027
27	c2	0.24	0/484	0.44	0/649
28	d2	0.23	0/416	0.38	0/553
29	g2	0.23	0/2445	0.45	0/3335
30	Z2	0.23	0/573	0.41	0/770
31	T2	0.23	0/1076	0.37	0/1445
32	S2	0.23	0/1157	0.40	0/1554

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	i2	0.22	0/296	0.39	0/389
34	Z1	0.25	0/1128	0.40	0/1504
35	b1	0.23	0/429	0.36	0/568
36	c1	0.25	0/731	0.40	0/981
37	d1	0.24	0/903	0.41	0/1217
38	e1	0.24	0/1048	0.40	0/1396
39	f1	0.26	0/880	0.43	0/1175
40	g1	0.23	0/843	0.42	0/1123
41	h1	0.22	0/998	0.37	0/1318
42	i1	0.23	0/812	0.36	0/1074
43	j1	0.24	0/715	0.42	0/944
44	k1	0.24	0/575	0.38	0/761
45	o1	0.24	0/853	0.41	0/1125
46	p1	0.24	0/713	0.41	0/945
47	A1	0.25	0/1918	0.43	0/2569
48	B1	0.25	0/3251	0.42	0/4351
49	C1	0.24	0/2828	0.40	0/3797
50	D1	0.24	0/2380	0.38	0/3185
51	E1	0.24	0/1698	0.41	0/2265
52	F1	0.24	0/1842	0.38	0/2460
53	G1	0.24	0/1717	0.39	0/2316
54	H1	0.24	0/1523	0.43	0/2048
55	J1	0.23	0/1371	0.41	0/1833
56	L1	0.23	0/1631	0.40	0/2178
57	M1	0.24	0/1115	0.38	0/1488
58	N1	0.24	0/1731	0.39	0/2314
59	O1	0.24	0/1694	0.38	0/2267
60	P1	0.24	0/1261	0.40	0/1691
61	Q1	0.24	0/1484	0.41	0/1985
62	R1	0.22	0/1397	0.36	0/1849
63	T1	0.24	0/1312	0.40	0/1756
64	U1	0.24	0/806	0.41	0/1081
65	V1	0.25	0/984	0.42	0/1320
66	W1	0.25	0/516	0.39	0/688
67	X1	0.24	0/978	0.40	0/1318
68	Y1	0.23	0/1039	0.40	0/1383
69	l1	0.23	0/444	0.37	0/587
70	n1	0.20	0/232	0.32	0/295
71	r1	0.23	0/956	0.40	0/1279
72	I1	0.25	0/1668	0.40	0/2229
73	S1	0.25	0/1496	0.40	0/2009
74	m1	0.23	0/419	0.41	0/555
75	a1	0.24	0/1196	0.40	0/1601

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
76	51	0.24	9/79560 (0.0%)	0.70	7/124065 (0.0%)
77	71	0.20	0/2867	0.66	0/4469
78	81	0.19	0/3757	0.69	1/5853 (0.0%)
79	q1	0.24	0/960	0.39	0/1280
80	v2	0.24	0/904	0.40	0/1224
81	11	0.24	0/1053	0.44	0/1411
82	s1	0.37	0/142	0.89	2/189 (1.1%)
All	All	0.23	9/214276 (0.0%)	0.60	15/313921 (0.0%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
76	51	3166	A	O3'-P	-12.87	1.45	1.61
76	51	3168	A	O3'-P	-11.70	1.47	1.61
76	51	3169	C	O3'-P	-11.13	1.47	1.61
76	51	3716	G	O3'-P	-10.02	1.49	1.61
76	51	3656	A	O3'-P	-9.55	1.49	1.61
76	51	3167	G	O3'-P	-5.74	1.54	1.61
76	51	3165	A	O3'-P	-5.43	1.54	1.61
76	51	3167	G	P-OP1	-5.17	1.40	1.49
76	51	3717	A	O3'-P	-5.16	1.54	1.61

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
76	51	3716	G	P-O3'-C3'	16.00	138.91	119.70
76	51	3165	A	O5'-P-OP1	-15.44	91.80	105.70
76	51	3168	A	O5'-P-OP1	-15.11	92.10	105.70
76	51	3717	A	O5'-P-OP2	-7.02	99.38	105.70
1	22	676	U	C2-N1-C1'	6.87	125.95	117.70
76	51	3656	A	C1'-C2'-O2'	-6.71	90.46	110.60
1	22	676	U	N1-C2-O2	6.48	127.34	122.80
76	51	3167	G	O4'-C1'-C2'	-6.39	99.41	105.80
1	22	676	U	N3-C2-O2	-6.11	117.93	122.20
76	51	706	C	C2-N1-C1'	5.64	125.00	118.80
82	s1	104	GLN	N-CA-C	5.61	126.14	111.00
1	22	1583	C	C2-N1-C1'	5.50	124.85	118.80
78	81	113	U	C2-N1-C1'	5.42	124.21	117.70
82	s1	102	CYS	CA-CB-SG	5.11	123.20	114.00
1	22	1583	C	N1-C2-O2	5.10	121.96	118.90

There are no chirality outliers.



There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A2	208/308 (68%)	206 (99%)	2 (1%)	0	100	100
3	B2	211/267 (79%)	203 (96%)	8 (4%)	0	100	100
4	C2	213/280 (76%)	211 (99%)	2 (1%)	0	100	100
5	E2	259/263 (98%)	249 (96%)	10 (4%)	0	100	100
6	G2	235/249 (94%)	228 (97%)	7 (3%)	0	100	100
7	H2	184/194 (95%)	173 (94%)	11 (6%)	0	100	100
8	I2	184/208 (88%)	180 (98%)	4 (2%)	0	100	100
9	J2	178/194 (92%)	177 (99%)	1 (1%)	0	100	100
10	L2	132/159 (83%)	127 (96%)	5 (4%)	0	100	100
11	N2	147/151 (97%)	145 (99%)	2 (1%)	0	100	100
12	O2	131/151 (87%)	127 (97%)	4 (3%)	0	100	100
13	R2	128/134 (96%)	126 (98%)	2 (2%)	0	100	100
14	V2	79/81 (98%)	78 (99%)	1 (1%)	0	100	100
15	W2	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
16	X2	137/143 (96%)	130 (95%)	7 (5%)	0	100	100
17	Y2	122/132 (92%)	118 (97%)	4 (3%)	0	100	100
18	a2	96/115 (84%)	96 (100%)	0	0	100	100
19	b2	80/84 (95%)	78 (98%)	2 (2%)	0	100	100
20	e2	46/133 (35%)	46 (100%)	0	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
21	D2	216/245 (88%)	208 (96%)	8 (4%)	0	100	100
22	F2	151/204 (74%)	144 (95%)	7 (5%)	0	100	100
23	K2	92/166 (55%)	87 (95%)	5 (5%)	0	100	100
24	P2	110/145 (76%)	107 (97%)	3 (3%)	0	100	100
25	Q2	137/146 (94%)	131 (96%)	6 (4%)	0	100	100
26	U2	95/119 (80%)	92 (97%)	3 (3%)	0	100	100
27	c2	60/69 (87%)	60 (100%)	0	0	100	100
28	d2	47/56 (84%)	47 (100%)	0	0	100	100
29	g2	307/317 (97%)	292 (95%)	15 (5%)	0	100	100
30	Z2	69/124 (56%)	67 (97%)	2 (3%)	0	100	100
31	T2	135/146 (92%)	130 (96%)	5 (4%)	0	100	100
32	S2	137/152 (90%)	131 (96%)	6 (4%)	0	100	100
33	i2	34/347 (10%)	30 (88%)	4 (12%)	0	100	100
34	Z1	133/136 (98%)	128 (96%)	5 (4%)	0	100	100
35	b1	47/64 (73%)	44 (94%)	3 (6%)	0	100	100
36	c1	91/117 (78%)	90 (99%)	1 (1%)	0	100	100
37	d1	105/123 (85%)	98 (93%)	7 (7%)	0	100	100
38	e1	123/135 (91%)	120 (98%)	3 (2%)	0	100	100
39	f1	105/110 (96%)	103 (98%)	2 (2%)	0	100	100
40	g1	102/117 (87%)	99 (97%)	3 (3%)	0	100	100
41	h1	118/123 (96%)	116 (98%)	2 (2%)	0	100	100
42	i1	96/105 (91%)	93 (97%)	3 (3%)	0	100	100
43	j1	84/97 (87%)	82 (98%)	2 (2%)	0	100	100
44	k1	67/70 (96%)	67 (100%)	0	0	100	100
45	o1	100/106 (94%)	97 (97%)	3 (3%)	0	100	100
46	p1	89/92 (97%)	88 (99%)	1 (1%)	0	100	100
47	A1	243/257 (95%)	234 (96%)	9 (4%)	0	100	100
48	B1	392/403 (97%)	379 (97%)	13 (3%)	0	100	100
49	C1	346/375 (92%)	338 (98%)	8 (2%)	0	100	100
50	D1	286/296 (97%)	283 (99%)	3 (1%)	0	100	100
51	E1	198/265 (75%)	191 (96%)	7 (4%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
52	F1	220/246 (89%)	216 (98%)	4 (2%)	0	100	100
53	G1	203/266 (76%)	196 (97%)	7 (3%)	0	100	100
54	H1	188/192 (98%)	184 (98%)	4 (2%)	0	100	100
55	J1	165/178 (93%)	162 (98%)	3 (2%)	0	100	100
56	L1	195/211 (92%)	191 (98%)	4 (2%)	0	100	100
57	M1	132/139 (95%)	126 (96%)	6 (4%)	0	100	100
58	N1	200/204 (98%)	194 (97%)	6 (3%)	0	100	100
59	O1	202/205 (98%)	201 (100%)	1 (0%)	0	100	100
60	P1	150/184 (82%)	142 (95%)	8 (5%)	0	100	100
61	Q1	178/182 (98%)	169 (95%)	9 (5%)	0	100	100
62	R1	164/196 (84%)	162 (99%)	2 (1%)	0	100	100
63	T1	155/160 (97%)	148 (96%)	7 (4%)	0	100	100
64	U1	95/141 (67%)	93 (98%)	2 (2%)	0	100	100
65	V1	127/140 (91%)	123 (97%)	4 (3%)	0	100	100
66	W1	58/157 (37%)	57 (98%)	1 (2%)	0	100	100
67	X1	115/155 (74%)	113 (98%)	2 (2%)	0	100	100
68	Y1	120/145 (83%)	118 (98%)	2 (2%)	0	100	100
69	l1	47/51 (92%)	47 (100%)	0	0	100	100
70	n1	22/25 (88%)	22 (100%)	0	0	100	100
71	r1	116/138 (84%)	116 (100%)	0	0	100	100
72	I1	197/215 (92%)	195 (99%)	2 (1%)	0	100	100
73	S1	174/176 (99%)	170 (98%)	4 (2%)	0	100	100
74	m1	48/128 (38%)	48 (100%)	0	0	100	100
75	a1	145/148 (98%)	136 (94%)	9 (6%)	0	100	100
79	q1	114/392 (29%)	110 (96%)	4 (4%)	0	100	100
80	v2	106/858 (12%)	104 (98%)	2 (2%)	0	100	100
81	l1	133/155 (86%)	116 (87%)	17 (13%)	0	100	100
82	s1	13/109 (12%)	12 (92%)	1 (8%)	0	100	100
All	All	10994/14099 (78%)	10667 (97%)	327 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A2	179/250 (72%)	179 (100%)	0	100	100
3	B2	194/231 (84%)	194 (100%)	0	100	100
4	C2	181/220 (82%)	178 (98%)	3 (2%)	56	78
5	E2	227/229 (99%)	227 (100%)	0	100	100
6	G2	208/219 (95%)	206 (99%)	2 (1%)	73	87
7	H2	165/176 (94%)	162 (98%)	3 (2%)	54	77
8	I2	163/181 (90%)	161 (99%)	2 (1%)	67	85
9	J2	160/168 (95%)	159 (99%)	1 (1%)	84	92
10	L2	122/141 (86%)	121 (99%)	1 (1%)	79	90
11	N2	129/130 (99%)	127 (98%)	2 (2%)	58	79
12	O2	103/119 (87%)	102 (99%)	1 (1%)	73	87
13	R2	118/121 (98%)	117 (99%)	1 (1%)	79	90
14	V2	65/65 (100%)	64 (98%)	1 (2%)	60	81
15	W2	112/113 (99%)	112 (100%)	0	100	100
16	X2	111/115 (96%)	110 (99%)	1 (1%)	75	89
17	Y2	108/116 (93%)	108 (100%)	0	100	100
18	a2	86/99 (87%)	85 (99%)	1 (1%)	67	85
19	b2	74/76 (97%)	72 (97%)	2 (3%)	40	69
20	e2	41/112 (37%)	41 (100%)	0	100	100
21	D2	176/204 (86%)	174 (99%)	2 (1%)	70	86
22	F2	135/170 (79%)	132 (98%)	3 (2%)	47	73
23	K2	82/132 (62%)	80 (98%)	2 (2%)	44	71
24	P2	102/130 (78%)	99 (97%)	3 (3%)	37	67
25	Q2	114/119 (96%)	113 (99%)	1 (1%)	75	89
26	U2	87/105 (83%)	87 (100%)	0	100	100
27	c2	54/61 (88%)	54 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	d2	42/49 (86%)	42 (100%)	0	100	100
29	g2	263/274 (96%)	255 (97%)	8 (3%)	36	66
30	Z2	61/105 (58%)	58 (95%)	3 (5%)	21	54
31	T2	110/117 (94%)	110 (100%)	0	100	100
32	S2	119/132 (90%)	115 (97%)	4 (3%)	32	63
33	i2	32/296 (11%)	31 (97%)	1 (3%)	35	66
34	Z1	115/116 (99%)	114 (99%)	1 (1%)	75	89
35	b1	45/56 (80%)	45 (100%)	0	100	100
36	c1	78/98 (80%)	77 (99%)	1 (1%)	65	83
37	d1	98/110 (89%)	97 (99%)	1 (1%)	73	87
38	e1	113/121 (93%)	113 (100%)	0	100	100
39	f1	86/88 (98%)	86 (100%)	0	100	100
40	g1	91/102 (89%)	91 (100%)	0	100	100
41	h1	108/110 (98%)	105 (97%)	3 (3%)	38	68
42	i1	83/88 (94%)	82 (99%)	1 (1%)	67	85
43	j1	73/80 (91%)	72 (99%)	1 (1%)	62	82
44	k1	64/65 (98%)	64 (100%)	0	100	100
45	o1	91/95 (96%)	91 (100%)	0	100	100
46	p1	74/75 (99%)	73 (99%)	1 (1%)	62	82
47	A1	189/200 (94%)	188 (100%)	1 (0%)	86	93
48	B1	346/353 (98%)	345 (100%)	1 (0%)	91	96
49	C1	291/313 (93%)	286 (98%)	5 (2%)	56	78
50	D1	244/249 (98%)	241 (99%)	3 (1%)	67	85
51	E1	182/234 (78%)	178 (98%)	4 (2%)	47	73
52	F1	189/210 (90%)	188 (100%)	1 (0%)	86	93
53	G1	181/224 (81%)	180 (99%)	1 (1%)	84	92
54	H1	167/169 (99%)	167 (100%)	0	100	100
55	J1	141/150 (94%)	139 (99%)	2 (1%)	62	82
56	L1	167/178 (94%)	167 (100%)	0	100	100
57	M1	113/117 (97%)	112 (99%)	1 (1%)	75	89
58	N1	171/172 (99%)	169 (99%)	2 (1%)	67	85

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
59	O1	175/176 (99%)	175 (100%)	0	100	100
60	P1	134/165 (81%)	132 (98%)	2 (2%)	60	81
61	Q1	158/160 (99%)	158 (100%)	0	100	100
62	R1	145/173 (84%)	143 (99%)	2 (1%)	62	82
63	T1	138/140 (99%)	138 (100%)	0	100	100
64	U1	87/127 (68%)	84 (97%)	3 (3%)	32	63
65	V1	101/108 (94%)	101 (100%)	0	100	100
66	W1	52/129 (40%)	52 (100%)	0	100	100
67	X1	105/134 (78%)	105 (100%)	0	100	100
68	Y1	115/136 (85%)	112 (97%)	3 (3%)	41	70
69	l1	45/47 (96%)	45 (100%)	0	100	100
70	n1	23/24 (96%)	23 (100%)	0	100	100
71	r1	102/120 (85%)	102 (100%)	0	100	100
72	I1	173/182 (95%)	173 (100%)	0	100	100
73	S1	155/155 (100%)	154 (99%)	1 (1%)	84	92
74	m1	46/116 (40%)	46 (100%)	0	100	100
75	a1	121/122 (99%)	120 (99%)	1 (1%)	79	90
79	q1	105/329 (32%)	101 (96%)	4 (4%)	28	60
80	v2	97/731 (13%)	97 (100%)	0	100	100
81	l1	115/129 (89%)	111 (96%)	4 (4%)	31	63
82	s1	17/97 (18%)	17 (100%)	0	100	100
All	All	9632/12048 (80%)	9534 (99%)	98 (1%)	71	87

All (98) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	C2	177	VAL
4	C2	208	CYS
4	C2	222	PHE
6	G2	7	PHE
6	G2	142	ARG
7	H2	18	GLU
7	H2	72	PHE
7	H2	83	LEU
8	I2	107	THR

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
8	I2	155	THR
9	J2	7	TRP
10	L2	70	ARG
11	N2	11	LEU
11	N2	87	ASP
12	O2	132	VAL
13	R2	37	GLU
14	V2	12	TYR
16	X2	105	PHE
18	a2	39	PHE
19	b2	44	THR
19	b2	55	LEU
21	D2	96	LEU
21	D2	168	VAL
22	F2	39	ILE
22	F2	41	VAL
22	F2	141	VAL
23	K2	3	MET
23	K2	85	LEU
24	P2	20	VAL
24	P2	37	TYR
24	P2	124	LYS
25	Q2	20	THR
29	g2	14	HIS
29	g2	70	VAL
29	g2	107	ASP
29	g2	135	LEU
29	g2	164	ILE
29	g2	186	THR
29	g2	223	GLU
29	g2	267	VAL
30	Z2	50	PHE
30	Z2	54	THR
30	Z2	89	GLN
32	S2	58	GLU
32	S2	131	VAL
32	S2	132	ARG
32	S2	136	THR
33	i2	193	HIS
34	Z1	100	VAL
36	c1	90	ARG
37	d1	84	VAL

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
41	h1	23	ASP
41	h1	37	THR
41	h1	113	LEU
42	i1	42	ASP
43	j1	82	THR
46	p1	52	VAL
47	A1	102	LEU
48	B1	173	HIS
49	C1	71	ARG
49	C1	122	TYR
49	C1	217	VAL
49	C1	240	LEU
49	C1	257	PHE
50	D1	73	MET
50	D1	186	GLU
50	D1	215	ASP
51	E1	26	ARG
51	E1	103	ARG
51	E1	262	LYS
51	E1	265	PHE
52	F1	97	ASN
53	G1	175	ARG
55	J1	22	LEU
55	J1	57	VAL
57	M1	112	VAL
58	N1	148	THR
58	N1	204	ARG
60	P1	24	VAL
60	P1	69	ARG
62	R1	93	LEU
62	R1	106	LEU
64	U1	54	GLU
64	U1	90	VAL
64	U1	124	TYR
68	Y1	47	MET
68	Y1	53	ASP
68	Y1	79	VAL
73	S1	82	LEU
75	a1	60	HIS
79	q1	82	VAL
79	q1	87	CYS
79	q1	244	THR

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
79	q1	273	PHE
81	11	93	VAL
81	11	95	ILE
81	11	135	LEU
81	11	144	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (125) such sidechains are listed below:

Mol	Chain	Res	Type
3	B2	75	GLN
3	B2	163	GLN
3	B2	179	ASN
5	E2	8	HIS
5	E2	67	GLN
5	E2	112	HIS
5	E2	142	HIS
5	E2	188	ASN
5	E2	260	GLN
6	G2	65	GLN
6	G2	197	GLN
6	G2	227	GLN
7	H2	76	GLN
8	I2	168	GLN
10	L2	84	GLN
11	N2	62	GLN
11	N2	123	HIS
12	O2	32	HIS
12	O2	79	GLN
12	O2	83	GLN
12	O2	103	ASN
13	R2	62	GLN
13	R2	74	GLN
14	V2	3	ASN
15	W2	82	GLN
15	W2	90	GLN
15	W2	113	HIS
16	X2	15	ASN
16	X2	110	HIS
17	Y2	85	ASN
18	a2	8	ASN
19	b2	26	GLN
19	b2	51	GLN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
21	D2	22	ASN
21	D2	56	GLN
21	D2	57	ASN
21	D2	207	HIS
22	F2	95	HIS
22	F2	203	ASN
23	K2	7	ASN
23	K2	28	HIS
24	P2	53	GLN
24	P2	54	GLN
24	P2	104	GLN
25	Q2	8	GLN
25	Q2	35	ASN
25	Q2	77	HIS
25	Q2	97	GLN
25	Q2	114	GLN
26	U2	85	HIS
26	U2	100	GLN
27	c2	24	GLN
27	c2	29	GLN
28	d2	26	ASN
28	d2	45	GLN
29	g2	51	ASN
29	g2	191	HIS
31	T2	127	GLN
32	S2	10	GLN
32	S2	11	HIS
32	S2	72	GLN
32	S2	87	GLN
35	b1	49	HIS
39	f1	20	ASN
39	f1	21	GLN
40	g1	3	GLN
41	h1	63	GLN
45	o1	25	GLN
45	o1	45	GLN
45	o1	102	GLN
47	A1	8	GLN
47	A1	132	ASN
47	A1	140	ASN
48	B1	55	HIS
48	B1	121	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
48	B1	165	HIS
48	B1	173	HIS
48	B1	175	GLN
48	B1	179	HIS
48	B1	315	ASN
48	B1	354	GLN
49	C1	50	GLN
49	C1	118	ASN
49	C1	119	GLN
49	C1	230	GLN
50	D1	198	HIS
50	D1	229	ASN
50	D1	291	GLN
51	E1	105	HIS
52	F1	56	HIS
53	G1	38	ASN
53	G1	43	GLN
54	H1	39	ASN
56	L1	104	ASN
56	L1	149	GLN
57	M1	20	HIS
57	M1	33	GLN
58	N1	181	HIS
59	O1	28	GLN
59	O1	182	GLN
60	P1	40	HIS
60	P1	56	GLN
60	P1	97	ASN
60	P1	120	ASN
60	P1	137	ASN
61	Q1	14	HIS
61	Q1	160	HIS
67	X1	124	ASN
68	Y1	20	ASN
68	Y1	56	GLN
68	Y1	65	GLN
68	Y1	96	HIS
71	r1	71	GLN
72	I1	177	ASN
73	S1	108	GLN
73	S1	146	HIS
73	S1	163	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
74	m1	84	GLN
74	m1	104	HIS
75	a1	40	HIS
75	a1	120	GLN
79	q1	242	GLN
80	v2	168	GLN
80	v2	179	GLN
80	v2	816	HIS

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	22	1514/1939 (78%)	281 (18%)	10 (0%)
76	51	3300/4269 (77%)	585 (17%)	36 (1%)
77	71	119/120 (99%)	7 (5%)	0
78	81	157/158 (99%)	27 (17%)	2 (1%)
All	All	5090/6486 (78%)	900 (17%)	48 (0%)

All (900) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	22	3	C
1	22	4	C
1	22	17	C
1	22	26	U
1	22	33	G
1	22	41	G
1	22	46	A
1	22	58	C
1	22	68	A
1	22	69	C
1	22	83	A
1	22	87	U
1	22	88	G
1	22	103	A
1	22	113	G
1	22	115	U
1	22	122	G
1	22	123	A
1	22	141	U
1	22	152	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	22	153	G
1	22	159	U
1	22	161	C
1	22	166	C
1	22	171	A
1	22	236	A
1	22	241	U
1	22	242	G
1	22	244	A
1	22	251	A
1	22	338	G
1	22	346	A
1	22	349	A
1	22	353	C
1	22	355	G
1	22	356	G
1	22	359	G
1	22	360	A
1	22	363	G
1	22	364	C
1	22	366	C
1	22	367	G
1	22	377	C
1	22	379	G
1	22	389	A
1	22	393	G
1	22	402	C
1	22	408	C
1	22	410	A
1	22	416	G
1	22	431	G
1	22	432	C
1	22	445	C
1	22	446	C
1	22	455	C
1	22	484	G
1	22	487	C
1	22	494	A
1	22	496	C
1	22	510	A
1	22	511	A
1	22	512	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	22	517	G
1	22	518	C
1	22	519	A
1	22	520	G
1	22	528	G
1	22	533	U
1	22	534	U
1	22	538	C
1	22	539	A
1	22	546	A
1	22	547	C
1	22	571	A
1	22	575	A
1	22	601	A
1	22	602	U
1	22	605	G
1	22	608	U
1	22	613	G
1	22	620	A
1	22	633	A
1	22	636	A
1	22	637	C
1	22	638	C
1	22	639	C
1	22	652	G
1	22	653	U
1	22	660	C
1	22	672	G
1	22	673	U
1	22	674	A
1	22	689	A
1	22	706	C
1	22	715	A
1	22	717	A
1	22	718	A
1	22	719	G
1	22	724	U
1	22	734	U
1	22	856	A
1	22	875	G
1	22	876	U
1	22	884	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	22	900	C
1	22	904	U
1	22	905	U
1	22	908	A
1	22	930	A
1	22	931	A
1	22	933	A
1	22	934	G
1	22	935	G
1	22	938	C
1	22	977	A
1	22	984	A
1	22	986	A
1	22	997	G
1	22	1007	U
1	22	1020	G
1	22	1032	U
1	22	1034	G
1	22	1035	G
1	22	1043	C
1	22	1054	G
1	22	1056	A
1	22	1063	G
1	22	1065	G
1	22	1066	U
1	22	1081	U
1	22	1087	A
1	22	1091	A
1	22	1113	A
1	22	1124	A
1	22	1125	U
1	22	1126	A
1	22	1147	A
1	22	1149	C
1	22	1153	G
1	22	1160	C
1	22	1173	C
1	22	1174	G
1	22	1202	U
1	22	1203	U
1	22	1204	G
1	22	1205	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	22	1210	A
1	22	1220	C
1	22	1221	U
1	22	1222	C
1	22	1224	G
1	22	1262	A
1	22	1274	G
1	22	1282	C
1	22	1291	G
1	22	1299	U
1	22	1309	U
1	22	1310	U
1	22	1318	A
1	22	1320	A
1	22	1323	G
1	22	1324	G
1	22	1328	C
1	22	1336	G
1	22	1341	G
1	22	1342	G
1	22	1343	A
1	22	1346	C
1	22	1347	G
1	22	1348	G
1	22	1351	A
1	22	1352	G
1	22	1353	G
1	22	1354	A
1	22	1356	U
1	22	1357	G
1	22	1360	A
1	22	1361	G
1	22	1366	A
1	22	1369	G
1	22	1370	C
1	22	1375	U
1	22	1376	C
1	22	1377	U
1	22	1380	A
1	22	1384	U
1	22	1394	G
1	22	1397	G

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	22	1408	C
1	22	1409	G
1	22	1410	U
1	22	1438	U
1	22	1445	A
1	22	1462	C
1	22	1463	A
1	22	1465	G
1	22	1468	A
1	22	1469	A
1	22	1473	G
1	22	1494	G
1	22	1514	G
1	22	1515	G
1	22	1518	C
1	22	1519	A
1	22	1527	U
1	22	1528	U
1	22	1529	C
1	22	1531	G
1	22	1536	G
1	22	1539	A
1	22	1541	A
1	22	1542	C
1	22	1544	G
1	22	1549	A
1	22	1554	A
1	22	1555	G
1	22	1558	C
1	22	1560	G
1	22	1563	A
1	22	1574	U
1	22	1575	G
1	22	1577	C
1	22	1586	C
1	22	1587	A
1	22	1598	A
1	22	1599	A
1	22	1600	U
1	22	1606	G
1	22	1607	A
1	22	1610	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	22	1611	A
1	22	1613	G
1	22	1633	C
1	22	1634	A
1	22	1635	G
1	22	1644	A
1	22	1645	A
1	22	1650	U
1	22	1651	U
1	22	1652	G
1	22	1653	A
1	22	1666	A
1	22	1671	G
1	22	1679	A
1	22	1680	U
1	22	1682	G
1	22	1684	A
1	22	1687	U
1	22	1688	A
1	22	1702	A
1	22	1703	G
1	22	1713	G
1	22	1730	G
1	22	1740	A
1	22	1741	U
1	22	1745	G
1	22	1746	U
1	22	1751	G
1	22	1760	A
1	22	1764	A
1	22	1787	G
1	22	1805	C
1	22	1808	G
1	22	1861	A
1	22	1863	A
1	22	1864	C
1	22	1866	A
1	22	1867	U
1	22	1894	A
1	22	1895	A
1	22	1896	G
1	22	1901	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	22	1907	G
1	22	1908	U
1	22	1911	C
1	22	1919	G
1	22	1931	G
1	22	1932	G
1	22	1933	A
1	22	1935	C
1	22	1939	A
76	51	2	A
76	51	21	G
76	51	25	A
76	51	33	A
76	51	39	A
76	51	42	A
76	51	48	C
76	51	49	U
76	51	59	A
76	51	64	A
76	51	65	A
76	51	66	A
76	51	71	C
76	51	76	A
76	51	91	G
76	51	109	G
76	51	119	G
76	51	120	A
76	51	128	C
76	51	146	G
76	51	148	G
76	51	153	G
76	51	161	C
76	51	162	G
76	51	172	C
76	51	173	U
76	51	174	C
76	51	179	G
76	51	183	C
76	51	201	U
76	51	210	U
76	51	217	U
76	51	219	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	220	G
76	51	221	C
76	51	234	U
76	51	246	C
76	51	266	U
76	51	267	G
76	51	271	U
76	51	272	U
76	51	273	C
76	51	281	A
76	51	282	G
76	51	299	U
76	51	308	A
76	51	311	C
76	51	318	U
76	51	336	A
76	51	337	A
76	51	342	C
76	51	343	G
76	51	356	U
76	51	363	C
76	51	364	A
76	51	365	A
76	51	388	A
76	51	389	G
76	51	411	C
76	51	435	A
76	51	453	C
76	51	454	C
76	51	455	G
76	51	457	C
76	51	463	G
76	51	468	A
76	51	469	U
76	51	470	U
76	51	484	C
76	51	486	G
76	51	487	G
76	51	488	G
76	51	492	G
76	51	496	G
76	51	501	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	502	U
76	51	503	G
76	51	508	C
76	51	510	C
76	51	511	C
76	51	513	U
76	51	514	U
76	51	515	C
76	51	518	U
76	51	519	C
76	51	520	C
76	51	521	C
76	51	543	G
76	51	548	U
76	51	549	G
76	51	550	A
76	51	556	G
76	51	557	G
76	51	561	A
76	51	562	A
76	51	564	G
76	51	565	C
76	51	572	G
76	51	573	C
76	51	581	U
76	51	582	G
76	51	583	C
76	51	584	A
76	51	591	C
76	51	592	C
76	51	593	G
76	51	594	C
76	51	601	G
76	51	602	C
76	51	628	G
76	51	634	G
76	51	635	U
76	51	636	C
76	51	644	G
76	51	646	A
76	51	647	G
76	51	678	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	680	A
76	51	683	G
76	51	687	U
76	51	688	C
76	51	691	G
76	51	692	C
76	51	694	C
76	51	695	C
76	51	697	A
76	51	698	C
76	51	700	U
76	51	701	C
76	51	704	C
76	51	707	U
76	51	708	U
76	51	709	G
76	51	710	C
76	51	711	U
76	51	712	C
76	51	714	C
76	51	721	C
76	51	722	G
76	51	723	C
76	51	724	G
76	51	725	G
76	51	745	U
76	51	746	C
76	51	750	G
76	51	751	C
76	51	752	C
76	51	753	C
76	51	778	G
76	51	782	C
76	51	791	C
76	51	792	C
76	51	804	G
76	51	805	G
76	51	806	C
76	51	807	G
76	51	811	C
76	51	820	A
76	51	827	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	828	C
76	51	848	C
76	51	856	C
76	51	857	C
76	51	858	A
76	51	859	G
76	51	860	G
76	51	873	C
76	51	874	C
76	51	875	C
76	51	876	A
76	51	878	G
76	51	879	U
76	51	880	U
76	51	893	G
76	51	896	C
76	51	903	A
76	51	904	C
76	51	906	C
76	51	910	C
76	51	911	C
76	51	935	A
76	51	963	A
76	51	968	G
76	51	969	A
76	51	973	U
76	51	974	G
76	51	975	G
76	51	976	C
76	51	977	U
76	51	978	C
76	51	980	C
76	51	987	C
76	51	988	U
76	51	989	G
76	51	996	A
76	51	1003	G
76	51	1042	C
76	51	1043	C
76	51	1044	G
76	51	1045	G
76	51	1050	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	1053	C
76	51	1054	G
76	51	1073	C
76	51	1074	G
76	51	1076	C
76	51	1077	C
76	51	1078	C
76	51	1080	C
76	51	1081	C
76	51	1082	G
76	51	1083	G
76	51	1087	G
76	51	1088	C
76	51	1095	A
76	51	1096	G
76	51	1100	G
76	51	1114	G
76	51	1116	A
76	51	1121	A
76	51	1128	G
76	51	1132	A
76	51	1145	A
76	51	1161	A
76	51	1164	C
76	51	1176	C
76	51	1189	U
76	51	1194	U
76	51	1195	G
76	51	1210	G
76	51	1211	A
76	51	1222	G
76	51	1229	A
76	51	1231	G
76	51	1232	A
76	51	1236	A
76	51	1239	G
76	51	1252	G
76	51	1259	C
76	51	1274	C
76	51	1275	U
76	51	1276	C
76	51	1277	A

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	1289	G
76	51	1292	C
76	51	1294	C
76	51	1295	C
76	51	1296	G
76	51	1297	A
76	51	1298	U
76	51	1299	C
76	51	1301	A
76	51	1322	C
76	51	1323	A
76	51	1331	G
76	51	1335	C
76	51	1358	C
76	51	1359	C
76	51	1368	A
76	51	1369	A
76	51	1385	A
76	51	1387	G
76	51	1402	G
76	51	1403	C
76	51	1404	U
76	51	1405	G
76	51	1415	G
76	51	1417	G
76	51	1419	A
76	51	1424	G
76	51	1426	C
76	51	1427	G
76	51	1438	G
76	51	1452	G
76	51	1453	C
76	51	1464	C
76	51	1474	A
76	51	1475	A
76	51	1480	A
76	51	1501	U
76	51	1502	G
76	51	1503	C
76	51	1504	C
76	51	1505	G
76	51	1514	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	1515	A
76	51	1523	U
76	51	1531	G
76	51	1543	A
76	51	1544	G
76	51	1549	C
76	51	1609	A
76	51	1624	A
76	51	1629	G
76	51	1631	U
76	51	1638	G
76	51	1639	G
76	51	1652	A
76	51	1653	U
76	51	1667	C
76	51	1668	G
76	51	1669	G
76	51	1701	G
76	51	1703	A
76	51	1724	C
76	51	1740	G
76	51	1767	G
76	51	1782	G
76	51	1785	C
76	51	1795	G
76	51	1796	U
76	51	1801	A
76	51	1804	A
76	51	1829	A
76	51	1830	A
76	51	1831	G
76	51	1851	A
76	51	1855	G
76	51	1859	U
76	51	1882	A
76	51	1904	G
76	51	1905	G
76	51	1908	G
76	51	1909	G
76	51	1910	G
76	51	1913	G
76	51	1914	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	1933	C
76	51	1935	C
76	51	1936	G
76	51	1937	C
76	51	1938	U
76	51	1939	C
76	51	1940	G
76	51	1945	A
76	51	1947	A
76	51	1963	A
76	51	1977	A
76	51	1978	G
76	51	1979	C
76	51	1980	G
76	51	1981	G
76	51	1987	A
76	51	1988	C
76	51	1989	G
76	51	1996	G
76	51	1997	C
76	51	1998	G
76	51	2007	A
76	51	2017	C
76	51	2020	A
76	51	2021	A
76	51	2022	A
76	51	2023	C
76	51	2035	U
76	51	2053	G
76	51	2054	A
76	51	2062	C
76	51	2088	C
76	51	2104	C
76	51	2108	G
76	51	2110	G
76	51	2122	C
76	51	2129	G
76	51	2130	A
76	51	2131	A
76	51	2143	U
76	51	2144	C
76	51	2145	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	2146	G
76	51	2147	G
76	51	2158	U
76	51	2161	G
76	51	2170	G
76	51	2178	A
76	51	2179	A
76	51	2197	G
76	51	2202	U
76	51	2203	C
76	51	2204	U
76	51	2205	C
76	51	2206	G
76	51	2222	A
76	51	2223	U
76	51	2229	C
76	51	2233	A
76	51	2248	A
76	51	2249	C
76	51	2261	U
76	51	2262	G
76	51	2277	A
76	51	2291	G
76	51	2295	G
76	51	2306	A
76	51	2857	G
76	51	2876	C
76	51	2886	G
76	51	2895	A
76	51	2904	U
76	51	2913	A
76	51	2922	A
76	51	2924	G
76	51	2952	A
76	51	2970	G
76	51	2971	A
76	51	2973	U
76	51	2974	G
76	51	3008	A
76	51	3010	G
76	51	3013	G
76	51	3020	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	3021	C
76	51	3033	U
76	51	3034	A
76	51	3035	A
76	51	3036	G
76	51	3037	G
76	51	3045	A
76	51	3046	U
76	51	3049	C
76	51	3071	G
76	51	3072	C
76	51	3074	U
76	51	3077	A
76	51	3078	U
76	51	3079	G
76	51	3098	U
76	51	3100	U
76	51	3137	A
76	51	3138	C
76	51	3139	G
76	51	3141	G
76	51	3147	C
76	51	3157	G
76	51	3161	A
76	51	3165	A
76	51	3166	A
76	51	3167	G
76	51	3168	A
76	51	3175	U
76	51	3182	G
76	51	3207	A
76	51	3208	C
76	51	3287	U
76	51	3295	U
76	51	3296	A
76	51	3303	G
76	51	3305	G
76	51	3349	U
76	51	3351	G
76	51	3356	A
76	51	3438	A
76	51	3439	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	3451	G
76	51	3452	G
76	51	3459	G
76	51	3471	A
76	51	3490	G
76	51	3493	G
76	51	3497	U
76	51	3501	A
76	51	3517	G
76	51	3522	G
76	51	3524	A
76	51	3536	A
76	51	3541	A
76	51	3549	A
76	51	3556	C
76	51	3559	G
76	51	3572	A
76	51	3573	G
76	51	3574	U
76	51	3597	G
76	51	3598	G
76	51	3600	C
76	51	3617	C
76	51	3618	U
76	51	3645	G
76	51	3646	A
76	51	3648	A
76	51	3655	C
76	51	3659	G
76	51	3662	A
76	51	3666	C
76	51	3689	C
76	51	3690	A
76	51	3708	G
76	51	3717	A
76	51	3721	C
76	51	3732	A
76	51	3733	U
76	51	3734	C
76	51	3744	C
76	51	3762	G
76	51	3768	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	3775	A
76	51	3780	C
76	51	3781	A
76	51	3786	A
76	51	3787	C
76	51	3793	C
76	51	3796	G
76	51	3816	A
76	51	3817	G
76	51	3828	C
76	51	3830	C
76	51	3835	G
76	51	3841	A
76	51	3842	G
76	51	3844	C
76	51	3845	G
76	51	3851	G
76	51	3859	A
76	51	3860	A
76	51	3870	G
76	51	3871	U
76	51	3904	C
76	51	3905	G
76	51	3906	U
76	51	3907	G
76	51	3940	C
76	51	3941	C
76	51	3942	A
76	51	3970	A
76	51	3978	A
76	51	3979	U
76	51	4009	C
76	51	4010	G
76	51	4011	U
76	51	4012	C
76	51	4013	G
76	51	4014	G
76	51	4016	U
76	51	4017	C
76	51	4019	C
76	51	4022	A
76	51	4025	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	4027	C
76	51	4029	C
76	51	4030	C
76	51	4032	G
76	51	4035	A
76	51	4036	A
76	51	4063	C
76	51	4069	G
76	51	4070	C
76	51	4071	G
76	51	4074	G
76	51	4082	C
76	51	4085	G
76	51	4087	C
76	51	4103	G
76	51	4112	G
76	51	4114	G
76	51	4123	C
76	51	4124	C
76	51	4125	U
76	51	4126	C
76	51	4127	U
76	51	4128	U
76	51	4132	G
76	51	4135	A
76	51	4137	G
76	51	4138	C
76	51	4141	C
76	51	4144	A
76	51	4150	G
76	51	4157	A
76	51	4159	C
76	51	4163	U
76	51	4165	C
76	51	4166	U
76	51	4167	U
76	51	4178	U
76	51	4187	U
76	51	4190	U
76	51	4191	U
76	51	4193	U
76	51	4216	A

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
76	51	4219	G
76	51	4236	A
76	51	4243	G
76	51	4252	C
76	51	4256	C
76	51	4262	A
77	71	7	G
77	71	38	U
77	71	64	G
77	71	74	A
77	71	100	A
77	71	110	G
77	71	120	A
78	81	22	C
78	81	33	U
78	81	34	C
78	81	58	A
78	81	62	C
78	81	71	A
78	81	74	G
78	81	76	A
78	81	77	G
78	81	78	G
78	81	80	C
78	81	83	A
78	81	84	C
78	81	86	U
78	81	87	U
78	81	95	G
78	81	104	A
78	81	106	C
78	81	116	G
78	81	126	C
78	81	127	C
78	81	128	A
78	81	137	C
78	81	149	G
78	81	152	G
78	81	155	C
78	81	158	C

All (48) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	22	86	C
1	22	151	G
1	22	511	A
1	22	929	G
1	22	1360	A
1	22	1461	G
1	22	1517	A
1	22	1528	U
1	22	1559	U
1	22	1804	C
76	51	1	C
76	51	265	G
76	51	387	A
76	51	469	U
76	51	495	C
76	51	507	G
76	51	548	U
76	51	560	G
76	51	693	C
76	51	697	A
76	51	804	G
76	51	819	G
76	51	875	C
76	51	879	U
76	51	910	C
76	51	975	G
76	51	1052	G
76	51	1079	U
76	51	1080	C
76	51	1231	G
76	51	1358	C
76	51	1651	C
76	51	1795	G
76	51	1908	G
76	51	1977	A
76	51	2205	C
76	51	2973	U
76	51	3044	A
76	51	3048	C
76	51	3286	U
76	51	3870	G
76	51	3969	U
76	51	4010	G

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
76	51	4123	C
76	51	4124	C
76	51	4156	A
78	81	77	G
78	81	127	C

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
81	5CT	11	51	81	13,14,15	0.70	0	9,15,17	1.21	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
81	5CT	11	51	81	-	5/13/14/16	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
81	11	51	5CT	C3-C2-C1	-2.11	107.35	112.16

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
81	11	51	5CT	C1-C2-C3-C4

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
81	11	51	5CT	O1-C2-C3-C4
81	11	51	5CT	C2-C1-NZ-CE
81	11	51	5CT	CG-CD-CE-NZ
81	11	51	5CT	N-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 209 ligands modelled in this entry, 209 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13111. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)


### 6.3.1 Primary map



X Index: 221



Y Index: 228



Z Index: 202


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.9. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.




## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2042  $\text{nm}^3$ ; this corresponds to an approximate mass of 1844 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of 0.312 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13111 and PDB model 7OYA. Per-residue inclusion information can be found in section 3 on page 19.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.9 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.9).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (0.9) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9230	 0.5210
11	 0.1370	 0.3190
22	 0.9840	 0.5000
51	 0.9470	 0.5380
71	 0.9840	 0.5730
81	 0.9230	 0.5250
A1	 0.9600	 0.5880
A2	 0.9570	 0.5180
B1	 0.9240	 0.5780
B2	 0.9450	 0.5290
C1	 0.9310	 0.5700
C2	 0.9780	 0.5270
D1	 0.8940	 0.5480
D2	 0.8410	 0.3980
E1	 0.8900	 0.5400
E2	 0.9510	 0.5320
F1	 0.9170	 0.5710
F2	 0.8560	 0.3750
G1	 0.8870	 0.5400
G2	 0.8790	 0.4630
H1	 0.8940	 0.5660
H2	 0.8590	 0.4800
I1	 0.9090	 0.5710
I2	 0.9510	 0.5310
J1	 0.8410	 0.5020
J2	 0.9470	 0.5140
K2	 0.8520	 0.3610
L1	 0.8700	 0.5500
L2	 0.9420	 0.5440
M1	 0.9200	 0.5730
N1	 0.9530	 0.5920
N2	 0.9490	 0.5390
O1	 0.9240	 0.5760
O2	 0.9440	 0.5250
P1	 0.9150	 0.5700



*Continued on next page...*













*Continued from previous page...*

Chain	Atom inclusion	Q-score
P2	 0.8980	 0.3430
Q1	 0.9230	 0.5730
Q2	 0.8980	 0.3990
R1	 0.8950	 0.5390
R2	 0.8160	 0.4380
S1	 0.9460	 0.5840
S2	 0.8610	 0.3120
T1	 0.8990	 0.5630
T2	 0.9150	 0.4080
U1	 0.8000	 0.4610
U2	 0.8660	 0.3840
V1	 0.8970	 0.5800
V2	 0.9570	 0.5300
W1	 0.8820	 0.5580
W2	 0.9750	 0.5560
X1	 0.8970	 0.5620
X2	 0.9610	 0.5360
Y1	 0.9090	 0.5540
Y2	 0.9090	 0.5030
Z1	 0.9000	 0.5590
Z2	 0.7790	 0.3020
a1	 0.9140	 0.5700
a2	 0.9720	 0.5370
b1	 0.8940	 0.5640
b2	 0.9170	 0.5140
c1	 0.9380	 0.5470
c2	 0.9030	 0.3910
d1	 0.8830	 0.5460
d2	 0.9250	 0.4520
e1	 0.9260	 0.5770
e2	 0.9040	 0.4930
f1	 0.9460	 0.5910
g1	 0.9490	 0.5690
g2	 0.6830	 0.3100
h1	 0.8690	 0.5460
i1	 0.8800	 0.5550
i2	 0.4870	 0.3380
j1	 0.9340	 0.5810
k1	 0.8220	 0.5330
l1	 0.8840	 0.5480
m1	 0.9350	 0.5810
n1	 0.9330	 0.5280

*Continued on next page...*



*Continued from previous page...*

Chain	Atom inclusion	Q-score
o1	 0.9020	 0.5640
p1	 0.9030	 0.5410
q1	 0.3980	 0.3790
r1	 0.9220	 0.5640
s1	 0.2220	 0.3240
v2	 0.0840	 0.3140