



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 7, 2026 – 10:05 AM EST

PDB ID : 10PW / pdb_000010pw
Title : Crystal structure of Glutathione Transferase from Shrimp *Litopenaeus vannamei* in complex with silver ions and a molecules of Glutathione binding in G-site and H-site
Authors : Escudero-Garcia, A.; Miranda-Blancas, R.; Rudino-Pinera, E.
Deposited on : 2026-01-31
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5791 (2.20-2.20)
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	79% 20% .
1	B	219	81% 16% .
1	C	219	81% 17% .
1	D	219	79% 20%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	219	 81% 17%
1	F	219	 86% 14%
1	G	219	 79% 19%
1	H	219	 82% 16%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GSH	A	301	-	X	X	-
2	GSH	H	301	-	-	X	-
3	TAM	A	302	-	X	X	-
5	GOL	D	303	-	-	X	-
5	GOL	D	304	-	-	X	-
6	1PE	G	303	-	-	X	-

2 Entry composition


There are 7 unique types of molecules in this entry. The entry contains 16079 atoms, of which 16 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutathione transferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	217	Total 1784	C 1163	N 288	O 323	S 10	0	0	0
1	B	218	Total 1792	C 1167	N 289	O 326	S 10	0	0	0
1	C	219	Total 1800	C 1172	N 290	O 327	S 11	0	0	0
1	D	218	Total 1803	C 1173	N 293	O 327	S 10	0	1	0
1	E	219	Total 1826	C 1187	N 294	O 334	S 11	0	3	0
1	F	218	Total 1810	C 1179	N 293	O 328	S 10	0	2	0
1	G	219	Total 1817	C 1182	N 293	O 331	S 11	0	2	0
1	H	218	Total 1801	C 1173	N 291	O 327	S 10	0	1	0

- Molecule 2 is GLUTATHIONE (CCD ID: GSH) (formula: C₁₀H₁₇N₃O₆S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	B	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	B	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	C	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	D	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	E	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	F	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	F	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	G	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
2	H	1	Total	C	N	O	S	0	0
			20	10	3	6	1		

- Molecule 3 is TRIS(HYDROXYETHYL)AMINOMETHANE (CCD ID: TAM) (formula: $C_7H_{17}NO_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	11	7	1	3	0	0

- Molecule 4 is SILVER ION (CCD ID: AG) (formula: Ag) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Ag		
4	D	1	1	1	0	0
4	E	1	1	1	0	0
4	G	1	1	1	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
5	D	1	Total	C	H	O	0	0
			14	3	8	3		
5	D	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 6 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
6	G	1	Total	C	O		0	0
			16	10	6			


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	158	Total O 158 158	0	0
7	B	151	Total O 151 151	0	0
7	C	195	Total O 195 195	0	0
7	D	171	Total O 171 171	0	0
7	E	163	Total O 163 163	0	0
7	F	178	Total O 178 178	0	0
7	G	184	Total O 184 184	0	0
7	H	188	Total O 188 188	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutathione transferase




- Molecule 1: Glutathione transferase



- Molecule 1: Glutathione transferase





- Molecule 1: Glutathione transferase







- Molecule 1: Glutathione transferase




- Molecule 1: Glutathione transferase



- Molecule 1: Glutathione transferase



- Molecule 1: Glutathione transferase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.39Å 93.02Å 169.11Å 90.00° 90.75° 90.00°	Depositor
Resolution (Å)	56.37 – 2.20 56.37 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.2 (56.37-2.20) 98.2 (56.37-2.20)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	0.16	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.20Å)	Xtrriage
Refinement program	PHENIX (1.18.2_3874)	Depositor
R, R_{free}	0.192 , 0.243 0.193 , 0.246	Depositor DCC
R_{free} test set	4472 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	13.8	Xtrriage
Anisotropy	0.266	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.039 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	16079	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 28.09 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.9581e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, TAM, AG, GSH, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	1/1832 (0.1%)	0.56	1/2472 (0.0%)
1	B	0.43	0/1841	0.64	3/2486 (0.1%)
1	C	0.49	2/1849 (0.1%)	0.61	0/2496
1	D	0.42	1/1852 (0.1%)	0.54	0/2500
1	E	0.53	1/1875 (0.1%)	0.58	0/2530
1	F	0.40	2/1859 (0.1%)	0.54	0/2508
1	G	0.60	5/1866 (0.3%)	0.64	2/2518 (0.1%)
1	H	0.38	0/1850	0.55	0/2497
All	All	0.47	12/14824 (0.1%)	0.58	6/20007 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	E	0	1
All	All	0	2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	70	ILE	C-O	-7.70	1.15	1.24
1	G	66	GLY	C-O	-7.66	1.15	1.24
1	D	184	LYS	C-O	-6.68	1.16	1.24
1	E	2	LEU	C-O	-6.02	1.16	1.24
1	A	217	GLU	C-O	-6.01	1.16	1.24
1	G	64	ILE	N-CA	-5.98	1.39	1.46
1	F	83[A]	LYS	C-O	-5.59	1.16	1.24
1	F	83[B]	LYS	C-O	-5.59	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	64	ILE	C-O	-5.55	1.18	1.24
1	G	65	ASP	C-O	-5.34	1.18	1.24
1	C	2	LEU	CA-C	-5.27	1.46	1.52
1	C	184	LYS	N-CA	-5.03	1.40	1.46

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	70	ILE	N-CA-C	7.55	118.77	107.75
1	B	122	LYS	N-CA-C	6.50	118.02	111.07
1	G	68	VAL	N-CA-C	6.34	117.30	108.23
1	B	67	ASP	CB-CA-C	5.77	120.54	112.11
1	A	217	GLU	N-CA-C	5.52	120.12	112.45
1	B	68	VAL	N-CA-CB	5.37	120.08	111.23

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	66	GLY	Mainchain
1	E	173	LEU	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1784	0	1765	49	0
1	B	1792	0	1770	31	0
1	C	1800	0	1782	42	0
1	D	1803	0	1782	49	0
1	E	1826	0	1802	34	0
1	F	1810	0	1794	29	0
1	G	1817	0	1797	44	0
1	H	1801	0	1782	42	0
2	A	20	0	15	15	0
2	B	40	0	30	3	0
2	C	20	0	15	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	20	0	15	1	0
2	E	20	0	15	0	0
2	F	40	0	30	6	0
2	G	20	0	15	0	0
2	H	20	0	15	7	0
3	A	11	0	17	14	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	G	1	0	0	0	0
5	D	12	16	15	18	0
6	G	16	0	22	8	0
7	A	158	0	0	13	0
7	B	151	0	0	10	0
7	C	195	0	0	19	1
7	D	171	0	0	20	3
7	E	163	0	0	16	3
7	F	178	0	0	15	1
7	G	184	0	0	17	1
7	H	188	0	0	22	1
All	All	16063	16	14478	333	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (333) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:209:LYS:HE3	7:C:403:HOH:O	1.16	1.25
1:A:143:ARG:NH1	3:A:302:TAM:H21	1.55	1.21
1:H:78:ARG:NH1	7:H:403:HOH:O	1.75	1.18
1:H:68:VAL:HG23	7:H:410:HOH:O	1.46	1.16
1:A:208:ASN:ND2	2:A:301:GSH:HA32	1.58	1.15
1:F:207:CYS:SG	7:F:551:HOH:O	1.90	1.13
1:D:190:GLU:H	5:D:304:GOL:C1	1.64	1.10
1:D:190:GLU:N	5:D:304:GOL:H11	1.65	1.10
3:A:302:TAM:H52	3:A:302:TAM:H61	1.29	1.09
1:C:196:MET:SD	7:C:557:HOH:O	2.10	1.09
1:H:182:PHE:CD1	7:H:408:HOH:O	2.06	1.08
1:G:95:VAL:HG23	7:G:402:HOH:O	1.54	1.05
1:A:208:ASN:HD22	2:A:301:GSH:HA32	0.89	1.04
1:A:143:ARG:HH12	3:A:302:TAM:H21	0.89	1.02

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:2:LEU:N	7:F:401:HOH:O	1.93	1.02
1:G:20:MET:SD	7:G:530:HOH:O	2.17	1.01
1:D:190:GLU:H	5:D:304:GOL:H11	0.83	1.00
1:C:35:VAL:O	7:C:403:HOH:O	1.81	0.99
1:E:134:ARG:NH1	7:E:403:HOH:O	1.93	0.99
1:E:170:ARG:CZ	7:E:405:HOH:O	2.09	0.99
1:H:67:ASP:N	7:H:404:HOH:O	1.80	0.98
2:C:301:GSH:O31	7:C:402:HOH:O	1.80	0.97
1:E:170:ARG:NH2	7:E:405:HOH:O	1.94	0.97
1:A:26:THR:O	7:A:401:HOH:O	1.81	0.96
1:G:91:PRO:O	7:G:402:HOH:O	1.82	0.96
1:B:45:GLU:OE1	7:B:401:HOH:O	1.84	0.94
1:E:69:LYS:NZ	7:E:406:HOH:O	2.00	0.93
1:H:182:PHE:HD1	7:H:408:HOH:O	1.44	0.92
1:B:109:GLU:OE2	7:B:402:HOH:O	1.87	0.92
1:A:142:SER:H	3:A:302:TAM:C4	1.82	0.91
1:H:143:ARG:NH1	7:H:405:HOH:O	1.81	0.91
1:B:64:ILE:HG23	1:B:69:LYS:HG2	1.53	0.90
1:F:206:ILE:HG22	7:F:551:HOH:O	1.72	0.90
1:B:109:GLU:OE2	7:B:403:HOH:O	1.88	0.90
1:H:67:ASP:CA	7:H:404:HOH:O	2.16	0.89
1:A:138:ASP:O	3:A:302:TAM:H51	1.70	0.89
3:A:302:TAM:H61	3:A:302:TAM:C5	2.03	0.89
1:D:131:ALA:HB2	5:D:303:GOL:O1	1.73	0.88
1:H:68:VAL:N	7:H:410:HOH:O	2.07	0.87
1:A:132:LYS:HB2	7:A:417:HOH:O	1.75	0.87
1:A:143:ARG:HH12	3:A:302:TAM:C2	1.83	0.86
1:D:188:ASP:OD2	7:D:402:HOH:O	1.93	0.86
1:G:184[B]:LYS:NZ	7:G:403:HOH:O	2.07	0.85
1:D:192:ILE:HB	7:D:406:HOH:O	1.76	0.85
1:A:2:LEU:N	7:A:406:HOH:O	2.10	0.85
1:A:9:LYS:NZ	7:A:407:HOH:O	2.12	0.82
1:G:170:ARG:NH2	7:G:404:HOH:O	2.11	0.82
1:A:208:ASN:HD22	2:A:301:GSH:CA3	1.84	0.81
1:C:78:ARG:HH21	1:D:78[B]:ARG:NH2	1.78	0.81
1:C:134:ARG:NH2	7:C:408:HOH:O	2.16	0.79
1:C:83:LYS:HE3	7:C:463:HOH:O	1.83	0.79
1:G:69:LYS:HG3	6:G:303:1PE:H252	1.64	0.78
1:D:23:TYR:O	7:D:403:HOH:O	2.01	0.78
1:H:144:PRO:O	7:H:408:HOH:O	2.01	0.78
1:H:170:ARG:HD2	7:H:417:HOH:O	1.83	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:29:GLU:OE1	7:D:404:HOH:O	2.03	0.77
1:C:208:ASN:OD1	7:C:404:HOH:O	2.04	0.76
1:E:63:TYR:OH	7:E:404:HOH:O	2.03	0.75
1:F:174:ASP:O	7:F:403:HOH:O	2.05	0.74
1:B:79:TYR:OH	7:B:405:HOH:O	2.00	0.74
1:E:188:ASP:OD2	7:E:407:HOH:O	2.06	0.73
1:F:66:GLY:N	7:F:404:HOH:O	2.08	0.73
1:C:149:ASP:OD1	7:C:405:HOH:O	2.06	0.72
1:E:188:ASP:OD1	7:E:408:HOH:O	2.07	0.71
1:B:169:ASP:OD1	1:B:171:THR:HG22	1.90	0.70
1:A:92:GLU:HB3	7:A:551:HOH:O	1.91	0.69
1:F:65:ASP:HB2	1:F:68:VAL:HG12	1.73	0.69
6:G:303:1PE:H242	7:G:515:HOH:O	1.92	0.69
1:C:78:ARG:NH2	1:D:78[B]:ARG:NH2	2.40	0.69
1:C:163:ASP:OD1	7:C:406:HOH:O	2.10	0.69
1:A:170:ARG:NH2	7:A:404:HOH:O	2.06	0.69
1:F:208:ASN:HB2	2:F:302:GSH:HA31	1.74	0.68
1:E:91:PRO:O	7:E:409:HOH:O	2.12	0.68
1:D:90:THR:HG22	1:D:92:GLU:H	1.61	0.66
1:A:142:SER:H	3:A:302:TAM:H42	1.59	0.66
1:C:117:GLU:HB2	7:C:407:HOH:O	1.94	0.66
1:E:34:PRO:HD2	1:E:45[B]:GLU:HG3	1.78	0.66
1:C:83:LYS:CE	7:C:463:HOH:O	2.41	0.66
1:E:170:ARG:HG2	7:E:477:HOH:O	1.96	0.65
1:F:45:GLU:OE2	7:F:405:HOH:O	2.13	0.65
1:G:203:LYS:HG3	1:G:204:LYS:HE3	1.78	0.65
1:D:78[B]:ARG:NH2	7:D:412:HOH:O	2.28	0.65
1:D:134:ARG:HH12	5:D:303:GOL:H2	1.62	0.64
1:E:44:SER:OG	7:E:401:HOH:O	1.88	0.64
1:H:163:ASP:OD2	7:H:411:HOH:O	2.13	0.64
1:A:27:GLU:O	7:A:408:HOH:O	2.14	0.64
1:A:55:LEU:HD22	1:A:71:THR:HG23	1.80	0.64
1:D:134:ARG:NH1	5:D:303:GOL:C2	2.61	0.64
1:H:64:ILE:HD13	1:H:69:LYS:HG2	1.80	0.64
1:H:193:LYS:HG3	7:H:556:HOH:O	1.98	0.64
1:C:68:VAL:HG13	1:C:70:ILE:HG13	1.81	0.63
1:G:98:ASP:OD2	1:H:78:ARG:HG3	1.99	0.63
1:D:189:LEU:HA	5:D:304:GOL:H12	1.79	0.63
1:D:134:ARG:NH1	5:D:303:GOL:O2	2.32	0.63
1:E:57:PHE:O	7:E:410:HOH:O	2.16	0.63
2:A:301:GSH:OE1	2:A:301:GSH:HB23	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:200:LYS:HE2	7:D:407:HOH:O	1.99	0.63
1:G:45:GLU:N	1:G:45:GLU:OE1	2.30	0.63
1:H:74:LYS:O	1:H:78:ARG:HG2	1.99	0.63
1:B:134:ARG:NH1	7:B:410:HOH:O	2.31	0.62
1:H:8:TRP:CD1	2:H:301:GSH:HA1	2.34	0.62
1:C:2:LEU:HD11	1:C:27:GLU:OE2	1.99	0.62
1:G:20:MET:HE2	1:G:77:MET:HE3	1.81	0.62
1:C:117:GLU:N	7:C:407:HOH:O	2.15	0.61
6:G:303:IPE:H232	7:G:534:HOH:O	2.00	0.61
1:B:68:VAL:HG13	1:B:70:ILE:HG13	1.81	0.61
6:G:303:IPE:H221	7:G:515:HOH:O	2.01	0.61
1:H:217:GLU:OE2	7:H:412:HOH:O	2.16	0.61
1:H:116:TYR:CE2	2:H:301:GSH:HG12	2.35	0.61
5:D:303:GOL:H32	7:D:519:HOH:O	2.00	0.60
1:E:35:VAL:O	1:E:209:LYS:NZ	2.32	0.60
1:F:59:ASN:OD1	2:F:301:GSH:HA31	2.02	0.60
1:C:190:GLU:HG2	7:C:410:HOH:O	2.02	0.60
1:G:31:LYS:NZ	7:G:413:HOH:O	2.35	0.59
1:D:191:ALA:HB2	7:D:403:HOH:O	2.01	0.59
1:D:64:ILE:HG23	1:D:69:LYS:HG2	1.83	0.59
1:G:120:GLU:OE2	7:G:408:HOH:O	2.17	0.59
1:B:68:VAL:HG13	1:B:70:ILE:CG1	2.33	0.59
1:G:98:ASP:CG	1:H:78:ARG:HD3	2.27	0.59
1:D:134:ARG:NH1	5:D:303:GOL:H2	2.18	0.58
1:H:68:VAL:CB	7:H:410:HOH:O	2.47	0.58
1:B:184:LYS:HE2	1:B:188:ASP:OD2	2.03	0.58
1:H:67:ASP:HA	7:H:404:HOH:O	1.94	0.58
1:B:170:ARG:HG3	7:B:462:HOH:O	2.03	0.58
1:D:90:THR:HG22	1:D:92:GLU:N	2.18	0.58
1:G:145:TRP:CH2	1:G:185:ARG:HG2	2.39	0.58
1:A:141:GLY:HA3	3:A:302:TAM:H41	1.84	0.58
1:A:209:LYS:HA	1:A:214:THR:HG21	1.85	0.58
1:D:191:ALA:CB	7:D:403:HOH:O	2.52	0.57
1:H:68:VAL:CG2	7:H:410:HOH:O	2.22	0.57
1:G:11:ARG:HD2	1:G:203:LYS:O	2.03	0.57
1:C:2:LEU:HD23	1:C:28:PHE:HA	1.87	0.56
1:A:109:GLU:HG2	7:A:481:HOH:O	2.05	0.56
1:B:196:MET:HA	1:B:201:PHE:HB2	1.87	0.55
1:H:66:GLY:O	1:H:67:ASP:HB2	2.06	0.55
1:F:190:GLU:CD	7:F:409:HOH:O	2.48	0.55
1:D:187:GLU:O	7:D:406:HOH:O	2.18	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:69:LYS:HG3	6:G:303:1PE:H141	1.89	0.54
1:H:107:MET:HE3	1:H:132:LYS:HE3	1.90	0.54
1:B:7:TYR:OH	2:B:301:GSH:SG2	2.65	0.54
1:G:27:GLU:OE2	1:G:27:GLU:N	2.39	0.54
1:A:208:ASN:HB2	2:A:301:GSH:CA3	2.38	0.54
5:D:303:GOL:C3	7:D:519:HOH:O	2.53	0.54
2:A:301:GSH:HG12	7:A:459:HOH:O	2.08	0.53
1:G:83:LYS:NZ	7:G:416:HOH:O	2.42	0.53
2:H:301:GSH:O11	2:H:301:GSH:HG13	2.09	0.53
1:A:141:GLY:HA3	3:A:302:TAM:C4	2.39	0.52
1:A:141:GLY:HA3	3:A:302:TAM:H22	1.91	0.52
1:A:8:TRP:HD1	2:A:301:GSH:O32	1.92	0.52
1:C:59:ASN:HD21	2:C:301:GSH:HG12	1.74	0.52
1:E:123:ASP:HA	7:E:436:HOH:O	2.09	0.52
1:F:2:LEU:HD22	1:F:29:GLU:CD	2.33	0.52
3:A:302:TAM:C5	3:A:302:TAM:C6	2.84	0.52
1:B:122:LYS:HG3	1:B:168:LEU:HD11	1.91	0.52
1:E:45[B]:GLU:H	1:E:45[B]:GLU:CD	2.18	0.52
1:C:79:TYR:O	1:C:83:LYS:HG2	2.10	0.52
1:D:131:ALA:HA	5:D:303:GOL:O2	2.10	0.52
1:G:69:LYS:HZ2	6:G:303:1PE:H252	1.74	0.52
1:F:193:LYS:NZ	7:F:402:HOH:O	2.02	0.52
1:G:94:LEU:HD11	7:G:477:HOH:O	2.10	0.52
1:C:16:PRO:HD3	1:C:160:GLU:HG2	1.91	0.52
1:C:79:TYR:CE1	1:C:83:LYS:HE2	2.45	0.52
1:G:42:ASP:OD1	1:G:44:SER:OG	2.28	0.52
1:C:113:THR:O	7:C:407:HOH:O	2.19	0.51
1:D:131:ALA:CB	5:D:303:GOL:O1	2.54	0.51
1:D:187:GLU:C	7:D:406:HOH:O	2.54	0.51
1:E:132:LYS:HG2	7:E:549:HOH:O	2.11	0.51
1:D:101:GLU:OE2	1:D:153:TYR:OH	2.22	0.50
1:A:142:SER:H	3:A:302:TAM:H41	1.71	0.50
1:F:107:MET:HE2	1:F:165:HIS:CE1	2.47	0.50
5:D:303:GOL:C1	7:D:405:HOH:O	2.58	0.50
1:H:129:LEU:HD11	1:H:165:HIS:HD2	1.76	0.50
1:A:2:LEU:HD12	1:A:3:PRO:HD2	1.94	0.50
1:A:7:TYR:OH	2:A:301:GSH:SG2	2.67	0.50
1:G:7:TYR:O	1:G:32:ASN:HA	2.10	0.50
1:E:83:LYS:NZ	7:E:404:HOH:O	1.94	0.50
1:H:170:ARG:NH1	7:H:424:HOH:O	2.45	0.50
1:G:68:VAL:HG21	1:G:70:ILE:HD11	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78:ARG:NH1	1:D:78[A]:ARG:NH2	2.60	0.50
1:D:130:PRO:HB2	5:D:303:GOL:H12	1.94	0.50
1:H:143:ARG:HG3	7:H:450:HOH:O	2.12	0.50
1:E:104:LEU:HB3	1:E:161:ILE:HD12	1.93	0.50
1:G:64:ILE:HD13	1:G:69:LYS:HA	1.94	0.49
1:C:45:GLU:H	1:C:45:GLU:CD	2.19	0.49
1:F:66:GLY:CA	7:F:404:HOH:O	2.58	0.49
1:A:8:TRP:CD1	2:A:301:GSH:O32	2.65	0.49
1:D:189:LEU:HA	5:D:304:GOL:C1	2.40	0.49
1:A:45:GLU:HB2	7:A:440:HOH:O	2.11	0.49
1:E:1:MET:HE1	1:E:64:ILE:HG22	1.93	0.49
2:A:301:GSH:HA1	7:A:459:HOH:O	2.12	0.49
1:E:196:MET:HE3	1:E:201:PHE:CZ	2.47	0.49
1:G:20:MET:HE1	1:G:77:MET:HA	1.95	0.49
1:E:7:TYR:O	1:E:32:ASN:HA	2.13	0.49
1:F:45:GLU:CD	7:F:405:HOH:O	2.54	0.49
1:H:63:TYR:CE2	1:H:65:ASP:HB2	2.48	0.49
1:F:112:PHE:HB3	2:F:302:GSH:OE1	2.13	0.48
1:G:20:MET:HE2	1:G:77:MET:CE	2.43	0.48
1:H:8:TRP:NE1	2:H:301:GSH:HA1	2.28	0.48
1:A:71:THR:O	1:A:72:GLN:HB2	2.13	0.48
2:B:301:GSH:HB22	2:B:302:GSH:O2	2.13	0.48
1:E:70:ILE:HG22	1:E:71:THR:O	2.13	0.48
1:F:78:ARG:NH2	7:F:407:HOH:O	2.17	0.48
1:D:128:SER:O	1:D:132:LYS:HG2	2.13	0.48
1:H:83:LYS:HB3	1:H:83:LYS:HE3	1.59	0.48
1:G:78:ARG:NH2	7:G:421:HOH:O	2.46	0.48
1:C:117:GLU:CB	7:C:407:HOH:O	2.59	0.48
1:A:150:LYS:HE2	7:C:482:HOH:O	2.13	0.47
1:D:122:LYS:HG3	1:D:168:LEU:HD11	1.96	0.47
1:G:73:SER:O	1:G:77:MET:HG3	2.14	0.47
1:H:214:THR:HG21	7:H:501:HOH:O	2.13	0.47
1:G:55:LEU:HD21	1:G:64:ILE:HD11	1.95	0.47
1:C:134:ARG:HD2	7:C:496:HOH:O	2.14	0.47
1:E:59:ASN:HB2	7:E:410:HOH:O	2.15	0.47
1:B:83:LYS:O	7:B:406:HOH:O	2.20	0.47
1:C:15:GLN:HG2	1:C:160:GLU:CD	2.40	0.47
1:G:55:LEU:CD2	1:G:64:ILE:HD11	2.44	0.47
1:D:107:MET:HE2	1:D:161:ILE:HG22	1.96	0.47
1:H:134:ARG:NH1	1:H:138:ASP:OD1	2.48	0.47
1:B:36:GLY:O	1:B:41:TYR:HA	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:36:GLY:O	1:C:209:LYS:HD3	2.15	0.47
1:F:59:ASN:OD1	2:F:301:GSH:CA3	2.63	0.47
1:A:35:VAL:HB	1:A:209:LYS:HD3	1.96	0.46
7:A:452:HOH:O	1:C:150:LYS:HE3	2.15	0.46
1:C:2:LEU:HD22	1:C:29:GLU:HG3	1.96	0.46
1:H:116:TYR:CZ	2:H:301:GSH:HG12	2.50	0.46
1:A:119:TYR:CD2	1:A:216:ILE:HD12	2.50	0.46
1:A:208:ASN:CG	2:A:301:GSH:HA32	2.36	0.46
1:D:134:ARG:NH2	7:D:422:HOH:O	2.49	0.46
1:G:71:THR:O	1:G:72:GLN:HB2	2.14	0.46
1:C:92:GLU:N	1:C:92:GLU:CD	2.74	0.46
1:A:116:TYR:OH	2:A:301:GSH:O31	2.34	0.45
1:H:122:LYS:HG2	7:H:415:HOH:O	2.16	0.45
1:A:116:TYR:OH	2:A:301:GSH:HA31	2.17	0.45
2:F:301:GSH:SG2	2:F:302:GSH:SG2	3.15	0.45
1:C:87:CYS:O	1:C:150:LYS:NZ	2.31	0.45
1:G:6:GLY:O	1:G:61:PRO:HA	2.17	0.45
1:A:91:PRO:HD2	7:C:538:HOH:O	2.17	0.45
1:F:65:ASP:CB	1:F:68:VAL:HG12	2.45	0.45
1:A:142:SER:N	3:A:302:TAM:C4	2.65	0.45
1:B:196:MET:HE2	1:B:201:PHE:CE1	2.51	0.45
1:C:100:ILE:HG21	1:C:154:ILE:HD13	1.99	0.45
1:F:2:LEU:HD11	1:F:27:GLU:HG2	1.98	0.45
1:B:119:TYR:CZ	1:B:122:LYS:HD2	2.52	0.45
1:D:79:TYR:OH	7:D:401:HOH:O	1.84	0.45
1:E:100:ILE:HG21	1:E:154:ILE:HD13	1.99	0.45
1:F:145:TRP:CH2	1:F:185:ARG:HG2	2.51	0.45
1:B:184:LYS:NZ	7:B:419:HOH:O	2.48	0.45
1:F:193:LYS:HA	7:F:513:HOH:O	2.17	0.45
1:G:204:LYS:HB3	1:G:205:PRO:HA	1.99	0.45
1:E:116:TYR:CE1	1:E:207:CYS:HB3	2.51	0.45
1:F:64:ILE:HG23	1:F:69:LYS:HG2	1.98	0.45
6:G:303:IPE:H131	7:G:515:HOH:O	2.17	0.45
1:B:112:PHE:HB3	2:B:302:GSH:SG2	2.57	0.45
1:D:192:ILE:HG22	1:D:196:MET:HE2	1.98	0.45
1:E:81:ALA:HB2	1:E:153:TYR:HB3	1.99	0.45
1:F:190:GLU:OE2	7:F:409:HOH:O	2.20	0.45
1:D:71:THR:O	1:D:72:GLN:HB2	2.15	0.44
1:G:122:LYS:HE3	7:G:417:HOH:O	2.18	0.44
1:B:6:GLY:O	1:B:61:PRO:HA	2.17	0.44
1:D:127:ALA:HA	7:D:437:HOH:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:10:THR:HG22	1:F:205:PRO:HG2	1.99	0.44
1:E:83:LYS:HB3	1:E:83:LYS:HE3	1.83	0.44
1:F:78:ARG:HD2	1:F:101:GLU:OE1	2.18	0.44
1:H:119:TYR:CZ	1:H:122:LYS:HD2	2.52	0.44
1:C:75:ALA:HB1	7:D:409:HOH:O	2.18	0.44
1:A:212:GLN:HA	1:A:215:ILE:HD12	2.00	0.44
1:G:170:ARG:HD3	7:G:561:HOH:O	2.17	0.44
1:A:100:ILE:HG21	1:A:154:ILE:HD13	2.00	0.44
1:A:133:LEU:HD13	1:A:173:LEU:HD23	2.00	0.44
1:G:100:ILE:HG21	1:G:154:ILE:HD13	2.00	0.44
1:A:126:THR:HA	1:A:129:LEU:HG	2.00	0.44
1:A:140:LEU:HB2	1:A:146:PHE:CE1	2.53	0.44
1:C:92:GLU:CD	1:C:92:GLU:H	2.25	0.44
1:G:15:GLN:HG2	1:G:160:GLU:CD	2.42	0.44
1:B:194:LYS:HE3	1:B:194:LYS:HB2	1.56	0.43
1:D:190:GLU:N	5:D:304:GOL:C1	2.47	0.43
1:G:94:LEU:HD23	1:G:94:LEU:HA	1.78	0.43
1:B:11:ARG:HB2	1:B:206:ILE:HA	2.00	0.43
1:E:45[B]:GLU:CD	1:E:45[B]:GLU:N	2.77	0.43
1:G:57:PHE:N	7:G:401:HOH:O	1.70	0.43
2:F:301:GSH:HB22	2:F:302:GSH:N3	2.32	0.43
1:G:20:MET:HE1	1:G:77:MET:CB	2.49	0.43
1:A:208:ASN:HB2	2:A:301:GSH:HA31	2.00	0.43
1:D:150:LYS:HA	7:D:423:HOH:O	2.18	0.43
1:H:10:THR:HG22	1:H:205:PRO:HG2	1.99	0.43
1:H:45:GLU:HB3	7:H:546:HOH:O	2.18	0.43
2:H:301:GSH:HG13	2:H:301:GSH:SG2	2.59	0.43
1:D:70:ILE:HG22	1:D:71:THR:O	2.18	0.43
1:E:78:ARG:HD3	7:F:407:HOH:O	2.18	0.43
1:G:71:THR:OG1	1:H:99:MET:HE3	2.18	0.43
1:A:208:ASN:HB2	2:A:301:GSH:HA32	2.00	0.43
1:C:6:GLY:HA3	1:C:62:TYR:CZ	2.53	0.43
1:D:140:LEU:HB2	1:D:146:PHE:CE1	2.54	0.43
1:A:35:VAL:N	7:A:405:HOH:O	2.06	0.42
1:B:89:THR:CG2	1:C:67:ASP:OD2	2.67	0.42
1:B:120:GLU:H	1:B:120:GLU:CD	2.28	0.42
2:H:301:GSH:OE1	2:H:301:GSH:N1	2.52	0.42
1:B:85:GLY:O	1:B:150:LYS:NZ	2.52	0.42
1:C:78:ARG:NH2	1:D:78[B]:ARG:CZ	2.83	0.42
1:H:75:ALA:HA	1:H:78:ARG:CG	2.49	0.42
1:D:50:LYS:NZ	2:D:302:GSH:O32	2.42	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:6:GLY:O	1:D:61:PRO:HA	2.19	0.42
1:E:166:LEU:HD11	1:E:173:LEU:HD12	2.02	0.42
1:B:83:LYS:NZ	7:B:412:HOH:O	2.33	0.41
1:C:57:PHE:N	7:C:401:HOH:O	1.80	0.41
1:D:43:LYS:NZ	7:D:425:HOH:O	2.50	0.41
1:C:38:ALA:HB2	1:C:41:TYR:CZ	2.55	0.41
1:G:13:LEU:C	1:G:13:LEU:HD12	2.45	0.41
1:C:166:LEU:HD11	1:C:173:LEU:HD12	2.02	0.41
1:E:3:PRO:HA	1:E:64:ILE:O	2.21	0.41
1:A:36:GLY:O	1:A:41:TYR:HA	2.20	0.41
1:D:107:MET:HE3	1:D:165:HIS:CE1	2.55	0.41
1:F:71:THR:O	1:F:72:GLN:HB2	2.21	0.41
1:G:122:LYS:O	1:G:126:THR:HG23	2.20	0.41
1:H:71:THR:O	1:H:72:GLN:HB2	2.21	0.41
1:D:154:ILE:HD12	1:D:155:ASP:N	2.35	0.41
1:D:2:LEU:HA	1:D:3:PRO:HD3	1.80	0.41
1:F:95:VAL:HG23	7:F:524:HOH:O	2.21	0.41
1:A:119:TYR:OH	1:A:217:GLU:OE2	2.31	0.41
1:C:35:VAL:HB	1:C:209:LYS:HD2	2.03	0.41
1:E:170:ARG:CG	7:E:477:HOH:O	2.64	0.41
1:F:134:ARG:HB2	1:F:134:ARG:HH11	1.86	0.41
5:D:303:GOL:H11	7:D:405:HOH:O	2.20	0.40
1:E:143:ARG:HD3	1:E:148:GLY:HA2	2.02	0.40
1:G:69:LYS:HZ2	6:G:303:1PE:H262	1.86	0.40
1:B:42:ASP:OD2	1:B:44:SER:OG	2.35	0.40
1:B:73:SER:O	1:B:77:MET:HG3	2.21	0.40
1:B:125:TYR:CE2	1:B:129:LEU:HD21	2.57	0.40
1:E:2:LEU:HA	1:E:3:PRO:HD3	1.95	0.40
1:H:96:ARG:NH1	7:H:420:HOH:O	2.41	0.40
1:H:145:TRP:HB3	1:H:155:ASP:OD2	2.21	0.40
1:A:6:GLY:O	1:A:61:PRO:HA	2.20	0.40
1:B:107:MET:HB2	7:B:469:HOH:O	2.21	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:D:489:HOH:O	7:E:515:HOH:O[1_445]	1.62	0.58
7:D:507:HOH:O	7:H:455:HOH:O[2_545]	2.04	0.16
7:C:569:HOH:O	7:G:575:HOH:O[2_645]	2.09	0.11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:D:539:HOH:O	7:E:558:HOH:O[1_545]	2.15	0.05
7:E:511:HOH:O	7:F:449:HOH:O[1_455]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	213/219 (97%)	206 (97%)	6 (3%)	1 (0%)	25 28
1	B	216/219 (99%)	207 (96%)	8 (4%)	1 (0%)	25 28
1	C	217/219 (99%)	209 (96%)	8 (4%)	0	100 100
1	D	217/219 (99%)	210 (97%)	6 (3%)	1 (0%)	25 28
1	E	220/219 (100%)	211 (96%)	6 (3%)	3 (1%)	9 7
1	F	218/219 (100%)	211 (97%)	7 (3%)	0	100 100
1	G	219/219 (100%)	211 (96%)	8 (4%)	0	100 100
1	H	217/219 (99%)	209 (96%)	6 (3%)	2 (1%)	14 14
All	All	1737/1752 (99%)	1674 (96%)	55 (3%)	8 (0%)	30 28

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	68	VAL
1	E	174[A]	ASP
1	E	174[B]	ASP
1	H	67	ASP
1	D	12	ALA
1	A	12	ALA
1	E	72	GLN
1	H	66	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/191 (99%)	188 (100%)	1 (0%)	86	93
1	B	190/191 (100%)	186 (98%)	4 (2%)	48	63
1	C	191/191 (100%)	188 (98%)	3 (2%)	58	73
1	D	191/191 (100%)	190 (100%)	1 (0%)	86	93
1	E	194/191 (102%)	190 (98%)	4 (2%)	48	63
1	F	192/191 (100%)	192 (100%)	0	100	100
1	G	193/191 (101%)	192 (100%)	1 (0%)	86	93
1	H	191/191 (100%)	190 (100%)	1 (0%)	86	93
All	All	1531/1528 (100%)	1516 (99%)	15 (1%)	75	84

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ASP
1	B	64	ILE
1	B	68	VAL
1	B	70	ILE
1	B	184	LYS
1	C	2	LEU
1	C	68	VAL
1	C	190	GLU
1	D	184	LYS
1	E	1	MET
1	E	2	LEU
1	E	45[A]	GLU
1	E	45[B]	GLU
1	G	86	LEU
1	H	78	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	118	HIS
1	A	208	ASN
1	B	135	GLN
1	C	135	GLN
1	E	118	HIS
1	E	121	GLN
1	F	118	HIS
1	H	118	HIS
1	H	180	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 3 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	D	304	-	5,5,5	1.18	1 (20%)	5,5,5	0.79	0
6	1PE	G	303	-	15,15,15	0.71	0	14,14,14	1.18	2 (14%)
2	GSH	F	301	-	18,19,19	1.76	5 (27%)	21,24,24	1.89	5 (23%)
2	GSH	D	302	-	18,19,19	2.08	4 (22%)	21,24,24	1.20	1 (4%)
2	GSH	H	301	-	18,19,19	0.78	1 (5%)	21,24,24	0.98	2 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GSH	B	302	-	18,19,19	2.13	3 (16%)	21,24,24	2.08	7 (33%)
5	GOL	D	303	-	5,5,5	0.25	0	5,5,5	0.27	0
2	GSH	A	301	-	18,19,19	1.85	5 (27%)	21,24,24	2.14	9 (42%)
2	GSH	E	302	-	18,19,19	2.07	4 (22%)	21,24,24	1.32	2 (9%)
2	GSH	C	301	-	18,19,19	2.13	4 (22%)	21,24,24	1.20	1 (4%)
2	GSH	G	302	-	18,19,19	0.81	2 (11%)	21,24,24	0.81	0
3	TAM	A	302	-	10,10,10	2.33	2 (20%)	12,12,12	3.82	8 (66%)
2	GSH	B	301	-	18,19,19	2.01	3 (16%)	21,24,24	1.27	2 (9%)
2	GSH	F	302	-	18,19,19	0.93	1 (5%)	21,24,24	1.40	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	D	304	-	-	2/4/4/4	-
6	1PE	G	303	-	-	8/13/13/13	-
2	GSH	F	301	-	-	5/24/24/24	-
2	GSH	D	302	-	-	2/24/24/24	-
2	GSH	H	301	-	-	14/24/24/24	-
2	GSH	B	302	-	-	9/24/24/24	-
5	GOL	D	303	-	-	0/4/4/4	-
2	GSH	A	301	-	-	19/24/24/24	-
2	GSH	E	302	-	-	0/24/24/24	-
2	GSH	C	301	-	-	3/24/24/24	-
2	GSH	G	302	-	-	3/24/24/24	-
3	TAM	A	302	-	-	8/12/12/12	-
2	GSH	B	301	-	-	3/24/24/24	-
2	GSH	F	302	-	-	13/24/24/24	-

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	302	GSH	CD1-N2	5.91	1.46	1.34
3	A	302	TAM	C2-C	5.72	1.61	1.53
2	D	302	GSH	CD1-N2	5.60	1.45	1.34
2	B	301	GSH	CD1-N2	5.59	1.45	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	GSH	C2-N3	5.58	1.46	1.33
2	C	301	GSH	CD1-N2	5.37	1.45	1.34
2	E	302	GSH	C2-N3	5.26	1.46	1.33
2	E	302	GSH	CD1-N2	5.20	1.45	1.34
2	D	302	GSH	C2-N3	5.14	1.45	1.33
2	B	302	GSH	C2-N3	5.05	1.45	1.33
2	B	301	GSH	C2-N3	4.82	1.44	1.33
2	A	301	GSH	O32-C3	-4.34	1.16	1.30
2	F	301	GSH	O12-C1	-3.74	1.18	1.30
2	F	301	GSH	O32-C3	-3.48	1.19	1.30
3	A	302	TAM	C1-C	-3.25	1.49	1.53
2	A	301	GSH	OE1-CD1	-3.10	1.17	1.23
2	F	301	GSH	CB2-CA2	2.83	1.56	1.53
2	A	301	GSH	C2-N3	-2.59	1.27	1.33
2	E	302	GSH	O2-C2	-2.52	1.18	1.23
5	D	304	GOL	O2-C2	-2.46	1.36	1.43
2	A	301	GSH	O12-C1	-2.37	1.23	1.30
2	C	301	GSH	OE1-CD1	-2.32	1.18	1.23
2	C	301	GSH	O2-C2	-2.25	1.19	1.23
2	A	301	GSH	CA2-N2	-2.25	1.41	1.45
2	B	301	GSH	O2-C2	-2.23	1.19	1.23
2	G	302	GSH	O12-C1	-2.12	1.23	1.30
2	B	302	GSH	O2-C2	-2.10	1.19	1.23
2	D	302	GSH	OE1-CD1	-2.09	1.19	1.23
2	F	301	GSH	OE1-CD1	-2.08	1.19	1.23
2	F	301	GSH	O2-C2	-2.05	1.19	1.23
2	D	302	GSH	O2-C2	-2.04	1.19	1.23
2	E	302	GSH	OE1-CD1	-2.04	1.19	1.23
2	H	301	GSH	O12-C1	-2.02	1.24	1.30
2	F	302	GSH	O32-C3	-2.02	1.24	1.30
2	G	302	GSH	O32-C3	-2.01	1.24	1.30

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	TAM	C5-C2-C	8.53	126.03	115.97
2	B	302	GSH	CA2-CB2-SG2	-4.75	108.81	114.16
2	F	301	GSH	CA2-CB2-SG2	4.64	119.39	114.16
3	A	302	TAM	C3-C-C2	4.52	118.48	110.50
3	A	302	TAM	C2-C-N	4.30	119.02	108.22
3	A	302	TAM	C1-C-N	-4.20	97.67	108.22
2	A	301	GSH	O32-C3-O31	-4.20	112.52	123.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302	TAM	O5-C5-C2	4.15	122.98	111.33
3	A	302	TAM	C3-C-C1	-3.86	103.69	110.50
2	B	302	GSH	CB2-CA2-C2	-3.75	101.34	109.50
2	A	301	GSH	CB1-CG1-CD1	3.51	120.89	113.06
2	A	301	GSH	CA3-N3-C2	-3.49	112.56	121.38
2	F	302	GSH	CA2-CB2-SG2	-3.32	110.42	114.16
2	A	301	GSH	CB2-CA2-N2	-3.29	106.59	111.28
2	F	302	GSH	CB1-CG1-CD1	-3.09	106.17	113.06
2	F	301	GSH	CA2-C2-N3	3.09	123.17	116.54
2	B	302	GSH	CG1-CD1-N2	2.96	121.08	115.86
2	E	302	GSH	CA2-C2-N3	2.88	122.73	116.54
2	E	302	GSH	CB2-CA2-N2	-2.80	107.29	111.28
2	B	302	GSH	CB2-CA2-N2	-2.75	107.36	111.28
2	F	302	GSH	CB2-CA2-N2	-2.75	107.36	111.28
2	B	301	GSH	O12-C1-O11	-2.75	117.84	124.08
2	A	301	GSH	CG1-CB1-CA1	-2.75	107.56	113.86
2	A	301	GSH	O32-C3-CA3	2.63	122.82	112.81
2	A	301	GSH	O12-C1-O11	-2.58	118.23	124.08
2	B	302	GSH	O12-C1-O11	-2.43	118.58	124.08
3	A	302	TAM	O4-C4-C1	-2.35	104.73	111.33
6	G	303	1PE	C25-OH5-C14	-2.32	103.10	113.26
2	D	302	GSH	O12-C1-O11	-2.30	118.85	124.08
2	F	301	GSH	O32-C3-CA3	2.30	121.54	112.81
2	H	301	GSH	CA2-CB2-SG2	-2.29	111.58	114.16
2	A	301	GSH	CA2-C2-N3	-2.28	111.65	116.54
2	A	301	GSH	CA2-CB2-SG2	-2.25	111.63	114.16
6	G	303	1PE	C23-OH3-C22	2.23	123.04	113.26
2	B	301	GSH	CB2-CA2-N2	-2.20	108.15	111.28
2	B	302	GSH	C3-CA3-N3	-2.19	106.27	113.06
2	C	301	GSH	CG1-CD1-N2	2.15	119.65	115.86
2	F	301	GSH	O2-C2-N3	-2.11	118.52	122.98
3	A	302	TAM	C4-C1-C	-2.10	113.50	115.97
2	H	301	GSH	CB1-CA1-C1	2.09	115.99	110.45
2	F	301	GSH	C2-CA2-N2	2.08	116.74	111.11
2	B	302	GSH	CG1-CB1-CA1	2.06	118.60	113.86

There are no chirality outliers.

All (89) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	GSH	N1-CA1-CB1-CG1
2	A	301	GSH	N2-CA2-CB2-SG2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	301	GSH	C2-CA2-CB2-SG2
2	A	301	GSH	CA2-C2-N3-CA3
2	A	301	GSH	O2-C2-N3-CA3
2	A	301	GSH	O31-C3-CA3-N3
2	B	301	GSH	N2-CA2-CB2-SG2
2	B	302	GSH	N1-CA1-CB1-CG1
2	B	302	GSH	C1-CA1-CB1-CG1
2	D	302	GSH	N1-CA1-CB1-CG1
2	F	301	GSH	CA2-C2-N3-CA3
2	F	301	GSH	O2-C2-N3-CA3
2	F	302	GSH	O11-C1-CA1-N1
2	F	302	GSH	N1-CA1-CB1-CG1
2	F	302	GSH	CG1-CD1-N2-CA2
2	F	302	GSH	OE1-CD1-N2-CA2
2	F	302	GSH	N2-CA2-CB2-SG2
2	F	302	GSH	C2-CA2-CB2-SG2
2	G	302	GSH	CG1-CD1-N2-CA2
2	H	301	GSH	O11-C1-CA1-N1
2	H	301	GSH	CG1-CD1-N2-CA2
2	H	301	GSH	OE1-CD1-N2-CA2
2	H	301	GSH	O2-C2-CA2-CB2
2	H	301	GSH	N3-C2-CA2-CB2
2	H	301	GSH	N2-CA2-CB2-SG2
2	H	301	GSH	C2-CA2-CB2-SG2
2	H	301	GSH	CA2-C2-N3-CA3
2	H	301	GSH	O2-C2-N3-CA3
2	H	301	GSH	O31-C3-CA3-N3
2	H	301	GSH	O32-C3-CA3-N3
3	A	302	TAM	C1-C-C2-C5
3	A	302	TAM	N-C-C2-C5
3	A	302	TAM	C1-C-C3-C6
3	A	302	TAM	C2-C-C3-C6
3	A	302	TAM	N-C-C3-C6
3	A	302	TAM	C-C2-C5-O5
2	G	302	GSH	OE1-CD1-N2-CA2
6	G	303	1PE	C12-C22-OH3-C23
2	F	302	GSH	CA1-CB1-CG1-CD1
2	G	302	GSH	CA1-CB1-CG1-CD1
2	A	301	GSH	O32-C3-CA3-N3
2	B	302	GSH	O32-C3-CA3-N3
2	F	302	GSH	CB2-CA2-N2-CD1
2	B	302	GSH	O12-C1-CA1-N1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	H	301	GSH	O12-C1-CA1-N1
2	F	301	GSH	O31-C3-CA3-N3
2	F	301	GSH	O32-C3-CA3-N3
5	D	304	GOL	C1-C2-C3-O3
6	G	303	1PE	OH4-C13-C23-OH3
2	A	301	GSH	C2-CA2-N2-CD1
2	B	301	GSH	C2-CA2-CB2-SG2
2	B	302	GSH	O31-C3-CA3-N3
6	G	303	1PE	OH6-C15-C25-OH5
2	A	301	GSH	OE1-CD1-CG1-CB1
2	A	301	GSH	CA1-CB1-CG1-CD1
2	A	301	GSH	N2-CD1-CG1-CB1
2	F	302	GSH	O12-C1-CA1-N1
3	A	302	TAM	C3-C-C2-C5
2	A	301	GSH	O11-C1-CA1-N1
2	B	302	GSH	O11-C1-CA1-N1
5	D	304	GOL	O2-C2-C3-O3
6	G	303	1PE	C14-C24-OH4-C13
3	A	302	TAM	C-C1-C4-O4
2	A	301	GSH	C1-CA1-CB1-CG1
2	C	301	GSH	C1-CA1-CB1-CG1
2	D	302	GSH	C1-CA1-CB1-CG1
2	F	302	GSH	C1-CA1-CB1-CG1
2	F	302	GSH	O2-C2-N3-CA3
6	G	303	1PE	C24-C14-OH5-C25
2	A	301	GSH	CB2-CA2-N2-CD1
2	C	301	GSH	N1-CA1-CB1-CG1
2	H	301	GSH	O12-C1-CA1-CB1
2	F	301	GSH	N2-CA2-CB2-SG2
2	A	301	GSH	O2-C2-CA2-N2
2	H	301	GSH	O11-C1-CA1-CB1
2	A	301	GSH	O12-C1-CA1-N1
2	F	302	GSH	CA2-C2-N3-CA3
2	F	302	GSH	C2-CA2-N2-CD1
2	A	301	GSH	O12-C1-CA1-CB1
2	B	302	GSH	C2-CA2-CB2-SG2
6	G	303	1PE	C13-C23-OH3-C22
2	A	301	GSH	O11-C1-CA1-CB1
6	G	303	1PE	OH7-C16-C26-OH6
6	G	303	1PE	OH5-C14-C24-OH4
2	B	302	GSH	C3-CA3-N3-C2
2	B	302	GSH	OE1-CD1-CG1-CB1

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
2	B	301	GSH	O12-C1-CA1-N1
2	C	301	GSH	O12-C1-CA1-N1
2	A	301	GSH	N3-C2-CA2-N2




There are no ring outliers.



12 monomers are involved in 74 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	304	GOL	6	0
6	G	303	1PE	8	0
2	F	301	GSH	4	0
2	D	302	GSH	1	0
2	H	301	GSH	7	0
2	B	302	GSH	2	0
5	D	303	GOL	12	0
2	A	301	GSH	15	0
2	C	301	GSH	2	0
3	A	302	TAM	14	0
2	B	301	GSH	2	0
2	F	302	GSH	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	217/219 (99%)	-0.48	1 (0%) 87 85	5, 13, 32, 50	0
1	B	218/219 (99%)	-0.39	2 (0%) 81 78	5, 16, 28, 44	0
1	C	219/219 (100%)	-0.53	2 (0%) 81 78	4, 12, 27, 43	0
1	D	218/219 (99%)	-0.58	1 (0%) 87 85	4, 11, 24, 34	1 (0%)
1	E	219/219 (100%)	-0.56	0 100 100	5, 12, 27, 34	3 (1%)
1	F	218/219 (99%)	-0.56	0 100 100	4, 12, 28, 35	2 (0%)
1	G	219/219 (100%)	-0.51	0 100 100	6, 13, 27, 38	2 (0%)
1	H	218/219 (99%)	-0.55	1 (0%) 87 85	5, 12, 26, 50	1 (0%)
All	All	1746/1752 (99%)	-0.52	7 (0%) 89 87	4, 13, 28, 50	9 (0%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	67	ASP	4.2
1	C	1	MET	3.0
1	B	66	GLY	2.8
1	C	66	GLY	2.5
1	H	78	ARG	2.3
1	D	66	GLY	2.3
1	A	38	ALA	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	TAM	A	302	11/11	0.69	0.18	21,27,40,41	0
2	GSH	F	302	20/20	0.71	0.18	31,46,58,62	0
2	GSH	H	301	20/20	0.72	0.19	21,50,62,70	0
2	GSH	B	302	20/20	0.76	0.15	24,46,55,57	0
2	GSH	A	301	20/20	0.79	0.14	26,36,57,60	0
5	GOL	D	303	6/6	0.80	0.27	11,31,51,58	0
5	GOL	D	304	6/6	0.85	0.16	20,30,43,52	0
2	GSH	G	302	20/20	0.88	0.11	15,29,42,51	0
2	GSH	F	301	20/20	0.90	0.08	17,26,36,39	0
6	1PE	G	303	16/16	0.90	0.09	13,23,31,33	0
2	GSH	E	302	20/20	0.91	0.09	4,17,32,38	0
2	GSH	C	301	20/20	0.93	0.07	11,20,33,40	0
2	GSH	D	302	20/20	0.94	0.07	9,22,32,34	0
2	GSH	B	301	20/20	0.94	0.07	9,23,32,45	0
4	AG	E	301	1/1	0.95	0.06	37,37,37,37	1
4	AG	D	301	1/1	0.96	0.06	68,68,68,68	1
4	AG	G	301	1/1	0.97	0.04	43,43,43,43	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around TAM A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GSH F 302:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around GSH A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GOL D 303:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around GSH F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 1PE G 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around GSH E 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GSH C 301:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around AG E 301:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AG D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.