



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 16, 2026 – 12:37 PM JST

PDB ID : 9WRF / pdb\_00009wrf  
Title : Amino acid racemase in complex with PLP-L-Ile  
Authors : Sakuraba, H.; Yoneda, K.  
Deposited on : 2025-09-12  
Resolution : 2.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.48.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	3316 (2.90-2.86)
Clashscore	180529	3609 (2.90-2.86)
Ramachandran outliers	177936	3529 (2.90-2.86)
Sidechain outliers	177891	3532 (2.90-2.86)
RSRZ outliers	164620	3319 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	483	 65% 28% • 5%
1	B	483	 65% 25% • 5%

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 7364 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Broad substrate specificity amino-acid racemase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	459	3640	2344	611	676	9	0	0	0
1	B	459	3640	2344	611	676	9	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP O57878
A	-18	GLY	-	expression tag	UNP O57878
A	-17	SER	-	expression tag	UNP O57878
A	-16	SER	-	expression tag	UNP O57878
A	-15	HIS	-	expression tag	UNP O57878
A	-14	HIS	-	expression tag	UNP O57878
A	-13	HIS	-	expression tag	UNP O57878
A	-12	HIS	-	expression tag	UNP O57878
A	-11	HIS	-	expression tag	UNP O57878
A	-10	HIS	-	expression tag	UNP O57878
A	-9	SER	-	expression tag	UNP O57878
A	-8	SER	-	expression tag	UNP O57878
A	-7	GLY	-	expression tag	UNP O57878
A	-6	LEU	-	expression tag	UNP O57878
A	-5	VAL	-	expression tag	UNP O57878
A	-4	PRO	-	expression tag	UNP O57878
A	-3	ARG	-	expression tag	UNP O57878
A	-2	GLY	-	expression tag	UNP O57878
A	-1	SER	-	expression tag	UNP O57878
A	0	HIS	-	expression tag	UNP O57878
B	-19	MET	-	initiating methionine	UNP O57878
B	-18	GLY	-	expression tag	UNP O57878
B	-17	SER	-	expression tag	UNP O57878
B	-16	SER	-	expression tag	UNP O57878
B	-15	HIS	-	expression tag	UNP O57878

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP O57878
B	-13	HIS	-	expression tag	UNP O57878
B	-12	HIS	-	expression tag	UNP O57878
B	-11	HIS	-	expression tag	UNP O57878
B	-10	HIS	-	expression tag	UNP O57878
B	-9	SER	-	expression tag	UNP O57878
B	-8	SER	-	expression tag	UNP O57878
B	-7	GLY	-	expression tag	UNP O57878
B	-6	LEU	-	expression tag	UNP O57878
B	-5	VAL	-	expression tag	UNP O57878
B	-4	PRO	-	expression tag	UNP O57878
B	-3	ARG	-	expression tag	UNP O57878
B	-2	GLY	-	expression tag	UNP O57878
B	-1	SER	-	expression tag	UNP O57878
B	0	HIS	-	expression tag	UNP O57878

- Molecule 2 is (2S,3S)-3-methyl-2-[[2-methyl-3-oxidanyl-5-(phosphonooxymethyl)pyridin-4-yl]methylamino]pentanoic acid (CCD ID: 7VO) (formula: C<sub>14</sub>H<sub>23</sub>N<sub>2</sub>O<sub>7</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			24	14	2	7	1		
2	B	1	Total	C	N	O	P	0	0
			24	14	2	7	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	24	Total O 24 24	0	0
3	B	12	Total O 12 12	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Broad substrate specificity amino-acid racemase



- Molecule 1: Broad substrate specificity amino-acid racemase



E431	D432	L433	D434	I440	I444	K445	P453	V456	F459	L460	W463
------	------	------	------	------	------	------	------	------	------	------	------

## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.64Å 132.38Å 136.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.56 – 2.87 47.56 – 2.87	Depositor EDS
% Data completeness (in resolution range)	91.9 (47.56-2.87) 91.9 (47.56-2.87)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.24 (at 2.86Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.186 , 0.258 0.190 , 0.251	Depositor DCC
$R_{free}$ test set	1151 reflections (4.26%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	65.5	Xtrriage
Anisotropy	0.302	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 28.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.012 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7364	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 7VO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.00	1/3723 (0.0%)	1.41	6/5034 (0.1%)
1	B	1.01	0/3723	1.39	3/5034 (0.1%)
All	All	1.00	1/7446 (0.0%)	1.40	9/10068 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	315	VAL	C-O	5.65	1.31	1.24

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	413	PHE	CA-CB-CG	6.38	120.18	113.80
1	A	144	VAL	CA-C-O	-6.18	114.80	120.73
1	B	128	ASP	CA-CB-CG	6.12	118.72	112.60
1	A	414	GLY	CA-C-O	-6.12	118.24	122.22
1	A	379	ILE	CA-C-N	5.90	125.66	121.65
1	A	379	ILE	C-N-CA	5.90	125.66	121.65
1	B	93	MET	N-CA-C	-5.70	106.40	113.19
1	A	128	ASP	CA-CB-CG	5.27	117.87	112.60
1	A	361	GLU	N-CA-C	-5.07	105.75	111.28

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3640	0	3670	89	0
1	B	3640	0	3670	99	0
2	A	24	0	0	0	0
2	B	24	0	0	0	0
3	A	24	0	0	0	0
3	B	12	0	0	0	0
All	All	7364	0	7340	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:VAL:HG13	1:A:291:ALA:HB3	1.47	0.95
1:B:37:TYR:HA	1:B:460:LEU:HD23	1.61	0.81
1:A:174:LEU:HG	1:B:139:ALA:HA	1.68	0.76
1:B:194:TRP:HZ3	1:B:205:LEU:HD12	1.51	0.75
1:A:35:PHE:HB2	1:B:94:GLY:O	1.87	0.74
1:B:287:LEU:HD23	1:B:305:GLY:HA3	1.68	0.74
1:A:271:ARG:HG3	1:A:378:LEU:HB2	1.73	0.70
1:A:156:MET:HE3	1:B:316:PRO:O	1.92	0.69
1:B:5:ASP:HB3	1:B:8:ARG:HH12	1.58	0.68
1:B:210:LEU:HD21	1:B:248:ASP:HB3	1.78	0.66
1:A:45:SER:HB2	1:A:50:ILE:HG22	1.78	0.65
1:A:273:GLY:HA2	1:A:348:SER:HB3	1.79	0.65
1:B:40:MET:HE1	1:B:50:ILE:HD11	1.80	0.64
1:A:91:TYR:HB2	1:B:42:ILE:HD13	1.79	0.63
1:A:144:VAL:HG22	1:B:176:HIS:CE1	2.34	0.63
1:A:210:LEU:HD21	1:A:248:ASP:HB3	1.81	0.63
1:B:68:PHE:CD1	1:B:72:HIS:HA	2.35	0.61
1:B:190:TYR:CE1	1:B:371:ASP:HB2	2.35	0.61
1:A:41:VAL:HG22	1:B:97:TYR:HB2	1.81	0.60
1:B:308:GLU:H	1:B:308:GLU:CD	2.08	0.60
1:B:113:PRO:HB2	1:B:284:THR:HG23	1.85	0.59
1:B:314:PRO:HG2	1:B:317:PHE:CD1	2.37	0.59
1:A:313:VAL:HG21	1:A:318:PHE:CE2	2.37	0.59
1:B:35:PHE:O	1:B:36:LYS:HD2	2.03	0.58
1:A:197:ASP:CG	1:A:389:ARG:HH22	2.12	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:VAL:HG12	1:A:100:PRO:HD2	1.85	0.58
1:B:188:ASP:HB3	1:B:191:ARG:O	2.04	0.57
1:B:184:VAL:HG21	1:B:213:ILE:HG12	1.85	0.57
1:B:40:MET:CE	1:B:50:ILE:HD11	2.34	0.57
1:A:393:ARG:O	1:A:397:GLN:HG3	2.05	0.56
1:A:36:LYS:HE3	1:B:96:LEU:O	2.04	0.56
1:A:149:PHE:CZ	1:A:213:ILE:HD11	2.40	0.56
1:B:402:ARG:NH2	1:B:405:GLU:OE1	2.36	0.56
1:A:377:LEU:HD12	1:A:426:LEU:HA	1.88	0.56
1:A:15:ILE:HG13	1:A:19:LEU:CD1	2.36	0.55
1:A:89:PHE:O	1:A:327:VAL:HG23	2.07	0.55
1:B:308:GLU:OE1	1:B:308:GLU:N	2.40	0.54
1:B:196:ILE:HG21	1:B:204:GLU:HG2	1.90	0.54
1:A:460:LEU:HD22	1:A:462:ALA:HB2	1.90	0.54
1:A:67:VAL:HG22	1:A:292:LYS:HA	1.90	0.54
1:B:385:LYS:HD2	1:B:390:GLU:O	2.08	0.53
1:A:41:VAL:HG22	1:B:97:TYR:CB	2.39	0.53
1:A:8:ARG:HD3	1:A:16:GLU:OE2	2.09	0.51
1:B:295:GLY:HA3	1:B:298:MET:O	2.10	0.51
1:A:35:PHE:O	1:B:94:GLY:O	2.27	0.51
1:A:363:GLN:HG3	1:A:369:ILE:O	2.11	0.51
1:B:192:ASN:ND2	1:B:205:LEU:HD13	2.26	0.51
1:A:148:SER:O	1:A:183:HIS:HA	2.10	0.51
1:B:152:SER:HB2	1:B:154:HIS:NE2	2.26	0.51
1:A:83:GLU:HA	1:A:86:LYS:HD2	1.93	0.51
1:B:354:TYR:OH	1:B:434:ASP:OD1	2.22	0.51
1:A:130:VAL:O	1:A:133:SER:OG	2.27	0.50
1:B:60:ASP:OD2	1:B:72:HIS:NE2	2.41	0.50
1:B:141:THR:HG21	1:B:225:ALA:O	2.10	0.50
1:A:298:MET:HE1	1:B:327:VAL:HG11	1.93	0.50
1:A:153:TYR:HA	1:A:164:THR:HG23	1.94	0.49
1:A:320:PHE:O	1:A:323:ILE:HG22	2.12	0.49
1:B:415:LYS:HG3	1:B:416:HIS:CD2	2.48	0.49
1:B:431:GLU:HG2	1:B:432:ASP:H	1.77	0.49
1:A:227:ILE:HD12	1:A:253:THR:HG22	1.94	0.49
1:B:431:GLU:HG2	1:B:432:ASP:N	2.27	0.49
1:A:27:LYS:HE3	1:A:28:TYR:CZ	2.48	0.49
1:A:121:THR:HG22	1:A:310:MET:HE1	1.93	0.49
1:A:151:HIS:O	1:A:236:ALA:HB2	2.12	0.49
1:A:231:PRO:HD3	1:A:262:ASP:OD1	2.13	0.49
1:B:377:LEU:HD12	1:B:426:LEU:HA	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:144:VAL:HG13	1:B:145:ASN:N	2.28	0.48
1:B:271:ARG:HG3	1:B:378:LEU:HB2	1.94	0.48
1:A:99:GLU:HB3	1:A:100:PRO:HD3	1.94	0.48
1:A:274:ARG:O	1:A:275:TRP:C	2.56	0.48
1:B:48:SER:OG	1:B:425:PRO:HG2	2.13	0.48
1:B:81:VAL:O	1:B:85:ILE:HG23	2.13	0.48
1:A:453:PRO:O	1:A:456:VAL:HG22	2.13	0.48
1:A:455:GLU:O	1:A:458:LYS:HG2	2.14	0.47
1:B:5:ASP:HB3	1:B:8:ARG:NH1	2.28	0.47
1:B:144:VAL:HG12	1:B:223:ASP:CG	2.40	0.47
1:A:266:GLN:HA	1:A:292:LYS:HD2	1.97	0.47
1:B:236:ALA:C	1:B:414:GLY:HA2	2.40	0.47
1:B:259:VAL:HG12	1:B:261:ILE:HG13	1.97	0.47
1:B:45:SER:OG	1:B:72:HIS:HB3	2.15	0.47
1:A:94:GLY:O	1:B:35:PHE:HB2	2.15	0.46
1:A:140:TYR:CD2	1:A:309:ILE:HG12	2.50	0.46
1:A:314:PRO:HB2	1:A:317:PHE:CD2	2.50	0.46
1:B:413:PHE:CZ	1:B:421:ARG:HG3	2.49	0.46
1:A:131:ASP:OD1	1:A:157:THR:OG1	2.26	0.46
1:B:410:MET:HE3	1:B:410:MET:HB3	1.82	0.46
1:A:42:ILE:HG21	1:B:91:TYR:HB2	1.98	0.46
1:B:190:TYR:CE1	1:B:389:ARG:HD3	2.51	0.46
1:B:249:LEU:O	1:B:252:LEU:HB3	2.16	0.46
1:A:20:GLU:O	1:A:23:LYS:HB2	2.16	0.46
1:A:42:ILE:HG21	1:B:91:TYR:CB	2.46	0.46
1:A:246:VAL:HG21	1:A:281:PHE:CD1	2.50	0.46
1:A:84:GLN:HA	1:A:87:LYS:HD3	1.97	0.46
1:A:147:ILE:O	1:A:227:ILE:HA	2.16	0.45
1:A:334:ALA:O	1:A:338:VAL:HG23	2.16	0.45
1:A:100:PRO:N	1:A:101:PRO:HD2	2.30	0.45
1:B:92:THR:C	1:B:94:GLY:H	2.22	0.45
1:A:447:ALA:HA	1:A:452:ILE:HD12	1.99	0.45
1:B:6:GLU:OE2	1:B:459:PHE:HZ	1.99	0.45
1:A:155:GLY:CA	1:A:160:ALA:HB1	2.47	0.45
1:A:182:HIS:CE1	1:A:220:LEU:HD21	2.52	0.45
1:B:49:ARG:HH11	1:B:432:ASP:CG	2.24	0.45
1:B:135:LYS:HE3	1:B:318:PHE:CE1	2.52	0.45
1:A:293:ALA:O	1:A:294:LEU:C	2.58	0.45
1:B:138:ARG:HH12	1:B:178:MET:HE1	1.82	0.45
1:B:399:ILE:HD13	1:B:444:ILE:HG12	1.99	0.45
1:B:15:ILE:O	1:B:19:LEU:HG	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:THR:C	1:B:94:GLY:N	2.72	0.45
1:B:151:HIS:O	1:B:236:ALA:HB2	2.17	0.45
1:B:194:TRP:CZ3	1:B:205:LEU:HD12	2.41	0.45
1:A:97:TYR:CZ	1:B:36:LYS:HG3	2.51	0.44
1:A:402:ARG:HB3	1:A:443:SER:HB3	1.99	0.44
1:B:8:ARG:HD3	1:B:16:GLU:OE1	2.17	0.44
1:B:440:ILE:O	1:B:444:ILE:HG13	2.17	0.44
1:A:123:GLY:HA3	1:A:128:ASP:OD1	2.17	0.44
1:A:461:ARG:HD2	1:B:315:VAL:HG11	1.99	0.44
1:B:263:GLU:OE1	1:B:265:VAL:HG23	2.18	0.44
1:B:385:LYS:HB2	1:B:388:THR:OG1	2.17	0.44
1:A:191:ARG:NH1	1:A:382:ASP:OD2	2.50	0.44
1:A:238:VAL:HG21	1:A:379:ILE:C	2.42	0.44
1:B:307:ALA:O	1:B:311:ASP:HB2	2.17	0.43
1:B:410:MET:SD	1:B:420:LEU:HB3	2.57	0.43
1:B:65:ALA:HB1	1:B:292:LYS:NZ	2.33	0.43
1:A:458:LYS:HE2	1:A:459:PHE:CZ	2.53	0.43
1:B:377:LEU:CD1	1:B:426:LEU:HA	2.48	0.43
1:A:342:GLU:HB2	1:A:344:LEU:HG	1.99	0.43
1:A:423:ALA:N	1:A:424:PRO:CD	2.82	0.43
1:A:107:LEU:HD12	1:A:107:LEU:HA	1.79	0.43
1:A:313:VAL:HA	1:A:314:PRO:HD3	1.91	0.43
1:B:413:PHE:CD2	1:B:421:ARG:HD2	2.53	0.43
1:A:38:TYR:HD2	1:B:96:LEU:HD21	1.83	0.42
1:B:67:VAL:O	1:B:293:ALA:HA	2.19	0.42
1:A:402:ARG:HB2	1:A:452:ILE:HD11	2.00	0.42
1:B:130:VAL:HG21	1:B:154:HIS:HB3	2.02	0.42
1:A:17:LYS:HB3	1:A:53:LYS:HB3	2.01	0.42
1:B:192:ASN:HD22	1:B:205:LEU:HD13	1.84	0.42
1:B:269:MET:HE2	1:B:294:LEU:HA	2.02	0.42
1:A:13:LYS:HD2	1:A:404:TRP:CZ2	2.55	0.42
1:A:81:VAL:O	1:A:85:ILE:HG23	2.20	0.42
1:B:194:TRP:CE3	1:B:196:ILE:HD12	2.55	0.42
1:B:19:LEU:O	1:B:20:GLU:C	2.61	0.41
1:B:453:PRO:O	1:B:456:VAL:HG22	2.20	0.41
1:A:15:ILE:HG13	1:A:19:LEU:HD11	2.02	0.41
1:B:161:LEU:O	1:B:172:LYS:CE	2.68	0.41
1:A:91:TYR:CB	1:B:42:ILE:HG21	2.49	0.41
1:A:65:ALA:HB3	1:B:321:THR:HG23	2.01	0.41
1:B:38:TYR:HH	1:B:400:SER:HG	1.67	0.41
1:B:123:GLY:HA3	1:B:128:ASP:OD1	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:227:ILE:HD12	1:B:253:THR:HG22	2.02	0.41
1:A:31:ARG:HD3	1:A:461:ARG:NH1	2.35	0.41
1:A:135:LYS:HE3	1:A:318:PHE:CE1	2.55	0.41
1:B:38:TYR:HB2	1:B:40:MET:HG2	2.03	0.41
1:A:36:LYS:HG2	1:B:97:TYR:CZ	2.55	0.41
1:A:362:LEU:HD12	1:A:362:LEU:HA	1.84	0.41
1:A:316:PRO:O	1:B:156:MET:HE3	2.21	0.41
1:B:135:LYS:HE3	1:B:318:PHE:HE1	1.85	0.41
1:B:194:TRP:CD2	1:B:208:ARG:HG2	2.56	0.41
1:A:15:ILE:HG13	1:A:19:LEU:HG	2.03	0.41
1:A:246:VAL:HG21	1:A:281:PHE:CE1	2.56	0.41
1:B:197:ASP:OD2	1:B:200:GLU:HB2	2.21	0.41
1:A:22:VAL:HG13	1:B:97:TYR:CZ	2.56	0.40
1:B:233:GLN:HB2	1:B:239:VAL:HB	2.02	0.40
1:A:173:LYS:HB3	1:A:173:LYS:HE3	1.78	0.40
1:A:395:LEU:HD12	1:A:395:LEU:HA	1.91	0.40
1:A:11:THR:HA	1:A:405:GLU:OE2	2.21	0.40
1:A:155:GLY:HA3	1:A:160:ALA:HB1	2.04	0.40
1:B:286:ASP:HA	1:B:306:LYS:HD2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	457/483 (95%)	425 (93%)	32 (7%)	0	100	100
1	B	457/483 (95%)	420 (92%)	37 (8%)	0	100	100
All	All	914/966 (95%)	845 (92%)	69 (8%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/411 (95%)	366 (94%)	24 (6%)	15	39
1	B	390/411 (95%)	356 (91%)	34 (9%)	8	24
All	All	780/822 (95%)	722 (93%)	58 (7%)	11	31

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	ASP
1	A	6	GLU
1	A	7	ILE
1	A	13	LYS
1	A	14	LYS
1	A	15	ILE
1	A	36	LYS
1	A	42	ILE
1	A	87	LYS
1	A	93	MET
1	A	117	GLU
1	A	143	ARG
1	A	213	ILE
1	A	229	ILE
1	A	263	GLU
1	A	318	PHE
1	A	350	LYS
1	A	394	SER
1	A	402	ARG
1	A	411	ILE
1	A	412	THR
1	A	413	PHE
1	A	430	GLN
1	A	460	LEU
1	B	6	GLU
1	B	7	ILE
1	B	9	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	40	MET
1	B	42	ILE
1	B	49	ARG
1	B	50	ILE
1	B	93	MET
1	B	107	LEU
1	B	112	THR
1	B	174	LEU
1	B	194	TRP
1	B	200	GLU
1	B	204	GLU
1	B	240	ILE
1	B	263	GLU
1	B	308	GLU
1	B	315	VAL
1	B	316	PRO
1	B	318	PHE
1	B	343	LYS
1	B	358	ARG
1	B	364	GLU
1	B	375	LYS
1	B	386	GLU
1	B	388	THR
1	B	393	ARG
1	B	394	SER
1	B	400	SER
1	B	402	ARG
1	B	410	MET
1	B	411	ILE
1	B	413	PHE
1	B	445	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	ASN
1	A	145	ASN
1	A	221	ASN
1	A	397	GLN
1	A	430	GLN
1	B	151	HIS
1	B	182	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	266	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	7VO	A	2101	-	24,24,24	0.91	2 (8%)	30,34,34	1.03	3 (10%)
2	7VO	B	2101	-	24,24,24	0.83	1 (4%)	30,34,34	1.01	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7VO	A	2101	-	-	11/21/21/21	0/1/1/1
2	7VO	B	2101	-	-	6/21/21/21	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2101	7VO	CA-N	2.51	1.51	1.46
2	B	2101	7VO	C4A-C4	2.29	1.54	1.51
2	A	2101	7VO	O-C	-2.11	1.23	1.30

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2101	7VO	C4A-N-CA	2.77	121.36	114.89
2	A	2101	7VO	C4-C4A-N	2.39	118.36	111.78
2	B	2101	7VO	C4-C4A-N	2.38	118.35	111.78
2	A	2101	7VO	C4A-C4-C3	2.34	122.55	120.04
2	B	2101	7VO	C4A-N-CA	2.23	120.11	114.89
2	B	2101	7VO	C4A-C4-C3	2.01	122.19	120.04

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	2101	7VO	C5A-O4P-P-O3P
2	A	2101	7VO	C5-C4-C4A-N
2	A	2101	7VO	CB-CA-N-C4A
2	A	2101	7VO	C-CA-N-C4A
2	B	2101	7VO	O-C-CA-CB
2	B	2101	7VO	OXT-C-CA-CB
2	B	2101	7VO	C5-C4-C4A-N
2	A	2101	7VO	CG2-CB-CG1-CD1
2	A	2101	7VO	C-CA-CB-CG2
2	B	2101	7VO	O-C-CA-N
2	B	2101	7VO	OXT-C-CA-N
2	A	2101	7VO	O-C-CA-CB
2	B	2101	7VO	C3-C4-C4A-N
2	A	2101	7VO	C5A-O4P-P-O1P
2	A	2101	7VO	C5A-O4P-P-O2P
2	A	2101	7VO	OXT-C-CA-CB
2	A	2101	7VO	C3-C4-C4A-N


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	459/483 (95%)	-0.48	4 (0%) 81 77	40, 56, 87, 121	0
1	B	459/483 (95%)	-0.36	2 (0%) 89 87	44, 67, 95, 127	0
All	All	918/966 (95%)	-0.42	6 (0%) 84 81	40, 62, 92, 127	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	463	TRP	3.2
1	A	318	PHE	2.6
1	A	316	PRO	2.5
1	A	35	PHE	2.3
1	B	5	ASP	2.2
1	B	65	ALA	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	7VO	B	2101	24/24	0.95	0.08	44,58,65,71	0
2	7VO	A	2101	24/24	0.97	0.07	35,50,79,87	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.